



**Industrial
Auctions**

2107: Online auction machinery for the food industry in Kapelle (NL)

END DATE
16 April 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	16 April 2026 from 14:00 hrs.
Viewing days	14 April 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	23 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Amfoor 6 4421 SE Kapelle Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Webomatic	Webomatic thermoformer, type: ML-C 5600, machine number; G 6513-Z1D-149, 400 V, 3 Ph, 50 Hz, 30.9 kW, Busch vacuum pumps, type: (1x) WV 0500 C 0Z1, capacity: 500 m ³ per hour, (1x) RA 0063 F 5K3, capacity: 63 m ³ per hour, film width: 460 mm, dimensions dye: (3x) 215 mm x 140 mm, plastic mesh outfeed belt, belt width: 400 mm, total dimensions: 6870 mm x 1200 mm x 2200 mm.	25000
2	Multivac	Multivac traysealer, type: T300, serial number: 310724, year of construction: 2021, 400/230 V, 3 Ph, 50 Hz, 34.7 A, 8.8 kW, Busch vacuum pump, capacity: 100 m ³ per hour, dimensions dyes: 247 mm x 314 mm, 230 mm x 145 mm, 175 mm x 228 mm and 256 mm x 175 (for skin packing), dimensions: 3200 mm x 1100 mm x 1700 mm. Transport rollies not included.	30000
3	MK Gilze BV	MK Gilze BV thermoformer, type: R270, machine number: 8086, year of revision: 2019, 400 V, 3 Ph, 50 Hz, 49 A, 16 kW, film width: 420 mm, dimensions dye: 235 mm x 120 mm, plastic outfeed belt, belt width: 350 mm, total dimenions: 7230 mm x 1050 mm x 1900 mm. Transport rollies not included.	12500
4	Rational AG	Rational AG combi steamer, type: iCombi Pro, model number: LM100GE.AXXXX, serial number: E22SJ21122938096, year of construction: 2021, 400 V, 3 Ph, 50/60 Hz, 67.9 kW, electric heated, dimensions: 1130 mm x 1100 mm x 1830 mm. Including s/s mobile oven rack, 20 floors, dimensions floors: (20x) 620 mm x 530 mm, dimensions rack: 850 mm x 690 mm x 1740 mm.	8000
5	Koppens	Koppens hot air tunnel, type: HLT 8000/600, machine number: HLT 8000/600-53, 380 V, 3 Ph, 50 Hz, 19.38 A, 8.05 kW, weight: 3500 kg, s/s belt, belt width: 600 mm, total dimensions: 8100 mm x 2100 mm x 2950 mm. Transport rollies not included.	25000
6	Lakidis	Lakidis double-shaft paddle mixer, type: PL-300, serial number: 770921, year of construction: 2021, 3.3/4.4 kW, volume: 300 litres, dimensions: 1750 mm x 880 mm x 1480 mm.	8000
7	S.C.M.	S.C.M. hygiene station, type: IKD 02, serial number: 07 11 2649, year of construction: 2007, consisting of: hand disinfection unit, tourniquette, sole cleaner, length brush: (2x) 750 mm, total dimensions: 1600 mm x 900 mm x 1570 mm.	500
8	Ishida	Ishida 14-heads multihead weigher, model: CCW-RZ-214W-S/60-WP, serial number: 500474, year of construction: 1999, 220 V, 50 Hz, 7.5 A, weight: 860 kg, dimensions: 1680 mm x 1620 mm x 2100 mm.	2750



Nr	Title	Description	Start €
9	Weber	Weber slicer line, consisting of: Weber pre scanner for slicer, type: SCA, number: 257, year of construction: 02/2009, plastic belt, belt width: 500 mm, total dimensions: 1550 mm x 1050 mm x 2050 mm. Weber slicer, type: SLC 904, number: 7165, year of construction: 03/2009, 400 V, 50 Hz, 10 kW, 6 bar, plastic infeed belt, belt width: (2x) 450 mm, plastic wire outfeed belt, belt width: 350 mm, total dimensions: 4200 mm x 1900 mm x 2550 mm. Weber checkweigher, type: CCW, number: 7165, plastic wire belt, belt width: 190 mm, total dimensions: 950 mm x 600 mm x 1200 mm. Weber rejector belt, type: CCR, number: 7165, year of construction: 02/2009, plastic wire belt, belt width: 190 mm, total dimensions: 950 mm x 500 mm x 1200 mm. Weber buffer belt, type: CCO, number: 7165, year of construction: 03/2009, plastic belt belt width: 500 mm, total dimensions: 1050 mm x 560 mm x 1420 mm. Weber buffer belt, type: CEB, number: 101-7165, year of construction: 2009, 400 V, 50 Hz, 4 kW, plastic belts, belt width: (3x) 500 mm, plastic wire belts, belt width: 300 mm, total dimensions: 3100 mm x 1000 mm x 1350 mm.	35000
10	Automation Systems	Automation Systems outfeed belt inliner for flowpacker, type: DNT101, year of construction: 2015, 400 V, 3 Ph, 18 A, 7 KW, plastic belt, belt width: 190 mm, 405 and 50 mm, tray dimensions: 175 mm x 125 mm, distance between dividers: 245 mm, total dimensions: 5750 mm x 2000 mm x 2150 mm.	10000
11	BG Pack SpA	BG Pack SpA flowpacker with labelling machine, model: BG2800 EWL210-Left, serial number: 99404, year of construction: 2011, 400 V, 50 Hz, 32 A, 10 kW, plastic belt, belt width: 150 mm, film width: 400 mm, total dimensions: 4600 mm x 1450 mm x 2300 mm. Including s/s trolley with parts and pallet with parts, dimensions trolley: 1100 mm x 600 mm x 1150 mm.	15000
12	Groba	Groba cheese portioning line, consisting of: Groba transport belt, s/s frame, type: TB-454, L=2000, year of construction: 2006, weight: 125 kg, plastic belt, belt width: 450 mm, total dimensions: 2120 mm x 620 mm x 1300 mm, Groba cheese defoiling machine, type: FO-400, year of construction: 2006, weight: 2400 kg, plastic belt belt width: 400 mm, total dimensions: 3580 mm x 1360 mm x 2650 mm, Groba mobile transport belt, s/s frame, type: TB-454, L=1000, year of construction: 2006, weight: 80 kg, plastic belt, belt width: 450 mm, total dimensions: 1130 mm x 720 mm x 1030 mm, Groba cheese divider, type: MHDM-520, year of construction: 2006, weight: 1200 kg, plastic belt, belt width: 540 mm, plastic rollers, roller width:	10000



Nr	Title	Description	Start €
		540 mm, dimensions dye: (4x) 90 mm x 90 mm, total dimensions: 2700 mm x 1330 mm x 1820 mm, Groba mobile outfeed roller conveyor, s/s frame, plastic roller, roller width: 490 mm, total dimensions: 2160 mm x 740 mm x 1000 mm. Including large amount of extra dye's, dimensions dye's: 80 mm x 80 mm / 120 mm x 100 mm / 370 mm x 370 mm / 150 mm x 50 mm / 100 mm x 60 mm / 100 mm x 100 mm / 75 mm x 100 mm / 100 mm x 150 mm.	
13	Multivac	Multivac mobile labelling machine with side labeller, type: MR313, machine number: 159009, year of construction: 2012, 230 V, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 1500 mm x 1200 mm x 1850 mm.	1500
14	Koppens	Koppens belt fryer, s/s mesh belt, belt width: 600 mm, total dimensions: 5500 mm x 1400 mm x 2950 mm. With Buls system and s/s frame with 2 silos for oil and pallet with switch cabinet and hoists. Transport rollies not included.	15000
15	Tetra Laval Food	Tetra Laval Food belt fryer, type: BRN 4500/700, machine number: BRN4500/700-1046, year of construction: 1995, 415 V, 3 Ph, 50 Hz, 17.87 A, 6.47 kW, weight: 4140 kg, s/s belt, belt width: 700 mm, total dimensions: 8300 mm x 2000 mm x 3450 mm. Including s/s mobile filter tub, dimensions: 1300 mm x 750 mm x 500 mm. Transport rollies not included.	15000
16	NN multihead weigher	10-heads multihead weigher, model: 1A10(25), year of construction: 2025, 220 V, 50/60 Hz, 10 A, 1.0 kW, dimensions: 1000 mm x 1000 mm x 1300 mm. New.	4000
17	BMB	BMB belt vacuum machine, model: CP 10.65, serial number: M0000466, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 4 kW, weight: 600 kg, plastic belt with dividers, belt width: 620 mm, divider height: 8 mm, distance between divider: 40 mm, seal length: (2x) 1010 mm, total dimensions: 2670 mm x 1230 mm x 1670 mm. Without vacuum pump.	8000
18	Ulma	Ulma mobile flowpacker, model: Nevada BS, number: 1300052, year of construction: 2003, 380 V, 50 Hz, 23 A, 5 kW, ELS labelling machine, infeed belt with dividers, belt width: 150 mm, distance between dividers: 300 mm, divider height: 30 mm, seal width: 300 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 4500 mm x 1300 mm x 1150 mm.	5000
19	Intocon NV	Intocon NV mobile elevating belt, s/s frame, type: TD8026, serial number: 16-045-01, year of construction: 2016, plastic belt, belt width: 290 mm, elevating height: 980 mm, total dimensions: 3550 mm x 560 mm x 1060 mm.	750



Nr	Title	Description	Start €
20	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 330 mm, total dimensions: 1680 mm x 450 mm x 1070 mm.	450
21	Weber	Weber slicer, type: CCS 902, number: CCS 902-2750, year of construction: 05/2012, 415 V, 50 Hz, 10 kW, plastic infeed belt, belt width: 340 mm, plastic outfeed belt, belt width: 420 mm, total dimensions: 3100 mm x 1850 mm x 2600 mm.	6500
22	O/K Packaging Systems bv	O/K Packaging Systems bv case erector, type: Superformer-1, serial number: 10-21790, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 10 A, weight: 1200 kg, maximum box width: 350 mm, plastic belts, belt width: (2x) 95 mm, total dimensions: 3750 mm x 1700 mm x 2130 mm.	4000
23	Yamato	Yamato 10-heads multihead weigher, dimensions: 1200 mm x 1050 mm x 1070 mm.	3250
24	Multipond	Multipond 14-heads multihead weigher, type: MP 1412-F, fabrication number: M 1047, year of construction: 1997, 230 V, 1 Ph, 50 Hz, maximum weight: 2000 gram, minimum weight: 200 gram, e=d=: 0.5 gram, T= 150 gram, dimensions: 1500 mm x 1250 mm x 1100 mm. With pallet box with parts, dimensions pallet box: 1200 mm x 1000 mm x 950 mm.	9000
25	Safeline	Safeline mobile metal detector, type: R Series Profile, serial number: 101359, 100-240 V, 50/60 Hz, 340 W, plastic mesh belt with dividers, belt width: 330 mm, divider height: 15 mm, distance between dividers: 150 mm, elevating height: 840 mm, clearance: 350 mm x 140 mm, total dimensions: 5350 mm x 1050 mm x 1000 mm.	2500
26	Leonhardt	Leonhardt mobile 2-heads depositor, diameter heads: (2x) 30 mm, total dimensions: 2180 mm x 1150 mm x 1790 mm.	2000
27	NN portioning machine	Portioning machine, plastic belt, belt width: (1x) 1000 mm and (1x) 300 mm, clearance: 1260 mm x 420 mm, knife width: 1200 mm, total dimensions: 2100 mm x 3060 mm x 2200 mm.	1200
28	Selvex SA	Selvex SA portioning machine, type: Ligne de découpe de fromages, registration: HAL02X, year of construction: 2007, 400 V, 3 Ph, 8 kW, clearance: 1150 mm x 490 mm, plastic belt, belt width: 1000 mm and 300 mm, knife width: 1100 mm, total dimensions: 2850 mm x 2700 mm x 2250 mm.	1200
29	Selvex SA	Selvex SA portioning machine, number: COL21-2, year of construction: 2002, 400 V, 3 Ph, 7 kW, infeed plastic belt, belt width: 1010 mm, clearance: 1230 mm x 500 mm, knife width: (1x) 1060 mm (1x) 340 mm, plastic	1200



Nr	Title	Description	Start €
		belt, belt width: 290 mm, total dimensions: 2660 mm x 2010 mm x 2070 mm. Including s/s switch cabinet, dimensions switch cabinet: 760 mm x 340 mm x 980 mm.	
30	NN block cutter	Block cutter, plastic belt, belt width: 540 mm, clearance: 430 mm x 165 mm, knife width: 450 mm, total dimensions: 2050 mm x 1510 mm x 2000 mm.	2950
31	NN block cutter	Block cutter, plastic belt, belt width: 310 mm, clearance: 550 mm x 440 mm, knife width: 450 mm, 8 knives, distance between knives: 45 mm, total dimensions: 2850 mm x 1250 mm x 2300 mm.	2950
32	Selvex SA	Selvex SA portioning machine with ejector, plastic belt, belt width: 270 mm and 310 mm, clearance: 410 mm x 150 mm, plastic rollers, roller width: 350 mm, knife width: 270 mm, total dimensions: 3650 mm x 1300 mm x 2220 mm.	1200
33	Mettler Toledo	Mettler Toledo X-ray scanner, model: ADV3, serial number: 3360 ADV 3, year of construction: November 2013, 230 V, 1 Ph, 50 Hz, 10 A, 2.3 kW, weight: 420 kg, plastic belt, belt width: 320 mm, clearance: 290 mm x 250 mm, total dimensions: 2000 mm x 920 mm x 2020 mm.	2500
34	Wolfking	Wolfking mixer-grinder, type: SFG 1500/250, number: 57444, year of construction: 1995, 415 V, 50 Hz, 59 kW, 105.7 A, weight: 2450 kg, plate diameter: 250 mm, total dimensions: 3300 mm x 1800 mm x 2750 mm. Incomplete, without plates and knives.	3500
35	Loma Systems	Loma Systems X-ray scanner, plastic belt, belt width: 480 mm, clearance: 540 mm x 95 mm, total dimensions: 1700 mm x 1110 mm x 1820 mm.	3500
36	Loma Systems	Loma Systems X-ray scanner, model: Z5-VJT SPACESAVER, serial number: DEV-020553, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 10 A, plastic belt, belt width: 280 mm, clearance: 270 mm x 300 mm, total dimensions: 1050 mm x 940 mm x 1800 mm.	3500
37	Loma Systems	Loma Systems metal detector head, model: IQ ³ , serial number: MH307-16995D, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 0.3 A, clearance: 440 mm x 290 mm, total dimensions: 1000 mm x 500 mm x 640 mm.	75
38	Selvex SA	Selvex SA portioning machine, plastic belt, belt width: 365 mm, clearance: 290 mm x 175 mm, working width: 290 mm, total dimensions: 1710 mm x 940 mm x 2000 mm.	500
39	NN transport screw	Transport screw, s/s screw, screw width: 220 mm, tier: 200 mm, total dimensions: 1620 mm x 510 mm x 340 mm.	350
40	Schöler GmbH		500



Nr	Title	Description	Start €
		Schöler GmbH plum stoner, type: KERN-EX PFV, 230 V, 0.37 kVa, capacity: 9000 per/hour, (10x) 4 stoners, total dimensions: 950 mm x 640 mm x 1050 mm.	
41	ScanFoam	ScanFoam hygiene trolley, type: 3-10 Bar 2-Prod, serial number: 88602124-002, year of construction: 2024, maximum air pressure: 10 bar, maximum temperature: 55 °C, maximum water pressure: 10 bar, dimensions: 660 mm x 490 mm x 1120 mm.	150
42	Systec	Systec mobile weighing scale with tub, type: IT 1000, serial number: 1602074, maximum weight: 30 kg, minimum weight: 0.2 kg, e=- 0.01 kg, T = -30kg, inside dimensions tub: 380 mm x 380 mm x 420 mm, total dimensions: 520 mm x 420 mm x 1370 mm.	150
43	NN loading arms	3 s/s loading arms on pallet, total dimensions: 2300 mm x 1380 mm x 1100 mm.	150
44	Proci	Proci s/s sink, dimensions: 430 mm x 410 mm x 500 mm.	25
45	NN sink	S/s sink, dimensions: 430 mm x 410 mm x 500 mm.	25
46	NN sink	S/s sink, dimensions: 550 mm x 300 mm x 600 mm.	25
47	Foamico	Foamico hygiene trolley with Grundfos circulation pump, type: MO 0127-4, serial number: 214687, year of construction: 19-08-2021, 380-400 V, 3 Ph, 50-60 Hz, 7.7-6.9 A, 3.2 kW, type Grundfos: CRNE1-9 X-CA-T-E-HQQE, dimensions: 900 mm x 650 mm x 1100 mm.	200
48	Foamico	Foamico hygiene trolley with Grundfos circulation pump, type: MO 0227-4, serial number: 214825, year of construction: 20-08-2021, 380-400 V, 3 Ph, 50-60 Hz, 7.7-6.9 A, 3.2 kW, type Grundfos: CRNE1-9 X-CA-T-E-HQQE, dimensions: 900 mm x 650 mm x 1100 mm.	200
49	Brunner	2 Brunner vegetable slicers, type: 1/77 S / GSM 4-SA, number: 28485 / 81711, 230 V, 1 Ph, 50 Hz, 1.8 A, 0.22 kW, dimensions: 450 mm x 300 mm x 570 mm and 450 mm x 250 mm x 520 mm. Including plastic crate with knives.	400
50	NN sink	S/s double sink with faucet, dimensions: 1200 mm x 700 mm x 1940 mm.	150
51	NN lifter	Lifter for meat bins, lifting height: 2520 mm, total dimensions: 1100 mm x 830 mm x 3550 mm.	850
52	NN tilting device	Tilting device for Dolav boxes, plastic belt, belt width: 460 mm, total dimensions: 2300 mm x 2500 mm x 2550 mm.	1500
53	Ulma	Ulma horizontal form, fill and seal machine, model number: NEVADA-BF-BI, serial number: 1600008, year of construction: 2003, 380 V, 50 Hz, 22 A, 4.6 kW, dimensions machine: 1950 mm x 1050 mm x 1550 mm, infeed belt, dimensions: 2200 mm x 600 mm x 1000 mm. Including pallet box with parts, dimensions: 1200 mm x 1000 mm x 1000 mm and pallet with film	750



Nr	Title	Description	Start €
		unwinding device, dimensions: 1200 mm x 900 mm x 900 mm. Incomplete, technical condition unknown.	
54	NON	NON lifter for meat bins, type: 72 112 000, number: 27.10.87, year of construction: 1987, lifting height: 1800 mm, total dimensions: 1650 mm x 560 mm x 2620 mm.	850
55	T. Giusti & Son Ltd	T. Giusti & Son Ltd tiltable vessel, serial number: J-10800B, capacity: 500 liter, dimensions: 1680 mm x 1500 mm x 2280 mm.	1250
56	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 569, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 210 mm, foot control, total dimensions: 260 mm x 950 mm x 1000 mm.	300
57	PFM packaging machinery	PFM packaging machinery vertical bag form-, fill-, and seal machine, model: A ZIMYTH S INOX, serial number: 2212, year of construction: 2013, 400 V, 50 Hz, 20 A, 10.1 kW, weight: 1000 kg, vertical seal length: 500 mm, horizontal seal length: 350 kg, total dimensions: 2150 mm x 1550 mm x 2140 mm. Technical condition unknown.	1500
58	Deltapack	Deltapack vertical form-, fill-, and seal machine, type: DC 260, machine number: 179, year of construction: 2001, diameter filling pipe: 150 mm, vertical seal length: 250 mm, horizontal seal length: 260 mm, film width: 520 mm, total dimensions: 1850 mm x 1300 mm x 2250 mm.	750
59	N&N	N&N vacuum tumbler, type: MV-300, number: 014, year of construction: 2005, 400 V, 50 Hz, 2 kW, weight: 320 kg, volume: 300 liter, Busch vacuum pump, type: KB 0020 D, year of construction: 2004, capacity: 20 m ³ per hour, dimensions: 1430 mm x 1180 mm x 1890 mm. Incomplete, missing lid.	2500
60	Frey	Frey vacuum filling machine, type: Konti 50, machine number: K50 23 03 88, 380 V, dimensions: 750 mm x 900 mm x 1450 mm.	2500
61	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 liter meat bins, model: RS 4001, serial number: Q300007, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 6.3 kW, Busch vacuum pump, dimensions: 1350 mm x 1350 mm x 2650 mm.	4000
62	NN pump	Mobile pump, dimensions: 1000 mm x 1000 mm x 2000 mm.	200
63	Suhner AG	Suhner AG injector, type: WS 80 F, number: 9680203, 400 V, 50 Hz, 3.5 A, 1.1 kW, 80 needles, s/s mesh belt, belt width: 285 mm, total dimensions: 1300 mm x 500 mm x 1820 mm. Missing needles.	500
64	Pen-Tec		500



Nr	Title	Description	Start €
		Pen-Tec metal detector with checkweigher and rejecter, model metal detector: PenTec DUAL FREQUENCY, number: 09820, clearance: 300 mm x 135 mm, plastic belt, belt width: 240 mm, model checkweigher: MSR-1200, serial number: P01215, year of construction: 2015, 230 V, 50 Hz, 4 A, maximum weight: 1200 gram, minimum weight: 50 gram, T= -750 gram, e=d= 0.5 gram, total dimensions: 1800 mm x 950 mm x 1800 mm.	
65	Sealpac	Sealpac traysealer, type: Sealpac 750, serial number: TV5 04 1650 01, year of construction: 2007, 3x400/230 V, 50-60 Hz, 6.5 kW, dye: (5x) Ø 122 mm, total dimensions: 3200 mm x 800 mm x 2000 mm. Incomplete, technical condition unknown.	950
66	Fortress	Fortress metal detector, model: Stealth, serial number: EP-2602, year of construction: 2015, plastic belt, belt width: 265 mm, clearance: 325 mm x 535 mm, total dimensions: 1270 mm x 780 mm x 1900 mm.	750
67	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 liter meat bins, Busch vacuum pump, type: KB 0016 E, capacity: 16 m ³ per hour, dimensions: 1900 mm x 1200 mm x 1910 mm. Technical condition unknown, incomplete, missing screen.	2500
68	Rühle GmbH	Rühle GmbH cooled vacuum tumbler, type: MKR 130, number: 682, 380 V, 3 Ph, 50 Hz, 3.15 kW, volume: 130 liter, dimensions: 1150 mm x 750 mm x 1250 mm.	1750
69	Rex Technologie	Rex Technologie vacuum filling machine, type: RVF 540, machine number: 5400750829, 400 V, 3 Ph, 50 Hz, 20 A, 8 kW, dimensions: 900 mm x 820 mm x 1930 mm. Incomplete, missing rotor, vanes and vacuum pump.	2500
70	Ishida	Ishida 14-heads multihead weigher, model: CCW-RZ-214-S/60-WP, serial number: 500473, year of construction: April 1999, 220 V, 50 Hz, 7.5 A, weight: 860 kg, dimensions: 1650 mm x 1650 mm x 2100 mm.	1750
71	Stephan	Stephan cheese processing machine, type: TC 300, machine number: 716.815, number: 2878172, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 67 kW, 123 A, dimensions: 3500 mm x 1800 mm x 2400 mm. Including s/s switch cabinet, dimensions: 2350 mm x 700 mm x 2200 mm.	20000
72	Multivac	Multivac thermoformer, type: R245, machine number: 127947, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 31 A, 11.5 kW, distance between chain: 580 mm, dimensions dye: (20x) 85 mm x 80 mm, plastic mesh outfeed belt, belt width: 520 mm, total dimensions: 7800 mm x 1300 mm x 2250 mm. Transport rollies not included.	15000



Nr	Title	Description	Start €
73	Variovac	Variovac thermoformer, type: MULTIPOWER, serial number: 580.189.07, machine number: 189, year of construction: 2007, 230/400 V, 50 Hz, 36 A, 16 kW, 6 bar, film width: 580 mm, dimensions dye: (2x) 230 mm x 180 mm, plastic outfeed belt, belt width: (2x) 250 mm, total dimensions: 9900 mm x 1310 mm x 2050 mm. Including film unwind device, dimensions: 850 mm x 900 mm x 930 mm and rest film suction device, dimensions: Ø 480 mm x 1060 mm. Transport rollies not included.	2500
74	CFS	CFS thermoformer, type: 660, machine number: 661/0234, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 40/50 A, dyes: (6x) 200 mm x 115 mm, belt width: (3x) 130 mm, index: 550 mm, roll width: 430 mm, plastic belt, belt width: 400 mm, total dimensions thermoformer: 12000 mm x 1700 mm x 2250 mm. outfeed belt, plastic mesh belt, belt width: (3x) 130 mm, total dimensions outfeed belt: 1260 mm x 870 mm x 1000 mm. Including, Gardner Denver vacuum pump, dimenisions: 1550 mm x 920 mm x 920 mm, Markem smartlaser with labeller, Markem smartlaser unit, model: ES400i, serial number: ES400i-312, year of construction: 2005-03, 220/240 V, 1 Ph, 50/60 Hz, 6/15 A, dimensions: 720 mm x 400 mm x 770 mm.	3500
75	Novopac s.r.l.	Novopac s.r.l. sleeve wrapper and shrinking machine, type: AND 070M-SP, serial number: 4560219, year of construction: 2019, 400 V, 50 Hz, 6 A, 23 kW, plastic infeed belt, belt width: 350 mm, film width: 550 mm, belt width shrinking tunnel: 600 mm, clearance: 770 mm x 480 mm, total dimensions: 4100 mm x 1500 mm x 2650 mm.	2000
76	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1050 mm, total dimensions: 3500 mm x 570 mm x 1170 mm.	500
77	KEY Technolgy	KEY Technology vibrating gutter on mobile s/s frame, gutter width: 500 mm, total dimensions: 2430 mm x 850 mm x 2700 mm.	1500
78	CFS Bakel B.V.	CFS Bakel B.V. mobile forming machine, type: MLF 400, machine number: 2206, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 17.16 A, 7.77 kW, weight: 1186 kg, s/s mesh belt, belt width: 400 mm, dimensions dye: (6x) 180 mm x 20 mm, total dimensions: 2750 mm x 900 mm x 2150 mm. New controls installed in 2017.	17500
79	Cryovac	Cryovac horizontal form, fill and seal machine, type: CJ55 MD-BDF, serial number: A91600205, year of construction: 2000, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: (2x) 200 mm, seal width: 250 mm,	1750



Nr	Title	Description	Start €
		clearance: 200 mm x 60 mm, total dimensions: 5000 mm x 1100 mm x 2300 mm.	
80	Glass	Glass tiltable frying pan with GWK oil heater, type: WOK 300, machine number: 2812, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6.93 A, 2.62 kW, volume: 300 liter, dimensions cooking vessel: 2500 mm x 1500 mm x 1610 mm, type GWK oil heater: teco tt 140.48.000, serial number: 207304-01-01, year of construction: 2005, dimensions oil heater: 1500 mm x 440 mm x 1540 mm.	15000
81	Kolbe	Kolbe bandsaw, dimensions table: 770 mm x 580 mm, total dimensions: 800 mm x 730 mm x 1610 mm.	1500
82	Intech International a/s	Intech International a/s lifter for crates, type: IL 350, serial number: E19153, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 350 kg, dimensions: 1200 mm x 460 mm x 2700 mm.	1250
83	Multipond	Multipond 20-heads multihead weigher, type: MP 20-3800/1250-H, serial number: M 2718, year of construction: 2011, 416 V, 3 Ph, 50/60 Hz, maximum weight: 3000 gram, minimum weight: 50 gram, e= 0.5 gram, d= 1.0 gram, T= 150 gram, total dimensions: 2600 mm x 2200 mm x 1300 mm. Legs shown on video not included.	11000
84	Rademaker	Rademaker mobile depositor, 8 heads, diameter heads: (8x) 8 mm, total dimensions: 1120 mm x 1100 mm x 1640 mm.	1500
85	Schuy	Schuy cup filling and closing machine, type: SchuCup 3000, machine number: 6727, diameter cups: 95 mm, plastic outfeed belt, belt width: 120 mm, total dimensions: 2400 mm x 1440 mm x 2350 mm.	2500
86	Automation Systems	Automation Systems tray filling machine, type: FST204, year of construction: 2014, 400 V, 3 Ph, 16 A, 4 kW, 2.5 bar, plastic belt with dividers, belt width: 165 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions tray filler: 1000 mm x 1400 mm x 2000 mm, including infeed belt, belt width: 265 mm, total dimensions: 1900 mm x 500 mm x 1000 mm. Including transport belt, s/s frame, plastic belt, belt width: 285 mm, total dimensions transport belt: 3850 mm x 430 mm x 1060 mm.	1500
87	Blueprint Automation	Blueprint Automation tilting device for pouches, type: FBC01, serial number: V1081, year of construction: 06-2006, 400 V, 3 Ph, 50 Hz, plastic belts, belt width: 360 mm and 60 mm, working width: 320 mm, total dimensions: 3600 mm x 1200 mm x 1600 mm.	1500
88	Ulma	Ulma shrink tunnel, model: TRX 65x150 H-250, machine number: 4515763, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 42.4 A, 30.6 kW, plastic rollers,	7500



Nr	Title	Description	Start €
		roller width: 660 mm, clearance: 640 mm x 280 mm, total dimensions: 2400 mm x 1350 mm x 1730 mm.	
89	Multipond	Multipond mobile 14-heads multihead weigher, type: MP 1401-F, year of construction: 1998, 230 V, 1 Ph, 50 Hz, weighing range: 20 - 100 gram, total dimensions: 2100 mm x 1250 mm x 3250 mm. Including s/s trolley for bins, dimensions trolley: 1450 mm x 800 mm x 1730 mm.	7000
90	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1000 mm x 1000 mm x 1170 mm.	400
91	NN curve conveyor	Curve conveyor, plastic mesh belt, belt width: 100 mm, total dimensions: 3450 mm x 1450 mm x 950 mm.	250
92	Jasa Packaging Solutions	Jasa Packaging Solutions transport belt, s/s frame, type: AANVOERBAND, machine number: 12700, year of construction: 2016, 230 V, 1 Ph, 10 A, 0.75 kW, weight: 219 kg, plastic belt, belt width: 450 mm, total dimensions: 4050 mm x 650 mm x 1280 mm.	400
93	Lantech	Lantech carton erector, model C-1000-Hotmelt, serial number: SM20164280, year of construction: 06-jul-2016, 400 V, 3 Ph, 50 Hz, 4.37 kW, Robatech glue unit, type: Concept C 5/2, serial number: 11111103-001, year of construction: 2016, plastic belts, belt width: 65 mm, dimensions plano: 680 mm x 450 mm, total dimensions: 2400 mm x 2300 mm x 2600 mm.	9000
94	Machinefabriek Hendriks B.V.	Machinefabriek Hendriks B.V. horizontal slicer for cheese, type: Horizontale deelmachine 2, serial number: 20400, year of construction: September 2003, 400 V, 3 Ph, 50 Hz, 4.9 A, 3 kW, 10 kA, 6 bar, plastic rollers, roller width: 400 mm, total dimensions: 2700 mm x 1250 mm x 2050 mm.	2000
95	Ishida	Ishida 14-heads multihead weigher, model: CCW-EM-214W-S/50-WR, serial number: 555175, year of construction: 2005, 220 V, 1 Ph, 50 Hz, 7 A, weight: 920 kg, dimensions: 1850 mm x 1700 mm x 2200 mm. Including pallet box with parts, dimensions pallet box: 1200 mm x 1000 mm x 1250 mm.	4500
96	Kolbe	Kolbe bandsaw, type: K430H, serial number: 99 1500, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 8.6 A, 4.0 kW, dimensions table: 1140 mm x 960 mm, total dimensions: 1290 mm x 1000 mm x 2220 mm.	2500
97	Kilia	Kilia cutter, type: KU 90 1 3000RS, number: 109212617, year of construction: 1992, 380 V, s/s bowl, volume: 90 liter, dimensions: 1450 mm x 1400 mm x 1150 mm.	3000
98	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT HP10, type: 140/350 B-1,	3000



Nr	Title	Description	Start €
		number: 140 0444, year of construction: 1995, 220-460 V, 3 Ph, 50/60 Hz, 21/63 A, with Rietschle vacuum pump, type: VCE 25, number: 1569062, dimensions: 2100 mm x 1200 mm x 2350 mm.	
99	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, distance between dividers: 250 mm, divider height: 100 mm, elevating height: 1800 mm, total dimensions: 3600 mm x 600 mm x 2000 mm.	400
100	Boldt	Boldt mixer, type: BFMA 2000, serial number: BFO05-012, year of construction: 2005, 400 V, 63 A, volume: 1600 liter, dimensions: 2880 mm x 1600 mm x 2300 mm. Including s/s lifter for meat bins, capacity: 350 kg, lifting height: 2100 mm, total dimensions lifter: 1160 mm x 800 mm x 3000 mm and s/s platform, working height: 800 mm, total dimensions platform: 2800 mm x 1450 mm x 1900 mm.	8500
101	NN transport belt	Transport belt on s/s rails, plastic belt, belt width: 400 mm, total dimensions: 3200 mm x 800 mm x 970 mm.	1000
102	Ishida	Ishida 16-heads multthead weigher, model: CCW-RVE-216B1D/15-SS, serial number: 560012161, year of construction: 08/2017, 240 V, 1 Ph, 50 Hz, 11.3 A, weight: 535 kg, dimensions: 1750 mm x 1600 mm x 2850 mm.	10000
103	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 380 mm, distance between dividers: 210 mm, divider height: 50 mm, elevating height: 1600 mm, total dimensions: 2950 mm x 600 mm x 1640 mm.	750
104	Bodijn	Bodijn slicer used for meat, serial number: HAK 217219/2, year of construction: 2018, 230 V, 50 Hz, 2.2 A, 0.5 kW, weight: 600 kg, belt width: 545 mm, working width: 500 mm, total dimensions: 2700 mm x 1200 mm x 2100 mm.	2000
105	Machinefabriek Hendriks B.V.	Machinefabriek Hendriks B.V. cheese scraper, type: KAASCHRAPER II, serial number: 8900.001, year of construction: 2000, clearance: 130 mm x 180 mm, total dimensions: 3400 mm x 1500 mm x 2280 mm.	2500
106	Diessel	S/s skid with Diessel tank with agitator and scraper, inside dimensions tank: Ø 1200 mm x 1000 mm, including progressing cavity pump, total dimensions: 2000 mm x 1350 mm x 2500 mm.	2750
107	MACS	MACS s-shaped curve conveyor, type: CURVED CONVEYOR, machine number: 21090-51000, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.29 A, 0.55 kW, plastic mesh belt, belt width: 450 mm, total dimensions: 3600 mm x 850 mm x 1370 mm.	650
108	SAS DISPAC	SAS DISPAC tilting device for 200 liter meat bins with outfeed belt, type: VIDEF, serial number: 08V26, year	500



Nr	Title	Description	Start €
		of construction: 06/08, plastic belt, belt width: 600 mm, total dimensions: 3400 mm x 1580 mm x 1810 mm.	
109	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON conti, machine number: 461005.154538.110208, year of construction: 2011, 380-480 V, 3 Ph, 50/60 Hz, 32 A, 8.6 kW, weight: 750 kg, plastic belt, belt width: 220 mm, clearance: 290 mm x 180 mm, total dimensions: 4630 mm x 1300 mm x 1900 mm.	10000
110	Jasa Packaging Solutions	Jasa Packaging Solutions double transport belt on s/s frame, model: 191000603000000, machine number: 14666, year of construction: 2019, 230 V, 3 Ph, 0.37 kW, 1.7 A, weight: 110 kg, belt width: (2x) 350 mm, belt length: (2x) 1400 mm, total dimensions: 3400 mm x 1450 mm x 2000 mm.	750
111	Multipond	Multipond 10-heads multihead weigher, type: MP1024, factory number: 567, year of construction: 1993, weighing capacity: 2400 g, dimensions: 1600 mm x 1400 mm x 2200 mm. Control panel shown in video is not included.	4000
112	La Parmentiere	La Parmentiere dehairing machine with Carsoe lifter for meat bins, type: 770P, machine number: 770P414, year of construction: 06.2020, type lifter: HKV 300, serial number: FOD-10811, year of construction: 2020, 400 V, 3 Ph, 0.75 kW, dimensions: 2050 mm x 1800 mm x 1870 mm, dimensions lifter: 3150 mm x 1500 mm x 900 mm.	9500
113	Servolift GmbH	Servolift GmbH lifter for barrels, type: mob. Fass-Hubsäule, serial number: 10905, year of construction: 2004, capacity: 160 kg, lifting height: 2300 mm, total dimensions: 1850 mm x 800 mm x 2300 mm.	1000
114	Kolbe	Kolbe bandsaw, type: K330S, serial number: 98 0721, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 24 VDC, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions saw table: 760 mm x 580 mm, total dimensions: 760 mm x 720 mm x 1800 mm.	1500
115	Boldt	Boldt mixer, type: BFMA 2000, serial number: BFO06-039, year of construction: 2006, 400 V, 63 A, volume: 1600 liter, dimensions: 2930 mm x 1300 mm x 2220 mm. Including s/s platform, working height: 800 mm, total dimensions platform: 2900 mm x 750 mm x 1960 mm and s/s switch cabinet, dimensions switch cabinet: 1130 mm x 360 mm x 2160 mm.	7500
116	Jansen Techniek	Jansen Techniek checkweigher with rejector, model: checkweigher, type: reject, year of construction: 2018, plastic mesh belt, belt width: 250 mm, clearance: 260	1500



Nr	Title	Description	Start €
		mm x 285 mm, plastic rollers, roller width: 315 mm, total dimensions: 1300 mm x 2550 mm x 1500 mm.	
117	PFM	PFM vertical bag form-, fill-, and seal machine, model: Zenith Inox, serial number: C 7741, year of construction: 2005, 380 V, 50 Hz, 8 A, 4.5 kW, 2 Markem Imaje smart date printers, film width: 280 mm, vertical seal length: 350 mm, horizontal seal width: 250 mm, total dimensions: 1900 mm x 1100 mm x 1770 mm.	4000
118	Gruppo Fabbri SA	Gruppo Fabbri SA automatic wrapping machine, model: B-241, serial number: 4-251, year of construction: 2012, 400 V, 3 Ph, 50-60 Hz, 10 A, weight: 610 kg, plastic string belt, belt width: 175 mm, dimensions dye: 300 mm x 240 mm, film width: 330 mm, total dimensions: 3830 mm x 950 mm x 1770 mm.	4000
119	Garvens Automations GmbH	Garvens Automations GmbH metal detector with checkweigher with double rejectors, type: S3 combi, serial number: 330069, year of construction: 1999, 230 V, 50 Hz, weighing range: 20-3500 gram, e=d= 0.5 gram, T= - 3500 gram, plastic belt, belt width: 290 mm, clearance: 350 mm x 210 mm, total dimensions: 1300 mm x 700 mm x 1850 mm and 1100 mm x 950 mm x 1370 mm.	2500
120	Still	Still electric pallet lifter, type number: EGV 16, serial number: 710246002240, year of construction: 1999, capacity: 1600 kg, empty weight: 865 kg, battery weight minimum / maximum: 298 kg (5%) 24 V, fork length: 1150 mm, total dimensions: 1700 mm x 840 mm x 1940 mm. Including battery charger, 24 V.	450
121	Novopac s.r.l.	Novopac s.r.l. bundling machine, plastic belt, belt width: 360 mm and 100 mm, total dimensions: 3200 mm x 1400 mm x 1850 mm. With pallet with infeed belt.	1000
122	Avercon	Avercon carton erector with Robatech glue unit, machine type: AVC-CE710 L/H, number: 532, year of construction: 12-2003, 3x400 V, 18.5 A, Busch vacuum pump, type: RA0040 F 5R3, serial number: D17500393, year of construction: 2017, dimensions carton erector: 3500 mm x 1800 mm x 2400 mm, dimensions infeed unit: 1800 mm x 1400 mm x 1250 mm.	1500
123	LAC	LAC elevating belt, type: Weigher Infeed, serial number: FI0359-4A, year of construction: June 2011, plastic belt, belt width: 500 mm, elevating height: 1050 mm, total dimensions: 4400 mm x 650 mm x 1060 mm.	400
124	MACS	MACS elevating belt, type: TAKE AWAY CONVEYOR, number: 21090-44000, year of construction: 2021, 400	850



Nr	Title	Description	Start €
		V, 3 Ph, 50 Hz, 1.29 A, 0.55 kW, s/s frame, plastic mesh belt, belt width: 450 mm, elevating height: 1500 mm, total dimensions: 4800 mm x 800 mm x 1600 mm.	
125	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 285 mm, total dimensions: 3980 mm x 410 mm x 980 mm. One leg missing.	450
126	NN transport belt	Transport belt, s/s frame, plastic belt with dividers, belt width: 35 mm, divider height: 35 mm, distance between dividers: 370 mm, total dimensions: 4500 mm x 600 mm x 980 mm.	400
127	Nemo	Nemo progressive cavity pump, dimensions: 3570 mm x 500 mm x 570 mm.	1500
128	Rembrandt	Rembrandt carton erector with taper, type: RMO-1-H, machine number: 20004108, year of construction: 2000, 400 V, 50 Hz, 3 Ph, 5.2 kW, clearance: 640 mm, Rietschle vacuum pump, type: VLT 25 (01), dimensions carton erector: 2000 mm x 1150 mm x 2120 mm, dimensions infeed belt: 1000 mm x 2270 mm x 870 mm.	1500
129	Anritsu	Anritsu checkweigher and metal detector with rejectors, type checkweigher: KW5417BP5D, serial number: 4600173649, year of construction: 2012, 100-120 / 200-240 Vac, 1 Ph, 50/60 Hz, maximum weight: 1500 / 3000 gram, minimum weight: 20 gram, e=d= 0.5 / 1 gram, T = -1500 / -3000 gram, type metal detector: KD1125AW, serial number: 4600162333, plastic belt, belt width: 350 mm, clearance: 450 mm x 130 mm, total dimensions: 2250 mm x 1450 mm x 1550 mm. Curve conveyor shown in video is not included.	2500
130	Landpack	Landpack pouch filling machine, model: LD-8200A, serial number: LP250325, year of construction: 2025-5-5, plastic belt, belt width: 260 mm, built-in Joysun single-stage rotary vane vacuum pump, model: X-40, serial number: AP251265305, year of construction: 2025, nominal displacement: 40 m3/h, dimensions: 2550 mm x 2000 mm x 1500 mm.	10000
131	Uva-Butler	Uva-Butler vertical form-, fill-, and seal machine, type: BUT.2-230, machine number: 98518, year of construction: 1998, 400 V, 50 Hz, diameter filling pipe: 120 mm, vertical seal length: 600 mm, horizontal seal length: 370 mm, film width: 380 mm, total dimensions: 1970 mm x 1500 mm x 1910 mm.	750
132	HD. Wiegetechnik + Sondermaschinen GmbH	HD. Wiegetechnik + Sondermaschinen GmbH 16-heads multihead weigher, type: HDW 16-1.5-30 kg, machine number: 043, year of construction: 2003, dimensions: 1340 mm x 1340 mm x 1850 mm. Including s/s trolley for bins, dimensions trolley: 2420 mm x 500 mm x	3500



Nr	Title	Description	Start €
		1150 mm, s/s frame for gutters, dimensions frame: 1770 mm x 950 mm x 1000 mm and pallet with parts, dimensions pallet: 1200 mm x 800 mm x 550 mm.	
133	Sartorius	Sartorius metal detector on elevating belt, plastic mesh belt, belt width: 304 mm, clearance: 350 mm x 160 mm, elevating height: 950 mm, total dimensions: 2900 mm x 1150 mm x 2220 mm. Incomplete.	750
134	K+G Wetter	K+G Wetter grinder, type: WW E130-442, number: 442/1042, year of construction: 2021, 230 V, 50 Hz, 35 A, 16 kW, diameter plate: 130 mm, total dimensions: 1400 mm x 1400 mm x 1850 mm. Including crate with parts.	15000
135	NN transport belt	Transport belt on s/s rails, plastic belt, belt width: 400 mm, total dimensions: 3300 mm x 750 mm x 1250 mm.	1250
136	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 200, dimensions: 2000 mm x 1035 mm x 1900 mm.	2500
137	Scanvaegt	Scanvaegt 14-heads multihead weigher, type: ScanCombinator 5418-2L-AD, serial number: BMT00202, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.0 A, weight: 750 kg, dimensions: 1300 mm x 1100 mm x 1600 mm.	2500
138	Ishida	Ishida 10-heads multihead weigher, model: CCW-EM-210/30, serial number: 552790, year of construction: February 2003, 220 V, 1 Ph, 50 Hz, 5.5 A, weight: 445 kg, dimensions: 1200 mm x 1200 mm x 1550 mm.	2250
139	Youngsunpack Europe	Youngsunpack Europe pallet wrapper, type: MH-FG-2000B, serial number: 171113PW4-1581, year of construction: 11-2017, 220 V, 1 Ph, 50 Hz, 1250 W, diameter platform: 1650 mm, total dimensions: 2600 mm x 1650 mm x 2790 mm.	450
140	Bosch	Bosch vertical bag form-, fill- and seal machine, type: SVE 2510 WR, number: 808689MS7533N, year of construction: 2006, film width: 443, diameter filling pipe: 115 mm, vertical seal length: 350 mm, horizontal seal length: 285 mm, total dimensions: 2550 mm x 1500 mm x 1800 mm. Including Garden Denver vacuum pump, type: V-VC 150 (20), capacity: 150 m ³ per hour, dimensions: 800 mm x 450 mm x 300 mm.	2500
141	Ca.Ve.Co	Ca.Ve.Co skin packaging machine, type: STORM, serial number: 7818, 400 V, 50 Hz, 9 A, 6 kW, film width: 760 mm, Busch vacuum pump, type: RA 0100 F 5R3, dimensions chamber: 720 mm x 500 mm x 100 mm, plastic in- and outfeed rollers, roller width: 450 mm, total dimensions: 2660 mm x 1150 mm x 1440 mm.	3500



Nr	Title	Description	Start €
		Including pallet with plastic plates, dimensions plates: (16x) 700 mm x 490 mm x 30 mm.	
142	Inauen Maschinen AG	Inauen Maschinen AG mobile double chamber vacuum machine, type: VC999/K12, machine number: 1905189, 400 V, 3 Ph, 50 Hz, 17.5 A, 10 kW, 2 Rietschle vacuum pumps, type: CLFH 220 (20) / VCB 20 (07), seal width: (2x) 490 mm x 940 mm, dimensions chamber: 900 mm x 470 mm, total dimensions: 2220 mm x 920 mm x 1070 mm.	2400
143	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG dip tank, type: VC999 85.47iD, machine number: 95T101387, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.5 kW, plastic infeed belt, belt width: 470 mm, clearance: 470 mm x 320 mm, inside dimensions: 970 mm x 470 mm, s/s outfeed rollers, roller width: 470 mm, total dimensions: 2230 mm x 920 mm x 1450 mm.	1500
146	Case Packaging Systems	Case Packaging Systems case compacting system, plastic belt, belt width: 360 mm, clearance: 290 mm x 580 mm, dimensions presser: 340 mm x 220 mm, total dimensions: 1550 mm x 1160 mm x 2210 mm.	1750
147	Leon Torfs bvba	Leon Torfs bvba transport belt, s/s frame, number: 263C047, year of construction: 2008, plastic belt, belt width: 300 mm, total dimensions: 2400 mm x 560 mm x 1080 mm.	350
148	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 380 mm, elevating height: 1150 mm, total dimensions: 1940 mm x 500 mm x 1420 mm.	650
150	Matco	Matco pallet wrapper, type: A618Z PREA, serial number: MA-99111, year of construction: 01/1999, 400 V, 3 Ph, 50 Hz, 765 kg, steel platform, diameter platform: 1750 mm, total dimensions: 3000 mm x 1750 mm x 2600 mm.	400
154	Automotion Systems BV	Automotion Systems BV box filling machine, type: ARE008, year of construction: 2018, 400 V, 3 Ph, 16 a, 3 kW, plastic belts, belt width: 280 mm and 170 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions: 2300 mm x 2000 mm x 1850 mm.	1800
155	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH slicer with infeed belt, type: IC610/21, serial number: 010604, year of construction: 2004, 400 V, 15.25 A, 6.1 kW, plastic belt, belt width: 610 mm, dimensions chamber: 210 mm x 210 mm, total dimensions: 2400 mm x 800 mm x 1500 mm, dimensions infeed belt: 2700 mm x 860 mm x 1500 mm. Outfeed belt shown on video is not included in this lot.	1500
156	Meiwa	Meiwa pallet wrapper, type: WP1 EVC, serial number: E0701347, year of construction: 11/2007, 220 V, 60 Hz,	400



Nr	Title	Description	Start €
		1000 W, steel platform, diameter platform: 1650 mm, total dimensions: 2650 mm x 1650 mm x 2820 mm.	
157	Youngsunpack	Youngsunpack pallet wrapper, type: MHFG2000B, serial number: E114811, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 1250 W, diameter platform: 1640 mm, total dimensions: 3000 mm x 1650 mm x 2780 mm.	600
158	Bizerba	Bizerba checkweigher, model: CWE, number: 10754551, 200/220-240 V, 50/60 Hz, 5/3 A, maximum weight: 1500/3000 gram, minimum weight: 50 gram, e=d= 0.5/1 gram, plastic belt, belt width: 300 mm, total dimensions: 1800 mm x 920 mm x 1700 mm.	1250
159	Urschel Laboratories, Inc.	Urschel Laboratories, Inc. slicer, model: RA-A, serial number: 1368, working width: 140 mm, 16 knives, distance between knives: 10 mm, total dimensions: 2540 mm x 1340 mm x 2150 mm. Including pallet with parts.	6500
160	Dinnissen Process Technology	Dinnissen Process Technology double shaft paddle mixer, type: 304-30-2x3, machine number: 181195, year of construction: 2018, volume: 750 liter, dimensions: 3700 mm x 1400 mm x 900 mm.	8500
161	Dinnissen Process Technology	Dinnissen Process Technology double shaft paddle mixer, type: 304-30-2x3, machine number: 190373, year of construction: 2020, volume: 750 liter, dimensions: 3700 mm x 1400 mm x 900 mm.	8500
162	Rademaker	Rademaker transport belt, s/s frame, type: DOSEERLIJN, serial number: 4075, year of construction: 1995, 220/380 V, 50 Hz, 0.35 A, weight: 950 kg, plastic belt with dividers, belt width: 450 mm, divider height: 10 mm, distance between dividers: 340 mm, total dimensions: 4000 mm x 800 mm x 1780 mm.	450
163	Innotech Verpackungsmaschinen GmbH / Rovema	Innotech Verpackungsmaschinen GmbH / Rovema vertical bag form-, fill- and seal machine, type: 2500 REVO, serial number: 1.32.17.1252, year of construction: 2017, 230-400 V, 3 Ph, 50 Hz, 25 A, film width: 510 mm, diameter pipe: 130 mm, vertical seal length: 370 mm, horizontal seal length: 280 mm, total dimensions: 2400 mm x 1450 mm x 1970 mm. Including extra filling pipe.	7500
164	Innotech Verpackungsmaschinen GmbH / Rovema	Innotech Verpackungsmaschinen GmbH / Rovema vertical bag form-, fill- and seal machine, type: 3800 REVO, serial number: 1.36.21.1438, year of construction: 2021, 230-400 V, 3 Ph, 50 Hz, 25 A, film width: 690 mm, diameter pipe: 200 mm, vertical seal length: 560 mm, horizontal seal length: 400 mm, total dimensions: 2750 mm x 2000 mm x 2420 mm.	15000
165	Cabinplant		1500



Nr	Title	Description	Start €
		Cabinplant separation tumbler, type: SEPERATORTROMLE, number: 8431, diameter drum: 350 mm, length: 1200 mm, Scanvaegt weighing scale with indicator, type: 411, max: 30 Kg, min: 0.2 Kg, e= 0.01 Kg, dimensions weighing scale: 400 mm x 300 mm, total dimensions: 1750 mm x 1250 mm x 2100 mm.	
166	CFS	CFS transport belt, s/s frame, type: PRODUCTBAND, year of construction: 2007, plastic belt, belt width: 600 mm, total dimensions: 4200 mm x 750 mm x 1000 mm.	650
167	Ulma	Ulma flowpacker, model: PV 550 L SHAPE, machine number: 1221960, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 14 A, 9.6 kW, film width: 740 mm, plastic belt, belt width: 430 mm, seal width: 200 mm and 540 mm, plastic outfeed belt, belt width: 425 mm, total dimensions: 3900 mm x 1780 mm x 2020 mm.	7500
168	Ollari e Conti	Ollari e Conti defrosting machine with lifter for meat bins, model: TF-1500, serial number: 2022, year of construction: 2020, 400 V, 7.7 kW, dimensions defrosting machine: 2400 m mx 2100 mm x 3000 mm, dimensions lifter: 2900 mm x 1600 mm x 1300 mm. With s/s frame with switch cabinet, dimensions: 2000 mm x 500 mm x 2500 mm.	6000
169	Ishida	Ishida 10-heads multihead weigher, model: CCW-SE3-210W-1S/20-WP, serial number: 920016215 E17101101, year of construction: 11/2017, 230 V, 1 Ph, 50 Hz, 5.2 A, minimum capacity: 14 g, maximum capacity: 1000 g, total dimensions: 1100 mm x 1000 mm x 1300 mm.	5000
170	Multipond	Multipond 10-heads multihead weigher, type: MP 1024-D, factory number: MP 935, year of construction: 1996, 230 V, 50 Hz, 1.5 kVA, maximum total: 6000 gram, maximm single: 2400 gram, e - 2 gram, dimensions: 1600 mm x 1400 mm x 2100 mm.	2000
171	Weber	Weber outfeed belt, type: CCA, number: 2622, year of construction: 2006, 400 V, 50 Hz, 7 kW, plastic wired belt, belt width: 520 mm, total dimensions: 5370 mm x 1800 mm x 1800 mm.	1500
172	Weber	Weber checkweigher, type: CCW, number: 2623, Wipotec weighing cells, type: WEB 99 T35S, plastic wire belt, belt width: 360 mm, total dimensions: 500 mm x 900 mm x 1100 mm.	500
173	Weber	Weber rejecting belt, type: CCW, number: 2623, plastic wire belt, belt width: 360 mm, total dimensions: 500 mm x 900 mm x 1100 mm.	500
174	Weber	Weber slicer, type: SLC 902, number: 2623, year of construction: 08/2006, 400 V, 50 Hz, 10 kW, maximum	5000



Nr	Title	Description	Start €
		belt width: 340 mm, plastic belt, belt width: 500 mm, total dimensions: 3100 mm x 1850 mm x 2600 mm. Incomplete.	
175	Weber	Weber slicer with checkweigher and rejecter belt, slicer type: MCS 902, number: 2625, year of construction: 07/2006, 400 V, 50 Hz, 10 kW, 6 bar, plastic wired outfeed belt, belt width: 400 mm, total dimensions: 3150 mm x 1700 mm x 2600 mm. type checkweigher: CCW, number: 2625, year of construction: 07/2006, plastic wired belt, belt width: 480 mm, dimensions checkweigher: 750 mm x 500 mm x 1150 mm.	15000
176	Yamato Scale GmbH/ Dataweigh	Yamato Scale GmbH/Dataweigh 14-heads multihead weigher, model: ADW-514SWH, serial number: WG020586, 220/240 V, 1 Ph, 50/60 Hz, 10 A, min: 20 gram, max: 2000 gram, max speed: 120P/min, dimensions: 1400 mm x 1400 mm x 1250 mm. Including pallet box with parts, dimensions pallet box: 1200 mm x 1000 mm x 1250 mm.	5000
177	Yamato Scale GmbH/ Dataweigh	Yamato Scale GmbH/Dataweigh 14-heads multihead weigher, model: ADW-514SWH, serial number: WG020585, 220-240 V, 1Ph, 50/60 Hz, 10 A, weight range: 20-2000 gram, dimensions: 1350 mm x 1350 mm x 1300 mm. Including 2 pallets with parts.	4000
178	Ishida	Ishida multihead weigher, 14-heads, model: CCW-R-214W-S/20-SS, serial number: 557127, year of construction: 05/2007, 240 V, 1 Ph, 50 Hz, 3.6 A, machine weight: 645 kg, dimensions: 1150 mm x 1150 mm x 1700 mm. Including pallet box with parts, dimensions: 1200 mm x 800 mm x 540 mm.	4000
179	Mesutronic	Mesutronic s/s pipeline metal detector, type: MN 5.2 PW 300, serial number: 1213-PW, year of construction: 2017, 100-240 V, 50/60 Hz, 1.25 A, clearance: Ø 300 mm, total dimensions: 600 mm x 550 mm x 650 mm.	500
180	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140051, year of construction: 2024, capacity: 160 m ³ per hour, dimensions: 800 mm x 600 mm x 430 mm.	1000
181	Becker	Becker vacuum pump, type: VT 3.40, number: F 1258056, year of construction: 2013, capacity: 40 m ³ per hour, dimensions: 500 mm x 230 mm x 360 mm.	200
182	Becker	Becker vacuum pump, type: VT 4.40, number: A 2619468, year of construction: 2012, 50/60 Hz, capacity: 40/48 m ³ per hour, dimensions: 570 mm x 270 mm x 300 mm.	100
183	Busch	Busch vacuum pump, type: RA 0040 F 5R3, serial number: DEM124430385, year of construction: 2024,	500



Nr	Title	Description	Start €
		capacity: 40 m ³ per hour, dimensions: 620 mm x 270 mm x 260 mm.	
184	OCS	3 OCS metal detector heads, type: (3x) Metron 2.2 0 450/250, clearance: (3x) 450 mm x 250 mm, total dimensions: (3x) 850 mm x 350 mm x 520 mm.	750
185	Busch	Busch vacuum pump, type: RA 0040 F 4R3, serial number: DEM125350351, year of construction: 2026, capacity: 40 m ³ per hour, dimensions: 630 mm x 300 mm x 270 mm. New.	1500
186	Handtmann	Pallet with various Multivac parts, 5x Handtmann linking attachment, type: (3x) 93-32 / (2x) 34-5, number: 313 / 374 / 844 / 10867 / 11553 and 5x part for Handtmann linking machine.	2500
187	CV Valentin	Box with CV Valentin barcode printer for packaging machines, type: Dynacode 53-12, serial number: 12580926, 110-230 V, 50-60 Hz, 3/1.5 A, dimensions: 600 mm x 450 mm x 350 mm.	250
188	Dansensor	Dansensor gas mixing station, model: Module TGC-2 225, serial number: 33060829 and 33091025, year of construction: 2006, 207-253 V, 1 Ph, 50/60 Hz, 180 W, dimensions: 400 mm x 350 mm x 300 mm.	200
189	Lock Inspection Systems LTD.	Lock Inspection Systems LTD. pipeline metal detector, serial number: 36260/2, year of construction: 04-08, clearance: Ø 150 mm, dimensions head: 400 mm x 400 mm x 160 mm, dimensions control panel: 520 mm x 140 mm x 470 mm.	250
190	Busch	Busch vacuum pump, type: RD 0360 A 5H3, serial number: CHM125240140, year of construction: 2025, capacity: 300 m ³ per hour, dimensions: 910 mm x 600 mm x 420 mm.	3500
191	Markem	Markem smart date printer for vertical bag form-, fill- and seal machine, type: Smartdate 2, serial number: COB 5621, year of construction: 1996, 115/230 V, 1 Ph, 50/60 Hz, dimensions: 1100 mm x 350 mm x 350 mm.	200
192	Becker	Becker vacuum pump, type: VX4.25, number: C3242918, year of construction: 2018, capacity: 25 / 30 m ³ per hour, dimensions: 500 mm x 240 mm x 280 mm.	250
193	Becker	Becker vacuum pump, type: VT4.40, number: C3142583, year of construction: 2017, capacity: 40 / 48 m ³ per hour, dimensions: 500 mm x 240 mm x 280 mm.	250
194	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420872, year of construction: 2024, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 290 mm.	1000
195	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420871, year of construction: 2024,	1000



Nr	Title	Description	Start €
		capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 290 mm.	
196	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140050, year of construction: 2024, capacity: 160 m ³ per hour, dimensions: 800 mm x 600 mm x 430 mm.	1000
197	Busch	Busch vacuum pump, type: RA 0040 F 5R3, serial number: DEM124430384, year of construction: 2024, capacity: 40 m ³ per hour, dimensions: 620 mm x 270 mm x 260 mm.	1000
198	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420873, year of construction: 2024, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 290 mm.	800
199	PF Pumps und Feuerlöschtechnik GmbH	2 PF Pumps und Feuerlöschtechnik GmbH pumps, type: AFJ 15.1LB, year of construction: 2003, dimensions: (2x) 180 mm x 970 mm x 240 mm.	1000
201	Mesutronic	Mesutronic mobile metal detector, type: MN 7.2 CI 450/350, serial number: 2310-CI, year of construction: 2024, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 420 mm, clearance: 450 mm x 320 mm, total dimensions: 2150 mm x 900 mm x 1320 mm.	6500
202	Soco System	Soco System box closing machine with infeed roller conveyor, model: T-400, number: 06-98, year of construction: 1997, 400 V, 3 Ph, 10 A, 250 W, s/s rollers, roller width: 500 mm, plastic rollers, roller width: 600 mm, total dimensions: 2900 mm x 900 mm x 1500 mm.	800
203	NN grater	Mobile double grater, infeed clearance: (2x) 720 mm x 340 mm, plastic outfeed belt, belt width: 450 mm, elevating height: 980 mm, total dimensions: 1370 mm x 2050 mm x 2300 mm.	7500
204	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. elevating belt, year of construction: 2016, plastic belt, belt width: 250 mm, elevating height: 1320 mm, total dimensions: 3650 mm x 600 mm x 1650 mm.	750
205	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, divider height: 100 mm, distance between dividers: 300 mm, elevating height: 1900 mm, total dimensions: 3200 mm x 650 mm x 2200 mm.	500
206	NN turning table	S/s turning table, s/s top, diameter top: 1180 mm, total dimensions: Ø 1260 mm x 810 mm.	1000
207	NN turning table	S/s turning table, s/s top, diameter top: 1500 mm, total dimensions: 1600 mm x 1510 mm x 1200 mm.	1000
208	NN turning table	S/s turning table, s/s top, diameter top: 1500 mm, total dimensions: 1600 mm x 1510 mm x 1200 mm.	1000
209	NN turning table	S/s turning table, s/s top, diameter top: 1200 mm, total dimensions: Ø 1270 mm x 850 mm.	1000



Nr	Title	Description	Start €
210	NN turning table	S/s turning table, dimensions: Ø 1000 mm x 880 mm.	1000
211	NN turning table	S/s turning table, s/s top, diameter top: 1200 mm, total dimensions: 1320 mm x 1200 mm x 780 mm.	1000
212	NN turning table	S/s turning table, s/s top, diameter top: 1200 mm, total dimensions: Ø 1200 mm x 850 mm.	1000
213	GKS Packaging	GKS Packaging mobile s/s turning table, type: Rotary Table, serial number: 05492, year of construction: 09-2023, dimensions: Ø 1510 mm x 830 mm.	1000
214	FTD	FTD s/s turning table, model: Carrouseltafel, number: 02027, year of construction: 2002, diameter top: 1250 mm, total dimensions: Ø 1300 mm x 780 mm.	1000
216	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0027-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d= 0.2 gram, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm. Missing belt.	500
217	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0026-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d= 0.2 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm.	500
218	Kolbe	Kolbe grinder, type: SW 100, machine number: 68 3089, year of construction: 2002, 230 V, 3 Ph, 50 Hz, 11.6 A, 2.9 kW, diameter plate: 100 mm, total dimensions: 900 mm x 550 mm x 1320 mm.	1000
219	Tecnoceam	Tecnoceam salad spinner, type: CENTRIFUGA MANUALE, serie: 19-26C, year of construction: 2008, inside dimensions: Ø 420 mm x 300 mm, total dimensions: 1120 mm x 590 mm x 950 mm. Without baskets.	750
220	Ramon	Ramon mobile piston filler, model: 20, factory number: 1361, year of construction: 2012, 400 V, 50 Hz, 2.05 A, 0.75 kW, volume: 20 liter, dimensions: 550 mm x 500 mm x 1200 mm.	750
221	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 430 mm, total dimensions: 2500 mm x 500 mm x 800 mm.	150
222	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 430 mm, total dimensions: 2500 mm x 500 mm x 800 mm.	150
223	NN flattener	Mobile flattener, plastic belt, belt width: 255 mm and 240 mm, total dimensions: 1700 mm x 700 mm x 2000 mm.	450
224	TipperTie	TipperTie mobile double clipper, model: KDCM 70, serial number: 4804-540, year of construction: 2014, 230 V, 50 Hz, 1.3 A, 0.3 kW, dimensions: 1280 mm x 850 mm x 1830 mm.	2000
225	De Witt		1500



Nr	Title	Description	Start €
		De Witt box taper with top and bottom taper, model: YS 502 D, plastic belts, belt width: 75 mm, s/s rollers, roller width: 680 mm, total dimensions: 1610 mm x 970 mm x 1690 mm.	
226	De Witt	De Witt box taper with top and bottom taper, model: YS 502 D, plastic belts, belt width: 75 mm, s/s rollers, roller width: 680 mm, total dimensions: 1610 mm x 970 mm x 1690 mm.	1500
227	Hobart	Hobart grinder on s/s mobile frame, model: 4732 SS, serial number: 11 218-231, 380 V, 3 Ph, 50 Hz, 4.6 A, diameter plate: 98 mm, total dimensions: 1040 mm x 560 mm x 1520 mm.	500
228	Omega	Omega bandsaw, model: SI 320, number: 509, year of construction: 11/2004, 400 V, 50 Hz, 2.5 A, 1.8 kW, dimensions table: 680 mm x 680 mm, total dimensions: 740 mm x 730 mm x 1820 mm.	650
229	Groba	Groba mobile elevating belt, type: TB-504, year of construction: 2005, weight: 230 kg, plastic belt, belt width: 500 mm, elevating height: 1330 mm, total dimensions: 4000 mm x 770 mm x 1350 mm.	650
230	Kern	Kern pallet weighing scale with indicator, type: UFN 1.5T0.5IPM, serial number: WF17007753, 12V, 500mA, maximum weight: 1500 kg, e= 0.5 kg, dimensions: 1200 mm x 840 mm x 100 mm.	450
231	Dadaux	Dadaux piston filler, type: PHX25L, number: 0-568, year of construction: 07/15, 400 V, 50 Hz, volume: 25 liter, dimensions: 500 mm x 370 mm x 1170 mm.	500
232	Myac	Myac mobile curing press, type: 650, machine number: 3002 636, year of construction: 1983, 380 V, 50 Hz, 0.75 kw, 6 bar, plastic belt, belt width: 650 mm, total dimensions: 1650 mm x 1000 mm x 1600 mm.	50
233	Metaalbewerking JDK	Metaalbewerking JDK shuttle conveyor, number: 2021.9848, year of construction: 2021, plastic belt, belt width: 500 mm, total dimensions: 2900 mm x 1050 mm x 500 mm.	1200
234	Mainca	Mainca mobile cutter, model: CM-41, number: 3285, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 19 A, 8.6 kW, s/s bowl, volume bowl: 40 liter, s/s knives, 2 speeds, dimensions: 1300 mm x 900 mm x 1100 mm. Including extra knife set.	4000
235	Thompson Meat Machinery	Thompson Meat Machinery mobile mixer-grinder, type: 900, serial number: 900-M1-10-07, year of construction: 07-2010, 415 V, 50 Hz, 9/2.8 A, 4/ 1.1 kW, diameter plate: 100 mm, total dimensions: 950 mm x 1070 mm x 1370 mm.	2500
236	Stephan alvac	Stephan alvac vacuum machine on mobile s/s frame, type: Alvac I 90, machine number: 9114-4210, 230 V, 1 Ph, 50 Hz, 4.9 A, 0.75 kW, seal length: 420 mm,	200



Nr	Title	Description	Start €
		dimensions chamber: 430 mm x 380 mm, Busch vacuum pump, type: 021-336, total dimensions: 500 mm x 480 mm x 1070 mm.	
237	Urschel	Urschel vegetable slicer, model: CC, serial number: 4601, year of construction: 2005, infeed: \varnothing 220 mm, total dimensions: 1360 mm x 870 mm x 1710 mm.	7500
238	Urschel	Urschel vegetable slicer, model: CC, serial number: 5003, year of construction: 2007, infeed: \varnothing 220 mm, total dimensions: 1300 mm x 870 mm x 1920 mm.	7500
239	Siat	Siat box closing machine, model: S8-S, serial number: 50266, year of construction: 2004, 220/240 V, 1 Ph, 50 Hz, 2 A, 0.18 kW, dimensions: 1000 mm x 900 mm x 1430 mm.	500
240	Marel	Marel mobile skinning and derinding machine, model: SK 15-320 20 INCH, type: 9838643, serial number: 10421662, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 3.5 A, weight: 408 kg, working width: 500 mm, plastic mesh belt, belt width: 500 mm, total dimensions: 2200 mm x 1000 mm x 1300 mm.	3500
241	Maica	Maica paddle mixer, model: TC100, inside dimensions: 500 mm x 350 mm x 370 mm, total dimensions: 1000 mm x 380 mm x 1330 mm.	350
242	NN hoof remover	Hoof remover, foot control, working width: 400 mm, total dimensions: 700 mm x 500 mm x 1600 mm.	400
243	Fabbri Group	Fabbri Group mobile packaging machine, model: Elix XP-B.249.XS, serial number: 2-2376, year of construction: 2014, 230 V, 1 Ph, 50-60 Hz, 8.7 A, plastic string infeed belt, belt width: 330 mm, plastic outfeed belt, belt width: 340 mm, plastic outfeed rollers, roller width: 300 mm, total dimensions: 1350 mm x 1250 mm x 1300 mm.	2000
244	Maja / Josef Koch AG	Maja / Josef Koch AG mobile skinning machine, type: EVM 3006, machine number: 301721, year of construction: Rev 2013, 400 V, 3 Ph, 50 Hz, 2 A, 0.75, working width: 540 mm, total dimensions: 900 mm x 550 mm x 1030 mm.	600
245	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, model: EVM3006, number: 44956, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.2 A, working width: 540 mm, total dimensions: 1000 mm x 550 mm x 1030 mm.	600
246	Weber	Weber mobile skinning machine, type: A-VI 520, number: 622, year of construction: 2004, 400 V, 50 Hz, 0.37 kW, 210 kg, working width: 515 mm, total dimensions: 820 mm x 620 mm x 1000 mm.	400
247	MACS	MACS bag equalizer for checking open bags, type: BAG EQUALIZER, machine number: 21090-64000, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 0.72 A, 0.25 kW,	500



Nr	Title	Description	Start €
		width: 270 mm to 440 mm, total dimensions: 1260 mm x 1150 mm x 1640 mm.	
248	Groba	Groba starch mixing tumbler, type: PM-800, order number: 110466, year of construction: 2005, weight: 300 kg, dimensions drum: Ø 800 mm x 1200 mm, total dimensions: 2060 mm x 1150 mm x 1530 mm. Including 2 fences, dimensions fences: (2x) 2180 mm x 440 mm x 1660 mm and s/s trolley for washing drums, dimensions trolley: 1200 mm x 820 mm x 830 mm.	2000
249	NN vibrating gutter	S/s vibrating gutter, gutter width: 260 mm, total dimensions: 3650 mm x 600 mm x 1650 mm.	750
250	NN vibrating gutter	S/s vibrating gutter, gutter width: 260 mm, total dimensions: 3650 mm x 600 mm x 1650 mm.	750
251	NN ice breaker	Mobile ice breaker, clearance: 400 mm x 150 mm, total dimensions: 1850 mm x 1450 mm x 1950 mm.	750
252	Henkelman	Henkelman mobile dip tank, model: DT100, inside dimensions: 800 mm x 600 mm x 400 mm, total dimensions: 960 mm x 800 mm x 1340 mm.	500
253	Treif	Treif slicer, serie: PEGASUS, model: 2616, machine number: 261607.97691.0211, year of construction: 2001, 230/400 V, 50 Hz, 2.25 A, 0.90 kW, weight: 210 kg, clearance: 260 mm x 150 mm, total dimensions: 1650 mm x 730 mm x 1350 mm.	1200
254	Bizerba	Bizerba checkweigher, model: CWE, number: 10754550, 200/220-240 V, 50/60 Hz, 5/3 A, maximum weight: 1500/3000 gram, minimum weight: 50 gram, e=d= 0.5/1 gram, plastic belt, belt width: 300 mm, total dimensions: 1800 mm x 920 mm x 1700 mm.	1250
256	Yamato	Yamato checkweigher with rejecting belt, model: CSI06244ICV33, serial number: TA210376, year of construction: 03/2022, 100/240 V, 1 Ph, 50/60 Hz, maximum weight: 600 g, minimum weight: 6 g, plastic belts, belt width: 240 mm, total dimensions: 1250 mm x 750 mm x 1630 mm.	3000
257	Bosch	Bosch checkweigher with rejector, type: KWE 5000, number: 809486, year of construction: 2006, 230 V, 1 Ph, 50/60 Hz, 16/3 A, maximum capacity: 2000 g, minimum capacity: 20 g, plastic belts, belt width: 100 mm, total dimensions: 1050 mm x 1050 mm x 1050 mm.	400
258	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher, type: XE 3 DMS, number: 35006719, year of construction: 2016, maximum capacity: 2500 g, minimum capacity: 350 g, e= 2 g, d= 2 g, plastic belts, belt width: 280 mm, total dimensions: 1350 mm x 1200 mm x 1420 mm.	1750
259	Ishida	Ishida checkweigher, model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557294, year of construction: 06/2007, 220 V, 1 Ph, 50 Hz, 3 A, weighing range: max	750



Nr	Title	Description	Start €
		5000 gram, plastic belt, belt width: 370 mm, total dimensions: 1100 mm x 600 mm x 1900 mm.	
260	Ishida	Ishida checkweigher , model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557289, year of construction: 06/2007, 230 V, 1 Ph, 50 Hz, 3 A, maximum weighing range: 5000 gram, plastic belt, belt width: 370 mm, total dimensions: 1100 mm x 800 mm x 1800 mm.	750
261	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher, type: XE 3 DMS, number: 35005496, year of construction: 2014, 100-240 V, 50/60 Hz, weighing range: 20-3000 gram, e=d= 2 gram, t= - 2700 gram, plastic belt, belt width: 300 mm, total dimensions: 1330 mm x 710 mm x 1430 mm.	2000
262	Mettler Toledo Garvens	Mettler Toledo Garvens checkweigher with rejector, type: PAS3012, number: 17000537, year of construction: 2007, 230 V, 50/60 Hz, 600 kPa, maximum: 7500 gram, plastic belt, belt width: 300 mm, total dimensions: 1750 mm x 1000 mm x 1850 mm.	2000
263	OCS / Ceia	OCS / Ceia metal detector with checkweigher and rejector belt, metal detector model: THS, serial number: 20900211002, clearance: 200 mm x 100 mm, checkweigher type: HC, serial number: 1004444, year of construction: 2009, 230 V, 1 Ph, 50 Hz, maximum weight: 1500 g, minimum weight: 20 g, e= 0.2 g, d= 0.2 g, total dimensions: 2400 mm x 1000 mm x 2300 mm.	3500
264	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: S3, serial number: 330078, year of construction: 1999, 230 V, 50 Hz, maximum: 800 gram, minimum: 20 gram, e= 0.5 gram, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 750 mm x 1500 mm.	750
265	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: XE 3, serial number: 35000253, year of construction: 2007, 230 V, 50 Hz, weighing range: 20-1500 gram, e=d= 1 gram, T= -1350 gram, plastic belt, belt width: 250 mm, total dimensions: 1050 mm x 700 mm x 1450 mm.	1500
266	Multivac	Pallet with Multivac labelling parts for thermoformer, type: MR233 & MR 4212, dimensions: 1200 mm x 1000 mm x 500 mm.	500
267	LH Packaging	LH Packaging mobile elevating screw, type: Poederopvoer schroef, serial number: MP/ 18280/193340, year of construction: 2021, 400 V, 8 A, s/s screw, diameter screw: 130 mm, tier: 95 mm, elevating height: 1960 mm, total dimensions: 2380 mm x 940 mm x 2300 mm.	1750
268	AEW Delford		1000



Nr	Title	Description	Start €
		AEW Delford checkweigher with labelling machine, type checkweigher: 8060, fabrication number: 81133, year of construction: 2005, 230 V, 50 Hz, maximum weight: 1500-4000 gram, minimum weight: 20-40 gram, e =1-2 gram, T = -1000 gram, type labeller: 8000, plastic belt, belt width: (2x) 90 mm and 195 mm, dimensions checkweigher: 1500 mm x 700 mm x 1630 mm and dimensions labelling machine: 1200 mm x 700 mm x 1530 mm.	
269	Thermo Scientific	Thermo Scientific checkweigher with rejector, model: VersaWeigh, serial number: 8500, year of construction: 2010, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, maximum speed: 1.2 m/s, plastic belt, belt width: 300 mm, total dimensions: 1250 mm x 1100 mm x 1550 mm. Including 2 additional screens.	1500
270	Thermo Scientific	Thermo Scientific checkweigher, model: VersaWeigh, serial number: A132, year of construction: 2013, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, plastic belt, belt width: 300 mm, total dimensions: 1420 mm x 850 mm x 1570 mm.	1500
271	Thermo Scientific	Thermo Scientific checkweigher, model: VersaWeigh, serial number: 7820, year of construction: 2008, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, plastic belt, belt width: 290 mm, total dimensions: 1230 mm x 900 mm x 1550 mm. Technical condition unknown.	500
272	Zomerdam / Mesutronic	Zomerdam / Mesutronic metal detector with rejector, type metal detector head: MN 5.1 CI 250/100, serial number: 910928-CI, 100-240 V, 50/60 Hz, plastic belt, belt width: 200 mm, clearance: 250 mm x 70 mm, total dimensions: 1680 mm x 800 mm x 1050 mm.	750
273	Loma Systems	Loma Systems pipeline metal detector with rejector, model: DTL121135, serial number: 53537F, year of construction: 2013, 200 V, 60 Hz, 0.4 A, diameter pipe: 200 mm, total dimensions: 910 mm x 800 mm x 1950 mm.	1250
274	S+S Separation and Sorting Technology GmbH	S+S Separation and Sorting Technology GmbH mobile metal detector with rejector belt, type: Unicon+W, serial number: 11219008971-H, year of construction: 2012, 230/115 V, 50/60 Hz, 0.75/1.5 A, plastic belt, belt width: 550 mm, clearance: 600 mm x 100 mm, total dimensions: 1700 mm x 1100 mm x 1380 mm.	2000
275	Loma Systems	Loma Systems mobile metal detector, model: IQ2, serial number: DMC60564-03795D, year of construction: 2006, 380 V, 3 Ph, 50 Hz, 1.2 A, plastic mesh belt, belt width: 300 mm, clearance: 250 mm x	1500



Nr	Title	Description	Start €
		130 mm, total dimensions: 2100 mm x 850 mm x 1150 mm.	
276	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, 100-240 V, 50/60 Hz, 330 W, plastic belt, belt width: 210 mm, clearance: 250 mm x 90 mm, total dimensions: 1100 mm x 800 mm x 1530 mm.	800
277	Safeline	Safeline metal detector, plastic belt, belt width: 250 mm, clearance: 245 mm x 65 mm, total dimensions: 2550 mm x 950 mm x 1150 mm.	500
278	Safeline	Safeline metal detector, serial number: 41262, year of construction: 4/2000, 100-240 Vac, 50/60 Hz, 330 W, plastic belt, belt width: 430 mm, clearance: 450 mm x 95 mm, total dimensions: 1750 mm x 1050 mm x 1130 mm.	1500
279	Zomerdam / Mesutronic	Zomerdam / Mesutronic metal detector with rejector, type: MN 5.1 CI 250/100, serial number: 910816-CI, year of construction: 2009, 100/240 V, 50/60 Hz, 50/300 mA, string belt and plastic belt, belt width: 265 mm, clearance: 500 mm x 107 mm, total dimensions: 850 mm x 1850 mm x 1100 mm.	750
280	Groba	Groba cheese cube distributor with infeed and outfeed belt: Infeed elevating belt, type: TB-304, L=1600-29°, number: 122698, year of construction: 2014, weight: 115 kg, plastic belt with dividers, belt width: 250 mm, dividers height: 35 mm, distance between dividers: 120 mm, elevating height: 1130 mm, elevating belt dimensions: 1470 mm x 670 mm x 1250 mm. Cube distributor, type: PM-625, number: 122698, year of construction: 2014, weight: 215 kg, infeed: Ø 485 mm, outfeed: Ø 400 mm, drum length: 1020 mm, cube distributor dimensions: 1620 mm x 600 mm x 1290 mm Outfeed elevating belt, type: TB-304, L=1600-38,5°, number: 122698, year of construction: 2014, machine weight: 150 kg, plastic belt with dividers, belt width: 250 mm, dividers height: 35 mm, distance between dividers: 115 mm, elevating height: 1250 mm, elevating belt dimensions: 1600 mm x 750 mm x 1380 mm, total dimensions: 2740 mm x 2300 mm x 1850 mm.	2500
281	BPI	BPI eccentric screw displacement pump, type: BPI 4DNL1, serial number: 2285181, year of construction: 2022, capacity: 1-2 m ³ per hour, dimensions: 1160 mm x 230 mm x 250 mm.	1000
282	Smicon	Smicon inline grinder, type: SMIRO, number: 0130.0.01.21.001, year of construction: 2021, weight: 100 kg, dimensions: 700 mm x 500 mm x 850 mm.	500
283	C.M.O. Pompe	C.M.O. Pompe positive displacement pump, model: MN 120-870/20, serial number: 8572/20, year of	1000



Nr	Title	Description	Start €
		construction: 2020, weight: 240 kg, capacity: 250 liter per minute, dimensions: 2500 mm x 580 mm x 710 mm.	
284	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell rotary lobe pump, model: 134, serial number: 337943-03, dimensions: 1200 mm x 1860 mm x 900 mm.	2000
285	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell rotary lobe pump, model: 180U2, serial number: 420827-06, dimensions: 1800 mm x 700 mm x 700 mm.	2000
286	Smicon	Smicon screw pump, dimensions: 2600 mm x 420 mm x 450 mm.	2500
287	Jures / Speck	Jures / Speck high pressure unit, type: P41/58-110, number: 190405, year of construction: 11/97, 400 V, 11.50 kW, P maximum: 110 bar, T maximum: 70°C, dimensions: 1300 mm x 900 mm x 1400 mm.	400
288	S.C.M.	S.C.M. boot cleaner, type: IFA01, serial number: 99102151, year of construction: 23-11-1999, brush length: (2x) 350 mm and 300 mm, total dimensions: 750 mm x 650 mm x 1210 mm.	750
289	Elpress	Elpress hygiene station, consisting of: 2x hand disinfection station, Dyson hand dryer, tourniquette, sole cleaner, brush length: (2x) 1450 mm, total dimensions: 2030 mm x 960 mm x 1700 mm.	2500
290	GGM Gastro International GmbH	GGM Gastro International GmbH bandsaw, model: KSH2400N, serial number: HL25KSH2400N23080003, 380 V, 3 Ph, 50 Hz, 4.1 A, 2.2 kW, dimensions table: 770 mm x 760 mm, total dimensions: 960 mm x 840 mm x 1740 mm.	750
291	Promatec b.v.	Promatec b.v. elevating screw, type: Opvoerschroef, number: 9719 005 01, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 1.1 kW, weight: 360 kg, diameter screw: 300 mm, tier: 270 mm, total dimensions: 5400 mm x 550 mm x 1200 mm.	1500
292	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 390 mm, elevating height: 1100 mm, total dimensions: 3850 mm x 500 mm x 1300 mm.	750
293	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 375 mm, elevating height: 1160 mm, total dimensions: 2050 mm x 550 mm x 1510 mm.	750
294	Procon	Procon mobile elevating belt, serial: PT113X2, 250 W, plastic belt, belt width: 400 mm, elevating height: 1350 mm, total dimensions: 3300 mm x 600 mm x 1340 mm.	500
295	Groba	Groba mobile elevating belt, type: TB-404x2600, number: 114342, year of construction: 2006, weight: 175 kg, plastic belt, belt width: 385 mm, elevating belt: 1360 mm, total dimensions: 2650 mm x 650 mm x 1360 mm.	500



Nr	Title	Description	Start €
296	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 255 mm, total dimensions: 3050 mm x 800 mm x 1600 mm.	500
297	Lensink	Lensink mobile transport belt with rejector, s/s frame, plastic belt, belt width: 153 mm, total dimensions: 3400 mm x 850 mm x 2000 mm.	500
298	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 450 mm, elevating height: 1000 mm, total dimensions: 2900 mm x 700 mm x 1160 mm.	500
299	NN transport belt	Transport belt, s/s frame, plastic belts, belt width: (2x) 120 mm, total dimensions: 1850 mm x 870 mm x 760 mm.	250
300	Murre Techniek b.v.	Murre Techniek b.v. mobile elevating belt, model: 162140757, year of construction: 2016, machine weight: 390 kg, plastic belt, belt width: (1x) 590 mm, (1x) 340 mm, elevating height: 1400 mm, total dimensions: 2700 mm x 1230 mm x 1900 mm.	1000
301	Technocean	Technocean elevating belt, type: Nastro di Uscita, serial number: 19-09, year of construction: 2008, s/s frame, plastic belt, belt width: 500 mm, elevating height: 1000 mm, total dimensions: 3000 mm x 750 mm x 1200 mm.	500
302	NN curve conveyor	S-shaped curve conveyor, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 2200 mm x 1000 mm x 950 mm.	350
303	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 570 mm, total dimensions: 2000 mm x 1000 mm x 1000 mm.	400
304	NN transport belt	Transport belt, s/s frame, plastic belts with rollers, belt width: 450 mm, total dimensions: 2450 mm x 830 mm x 820 mm.	400
306	Jasa Packaging Solutions	Jasa Packaging Solutions in/outfeed module, model: SIM-1000 DRAAI UNIT, machine number: 14422, year of construction: 2019, 400 V, 3 Ph, 16 A, 0.47 kW, 6 bar, plastic belts, belt width: (1x) 100 mm, (1x) 150 mm, total dimensions: 600 mm x 550 mm x 1550 mm.	400
307	Jasa Packaging Solutions	Jasa Packaging Solutions in/outfeed module, model: SIM-1000 DRAAI UNIT, 400 V, 3 Ph, 16 A, 0.47 kW, 6 bar, plastic belts, belt width: (1x) 100 mm, (1x) 150 mm, total dimensions: 600 mm x 550 mm x 1550 mm.	400
308	Blueprint Automation	Blueprint Automation elevating belt, plastic belt, belt width: 375 mm, elevating height: 900 mm, total dimensions: 1750 mm x 650 mm x 900 mm.	500
309	NN roller conveyor	2 s/s roller conveyors, s/s rollers, roller width: 480 mm, dimensions: (2x) 2000 mm x 540 mm x 520 mm.	300
310	Viscon	Viscon mobile transport belt, type: Vitra Bandtr. Serial number: 68419-470, year of construction: 2008,	300



Nr	Title	Description	Start €
		aluminium frame, plastic belt, belt width: 500 mm, total dimensions: 3000 mm x 700 mm x 1000 mm.	
311	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 160 mm, total dimensions: 2980 mm x 720 mm x 1110 mm.	500
312	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 440 mm, total dimensions: 5140 mm x 580 mm x 1440 mm.	650
350	NN filling pipes	2 s/s filling pipes for vertical bag form-, fill- and seal machine, diameter pipes, 180 mm and 90 mm.	450
351	NN trolley	S/s trolley used for cheese, 2 x 7 floors, dimensions: 1000 mm x 1000 mm x 1900 mm.	100
352	F.I.A.M.E.S.A.	5 F.I.A.M.E.S.A. isolators, type: KRF.	100
353	NN parts	Pallet with various parts.	100
354	NN parts	Pallet with various parts.	100
355	Durablade	Pallet with 4 Durablade knives for slicer.	400
356	NN parts	Pallet with various parts.	100
357	SEW	Pallet with 4 SEW electro motors and 2 Nidec electro motors.	40
359	SEW	SEW electro motor, type: KA67 DRN100LS4/BE5HR, dimensions: 680 mm x 250 mm x 230 mm.	350
360	Schneider Electric	Schneider Electric frequency convertor, model: ALTIVAR 61, dimensions: 310 mm x 290 mm x 640 mm.	750
361	Durablade	Pallet with 6 Durablade knives for slicer, type: R515-A.	1500
363	NN weighing scale	S/s weighing scale, dimensions: 500 mm x 400 mm x 100 mm. Without indicator.	10
364	NN part for thermoformer	S/s part for thermoformer and covers, dimensions: 1350 mm x 900 mm x 800 mm.	200
365	European Labelling System	European Labelling System labelling unit, model: ELS-220, machine number: 5974/2006, 230 V, 1 Ph, 50/60 Hz, dimensions: 900 mm x 800 mm x 1450 mm.	150
366	Trapo Nederland B.V.	Trapo Nederland B.V. trolley, number: 862606, year of construction: 04/2021, dimensions: 900 mm x 520 mm x 870 mm.	50
367	Boska	2 Boska cheese slicers, dimensions pallet: 1200 mm x 800 mm x 1200 mm.	200
368	Bosch	Bosch checkweigher, type: KWE 6000 A, year of construction: 2014, 230 V, 50 Hz, maximum weight: 600 gram, minimum weight: 100 gram, e=d= 0.5 gram, plastic belt, belt width: 250 mm, total dimensions: 1350 mm x 760 mm x 1350 mm. Incomplete.	500
369	NN parts	Pallet with various parts.	100
370	SEW	Pallet with 4 SEW electro motors.	150
371	NN machine parts	Pallet with plastic rejector bin and part for bag form-, fill- and seal machine.	25
372	Rittal	Rittal s/s cabinet, dimensions: 1200 mm x 800 mm x 300 mm.	100



Nr	Title	Description	Start €
373	NN electrical parts	8 plastic crates with various electrical parts.	400
375	Ulma	Pallet with parts for dye for Ulma traysealer, dye: (4x) 230 mm x 153 mm, total dimensions: 1200 mm x 1000 mm x 400 mm.	50
376	NN part for multihead weigher	Pallet with parts for multihead weigher, dimensions: 800 mm x 600 mm x 400 mm.	100
377	NN part for multihead weigher	S/s part for multihead weigher, dimensions: 1260 mm x 400 mm x 600 mm.	100
378	NN meat bin	S/s meat bin, volume: 300 liter.	200
379	Gruppo Fabbri S.p.A.	Gruppo Fabbri S.p.A. packaging machine, model: Elixia Plus XS-B.228.XS, serial number: 1/13420, year of construction: 2010, 230 V, 1 Ph, 50-60 Hz, 8,6 A, weight: 170 kg, wire infeed belt, belt width: 662 mm, plastic outfeed belt, belt width: 340 mm, total dimensions: 1500 mm x 1300 mm x 1350 mm.	500
380	Sesotec	Sesotec metal detector, type: GLS 450/250/125/289/143, serial number: 11227009665-H, year of construction: 2012, 100-240 VAC, 50/60 Hz, 0.5-0.25 A, plastic belt, belt width: 390 mm, clearance: 450 mm x 200 mm, total dimensions: 1750 mm x 940 mm x 1200 mm.	1500
381	NN grinder parts	Pallet with s/s parts for grinder, dimensions: 1200 mm x 800 mm x 600 mm.	500
382	Funk	Funk flake ice machine, refrigerant: R404A, quantity of refrigerant: 3.5 KG, working width: 560 mm, Bitzer compressor and condensing unit, compressor type: 4EC-4.2Y-40S, serial number: 1678814521, 22.7/27.4 m ³ per hour, dimensions: 1250 mm x 1000 mm x 1270 mm. Missing covers.	1250
383	Prominox	Prominox s/s computer cabinet, dimensions: 650 mm x 800 mm x 1330 mm.	75
384	N&N Nadratowski sp.j.	N&N Nadratowski sp.j. mobile tilting device for 200 liter meat bins, model: PZ-3/250 SWING LOADER, serial number: 1855, year of construction: 2020, 230 V, 50 Hz, 0.75 kW, capacity: 250 kg, weight: 186 kg, tilting height: 980 mm, total dimensions: 1220 mm x 960 mm x 1280 mm.	2500
385	Nemo	Nemo progressive cavity pump on s/s mobile frame, dimensions: 1600 mm x 800 mm x 800 mm.	700
386	NN elevating belt	Elevating belt, steel frame, plastic belt, belt width: 300 mm, elevating height: 730 mm, total dimensions; 2160 mm x 530 mm x 840 mm.	250
387	NN switch cabinet	S/s switch cabinet, dimensions: 820 mm x 330 mm x 1400 mm.	150
388	Groba	Groba mobile cheese grater, serial number: 117629, diameter knife: 500 mm, total dimensions: 1600 mm x 550 mm x 1800 mm. Incomplete.	400
389	NN turning table		200



Nr	Title	Description	Start €
		S/s turning table, diameter top: 1250 mm, total dimensions: Ø 1250 mm x 860 mm. Incomplete.	
390	Theodor Henrichs GmbH	Theodor Henrichs GmbH hygiene unit for warm water, dimensions: 1170 mm x 650 mm x 1600 mm.	300
391	NN filling pipes	S/s trolley with 4 s/s filling pipes for GEA SX 400 vertical bag form, fill, and sealing machine, pipe dimensions: (4x) Ø 185 mm x 1050 mm, total dimensions: 1300 mm x 1000 mm x 1900 mm.	1000
392	Mennens	Mennens mobile lifter for filling pipes, capacity: 100 kg, dimensions: 2350 mm x 600 mm x 2380 mm. Including 2 filling pipes, clearance pipes: Ø 170 mm and 200 mm x 125 mm.	1500
393	Mennens	Mennens mobile lifter for filling pipes, capacity: 100 kg, dimensions: 2350 mm x 600 mm x 2380 mm. Including 1 filling pipe, clearance pipe: Ø 140 mm.	1500
394	Mennens	2 Mennens mobile lifters for filling pipes, capacity: 100 kg, dimensions: (2x) 2350 mm x 600 mm x 2380 mm. Including 1 filling pipe, clearance pipe: 200 mm x 125 mm.	3000
395	Mennens	Mennens mobile lifter for filling pipes, capacity: 100 kg, dimensions: 2350 mm x 600 mm x 2380 mm. Including 1 filling pipe, clearance pipe: 200 mm x 125 mm.	1500
396	Mennens	Mennens mobile lifter for filling pipes, capacity: 100 kg, dimensions: 2350 mm x 600 mm x 2380 mm. Including 2 filling pipes, clearance pipes: Ø 135 mm and Ø 160 mm.	1500
397	NN filling pipes	S/s trolley with 3 s/s filling pipes, clearance pipes: (2x) Ø 125 mm and 220 mm x 110 mm, dimensions trolley: 2500 mm x 750 mm x 1300 mm.	650
398	NN filling pipes	S/s trolley with 4 s/s filling pipes, clearance pipes: (3x) Ø 130 mm and Ø 150 mm, dimensions trolley: 1380 mm x 480 mm x 830 mm.	800
399	NN filling pipes	S/s trolley with 3 s/s filling pipes, clearance pipes: Ø 130 mm, Ø 170 mm and 190 mm x 140 mm, dimensions trolley: 1380 mm x 480 mm x 830 mm.	650
400	NN refrigeration showcase	Mobile refrigeration showcase, dimensions: 1330 mm x 900 mm x 2050 mm.	10
401	NN filling pipes	S/s trolley with 4 s/s filling pipes for GEA SX 400 vertical bag form, fill, and sealing machine, pipe dimensions: (2x) Ø 150 mm x 1000 mm, (1x) Ø 200 mm x 1000, (1x) 200 mm x 160 mm x 1000 mm, total dimensions: 1300 mm x 1000 mm x 1900 mm.	800
402	Mennens	Mennens mobile lifter for filling pipes, capacity: 100 kg, dimensions: 2350 mm x 600 mm x 2380 mm. Including 2 filling pipes, clearance pipes: (2x) Ø 145 mm.	1500
403	Mennens		1500



Nr	Title	Description	Start €
		Mennens mobile lifter for filling pipes, capacity: 100 kg, dimensions: 2350 mm x 600 mm x 2380 mm. Including 1 filling pipe, clearance pipe: 195 mm x 135 mm.	
404	Reflex Systems	S/s floor weighing scale with Reflex Systems indicator / control panel, model: Flex 3000 XL, serial number: 220920191XL, 110 - 240 VAC, 50/60 Hz, dimensions: 1750 mm x 1500 mm x 100 mm.	650
405	Reflex Systems	S/s floor weighing scale with Reflex Systems indicator / control panel, type: DW 1500, maximum: 1500 kg, minimum: 10 kg, e: 0.5 kg, dimensions: 1500 mm x 1500 mm x 100 mm.	650
406	NN trolley	S/s trolley, 2x 5 floors, dimensions each floor: 700 mm x 540 mm, total dimensions: 1210 mm x 700 mm x 1710 mm.	50
407	NN trolleys	2 s/s trolleys, 2x 5 floors, dimensions each floor: 700 mm x 540 mm, total dimensions: (2x) 1210 mm x 700 mm x 1710 mm. Including large amount of s/s 1/1 gastronorm bins.	250
408	NN trolleys	2 s/s trolleys, 2x 5 floors, dimensions each floor: 700 mm x 540 mm, total dimensions: (2x) 1210 mm x 700 mm x 1710 mm. Including large amount of s/s 1/1 gastronorm bins.	250
409	NN trolley	S/s trolley, 6 floors, dimensions floors: (6x) 1030 mm x 680 mm, total dimensions: 1100 mm x 680 mm x 2010 mm.	50
410	NN frames	2 s/s frames dimensions: 570 mm x 360 mm x 940 mm and 570 mm x 360 mm x 500 mm. Including large amount of s/s 1/1 gastronorm bins.	100
411	LH Packaging	LH Packaging mini weighers, type: LHMW1, serial number: MP01032018, year of construction: 2018, 230 V, 0.5 A, dimensions: 400 mm x 360 mm x 420 mm.	350
412	NN trolley	S/s trolley with s/s rollers, roller width: 385 mm, total dimensions: 800 mm x 420 mm x 1060 mm.	50
413	NN trolley	S/s trolley, 2x 5 floors, dimensions each floor: 700 mm x 540 mm, total dimensions: 1210 mm x 700 mm x 1710 mm. Including large amount of s/s 1/1 gastronorm bins.	125
414	NN trolley	S/s trolley, 2x 5 floors, dimensions each floor: 700 mm x 540 mm, total dimensions: 1210 mm x 700 mm x 1710 mm. Including large amount of s/s 1/1 gastronorm bins.	125
415	NN filling pipes	S/s trolley with 4 s/s filling pipes for GEA SX 400 vertical bag form, fill, and sealing machine, pipe dimensions: (2x) Ø 200 mm x 1000 mm, (1x) Ø 150 mm x 1000, (1x) 210 mm x 160 mm x 1000 mm, total dimensions: 1300 mm x 1000 mm x 1900 mm.	1000
416	Mecapack		650



Nr	Title	Description	Start €
		Mecapack mobile traysealer, model: 900, serial number: 0101, year of construction: 10-2000, film width: 430 mm, dimensions dye: Ø 180 mm, total dimensions: 1250 mm x 800 mm x 1860 mm.	
417	NN filling pipes	2 s/s trolleys with 4 filling pipes.	800
418	Rational	Rational combi steamer, model: SCC WE 201, serial number: E21SH15122492323, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 37 kW, dimensions: 900 mm x 900 mm x 1800 mm. Including 2 trolleys, 20 floors each, floor dimensions: 540 mm x 330 mm, trolley dimensions: (2x) 750 mm x 470 mm x 1720 mm. Damaged.	3500
419	Loma	Loma pipeline metal detector head, model: IQ ³ +, serial number: MP3+09+0196661, year of construction: 15.6.2012, clearance: 90 mm x 90 mm, total dimensions: 500 mm x 310 mm x 600 mm.	950
420	NN filling pipes	S/s trolley with 3 s/s filling pipes, clearane pipe dimensions: (2x) Ø 155 mm and Ø 100 mm, dimensions trolley: 1000 mm x 1000 mm x 1980 mm.	650
421	LH Packaging	LH packaging bag sealer, type: Bandseal, serial number: MP/18990/193068, year of construction: 2021, 230 V, 50 Hz, seal length: 230 mm, plastic belt, belt width: 160 mm, total dimensions: 840 mm x 400 mm x 600 mm.	850
422	NN pusher	S/s pusher, dimensions: 1550 mm x 450 mm x 470 mm.	150
423	Bizerba	Bizerba weighing scale with label printer on s/s frame, typ: GLP-W, number: 10672259, 230 V, 50 Hz, 0.65 A, maximum weight: 3/6/15 kg, minimum weight: 20 gram, e= 1/2/5 gram, dimensions scale: 330 mm x 260 mm, total dimensions: 950 mm x 500 mm x 1460 mm.	350
424	NN elevating belt	Elevating belt, steel frame, plastic belt, belt width: 340 mm, total dimensions: 2250 mm x 590 mm x 850 mm.	400
425	SIAT	SIAT frame for box closing machine, model: SM2, serial number: 20267, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, plastic belts, belt width: (2x) 75 mm, plastic rollers, roller width: (2x) 75 mm, total dimensions: 1080 mm x 570 mm x 790 mm.	200
426	HP	HP printer, model: BOISB-1313-02, serial number: CNB7GDD942, year of construction: 13-December-2014, 220-240 V, 50/60 Hz, 3.0 A, dimensions: 450 mm x 400 mm x 500 mm.	50
427	NN transport belt	Transport belt, steel frame, plastic belt, belt width: 190 mm, total dimensions: 1500 mm x 420 mm x 800 mm.	200
428	SAM	SAM automatic slicer, model: S.A.M. 310 f P2, serial number: 19749, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 1.54 A, dimensions: 1000 mm x 880 mm x 630 mm.	350
429	Ramex / R+M		200



Nr	Title	Description	Start €
		2 Ramex s/s hose reels, model: (2x) HR1000 HAI and R+M s/s hose reels, type: ST14/10e, total dimensions: 1200 mm x 800 mm x 650 mm.	
430	NN drum motor	Drum motor, working width: 550 mm, total dimensions: Ø 230 mm x 680 mm.	50
431	DWC	DWC weighing scale for crates, model: ASW, serial number: 202120211300-R, 240 V, 5 A, maximum capacity: 25000 g, minimum weight: 10 g, e= 2 g, dimensions: 820 mm x 900 mm x 1700 mm.	250
432	VWS Nederland B.V.	VWS Nederland B.V. mobile labeller, type: LP400, model: A4+/300, serial number: 121110643938, 100-240 V, 50-60 Hz, 2 A, dimensions: 1200 mm x 1000 mm x 1800 mm.	500
433	Marco	Marco weighing scale for crates on s/s frame, model: Checkmaster, serial number: 235690, 100-240 VAC, maximum weight: 20000 gram, e= 1 gram, clearance: 500 mm x 320 mm, total dimensions: 1130 mm x 460 mm x 1860 mm.	450
434	Marco	Marco weighing scale for crates on s/s frame, model: LINEMASTER IV, serial number: 185131, 100-240 VAC, maximum weight: 20000 gram, minimum weight: 20 gram, e= 1 gram, clearance: 500 mm x 320 mm, total dimensions: 1130 mm x 460 mm x 1930 mm.	450
435	NN trolley	S/s trolley, dimensions: 1700 mm x 1230 mm x 1640 mm.	75
436	NN hydraulic unit	Hydraulic unit, dimensions: 500 mm x 350 mm x 650 mm.	150
437	NN batcher	Batcher, 2 heads, dimensions: 1200 mm x 1300 mm x 700 mm.	100
438	AEW Delford	AEW Delford labelling machine with top and bottom labeller, plastic belts, belt width: (1x) 195 mm, (2x) 90 mm, total dimensions: 1500 mm x 600 mm x 1580 mm.	400
439	NN powder dosing screw	Pallet with powder dosing screw, dimensions: 1200 mm x 800 mm x 500 mm.	200
440	NN cheese spreader	Part for cheese spreader, dimensions: 900 mm x 500 mm x 770 mm.	250
441	NN dosing unit	Pallet with parts for dosing unit, dimensions: 1200 mm x 800 mm x 900 mm.	150
442	OCS	OCS checkweigher with rejector, type: EC, number: 1001821, year of construction: 2002, 230 V, 50 Hz, maximum capacity: 1500 g, e- 0.2 g, plastic belts, belt width: 175 mm, total dimensions: 1050 mm x 700 mm x 1650 mm.	300
443	Multipond	Multipond batcher, dimensions: 1200 mm x 1200 mm x 1400 mm.	500
444	OCS	OCS metal detector head, type: Metron 2.2 C 450/250 (NF), serial number: 010718-C, 110-230 V, 50/60 Hz,	200



Nr	Title	Description	Start €
		2.0 A, clearance: 450 mm x 250 mm, total dimensions: 850 mm x 350 mm x 510 mm.	
445	OCS	OCS metal detector head, type: Metron 2.2 C 500/200, serial number: 970410-0, 100-230 V, 50/60 Hz, 100-250 mA, clearance: 500 mm x 200 mm, total dimensions: 900 mm x 300 mm x 470 mm.	200
446	OCS	OCS metal detector head, type: Metron 2.2 C 450/250 (NF), serial number: 010717-C-C, 110-230 V, 50/60 Hz, 2.0 A, clearance: 450 mm x 250 mm, total dimensions: 850 mm x 350 mm x 510 mm.	200
447	NN hydraulic cilinders	2 hydraulic cilinders.	50
448	SAS DISPAC	SAS DISPAC elevating belt, type: ELEV, serial number: 08G44, year of construction: 2008, plastic belt, belt width: 600 mm, total dimensions: 680 mm x 1000 mm x 820 mm.	750
449	NN part for multihead weigher	S/s part for multihead weigher, dimensions: 1260 mm x 400 mm x 600 mm.	100
450	LH Packaging	LH Packaging s/s turning table, type: Draaitafel, serial number: MP/18960/193340/02, year of construction: 2021, diameter top: 1100 mm, total dimensions: Ø 1140 mm x 710 mm.	850
451	NN parts	Pallet with machine parts, dimensions: 1200 mm x 800 mm x 550 mm.	250
452	Multipond	Multipond batcher, 1 to 2 heads, model number: 12-1043-001, year of construction: 2012, dimensions: 1250 mm x 850 mm x 890 mm.	350
453	NN coating machine	Mobile coating machine, s/s mesh belt, belt width: 300 mm, total dimensions: 2100 mm x 900 mm x 2230 mm. Incomplete.	950
454	Marco	Marco weighing scale for crates on s/s frame, model: LINEMASTER IV, clearance: 540 mm x 500 mm, total dimensions: 1230 mm x 670 mm x 1910 mm.	450
455	Marco	Marco weighing scale for crates on s/s frame, model: LINEMASTER IV, serial number: 185139, 100-240 VAC, maximum weight: 20000 gram, minimum weight: 20 gram, e= 1 gram, clearance: 500 mm x 320 mm, total dimensions: 1130 mm x 460 mm x 1960 mm.	450
456	Marco	Marco weighing scale for crates on s/s frame, model: LINEMASTER IV, maximum weight: 20000 gram, minimum weight: 20 gram, e= 1 gram, clearance: 500 mm x 320 mm, total dimensions: 1130 mm x 460 mm x 1860 mm.	450
458	Multivac	Multivac mobile suction device for rest film, type: ASE530, serial number: 20102716, year of construction: 2013, 230 V, 50/60 Hz, 10/16 A, 2.3 kW, dimensions: 660 mm x 700 mm x 1650 mm.	250
459	Marco	Marco weighing scale for crates on s/s frame, model: LINEMASTER IV, serial number: 185133, 100-240 VAC,	450



Nr	Title	Description	Start €
		maximum weight: 20000 gram, minimum weight: 20 gram, e= 1 gram, clearance: 500 mm x 320 mm, total dimensions: 1130 mm x 460 mm x 1960 mm.	
460	Soco System	2 s/s frames for Soco System transport belt, dimensions: (2x) 1210 mm x 470 mm x 730 mm.	200
461	AEW Delford	AEW Delford checkweigher with rejector, type: 8060, factory number: 81107, year of construction: 2005, 230 V, 50 Hz, maximum capacity: 1500/4000 g, minimum capacity: 20 g, e= 1/2 g, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 650 mm x 1550 mm.	500
462	NN trolley	S/s trolley, dimensions: 950 mm x 400 mm x 900 mm.	50
463	Kärcher	Kärcher mobile bin, dimensions: 430 mm x 360 mm x 820 mm.	25
464	Deserranno	Deserranno rejecting belt, model: Uitwerpband, machine number: FKM070, year of construction: 2012, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 350 mm, total dimensions: 800 mm x 600 mm x 1060 mm.	150
465	SEW	SEW motor, dimensions: 570 mm x 250 mm x 250 mm.	50
466	NN switch cabinets	2 s/s switch cabinets, dimensions: (2x) 600 mm x 350 mm x 880 mm.	50
467	Viteau	Viteau water dispenser, dimensions: 320 mm x 320 mm x 1000 mm.	20
468	NN machine parts	Pallet with various machine parts, dimensions: 1200 mm x 800 mm x 500 mm.	100
469	SEW	Pallet with 4 electro motors.	250
470	MPS	MPS electric part, dimensions: 490 mm x 180 mm x 250 mm. Including various machine parts.	250
471	NN conveyors for box closing machine	2 conveyors for box closing machine, belt width: 50 mm, total dimensions: (2x) 700 mm x 150 mm x 250 mm.	50
473	NN switch cabinet	Switch cabinet, dimensions: 2100 mm x 1150 mm x 370 mm.	500
474	NN trays	Pallet with large amount of plastic trays.	50
475	NN trays	Pallet with large amount of plastic trays.	50
476	Comet	Comet generator, type: XRP-Power-2250, serial number: 437525, year of construction: 03/2014, 230 V, 50-60 Hz, dimensions: 730 mm x 370 mm x 540 mm.	500
477	NN electrical parts	4 crates with various electrical parts.	200
478	NN electrical parts	4 crates with various electrical parts.	200
479	NN electrical parts	5 crates with various electrical parts.	200
480	Reepack	Reepack dye part, 230 V, 50-60 Hz, 5.5 A, dye: (2x) 220 mm x 170 mm, total dimensions: 400 mm x 480 mm x 220 mm.	10
481	NN part for labelling unit	Part for labelling unit, dimensions: 550 mm x 250 mm x 550 mm.	50
482	NN egg cutter		200



Nr	Title	Description	Start €
		Mobile egg shell cutter for 16 eggs, dimensions: 950 mm x 850 mm x 1500 mm.	
483	NN frame	S/s frame, height: 1530 mm.	10
484	JIA INDUSTRY CO, L.T.D.	JIA INDUSTRY CO, L.T.D. mobile strapping machine, model: S-315bYM, machine number: 97011094, year of construction: 01/1997, 220 V, 1 Ph, 50 Hz, 3.5 A, dimensions: 1000 mm x 670 mm x 1650 mm.	50
485	Comarme	Comarme box closing machine with top taper, model: GEM-f47, serial number: AZ025815, year of construction: 2005, 400 V, 50 Hz. 1 A, 280 W, weight: 186 kg, steel rollers, roller width: 520 mm, plastic belt, belt width: 50 mm, total dimensions: 2200 mm x 980 mm x 1960 mm.	300
486	NN flattener	Mobile steaker / strip cutter, plastic belts, belt width: 230 mm, total dimensions: 1170 mm x 530 mm x 1180 mm.	250
487	Kärcher	Kärcher mobile high pressure cleaner, dimensions: 1350 mm x 700 mm x 1050 mm.	1000
488	NN mesh belt	Mobile mesh belt, s/s frame, belt width: 700 mm, total dimensions: 1450 mm x 880 mm x 950 mm.	500
489	NN frame	S/s frame, dimensions: 800 mm x 800 mm x 1250 mm.	50
490	Soco System	Soco System box taping machine, model: T-10, number: 621-88, 380 V, 3 Ph, plastic rollers, roller width: (2x) 260 mm, 70 mm, total dimensions: 1400 mm x 800 mm x 930 mm. Incomplete.	25
491	Danfoss	2 Danfoss parts, dimensions: (2x) 770 mm x 130 mm x 90 mm.	50
492	NN welding hoses	2 welding hoses.	75
493	A.O. Smith W.P.C.	A.O. Smith W.P.C. boiler, model: BFC 60 N (6567), serial number: 133305118501002, 230 V, 50 Hz, 115 W, volume: 368 liter, nominal capacity: 57.0 kW, maximum working pressure: 800 kPa (8 bar), dimensions: Ø 760 mm x 2100 mm.	500
494	NN soap mixing unit	Mobile s/s soap mixing unit, dimensions: 600 mm x 650 mm x 1400 mm.	100
495	J.Affeldt	J.Affeldt net loading machine, type: AVN/610, number: 181, year of construction: 000/03, 400 V, 50 Hz, dimensions: 950 mm x 1000 mm x 2100 mm.	50
496	Multivac	Multivac mould for thermoformer, dimensions: 1000 mm x 750 mm x 600 mm.	750
497	van Rijn	van Rijn mobile egg shell cutter, number: 251040-1, dimensions: 950 mm x 600 mm x 1480 mm.	200
498	Bosch	Bosch checkweigher, type: KWE 6000 A, serial number: 732379, year of construction: 2017, 230 V, 50 Hz, 24 VDC, max: 800 gram, min: 100 gram, e= 0.5 gram, plastic belt, belt width: 250 mm, total dimensions: 1200 mm x 800 mm x 1700 mm.	1000



Nr	Title	Description	Start €
499	NN Zip unit	Zip machine, dimensions: 1200 mm x 800 mm x 1750 mm.	500
500	Mado	Mado mobile grinder, type: MEW 620, serial number: 9830524, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4 kW, plate diameter: 98 mm, total dimensions: 1050 mm x 800 mm x 1300 mm. Incomplete. Without screws, knives and plates.	1000
502	Busch	Busch vacuum pump, type: KB 0016 E 3ZO MMZX, serial number: CZM124250673, year of construction: 2024, capacity: 19 m ³ per hour, dimensions: 300 mm x 200 mm x 200 mm.	500
503	Busch	Busch vacuum pump, type: KB 0016 E 3ZO MMZX, serial number: CZM124250674, year of construction: 2024, capacity: 19 m ³ per hour, dimensions: 300 mm x 200 mm x 200 mm.	500
504	Busch	Busch vacuum pump, type: KB 0016 E 3ZO MMZX, serial number: CZM124260345, year of construction: 2024, capacity: 19 m ³ per hour, dimensions: 300 mm x 200 mm x 200 mm.	500
505	Powerpac	Box with Powerpac labelling unit, model: N31HRLK-LNK-NS-02, dimensions: 1050 mm x 680 mm x 450 mm.	100
506	Berger Lahr	Box with Berger Lahr labelling machine, dimensions: 680 mm x 680 mm x 400 mm.	100
507	Berger Lahr	Box with Berger Lahr labelling machine, dimensions: 680 mm x 680 mm x 400 mm.	100
508	Sondermeier	Sondermeier electromotor, type: MKG-428 S02 F6B-9, 400 V, 50 Hz, 134 A, 75 kW, dimensions: 1050 mm x 500 mm x 760 mm.	650
509	Busch	Busch vacuum pump, type: RA 0400 B 461 DUBI, number: C9937000579, capacity: 400 m ³ per hour, dimensions: 1300 mm x 850 mm x 1400 mm.	500
510	Gardner Denver	Gardner Denver vacuum pump, type: VLR 100 (01), 2.20 kW, capacity: 100 m ³ per hour, dimensions: 700 mm x 530 mm x 610 mm.	350
511	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140049, year of construction: 2024, capacity: 160 m ³ per hour, dimensions: 800 mm x 600 mm x 430 mm.	2500
512	Busch	Busch vacuum pump, type: KB 0016 E 3ZO, serial number: CZM124130042, year of construction: 2024, capacity: 19 m ³ per hour, dimensions: 290 mm x 220 mm x 200 mm.	400
513	Busch	Busch vacuum pump, type: KB 0016 E 3ZO, serial number: CZM124130040, year of construction: 2024, capacity: 19 m ³ per hour, dimensions: 290 mm x 220 mm x 200 mm.	400
514	Busch		400



Nr	Title	Description	Start €
		Busch vacuum pump, type: KB 0016 E 3ZO, serial number: CZM124130037, year of construction: 2024, capacity: 19 m ³ per hour, dimensions: 290 mm x 220 mm x 200 mm.	
515	Zomerdam	Zomerdam metal detecting head, type: MN 5.1 CI 300/150, serial number: 910208 CI, 100-240 V, 50/60 Hz, 50-300 mA, clearance: 300 mm x 150 mm, total dimensions: 750 mm x 260 mm x 400 mm.	250
516	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: 080039633, year of construction: 2008, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 700 mm.	400
517	Hassia Redatron	Hassia Redatron vertical bag forming, filling and sealing machine, vertical seal length: 550 mm, horizontal seal length: 400 mm, total dimensions: 2480 mm x 1460 mm x 2530 mm. Technical condition unknown. Incomplete.	750
518	Hassia Redatron	Hassia Redatron vertical bag forming, filling and sealing machine, vertical seal length: 550 mm, horizontal seal length: 400 mm, total dimensions: 2480 mm x 1460 mm x 2530 mm. Technical condition unknown. Incomplete.	750
519	Hassia Redatron	Hassia Redatron vertical bag forming, filling and sealing machine, vertical seal length: 550 mm, horizontal seal length: 400 mm, total dimensions: 2480 mm x 1460 mm x 2530 mm. Technical condition unknown. Incomplete.	750
520	Hassia Redatron	Hassia Redatron vertical bag forming, filling and sealing machine, type: Flexibag 55/38, machine number: 50-101-790, year of construction: 1999, 230/400 V, 50 Hz, film width: 730 mm, vertical seal length: 550 mm, horizontal seal length: 400 mm, total dimensions: 2480 mm x 1460 mm x 2530 mm. Technical condition unknown. Incomplete.	750
550	Tivadar Apparatebau	Tivadar Apparatebau tubular heat exchanger used for Palm Oil, type: NEU 900/4800 - 2 Passes, serial number: 21-151, year of construction: 2022, volume: 1680 litres, weight: 6510 kg, steam heated, dimensions: 6500 mm x 1300 mm x 1750 mm.	8000
551	NN workbench	Workbench, steel frame, wooden top with s/s cover, dimensions: 4000 mm x 900 mm x 980 mm.	100
553	NN lifter	Lifter, s/s rollers, roller width: 620 mm, lifting height: approximately 6500 mm, total dimensions: 1550 mm x 1340 mm x 7000 mm.	1500
554	NN platform	S/s platform, already dismantled, dimensions: 2700 mm x 2100 mm x 600 mm.	500
555	NN platform		2000



Nr	Title	Description	Start €
		S/s platform with rack for multihead weigher baskets, dimensions: 3300 mm x 2800 mm x 2500 mm. Including 2 legs. Other 2 legs missing.	
556	NN platform	S/s platform, dimensions: 3400 mm x 3000 mm x 300 mm. Without legs.	1000
557	NN platform	S/s platform, dimensions: 5000 mm x 2700 mm x 1450 mm. Without legs.	2000
558	NN stairs	S/s stairs, 13 steps, dimensions: 4600 mm x 1400 mm x 970 mm.	750
559	NN tanks	Steel frame with 4 s/s tanks, dimensions each tank: Ø 900 mm x 3000 mm, total dimensions: 5750 mm x 1000 mm x 3300 mm.	3500
560	S/s platform	S/s platform, platform height: 1750 mm, total dimensions: 3500 mm x 3250 mm x 2750 mm.	1250
563	APL Apparatebau GmbH	APL apparatebau GmbH heat exchanger, type: GFGG 100.60, year of construction: 2000, volume 2050 liter, volume jacket: 3460 mm, weight: 7000 kg, dimensions: 9350 mm x 1800 mm x 1660 mm.	5000
564	Thele	Thele s/s nitrogen freezing tunnel, project: LN2 Froster, year of construction: 2018, 24 A, 7 kW, clearance: 660 mm x 60 mm, total dimensions: 8450 mm x 1550 mm x 2280 mm. Including s/s mesh belt, belt width: 700 mm.	7500
565	NN stairs	S/s stairs, 13 steps, dimensions: 4200 mm x 950 mm x 940 mm.	750
566	Kiremko	Kiremko elevating screw, type: S-BRSE, machine number: 13-1048-AA, year of construction: 2013, 400 V, 3 Ph, 50 Hz, s/s screw, screw diameter: 600 mm, tier: 310 mm, elevating height: 3100 mm, dimensions hopper: 2000 mm x 2000 mm x 1200 mm, total dimensions: 7200 mm x 2400 mm x 2750 mm.	3500
567	NN elevating belt	Elevating belt with infeed bunker, s/s frame, plastic belt with dividers, belt width: 700 mm, distance between dividers: 250 mm, divider height: 40 mm, total dimensions: 4400 mm x 1500 mm x 1650 mm.	1250
568	NN stairs	S/s stairs, 12 steps, dimensions: 4150 mm x 800 mm x 1300 mm.	500
569	NN stairs	S/s stairs, 9 steps, dimensions: 400 mm x 800 mm x 1600 mm.	500
570	NN platform	S/s platform with stairs, 10 steps, dimensions: 4350 mm x 1130 mm x 1800 mm.	500
571	NN platform	S/s platform, dimensions: 2800 mm x 2500 mm x 2400 mm.	1500
572	Altrex	Altrex mobile aluminium platform with stairs, 8 steps, working height: 1600 mm, total dimensions: 2350 mm x 1200 mm x 2700 mm.	200
573	Altrex		200



Nr	Title	Description	Start €
		Altrex mobile aluminium stairs, 12 steps, working height: 2410 mm, total dimensions: 2900 mm x 1410 mm x 2410 mm.	
574	Boldt Systems	Boldt Systems elevating screw, type: BFCS 16/12, serial number: BFO 09-019.05, year of construction: 2009, s/s screw, diameter screw: 370 mm, tier: 220 mm, elevating height: 1900 mm, total dimensions: 3800 mm x 2000 mm x 3400 mm.	2500
576	Diessel	Diessel s/s mixing tank, inside dimensions: ø 1200 mm x 1000 mm, total dimensions: ø 1300 mm x 2000 mm.	400
577	NN stairs	S/s stairs, 7 steps, dimensions: 2800 mm x 680 mm x 900 mm.	100
578	OptiServe	OptiServe French fries slicer, type: glide, dimensions: ø 900 mm x 950 mm.	250
579	NN mixing tub	S/s mixing tub, inside dimensions: 1110 mm x 920 mm x 850 mm, total dimensions: 1230 mm x 1050 mm x 1850 mm.	400
580	NN stairs	S/s stairs, 6 steps, dimensions: 2350 mm x 700 mm x 900 mm.	75
581	NN stairs	S/s stairs, 5 steps, working height: 910 mm, total dimensions: 960 mm x 820 mm x 910 mm.	150
582	NN platform	S/s platform with stairs, platform height: 1830 mm, total dimensions: 2650 mm x 2600 mm x 2820 mm.	1500
583	NN elevating screw	S/s elevating screw, diameter screw: 350 mm, tier: 330 mm, elevating height: 2800 mm, total dimensions: 6000 mm x 1400 mm x 3700 mm.	1500
584	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 3845-53W7, year of construction: 2011, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm.	100
585	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 140064-53W1, year of construction: 2014, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm.	100
586	NN elevating belt	Elevating belt, plastic belt, belt width: 560 mm, elevating height: 1370 mm, total dimensions: 1950 mm x 730 mm x 1600 mm.	500
588	KSB	KSB centrifugal pump, year of construction: 2022, dimensions: 1100 mm x 980 mm x 1290 mm.	1250
589	KSB	KSB centrifugal pump, type: Sewatec E 150-401GH, year of construction: 2021, Q: 50.35 m ³ /h, dimensions: 1500 mm x 980 mm x 1290 mm.	1250
590	Revicon	Revicon tilting device for dolav boxes, tilting height: 1150 mm, dimenisons boxes: 1200 mm x 1100 mm x 960 mm, total dimensions: 1780 mm x 1300 mm x 1400 mm.	950



Nr	Title	Description	Start €
591	NN tilting device	S/s tilting device for pallet boxes, clearance: 1200 mm x 1000 mm x 1000 mm, total dimensions: 1900 mm x 1200 mm x 1550 mm.	250
592	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 600 mm, total dimensions: 6000 mm x 640 mm x 1600 mm.	600
593	Diessel	Diessel s/s mixing tank, inside dimensions: \varnothing 1200 mm x 1000 mm, total dimensions: \varnothing 1300 mm x 2000 mm. Missing motor. Damaged.	500
594	NN mixing tub	S/s mixing tub, inside dimensions: 1110 mm x 920 mm x 850 mm, total dimensions: 1230 mm x 1050 mm x 1850 mm.	500
595	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 430 mm, total dimensions: 2800 mm x 480 mm x 150 mm.	275
596	Food Technology	Food Technology driven roller conveyor, plastic rollers, roller width: 400, total dimensions: 6350 mm x 600 mm x 350 mm.	650
597	Food Technology	3 Food Technology driven roller conveyor, plastic rollers, roller width: 400, total dimensions: (3x) 6350 mm x 600 mm x 350 mm.	1850
598	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 140063-53W2, year of construction: 2014, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1950 mm.	150
599	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 140064-53W3, year of construction: 2014, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1950 mm.	150
600	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 3844-53W4, year of construction: 2011, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm. Including switch cabinet.	150
601	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 3844-53W2, year of construction: 2011, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm.	150
602	NN tanks	S/s tank, fabrication number: 60507F, year of construction: 2006, maximum temperature: 90° C, volume: 150 liter, dimensions: \varnothing 600 mm x 1720 mm.	250
603	KSB	KSB centrifugal pump, dimensions: 1100 mm x 980 mm x 1290 mm.	1250
604	Mafo	Mafo crate washer, type: 230 SN, serial number: 9674-620/5-1993+200-10497-620-5-2010, 400 V, 3 Ph,	2000



Nr	Title	Description	Start €
		50 Hz, 44.4 A, 25.6 kW, clearance: 620 mm x 500 mm, total dimensions: 3400 mm x 1250 mm x 1900 mm. New pump.	
605	NN table	S/s mobile table, dimensions: 1400 mm x 800 mm x 960 mm.	150
606	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 800 mm, total dimensions: 2200 mm x 800 mm x 840 mm.	150
607	Kelvion	Kelvion evaporator block / heat exchanger, dimensions: 5400 mm x 1200 mm x 1600 mm.	1500
608	NN roller conveyor	Pallet with roller conveyor for crate washer.	50
609	NN smoke trolleys	3 s/s smoke trolleys, Z-model, 8 floors each, dimensions: 1020 mm x 1040 mm x 1960 mm.	225
610	NN smoke sticks	Pallet with aluminium y-shaped smoke sticks, length: 1000 mm.	100
611	NN tank	S/s double jacketed tank, inside dimensions: \varnothing 680 mm x 1000 mm, total dimensions: \varnothing 800 mm x 1770 mm.	250
612	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2430 mm x 700 mm x 1500 mm.	200
613	NN vibrating gutter	S/s vibrating gutter, gutter width: (2x) 750 mm, total dimensions: 2400 mm x 1630 mm x 1180 mm.	1250
614	NN infeed hopper	S/s infeed hopper, dimensions: 1880 mm x 750 mm x 750 mm.	150
615	NN vibrating gutter	S/s vibrating gutter, gutter width: 880 mm, total dimensions: 2500 mm x 1250 mm x 1800 mm. Incomplete.	1750
616	Intermas	Intermas netting machine, brush length: 250 mm, total dimensions: 1000 mm x 900 mm x 1850 mm. Incomplete.	50
617	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3050 mm x 700 mm x 1300 mm.	500
618	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 3400 mm x 550 mm x 1330 mm.	400
619	NN transport belt	Mobile transport belt, plastic belt, belt width: 500 mm, total dimensions: 2600 mm x 750 mm x 1000 mm.	350
620	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 700 mm, total dimensions: 2800 mm x 1200 mm x 1600 mm.	500
621	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 630 mm, total dimensions: 2500 mm x 800 mm x 400 mm.	250
622	Feltracon	Feltracon roller conveyor, s/s frame, type: 72K, number: 3580-72K1, year of construction: 2008, plastic	200



Nr	Title	Description	Start €
		rollers, roller width: 400 mm, total dimensions: 3100 mm x 500 mm x 800 mm.	
623	Feltracon	Feltracon roller conveyor, s/s frame, type: 72K, number: 3577-72K1, year of construction: 2008, plastic rollers, roller width: 400 mm, total dimensions: 3100 mm x 500 mm x 800 mm. Missing some rollers.	200
624	Kelvion	Kelvion s/s evaporator, type: Goedhart KB.h, year of construction: 2019, weight: 275 kg, V: 49 dm ³ , dimensions: 3100 mm x 650 mm x 1750 mm.	750
625	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 230 mm, total dimensions: 5200 mm x 600 mm x 1100 mm.	500
626	Diessel	Diessel s/s mixing tank, inside dimensions: ø 1200 mm x 1000 mm, total dimensions: ø 1300 mm x 2000 mm. Missing motor.	150
627	Stöcklin Logistique SA	Stöcklin Logistique SA s/s tank, fabrication number: 93187, year of construction: 1999, working pressure: +1/-015 bar, working temperature: -10/+50°C, capacity: 1000 liter, weight: 128 kg, dimensions: ø 1000 mm x 2000 mm.	400
628	NN tank	S/s tank, volume: 3000 liter, dimensions: 1500 mm x 1500 mm x 4000 mm.	1000
629	New Motion	New Motion levelling belt, serial number: 12010-06-000, year of construction: 2012, clearance: 360 mm x 200 mm, plastic rollers, roller width: 230 mm, total dimensions: 1000 mm x 820 mm x 1470 mm.	200
630	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 660 mm, total dimensions: 3150 mm x 740 mm x 580 mm.	300
631	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 500 mm, total dimensions: 2850 mm x 500 mm x 1020 mm.	300
632	Pulsar	Pulsar optical sorter, model: RX-2040, number: 96018-A, year of construction: 02/2004, 400 V, 3 Ph, 50 Hz, 8.8 A, 1800 kg, plastic belt, belt width: 1600 mm, total dimensions: 4000 mm x 2450 mm x 2400 mm.	4000
633	NN air filter	Air filter, 1 fan, dimensions: 1730 mm x 1730 mm x 3350 mm.	500
634	Behälter kg - Bremen	Behälter kg - Bremen s/s tank on steel frame, fabrication number: 37455, year of construction: 11.04, volume: 1081 liter, dimensions frame: 1150 mm x 1150 mm x 1750.	200
635	NN washing frames	2 s/s washing frames for 200 liter meat bins, dimensions: (2x) 1180 mm x 730 mm x 1740 mm.	150
636	Behälter kg - Bremen	Behälter kg - Bremen s/s tank on steel frame, volume: 1081 liter, dimensions frame: 1150 mm x 1150 mm x 1750.	200



Nr	Title	Description	Start €
637	Behälter kg - Bremen	Behälter kg - Bremen s/s tank on steel frame, fabrication number: 39282, year of construction: 12.06, volume: 794 liter, dimensions frame: 1150 mm x 1150 mm x 1300 mm.	200
641	NN filter	S/s filter.	50
642	Pesutekno OY	Pesutekno OY dishwasher, model: TERHI ECO, number: 5002091202, year of construction: 2009, 400 V, 50 Hz, 32 A, 23000 W, inside dimensions: 530 mm x 500 mm x 580 mm, total dimensions: 740 mm x 650 mm x 1640 mm.	50
643	Hoyer	Hoyer s/s tank, volume: 1000 liter, dimensions: 1100 mm x 1200 mm x 670 mm.	250
644	Behälter kg - Bremen	2 Behälter kg - Bremen s/s tanks on steel frames, fabrication number: 37457, year of construction: 11.04, volume: (2x) 1081 liter, tank dimensions: (2x) Ø 1100 mm x 1400 mm, dimensions frame: (2x) 1150 mm x 1150 mm x 1750.	300
645	NN trolleys	4 s/s trolleys, (4x) 14 floors, dimensions floors: (14x) 1000 mm x 500 mm, total dimensions: (4x) 1200 mm x 1000 mm x 1900 mm.	600
646	Numafa	Numafa crate washer, type: HWR 200/1, serial number: 703008, year of construction: 1999, clearance: 750 mm x 600 mm, total dimensions: 6000 mm x 1600 mm x 2520 mm.	2000
649	Proseal	Proseal transport belt, belt width: 200 mm, total dimensions: 3950 mm x 650 mm x 830 mm.	400
650	New Motion	New Motion levelling belt, serial number: 12010-02-000, year of construction: 2012, clearance: 360 mm x 200 mm, plastic rollers, roller width: 230 mm, total dimensions: 1000 mm x 820 mm x 1470 mm.	200
651	NN roller conveyor	3 roller conveyors, s/s rollers, roller width: (3x) 400 mm, total dimensions: 13000 mm x 500 mm x 200 mm.	750
652	NN heat exchanger	S/s tubular heat exchanger, dimensions: 2700 mm x 1000 mm x 2130 mm.	1000
653	NN tank	S/s tank, dimensions tank: Ø 1100 mm x 2000 mm, total dimensions: 1200 mm x 1200 mm x 2900 mm.	750
655	NN transport belt	Mobile transport belt, plastic belt, belt width: 760 mm, total dimensions: 4050 mm x 900 mm x 1000 mm.	400
656	Awila	Awila mobile elevating screw, type: Rohförderschnecke FS 210, serial number: 136280-01-00, year of construction: 2004, 7.5 kW, elevating height: 3900 mm, total dimensions: 6500 mm x 2400 mm x 4100 mm.	1500
657	NON Food Technology	NON Food Technology driven roller conveyor, year of construction: 2013, plastic rollers, roller width: 400 mm, total dimensions: 6500 mm x 600 mm x 350 mm.	650
658	Crane Solutions		250



Nr	Title	Description	Start €
		Crane Solutions s/s beam with hoist, capacity: 100 kg, dimensions: 5200 mm x 900 mm x 600 mm.	
659	Feltracon	Feltracon transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 9150 mm x 1100 mm x 650 mm.	1250
660	NN table	Mobile s/s table, dimensions: 1400 mm x 600 mm x 830 mm.	100
661	NN platform	Mobile s/s platform, dimensions: 1520 mm x 800 mm x 880 mm.	100
662	NN tilting device	S/s tilting device for pallet boxes, clearance: 670 mm x 990 mm x 670 mm, total dimensions: 2500 mm x 1900 mm x 2750 mm.	800
663	Fortress	Fortress metal detector, model: Fortress Stealth, plastic belt, belt width: 620 mm, clearance: 610 mm x 310 mm, total dimensions: 6300 mm x 1200 mm x 2500 mm. Incomplete, missing one leg.	1500
664	FT NON	FT NON blanching machine, steam heated, diameter drum: 1150 mm, dimensions gaps: 20 mm x 4 mm, total dimensions: 4200 mm x 2350 mm x 3100 mm. Including 3 pallets with parts.	25000
665	Altrex	Altrex mobile aluminium stairs, 9 steps, working height: 2000 mm, total dimensions: 2750 mm x 1200 mm x 3100 mm.	150
666	Loma Systems	Loma Systems metal detector, year of construction: 2009, plastic mesh belt, belt width: 580 mm, clearance: 570 mm x 230 mm, plastic outfeed belt, belt width: 600 mm, total dimensions: 7830 mm x 1930 mm x 2150 mm. Including s/s work platform, working height: 700 mm, total dimensions: 6750 mm x 1540 mm x 1770 mm.	3500
667	NN elevating belt	Steel tub used as salt bath with steel elevating belt, belt width: 100 mm and 600 mm, total dimensions: 7100 mm x 2300 mm x 2500 mm.	2500
668	NN tumbler	S/s tumbler, tub dimensions: Ø 1300 mm x 2500 mm, total dimensions: 3100 mm x 1400 mm x 2100 mm. Without lid.	750
669	NN infeed bunker	S/s infeed bunker with outfeed screw, dimensions outfeed: Ø 100 mm, inside dimensions: 3000 mm x 2000 mm x 1000 mm, total dimensions: 5000 mm x 2150 mm x 2100 mm.	750
670	Numafa	Numafa crate dryer, type: P 2.0.2.1 MB, serial number: 19.60.553.100, year of construction: 2019, plastic mesh belt, belt width: 450 mm, total dimensions: 5000 mm x 1000 mm x 2700 mm.	2500
671	Kiremko	Kiremko elevating belt, number: 06-1086-BA, plastic belt, belt width: 400 mm, elevating height: 1720 mm, total dimensions: 3950 mm x 700 mm x 1850 mm.	400
672	Numafa		2500



Nr	Title	Description	Start €
		Numafa crate dryer, type: P 3.02 V.CENT, serial number: 19.60.566700, year of construction: 2019, plastic mesh belt, belt width: 450 mm, total dimensions: 5000 mm x 1000 mm x 2700 mm.	
674	NN vibrating gutter	Vibrating gutter, gutter width: 500 mm, total dimensions: 1600 mm x 1000 mm x 1370 mm.	400
675	SAS DISPAC	SAS DISPAC tilting device for 200 liter meat bins with outfeed belt, type: VIDEF, serial number: 08V28, year of construction: 06/08, plastic belt, belt width: 600 mm, total dimensions: 3400 mm x 1580 mm x 1810 mm.	500
676	NN washing machine	Mobile washing machine, s/s screw, screw width: 35 mm, tier: 1510 mm, plastic belt, belt width: 375 mm, elevating height: 2570 mm, total dimensions: 7800 mm x 1500 mm x 3000 mm.	2000
677	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 4700 mm x 980 mm x 1500 mm.	500
678	Graco	Graco membrane pump, model: Husky 2140, dimensions: 450 mm x 350 mm x 600 mm.	50
679	Key Technology BV	Key Technology BV vibrating gutter, type: MVDID, year of construction: 2010, gutter width: 850 mm, 470 mm, total dimensions: 2040 mm x 910 mm x 1300 mm.	2500
680	Colleluori Remo	Colleluori Remo infeed bunker, model: BUNKER DI ACCUMULO PRODOTTO, machine number: 011, year of construction: 2011, 380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 600 mm, total dimensions: 2050 mm x 910 mm x 1370 mm.	400
681	SAS DISPAC	SAS DISPAC tilting device for 200 liter meat bins with outfeed belt, type: VIDEF, serial number: 08V27, year of construction: 06/08, plastic belt, belt width: 600 mm, total dimensions: 3400 mm x 1580 mm x 1810 mm.	500
682	NN elevating belt	Vertical elevating belt, s/s frame, plastic belt with dividers, belt width: 530 mm, divider height: 70 mm, distance between dividers: 260 mm, total dimensions: 950 mm x 1300 mm x 3800 mm.	250
683	BVT	BVT transport belt, year of construction: 2014, s/s frame and top cover, plastic belt, belt width: 1240 mm, total dimensions: 3450 mm x 1600 mm x 1670 mm.	850
685	Key Technology BV	Key Technology BV vibrating gutter with 2 s/s pillars, type: MVSDW, serial number: S2001633, year of construction: 2015, weight: 2560 kg, gutter width: 1420 mm, dimensions vibrating gutter: 6850 mm x 1600 mm x 1440 mm, (2x) 1400 mm x 600 mm x 3750 mm.	4500
686	NN vegetable washing tub	Mobile vegetable washing tub with dryer and outfeed belt, plastic sieve belt, belt width: 380 mm, inside	2000



Nr	Title	Description	Start €
		dimensions: 4000 mm x 1250 mm x 650 mm, total dimensions: 8000 mm x 1900 mm x 2750 mm.	
687	Colleluori Remo	Colleluori Remo tilting device for 200 liter meat bins, model: RIBALTATORE CONTENITORI, machine number: 006, year of construction: 2015, 380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 500 mm, total dimensions: 2400 mm x 1440 mm x 1400 mm. Including s/s switch cabinet, dimensions: 750 mm x 750 mm x 1900 mm.	2000
688	Burg's Machinefabriek	Burg's Machinefabriek elevating belt, s/s frame, electric driven plastic rollers, roller width: 750 mm, elevating height: 1720 mm, total dimensions: 2000 mm x 1900 mm x 1800 mm.	450
689	Burg's Machinefabriek	Burg's Machinefabriek tilting device for pallet boxes, type: H.K.D.D-S.A.+ , serial number: 3822, year of construction: 2008, 230/400 V, 50 Hz, 2.3 kW, 3.3 KVA, weight: 1438 kg, clearance: 1350 mm x 800 mm, total dimensions: 2100 mm x 2070 mm x 2250 mm.	1000
690	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1100 mm, total dimensions: 3150 mm x 500 mm x 1100 mm.	400
691	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 3900 mm x 600 mm x 1000 mm.	400
692	GKS	GKS s/s platform with stairs, serial number: 05488, year of construction: 09-2023, platform height: 2020 mm, total dimensions: 3250 mm x 2530 mm x 3150 mm.	2500
693	Feltracon	Feltracon elevating belt, type: 53E, number: 3845-53E2, year of construction: 2011, 230/400 V, plastic belt, belt width: 600 mm, total dimensions: 5200 mm x 900 mm x 720 mm.	1200
694	Colleluori Remo	Colleluori Remo transport belt, model: NASTRO ALIMENTAZIONE PESATRICE, machine number: 113, year of construction: 2011, 380 V, 50 Hz, plastic belt, belt width: 500 mm, total dimensions: 6000 mm x 950 mm x 1500 mm.	600
695	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 4900 mm x 750 mm x 250 mm.	350
696	NN elevating screw	S/s mobile elevating screw, diameter screw: 450 mm, tier: 300 mm, elevating height: 900 mm, total dimensions: 2600 mm x 650 mm x 1880 mm.	500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law


16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

