



**Industrial  
Auctions**

**2110: Online auction poultry processing machines  
and spare parts on behalf of USE Poultry Tech in  
Hillegom (NL)**

**END DATE**  
20 April 2026 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)



## General terms and conditions of the online auction

End date	20 April 2026 from 14:00 hrs.
Viewing days	16 April 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	29 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Pastoorlaan 22 2182 BX Hillegom Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1	Scanvaegt Marel Food Systems	Scanvaegt Marel Food Systems mobile vertical slicer, type: STC S-3, serial number: 18.0162, year of construction: 2008, 230 V, 1 Ph, 50/60 Hz, 10/16 A, 2.5 kW, plastic mesh belt, belt width: 400 mm, distance between knives: 25 mm, total dimensions: 2900 mm x 900 mm x 1350 mm. Including s/s trolley with 2 extra knife sets, distance between knives: (1x) 30 mm, (1x) 18 mm, total dimensions: 850 mm x 800 mm x 1150 mm.	5000
2	USE Poultry Tech	USE Poultry Tech drum thigh deboner with 12 stations including knockle saw, type: model 1, serie: DTD-12, machine number: 20309, year of construction: 2016, dimensions: 1500 mm x 1300 mm x 1700 mm.	9000
3	Wolfking Belam / Voltman Konstruktie BV	Wolfking Belam injector for whole chickens with outfeed belt and Voltman Konstruktie BV brine mixing tank, injector model: WBI-220, year of construction: 2000, 400 V, 50 Hz, 14 A, capacity: up to 2100 bph, 120 needles, dimensions injector: 1500 mm x 1100 mm x 1780 mm, outfeed belt, s/s frame, plastic mesh belt, belt width: 250 mm, dimensions outfeed belt: 3950 mm x 750 mm x 1100 mm. Voltman Konstruktie BV s/s brine mixing tank, type: BM 900, serial number: 1699, year of construction: 2000-08, inside dimensions: ø 1120 mm x 750 mm, total dimensions: 1500 mm x 1450 mm x 2200 mm.	2250
4	Meyn	Meyn vent cutter, type: 595-R, number: 64882, year of construction: 1995, dimensions: 1500 mm x 1100 mm x 2400 mm.	5000
5	NN leg processor	Part of leg processing machine, dimensions: 1000 mm x 600 mm x 400 mm.	250
6	NN boot washer	S/s boot washer, dimensions: 900 mm x 600 mm x 1450 mm.	50
7	Linco	Linco cropper, machine number: A13 425 165 005, year of construction: 1997, 24 stations, dimensions: 1920 mm x 1580 mm x 2650 mm. Overhauled.	15000
9	Stork B.V.	Stork B.V. gizzard/intestine separator, (2x) s/s screw, diameter: 50 mm, plastic screw, diameter: 100 mm, total dimensions: 1400 mm x 1300 mm x 1400 mm.	1500
10	Systemate	Systemate CCW final inspection machine with 8 stations, year of construction: 2004, pitch: 8 inch, capacity: 3000 bph, dimensions: 1700 mm x 1100 mm x 2250 mm..	4500
11	Stork B.V.	Stork B.V. inline thigh leg deboning machine, dimensions: 3000 mm x 1600 mm x 2050 mm. Incomplete.	750
12	NN slicing module	S/s slicing module, knife diameter: 180 mm, total dimensions: 600 mm x 500 mm x 450 mm.	500
13	Systemate	Systemate slicing module, model: SP, serial number: 0686219, knife diameter: 270 mm, total dimensions: 700 mm x 400 mm x 400 mm.	750
14	Glaxo	Glaxo mixer used for mechanically deboned poultry, number: W1472, volume: 260 liter, total dimensions: ø 660 mm x 1400 mm.	200



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
15	NN crate stacker	Crate stacking machine with outfeed pushing device, dimensions each level: 600 mm x 420 mm, total dimensions: 1600 mm x 1000 mm x 3900 mm.	1750
16	Ground	Ground s/s infeed bunker with outfeed belt, model: DH100/225, year of construction: 2005, plastic belt with dividers, belt width: 455 mm, divider height: 30 mm, distance between dividers: 200 mm, total dimensions: 1750 mm x 1800 mm x 2400 mm.	1000
17	Nimo-KG	Nimo-KG lifter, type: LP 500 P, number: 9714, year of construction: 2001, maximum capacity: 500 kg, clearance: 980 mm x 880 mm, total dimensions: 980 mm x 1060 mm x 2070 mm.	250
18	Multivac	Multivac mobile vacuum machine, model: C400, number: 859, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 15 A, chamber dimensions: 660 mm x 450 mm, seal length: 660 mm and 460 mm, total dimensions: 900 mm x 700 mm x 1100 mm.	950
19	Thielemann	Thielemann leg processor, dimensions: 1700 mm x 700 mm x 800 mm.	500
20	Thielemann	Thielemann high yield leg processor, dimensions: 1700 mm x 700 mm x 800 mm. Without motors.	500
21	Linco	Linco leg processor, dimensions: 1700 mm x 700 mm x 800 mm.	1000
22	Patrini	Patrini gizzard control table, year of construction: 1998, dimensions: 1050 mm x 560 mm x 1300 mm.	750
23	NN slide	S/s slide, gutter width: 365 mm, dimensions: 900 mm x 660 mm x 1700 mm.	150
24	Sepamatic	Sepamatic separator, type: SEPA 410, machine number: 108870/1, year of construction: 12.2020, 400 V, 50 Hz, 4.9 A, 2.2 kW, plastic belt, belt width: 205 mm, perforations: 1 mm, total dimensions: 1100 mm x 850 mm x 1630 mm.	3500
25	NN skinning machine	Skinning machine, working width: 300 mm, total dimensions: 850 mm x 500 mm x 1150 mm. Technical condition unknown.	150
26	Meyn	Meyn vertical halving machine, serial number: 2001090019, year of construction: 2001, dimensions: 1500 mm x 650 mm x 650 mm.	1250
27	Baader	Baader mobile separator, model: 601, serial number: 3206010319, plastic belt, belt width: 205 mm, perforations: 3 mm, total dimensions: 900 mm x 900 mm x 1300 mm. Incomplete.	2000
28	Grasselli	Grasselli mobile skinning machine, model: C35-P, serial number: W27007/P268, year of construction: 2006, 400 V, 3 Ph, 50 Hz, working width: 340 mm, total dimensions: 870 mm x 500 mm x 1000 mm.	250
29	Meyn	Meyn conveyor wheel base for weighing cell, type: 8UN RE, machine number: 85790, year of construction: 1998, dimensions: 1000 mm x 900 mm x 900 mm.	200
30	NN piston filler	Mobile s/s piston filler, inside dimensions: $\varnothing$ 200 mm x 500 mm, total dimensions: 450 mm x 350 mm x 1260 mm.	250
31	Scanio A/S	Scanio A/S lifter for pallet boxes, type: K16, serial number: 4246, year of construction: 1994, 220 V, 3 Ph, 50 Hz, 9.0 A, 2.2 kW,	1500



Nr	Title	Description	Start €
		maximum capacity: 1000 kg, lifting height: 2050 mm, total dimensions: 2400 mm x 1400 mm x 3500 mm.	
32	Blackrow	Blackrow fillet aligner, type: aligner, number: 2074, year of construction: 2004, s/s mesh belt, belt width: 600 mm, total dimensions: 2800 mm x 1250 mm x 1650 mm.	500
33	Meyn	Meyn hock unloader, machine number: 60074, year of construction: 1994, 14 stations, dimensions: 1400 mm x 1100 mm x 1260 mm.	500
34	NN thigh deboner	S/s thigh deboner with 12 stations, year of construction: 2001, number: 09.03.024.011, SRTD 0701227, D-40, dimensions: 1600 mm x 1200 mm x 1830 mm.	2000
35	NN transport belt	Transport belt with s/s frame and plastic belt, belt width: 150 mm, total dimensions: 2040 mm x 500 mm x 920 mm.	500
36	Stork B.V.	Stork B.V. inline deskiner, s/s worms, worm diameter: 50 mm, dimensions: 1100 mm x 600 mm x 700 mm.	150
37	Stork B.V.	Stork B.V. cut up line consisting of: Wing stretcher module, serial number: 10034849, year of construction: 2002. Wing tip cutting module, model: MX HS, serial number: 10018514, year of construction: 2000. Second joint cutter module. Total dimensions: 15000 mm x 1500 mm x 2200 mm. Incomplete. Without transport belt.	3750
38	Meyn	Meyn single blade saddle splitter, dimensions: 900 mm x 800 mm x 270 mm.	500
39	NN cut up frame	S/s cut up frame, dimensions: 900 mm x 400 mm x 2500 mm.	150
40	Stokfleth B.V.	Stokfleth B.V. saw, working width: 600 mm, total dimensions: 1700 mm x 650 mm x 1200 mm.	150
41	Stork B.V.	Stork B.V. cut up line, model: ACM-MX, dimensions: 19000 mm x 1700 mm x 2980 mm.	4000
42	NN injector	Manual injector with s/s frame, dimensions: (2x) 600 mm x 150 mm x 800 mm.	250
43	Wrightfield	Wrightfield spare-rib cutter, serial number: 12849, s/s chain with dividers, divider height: 30 mm, distance between dividers: 50 mm, total dimensions: 2100 mm x 1000 mm x 1700 mm.	400
44	Meyn	Meyn tail cutter, dimensions: 1000 mm x 900 mm x 1200 mm.	500
45	Meyn	Meyn second joint wing cutter, dimensions: 1000 mm x 900 mm x 1200 mm.	750
46	Poly-clip Systems GmbH	Poly-clip Systems GmbH clipper, type: SCD-700, number: 6858/12, weight: 12 kg, with Garden Denver vacuum pump, type: VGD 15 (01), serial number: SC10120077010/2011, capacity: 15.0/18.0 m <sup>3</sup> /h, dimensions: 800 mm x 510 mm x 1700 mm.	900
47	Meyn	Meyn double blade saddle splitter, dimensions: 1000 mm x 900 mm x 800 mm. Without overhead steal.	1000
48	Meyn	Meyn drum thigh cutter, 10 stations, dimensions: 1200 mm x 1200 mm x 1400 mm. Without overhead steal.	1250
49	Meyn		800



Nr	Title	Description	Start €
		Meyn conveyor wheel base for weighing cell, dimensions: 1000 mm x 1000 mm x 930 mm.	
50	Reepack	Reepack mobile traysealer, model: Reetray 20 VGM, serial number: 8817034, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 16 A, tray dimensions: (2x) 220 mm x 140 mm, total dimensions: 550 mm x 700 mm x 1440 mm.	750
51	A.E.W.	A.E.W. bandsaw, type: MK.2, serial number: R.H.286983, 415 V, 3 Ph, 1.8 A, table dimensions: 800 mm x 500 mm, dimensions: 800 mm x 600 mm x 1500 mm. Incomplete.	250
52	Espera	Espera check weighing and labelling machine, type: ES 600, maximum capacity: 3/6/8 kg, minimum capacity: 20 g, e=1/2/3 g, T= -2000 kg, plastic belts, belt width: 130 mm, total dimensions: 1500 mm x 600 mm x 1800 mm. Technical condition unknown.	250
53	Meyn	Meyn inline deskiner cut up module, dimensions: 1150 mm x 1100 mm x 2100 mm.	450
54	Systemate	Systemate inside/outside bird washer, type: SW, serial number: 0894171, dimensions: 2300 mm x 1200 mm x 2200 mm. Including 4 crates with parts. Incomplete.	1250
55	Meyn	Meyn double blade saddle cutter, machine number: 2002040076, year of construction: 2002, dimensions: 1100 mm x 1200 mm x 2800 mm.	1000
56	Stork B.V.	Stork B.V. breast cap cutter, dimensions: 1400 mm x 900 mm x 1500 mm.	1250
57	Stork B.V.	Stork B.V. part of cut of line, dimensions: 1600 mm x 1100 mm x 900 mm.	500
58	NN transport belt	Transport belt with s/s frame, belt width: 250 mm, total dimensions: 1000 mm x 500 mm x 1330 mm. Without belt.	200
59	Stork B.V.	Stork B.V. inline drumstick skin pre cutter, dimensions: 2600 mm x 1500 mm x 1200 mm.	250
60	NN table	S/s table, dimensions: 1850 mm x 650 mm x 830 mm.	100
61	Stork B.V.	Stork B.V. shackle washer, dimensions: 1000 mm x 700 mm x 800 mm.	200
62	Meyn	Meyn intestine separator, machine number: 2002080021, year of construction: 2002, working width: 420 mm, total dimensions: 1400 mm x 1000 mm x 1160 mm.	200
63	NN skinning and derinding machine	Mobile skinning and derinding machine, plastic belt, belt width: 440 mm, working width: 500 mm, total dimensions: 1900 mm x 840 mm x 1200 mm. Technical condition unknown.	1000
64	Scanvaegt	Scanvaegt part of grading line, model: Scangrader 7100, plastic belt, belt width: 275 mm, total dimensions: 1250 mm x 900 mm x 1400 mm.	750
65	Scanvaegt	Scanvaegt grading line consisting of: Scanvaegt weighing unit, model: 4727.275.10, serial number: BOE00054, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 12.0 A, weight: 190 kg, belt width: 270 mm, total dimensions: 3400 mm x 1300 mm x 2250 mm. Without belt. Scanvaegt separator with 8 stations,	2500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		model: 4757.275.08, serial number: BPZ00376, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 2.4 A, weight: 552 kg, plastic belt, belt width: 255 mm, total dimensions: 2250 mm x 700 mm x 1070 mm. Infeed conveyor not included.	
66	Meyn	Meyn neck breaker, type: 20LI, machine number: 703143, year of construction: 1999, 20 stations, dimensions: 1700 mm x 1500 mm x 2470 mm.	5500
67	Unikon	Unikon crate washer, type: UNW-2000, number: 1704199, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 89 A, 7.5 kW, weight: 750 kg, clearance: 830 mm x 330 mm, total dimensions: 3400 mm x 1300 mm x 2250 mm.	4500
68	Meyn	Meyn neck skin trimmer, type: 20-RE, machine number: 703146, year of construction: 1999, 20 stations, dimensions: 1900 mm x 1300 mm x 2500 mm.	8500
69	Meyn	Meyn neck skin slitter, type: 20LI, machine number: 703142, year of construction: 1999, 20 stations, dimensions: 1500 mm x 1700 mm x 2170 mm.	5000
70	Stork B.V.	Stork B.V. neck breaker and skin slitter, number: 93-09-206, 12 stations, dimensions: 1300 mm x 1300 mm x 2500 mm.	5250
71	Systemate	Systemate final inspection machine, type: CA 026001, serial number: SL 0596164, year of construction: 1996, dimensions: 1300 mm x 1000 mm x 2300 mm. Incomplete.	5000
72	Meyn	Meyn neck skin trimmer, type: 23-147, number: 03-40-04, year of construction: 1987, 14 stations, dimensions: 1400 mm x 1270 mm x 2100 mm.	3500
73	Meyn	Meyn neck skin trimmer, type: 20-LI, machine number: 2001070006, year of construction: 2001, 20 stations, dimensions: 1900 mm x 1750 mm x 2300 mm.	6750
74	Stork B.V.	Stork B.V. neck breaker, 16 stations, dimensions: 1600 mm x 1500 mm x 2300 mm.	4500
75	Meyn	Meyn neck skin trimmer, 14 stations, dimensions: 1260 mm x 1200 mm x 2400 mm. Overhauled in 2002.	3250
76	Meyn	Meyn breast cap cutter, type: 7-L, machine number: 2001120188, year of construction: 2001, 6 stations, dimensions: 1800 mm x 1500 mm x 2200 mm.	4000
77	Meyn	Meyn neck breaker/puller, type: 101-L, machine number: 52829, year of construction: 1993, 20 stations, dimensions: 1850 mm x 1600 mm x 2500 mm.	6000
78	Linco	Linco neck skin trimmer, 12 stations, dimensions: 1700 mm x 1350 mm x 2540 mm.	2000
79	Stork B.V.	Stork B.V. liver remover, number: 06-10-154, 20 stations, dimensions: 1950 mm x 1800 mm x 2550 mm.	3000
80	Niehues	Niehues hydraulic unit, type: NHY-30-11.8-130-3/400V, year of construction: 05/2002, dimensions: 520 mm x 380 mm x 800 mm.	500
81	NN motors	Pallet with various motors, dimensions: 1200 mm x 800 mm x 400 mm.	450



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
82	NN motors	Pallet with 2 gear motors and 1 drum motor, dimensions gear motors: (2x) 750 mm x 300 mm x 400 mm, (1x) Ø 135 mm x 650 mm.	500
83	Meyn	Pallet with 3 Meyn drive motors, dimensions: 800 mm x 800 mm x 400 mm.	900
84	NN motors	Pallet with 2 motors, 1 VEM motors Thum GmbH motor, type: K21R 132 S 6 T H TPM140 FNS-K/4991, 400/690 V, 3 Ph, 50 Hz, weight: 39 kg and NN motor, 400-460/690 V, 50/60 Hz, 7.5/9 kW, weight: 52.6 kg, dimensions: 1200 mm x 800 mm x 400 mm.	250
85	NN motors	Pallet with 2 gear motors, dimensions: 1200 mm x 800 mm x 600 mm.	250
86	NN motors	Pallet with various motors, dimensions: 1200 mm x 800 mm x 500 mm.	800
87	Regal Beloid	Pallet with 5 Regal Beloid motors, type: HJN 132 S6, 400/690 V, 3 Ph, 50 Hz, 6.84/.39 A, 3 kW, 960 rpm, dimensions: 1200 mm x 800 mm x 500 mm.	500
88	NN motors	Pallet with various motors, dimensions: 1200 mm x 800 mm x 400 mm.	200
89	SEW Eurodrive / Regal Beloid	Pallet with 2 electro motors, dimensions: 1200 mm x 800 mm x 650 mm.	450
90	Stork	Stork hand filleting line for manual filleting of breast caps, working width: 145 mm x 115 mm, total dimensions: 4700 mm x 650 mm x 1350 mm.	1250
91	Stork B.V.	Stork B.V. leg deboning line, consisting of: Drumstick deboning module, type: 37112717, serial number: 10030871. Hanging station, type: 1711213, serial number: 10030864, whizzard knife. Thigh bone scraper, thigh meat harvesting module, type: 3711218, serial number: 10030872. Shackle washer, type: 1242700, processing station, type: 3711214, serial number: 10030869. Total dimensions: 10500 mm x 3200 mm x 2700 mm.	3500
92	Dmatic	Dmatic hamburger forming machine, type: DBM/53/501, year of construction: 2005/06, 400 V, 3 Ph, 50 Hz, 6 A, 0.18 kW, s/s mesh belt, belt width: 160 mm, form diameter: 85 mm, total dimensions: 1650 mm x 500 mm x 1300 mm.	750
93	Fromm	Fromm mobile strapping machine, working width: 650 mm, strap width: 12 mm, total dimensions: 900 mm x 570 mm x 1050 mm.	50
94	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 500 mm, total dimensions: 1960 mm x 650 mm x 1200 mm.	250
96	Coeman	Coeman mobile strapping machine, model: EXS-506S, factory number: 9812162, 380 V, 3 Ph, 50 Hz, clearance: 850 mm x 600 mm, total dimensions: 1450 mm x 650 mm x 1550 mm.	100
97	NN beams	2 pallets with steal beams for pallet rack, beam length: (21x) 2750 mm, (1x) 3450 mm, (1x) 4000 mm, (1x) 3400 mm.	100
98	NN hydraulic unit	Pallet with hydraulic unit, 1200 mm x 800 mm x 500 mm.	100
99			150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	NN tail pin puller	Tail pin puller for turkey, steel rollers, roller width: 800 mm, total dimensions: 1100 mm x 200 mm x 700 mm.	
100	NN giblet pump	Giblet pump, dimensions: 800 mm x 500 mm x 800 mm. Technical condition unknown.	150
101	NN giblet pump	Giblet pump, dimensions: 1300 mm x 500 mm x 800 mm. Technical condition unknown.	150
103	NN vessel	S/s vessel with valve, dimensions: 1200 mm x 900 mm x 600 mm.	75
104	NN giblet pump	Giblet pump, dimensions: 1200 mm x 650 mm x 800 mm. Technical condition unknown.	75
105	NN vessel	S/s vessel with valve, dimensions: 1200 mm x 900 mm x 600 mm.	75
106	Meyn	Meyn tail cutter on s/s beam, dimensions: 2400 mm x 550 mm x 550 mm.	750
107	Proval Innovations BV	Proval Innovations BV walking beam, type: LD 2000, serial number: 991018/01, year of construction: 1999, s/s beam, beam width: 175 mm, total dimensions: 3700 mm x 900 mm x 1700 mm.	500
108	NN walking beam	S/s walking beam, beam width: 1075 mm, total dimensions: 3450 mm x 900 mm x 1450 mm.	500
109	Meyn	Meyn Mark III control cabinet, dimensions: 600 mm x 900 mm x 1950 mm.	200
110	Meyn	Meyn Mark III control cabinet, dimensions: 600 mm x 650 mm x 1880 mm.	150
111	Meyn	2 Meyn Mark III control cabinets, dimensions: (2x) 600 mm x 700 mm x 1830 mm.	250
112	Meyn	2 Meyn Mark III control cabinets, dimensions: (2x) 600 mm x 700 mm x 1830 mm.	250
113	NN IBC tank	IBC tank, volume: 1000 liter, dimensions: 1200 mm x 1000 mm x 1200 mm.	100
114	Meyn	Meyn conveyor wheel and frame for weighing cell, dimensions: 1000 mm x 1100 mm x 1000 mm.	150
115	Systemate	Systemate mobile breast cap filleting machine, working width: 200 mm x 120 mm, total dimensions: 3660 mm x 1300 mm x 2000 mm.	3500
116	Systemate	Systemate elevating belt, plastic belt with dividers, belt width: 300 mm, distance between dividers: 210 mm, divider height: 30 mm, elevating height: 2200 mm, total dimensions: 3100 mm x 650 mm x 2400 mm.	750
117	NN gizzard harvester	S/s gizzard harvester control table, working width: 275 mm, total dimensions: 1750 mm x 550 mm x 900 mm.	250
118	Linco	Linco weighing and sorting belt, plastic belt, belt width: 250 mm, 8 sorting bins, total dimensions: 7500 mm x 1000 mm x 1900 mm. Incomplete, technical condition unknown.	1750
121	Enlu	Enlu thigh deboner, plastic belt with dividers, belt width: 170 mm, divider height: 25 mm, distance between dividers: 135 mm, total dimensions: 1800 mm x 600 mm x 2050 mm.	750
123		Halal rotating blood cones, 20 pockets, pocket diameter: 195 mm, total dimensions: Ø 1750 mm x 1420 mm.	600



Nr	Title	Description	Start €
	NN Halal rotating blood cones		
124	Meyn	Meyn plucker, machine number: 32436, year of construction: 1989, 64 plucker heads, dimensions: 4800 mm x 2200 mm x 2100 mm. Including pallet with 8 motors, and pallet crate with plastic plucker fingers, dimensions: (1x) 1200 mm x 800 mm x 400 mm, (1x) 1500 mm x 1200 mm x 700 mm.	3000
125	Linco	Linco automatic eviscerator, machine number: 211.662, year of construction: 1986, 24 stations, dimensions: 2000 mm x 1600 mm x 2250 mm. Incomplete.	500
126	Systemate	Systemate automatic eviscerator, type: SEL, number: 0894185, 24 stations, dimensions: 2100 mm x 2100 mm x 2400 mm. Incomplete.	500
128	Meyn	Meyn rehangar, weighing to cut up, number: 042151, year of construction: 1991, dimensions: 4700 mm x 1400 mm x 2400 mm.	1000
129	Meyn	Meyn rehangar, weighing to cut up, number: 036972, dimensions: 4700 mm x 1400 mm x 2400 mm.	1000
131	Systemate	Systemate thigh deboner, model: D 90, 28 stations, dimensions: 2700 mm x 1000 mm x 2270 mm. Overhauled. Without control panel.	3500
132	Marel Stork Poultry Processing B.V.	2 pallet with Marel Stork Poultry Processing B.V. modules. Breast tendon harvesting module, model: BX H3465, type: 1336601, serial number: 10142930, 2015.AMF-BX tendon cutting module, model: XB H3454, type: 1250303, serial number: 10126191, year of construction: 2014. Total dimensions: (1x) 1200 mm x 800 mm x 700 mm, (1x) 1200 mm x 800 mm x 1200 mm.	600
138	Cattaruzzi	Cattaruzzi giblet chiller, model: CHI. RIGALIE, type: T2-01, year of construction: 2004, s/s screw, screw diameter: 480 mm, tier: 315 mm, total dimensions: 4700 mm x 800 mm x 900 mm.	1500
139	Stork B.V.	Stork B.V. 5 pallets with various parts for cut of line, consisting of: AMF-BX tendon cutting module, model: XB H3454, type: 1250305, serial number: 10123375, year of construction: 2014 4 pallets of s/s parts, dimensions: (2x) 1200 mm x 800 mm x 800 mm, (1x) 1200 mm x 800 mm x 550 mm, (2x) 2300 mm x 900 mm x 600 mm.	500
140	Moba	Moba 8 heads multihead weigher, type: ROND, serial number: 1173, year of construction: 1972, dimensions: Ø 1800 mm x 1850 mm.	750
141	Stork B.V.	Stork B.V. manual breast cap deboner base with dividers, divider height: 70 mm, distance between dividers: 265 mm, total dimensions: 2550 mm x 550 mm x 1150 mm.	500
144	Meyn	Meyn double blade saddle cutter, machine number: 2001090090, year of construction: 2001, dimensions: 1000 mm x 1000 mm x 2500 mm.	800
145	Meyn	Meyn chain for cd8000, dimensions: 1100 mm x 800 mm x 1000 mm.	200



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
146	Meyn	Meyn gizzard/intestine harvester, number: 25680, year of construction: 1988, mesh belt, belt width: 200 mm, total dimensions: 2450 mm x 1000 mm x 1600 mm.	500
148	Coeman	Coeman mobile strapping machine, model: EXS-108, serial number: 0204019A, 380 V, 3 Ph, 50 Hz, clearance: 940 mm x 600 mm, strap width: 9 mm, total dimensions: 1450 mm x 650 mm x 1500 mm.	100
150	Linco	Pallet box with large amount of Linco 5 point evisceration shackles, dimensions each shackle: 420 mm x 200 mm, total dimensions: 1200 mm x 1000 mm x 750 mm.	150
151	Linco	Pallet box with large amount of Linco 5 point evisceration shackles, dimensions each shackle: 420 mm x 200 mm / 880 mm x 200 mm, total dimensions: 1200 mm x 1000 mm x 750 mm.	150
153	Stork B.V.	Plastic crate with large amount of Stork B.V. intestine shackles, dimensions: 1200 mm x 870 mm x 570 mm.	150
154	Stork B.V.	Plastic crate with large amount of Stork B.V. intestine shackles, dimensions: 1200 mm x 870 mm x 570 mm.	150
155	Fomaco	Fomaco tumbler for (2x) 200 liter meat bins, machine number: 3098 1984, dimensions: 2900 mm x 1900 mm x 1350 mm. Incomplete.	1000
156	Grasselli	Grasselli skinning machine, model: C35-P, serial number: R190097P184, year of construction: 2001, 415 V, 3 Ph, 50 Hz, 1.8 A, working width: 340 mm, total dimensions: 850 mm x 570 mm x 940 mm.	250
157	Stork B.V.	Stork B.V. s/s product screw, diameter screw: $\varnothing$ 650 mm, tier: 310 mm, total dimensions: 2950 mm x 850 mm x 700 mm.	250
161	Meyn	Meyn neck skin splitter, 10 stations, dimensions: 1600 mm x 1000 mm x 2400 mm.	1000
163	Linco	Linco rehanger with 14 stations, machine number: 140809-25, year of construction: 2005, dimensions: 2600 mm x 1300 mm x 1850 mm.	1000
166	Stork B.V.	18 Stork B.V. transport cages for turkey, 3 floors each, floor dimensions: 1300 mm x 1200 mm x 320 mm, total dimensions: (18x) 1450 mm x 1200 mm x 1350 mm.	1000
167	Stork B.V.	18 Stork B.V. transport cages for turkey, 3 floors each, floor dimensions: 1300 mm x 1200 mm x 320 mm, total dimensions: (18x) 1450 mm x 1200 mm x 1350 mm.	1000
168	NN transport cages for turkey	18 transport cages for turkey, 3 floors each, floor dimensions: 1300 mm x 1200 mm x 320 mm, total dimensions: (18x) 1450 mm x 1200 mm x 1350 mm.	1000
169	NN transport cages for turkey	32 transport cages for turkey, 3 floors each, floor dimensions: 1300 mm x 1200 mm x 320 mm, total dimensions: (32x) 1450 mm x 1200 mm x 1350 mm.	1500
170	Linco	Linco sorting belt, machine number: A17 738 265 001, year of construction: 5/1997, dimensions: 6400 mm x 1100 mm x 1470 mm. Incomplete.	500
171	Linco		500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Linco sorting belt, machine number: A17 738 265 001, year of construction: 5/1997, dimensions: 6400 mm x 1100 mm x 1470 mm. Incomplete.	
172	NN sorting belt	S/s sorting belt, dimensions: 7700 mm x 1000 mm x 1600 mm. Incomplete.	500
173	NN flake ice machine	Flake ice scraper, tank dimensions: Ø 1700 mm x 1800 mm, total dimensions: 3300 mm x 2600 mm x 2500 mm.	500
174	NN bleeding cones	S/s frame with 2 plastic bleeding cones, cone dimensions: (1x) Ø 210 mm x 400 mm, (1x) Ø 150 mm x 300 mm, total dimensions: 600 mm x 500 mm x 900 mm.	100
176	Meyn	Meyn corner wheel segment, wheel diameter: 680 mm.	250
180	Meyn	Meyn machine drive wheel, diameter: 900 mm, total dimensions: 900 mm x 900 mm x 600 mm.	250
182	Meyn	2 Meyn corner wheel segments, wheel diameter: 700 mm.	200
184	Meyn	Meyn 180° corner wheel segment, wheel diameter: 730 mm.	100
185	Meyn	Pallet with Meyn topic parts, dimensions: 1200 mm x 1000 mm x 400 mm.	100
186	Stork	Stork 180° corner wheel segment, wheel diameter: 1000 mm.	200
187	Meyn	Steel 180° corner wheel segment, wheel diameter: 1000 mm.	100
191	NN trolleys for tube track	Crate with various trolleys for tube track, dimensions: 600 mm x 400 mm x 200 mm.	25
193	Meyn	Pallet box with large amount of Meyn trolleys for tube track, dimensions: 1300 mm x 1200 mm x 900 mm.	150
194	Foodmate	Pallet box with Foodmate trolleys on tube track, 800 pairs, weight: 245 kg, dimensions: 1300 mm x 1200 mm x 900 mm.	650
195	Meyn	Pallet box with large amount of Meyn trolleys on tube track, T-track, (2x) 50 meters, dimensions: 1300 mm x 1200 mm x 900 mm.	1000
196	Stork B.V.	Crate with Stork B.V. trolleys on chain, dimensions: 1200 mm x 800 mm x 700 mm	100
197	Foodmate	Crate with large amount Foodmate trolleys for tube track, 300 pairs, weight: 103 kg, dimensions: 1300 mm x 1200 mm x 900 mm.	600
198	Foodmate	Crate with large amount Foodmate trolleys for tube track, 1800 pairs, weight: 522 kg, dimensions: 1300 mm x 1200 mm x 900 mm.	3000
199	Foodmate	Pallet box with large amount of Foodmate trolleys for tube track, 800 pairs, weight: 261 kg, dimensions: 1300 mm x 1200 mm x 900 mm.	1500
200	Meyn	Pallet box with large amount of Meyn trolleys for tube track, 1500 pairs, weight: 375 kg, dimensions: 1200 mm x 760 mm x 580 mm.	1000
203	Foodmate	Pallet box with Foodmate trolleys for tube track, dimensions: 1300 mm x 1200 mm x 900 mm.	75
204	NN trolleys on chain for tube track	Crate with large amount of trolleys on chain for tube track, dimensions: 1200 mm x 800 mm x 800 mm.	75



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
205	Meyn	Crate with Meyn cut up shackles, dimensions: 1200 mm x 800 mm x 550 mm.	50
206	Stork B.V.	Box with Stork B.V. trolleys on chain for tube track, dimensions: 1200 mm x 800 mm x 700 mm.	150
207	Foodmate	Crate with Foodmate trolleys on chain, dimensions: 1200 mm x 800 mm x 600 mm.	150
209	Meyn	Pallet box with Meyn trolleys on chain for tube track, dimensions: 1600 mm x 1200 mm x 1250 mm.	300
211	Meyn	Crate with large amount of Meyn trolleys for tube track, dimensions: 1200 mm x 1000 mm x 1100 mm.	150
212	Cattaruzzi	Pallet with large amount Cattaruzzi trolleys for tube track, dimensions: 1200 mm x 800 mm x 600 mm.	200
213	Systemate	Crate with Systemate trolleys for tube track, dimensions: 600 mm x 400 mm x 300 mm.	100
216	Stork B.V.	Crate with large amount of plastic Stork B.V. shackles, 2000 pieces, dimensions: 1200 mm x 1000 mm x 1000 mm.	850
217	Stork B.V.	Crate with large amount of plastic Stork B.V. shackles, 1360 pieces, dimensions: 1200 mm x 1000 mm x 1000 mm.	750
218	NN transport belt	Crate with plastic transport belt, belt width: 400 mm, total dimensions: 1200 mm x 750 mm x 700 mm.	100
221	NN transport belt	Crate with plastic transport belt with dividers, belt width: 520 mm, divider height: 200/150 mm, distance between dividers: 270 mm, total dimensions: 1200 mm x 750 mm x 700 mm.	100
222	NN shackles	4 pallets with large amount of s/s shackles, dimensions each shackle: 130 mm x 50 mm x 140 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	150
223	NN poultry shackles	Crate with large amount of s/s poultry shackles, dimensions each shackle: 120 mm x 30 mm x 300 mm, total dimensions: 1200 mm x 750 mm x 560 mm.	1000
224	NN trolleys for track tube	12 boxes with large amount of trolleys for track tube, approximately 2400 pieces, total dimensions: 1200 mm x 800 mm x 940 mm.	1000
225	Meyn	Pallet box with Meyn trolleys on chain, dimensions: 1600 mm x 1200 mm x 1250 mm.	375
226	Foodmate	Pallet box with large amount of Foodmate trolleys for tube track, 800 pairs, weight: 245 kg, dimensions: 1300 mm x 1200 mm x 900 mm.	675
227	Foodmate	Pallet box with large amount of Foodmate trolleys for tube track, dimensions: 1300 mm x 1200 mm x 900 mm.	675
228	Meyn	Pallet box with large amount of Meyn trolleys for tube track, dimensions: 1300 mm x 1200 mm x 900 mm.	250
229	NN trolleys for tube track	Crate with large amount of trolleys for tube track, dimensions: 1200 mm x 800 mm x 570 mm.	250
230	Linco	Pallet box with large amount of s/s Linco trolleys for tube track, dimensions: 1200 mm x 1000 mm x 900 mm.	375
232	Linco	8 pallets with approx. 400 meters Linco tube track trolley on chain 6".	1750



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
233	NN trolleys on chain for tube track	Crate with trolleys on chain for tube track, dimensions: 1200 mm x 1000 mm x 1000 mm.	175
234	Meyn	Crate with large amount of Meyn trolleys for tube track, dimensions: 1200 mm x 800 mm x 750 mm.	50
235	Meyn	Crate with Meyn trolleys on chain for tube track, dimensions: 1200 mm x 800 mm x 750 mm.	150
236	NN drive wheels for tube track	Box with approximately 760 pieces of plastic drive wheels for tube track, dimensions box: 600 mm x 400 mm x 290 mm.	250
237	NN drive wheels for tube track	Box with approximately 800 pieces of plastic drive wheels for tube track, dimensions box: 600 mm x 400 mm x 290 mm.	250
238	NN trolleys for tube track	3 boxes with approximately 330 pieces of plastic trolleys for tube track, dimensions box: 600 mm x 400 mm x 290 mm.	330
239	NN shackles	2 boxes with approximately 320 shackles, dimensions box: 600 mm x 400 mm x 290 mm.	320
240	NN shackles	2 boxes with large amount of s/s shackles, total weight approximately 324 kg, dimensions box: 600 mm x 400 mm x 290 mm.	360
241	NN shackles	Box with approximately 100 pieces of plastic shackles, dimensions: box: 600 mm x 400 mm x 290 mm.	100
242	NN shackles	Box with approximately 100 pieces of plastic shackles, dimensions box: 600 mm x 400 mm x 290 mm.	200
243	NN shackle parts	Box with approximately 250 pieces of plastic shackle parts, dimensions box: 600 mm x 400 mm x 290 mm.	250
244	NN shackle parts	Box with approximately 320 pieces of plastic shackle parts, dimensions box: 600 mm x 400 mm x 290 mm.	320
245	NN shackles	2 boxes with approximately 200 pieces of plastic shackles, dimensions box: 600 mm x 400 mm x 290 mm.	400
246	NN shackles	Box with approximately 720 pieces of plastic shackles, dimensions box: 600 mm x 400 mm x 290 mm.	1000
247	NN shackles	Box with approximately 780 pieces of plastic shackles, dimensions box: 600 mm x 400 mm x 290 mm.	1000
248	NN shackles	Box with approximately 620 pieces of plastic shackles, dimensions box: 600 mm x 400 mm x 290 mm.	1000
249	Systemate	Wooden crate with approximately 3200 pieces of plastic Systemate shackles.	400
250	NN shackles	Plastic pallet box with approximately 1520 plastic shackles.	500
251	Systemate	Pallet box with approximately 2340 pieces of plastic Systemate shackles.	500
252	NN shackles	Steel pallet box with approximately 420 pieces of s/s shackles.	1260
253	Stork B.V.	Plastic pallet box with approximately 280 pieces of Stork B.V. intestine shackles.	200
254	NN intestine shackles	Wooden crate with approximately 250 pieces of intestine shackles.	150
255			500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	NN drive wheels for tube track	3 boxes with approximately 2180 pieces of plastic drive wheels for tube track.	
256	NN shackles	2 boxes with approximately 130 pieces of plastic shackles, dimensions box: 600 mm x 400 mm x 290 mm.	260
257	NN trolley for tube track parts	Box with approximately 370 pieces of trolley for tube track parts, dimensions box: 600 mm x 400 mm x 290 mm.	270
258	NN trolleys for tube track	Box with approximately 210 pieces of trolleys for tube track.	500
259	NN drive wheels for tube track	Box with approximately 1100 drive wheels for tube track.	550
260	NN trolleys for tube track	Approximately 75 pieces of trolleys for tube track. Plastic tub not included.	75
261	NN shackles	Plastic tub with approximately 975 pieces of plastic shackles.	300
262	NN shackles	Plastic tub with approximately 650 pieces of plastic shackles.	250
263	Linco	Pallet with approximately 4600 Linco drive wheels for tube track.	1300
264	NN trolleys for tube track	Pallet with approximately 1225 pieces of trolleys for tube track.	750
265	NN trolleys for tube track	Pallet with approximately 1250 pieces of trolleys for tube track.	750
266	Stork B.V.	Box with approximately 150 pieces of Stork B.V. intestine shackles.	75
267	Meyn	Pallet with Meyn physics weighing short shackles and housing cut up shackle parts. OEM nr: 0990.H040.001.80 / 0019.7325 OEM nr: 0990.H049.004.00 / 0019.7411	200
268	NN trolleys for tube track	Pallet with approximately 1200 pieces of trolleys for tube track.	600
269	NN trolleys for tube track	Pallet with approximately 1335 pieces of trolleys for tube track.	600
270	NN trolleys for tube track	Pallet with large amount of trolleys for tube track, total weight: 182 kg.	600
271	NN shackles	Pallet with approximately 650 pieces of plastic shackles.	150
272	NN corner wheel segments	Plastic pallet box with corner wheel segments.	250
273	NN shackles	Plastic pallet box with approximately 1500 pieces of plastic shackles.	250
275	NN parts	Steel rack with corner wheel segments, wheel diameter: 420 mm and 220 mm, dimensions rack: 1700 mm x 2000 mm x 2450 mm.	1000
276	NN parts	Steel rack with corner wheel segments, wheel diameter: 420 mm and 220 mm, dimensions rack: 1700 mm x 2000 mm x 2450 mm.	500
277	NN parts	Steel rack with corner wheel segments, wheel diameter: 420 mm, dimensions rack: 1700 mm x 2000 mm x 2450 mm.	400
278	NN parts	Steel rack with corner wheel segments without wheels, dimensions rack: 1700 mm x 2000 mm x 2450 mm.	1000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
279	NN parts	Steel rack with corner wheel segments without wheels, dimensions rack: 1700 mm x 2000 mm x 2450 mm.	1000
280	Trium Pumper	Trium Pumper circulation pump in steel frame, type: 154W25YN, number: 83466, dimensions: 1100 m x 750 mm x 1650 mm.	500
281	Trium Pumper	Trium Pumper circulation pump, type: 154W25YN, number: 83467,	500
291	NN parts	Pallet with parts.	400
292	NN parts	Pallet with parts.	250
293	NN parts	Pallet with parts.	400
294	Stork	Stork hand filleting line for manual filleting of breast caps, working width: 145 mm x 115 mm, total dimensions: 4700 mm x 650 mm x 1350 mm.	1200

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.









# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

