



**Industrial
Auctions**

2114: Online auction machinery for the food industry in Landskrona (SE)

END DATE
22 April 2026 14:00



General terms and conditions of the online auction

End date	22 April 2026 from 14:00 hrs.
Viewing days	21 April 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	25% over the highest bid including premium
Pick up days	30 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Vadensjövägen 110 26151 Landskrona Sweden
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Danfotech/ Nutridan	Danfotech/Nutridan vacuum tumbler, type: MA4000SD, serial number: 302, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 5.5/4 kW, volume: 4000 liter, Busch vacuum pump, type: 160-132, capacity: 160 m ³ per hour, dimensions: 1150 mm x 500 mm x 800mm, total dimensions tumbler: 3600 mm x 2900 mm x 2600 mm. Switch cabinet dimensions: 400 mm x 300 mm x 1800 mm.	3500
2	Pss Svidnik a.s.	PSS Svidnik a.s. double shaft paddle mixer, type: SM 700, serial number: 07, year of construction: 2014, 6 kW, volume: 700 liter, weight: 1750 kg, dimensions: 2350 mm x 1400 mm x 2280 mm.	7000
3	Townsend	Townsend mobile linking and hanging line consisting of: Townsend linking machine: Linkmaster Mark 111-3A, dimensions linking machine: 2900 mm x 700 mm x 1870 mm and mobile hanging machine, dimensions hanging machine: 3300 mm x 750 mm x 1350 mm.	750
4	Cad-Tekniikka OY	Cad-Tekniikka OY tray closing machine with lid denester, machine type: CA-50/2, number: 448, year of construction: 1999, 400 V, 50 Hz, 3 x 16 A, 600 Kpa, dimensions lids/trays: 200 mm x 170 mm, plastic belt, belt width: 95 mm, total dimensions: 3000 mm x 1200 mm x 2100 mm.	350
5	Multivac	Multivac thermoformer, type: R240, machine number: 20, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 40 A, 14 kW, index: 480 mm, dye: (6x) 175 mm x 130 mm, with Thermo Allen Coding barcode printer, Rietschle vacuum pump, dimensions: 6600 mm x 1200 mm x 2450 mm. Including 3 pallets with parts	5000
6	Townsend	Townsend mobile linking and hanging line, consisting of: Townsend mobile linker, type: RT-7, serial number: 393 A, 380 V, 3 Ph, 50 Hz, 8.3 A, year of construction: 1989, dimensions: 2500 mm x 700 mm x 1700 mm and mobile hanging line, dimensions: 3900 mm x 600 mm x 1450 mm.	750
7	Weber	Weber slicer line consisting of Weber slicer, type: MCS 902, number: 1312, 400 V, 50 Hz, 10 kW, dimensions: 2900 mm x 1400 mm x 2380 mm, checkweigher, plastic wire belt, belt width: 360 mm, dimensions checkweigher: 610 mm x 400 mm x 1020 mm, Weber outfeed belt, type: CCA, number: 1312, 400 V, 50 Hz, 7 kW, plastic wire belt, belt width: 295 mm, dimensions outfeed belt: 5350 mm x 1800 mm x 1700 mm.	3000
8	CFS	CFS thermoformer, type: 620, machine number: 625/0118, year of construction: 1999, 230 V, 3 Ph, 50 Hz, 23/25 A, dimensions: 3350 mm x 1300 mm x 1900 mm and 3300 mm x 1050 mm x 1100 mm.	1000
9	Mectec	Mectec labeller, type: T50-L-305-108-12KF, serial number: 66520, year of construction: 2010, terminal type: PCU IV-ACC-B2, serial number: 66612, year of construction: 2010, 110-240 VAC, 50/60 Hz, 6.3 A, dimensions labeller: 750 mm	350



Nr	Title	Description	Start €
		x 800 mm x 1800 mm, with Carryline AB transport belt, manufacturing number: 14285, year of construction: 2012 03, s/s and aluminium frame, plastic belt, belt width: 220 mm, total dimensions: 1500 mm x 800 mm x 900 mm.	
10	Scaniro	Scaniro vacuum mixer with lifter for 200 liter meat bins, type: 403, serial number: 124, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 8.7/9 A, 2.5/4 kW, capacity: 950 liter, Busch vacuum pump, type: 063-132, capacity: 63 m ³ per hour, dimensions: 2900 mm x 1800 mm x 1800 mm.	1000
11	Berief	Berief teflon belt grill, model: Dubra 5/1000, year of construction: 1997, 400 V, 50 Hz, teflon belt, belt width: 1080 mm, total dimensions: 6600 mm x 2400 mm x 2400 mm, dimensions switch cabinet: 1600 mm x 1500 mm x 600 mm. Including 4 pallets and 2 boxes with parts, dimensions pallets: (4x) 1200 mm x 800 mm x 1370 mm, dimensions boxes: (2x) 2050 mm x 800 mm x 950 mm.	10000
12	CFS	CFS teflon belt grill, type: TWG 4800/600, machine number: 604, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 45 A, 22 kW, 5500 kg, belt width: 645 mm, dimensions: 8400 mm x 1500 mm x 3500 mm, height without pipes: 2850 mm, dimensions pump unit: 3000 mm x 850 mm x 2400 mm, dimensions switch cabinet: 1500 mm x 750 mm x 2200 mm.	6000
13	Dixie Union	Dixie Union slicer with outfeed belt, type slicer: SL 495, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 12 A, plastic belt, belt width: 270 mm, dimensions slicer: 2600 mm x 1100 mm x 2100 mm, Dixie Union outfeed belt, type: ATB 797, fabrication number: 495.1385/0028, year of construction: 1993, plastic belt, belt width: 300 mm, dimensions outfeed belt: 3650 mm x 900 mm x 1240 mm.	500
14	OTEM	OTEM horizontal form, fill and seal machine, model: M400E HO, number: 121, year of construction: 2001, 400 V, 50 Hz, 20 kW, 35 A, infeed width: 200 mm, divider height: 50 mm, distance between dividers: 610 mm, outfeed belt width: 205 mm, total dimensions: 8850 mm x 1700 mm x 2300 mm.	1250
15	Baader	Baader infeed bunker, type: 1903, serial number: 24-5613-1903, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 13 A, dimensions: 1250 mm x 930 mm x 2300 mm.	350
16	Cimbrer-Aalborg	Cimbrer-Aalborg s/s tiltable mixer, inside dimensions: 1400 mm x 1400 mm x 900 mm, total dimensions: 2050 mm x 1450 mm x 2200 mm.	750
17	Townsend	Townsend mobile linking machine, model: NL17, serial number: 405, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 32 A, dimensions: 2650 mm x 600 mm x 1820 mm.	750
18	Townsend	Townsend mobile linking and hanging line, consisting of: Townsend mobile linker, model: DB6A, serial number: 2842, 380 V, 3 Ph, 50 Hz, 4.7 A, dimensions: 1550 mm x 600 mm x 1350 mm and mobile hanging line, dimensions: 2450 mm x	400



Nr	Title	Description	Start €
		450 mm x 1980 mm. Linker incomplete. Including pallet with spare parts.	
19	Nimo-KG Transportsystem AB	Nimo-KG Transportsystem AB pallet turning device, type: PVK 1000 HA, number: 8760, dimensions: 2300 mm x 1800 mm x 1900 mm.	500
21	J&E Hall	J&E Hall roof condenser, 1 fan, type: JEH2-0675-M-3, serial number: 20530502-070, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 19 A, refrigerant: R404A, dimensions: 1280 mm x 460 mm x 880 mm.	100
22	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D OH0 UN XX, number: BN 10106334 002 /0611, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	300
23	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D OH0 UN XX, number: BN 10106334 005 /0611, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	300
24	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D OH0 UN XX, number: BN 10106334 003 /0611, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	300
25	Forstan	Forstan 10-heads multihead weigher, type: MW10S, serial number: 20140903/01, year of construction: 2014, dimensions: 1200 mm x 1000 mm x 1450 mm.	800
27	NN elevating belt	Mobile elevating belt, s/s frame and s/s mesh belt, belt width: 205 mm, elevating height: 2300 mm, total dimensions: 3650 mm x 950 mm x 2350 mm.	400
30	Dixie Union	Dixie Union slicer with outfeed belt, type: SL 495, fabrication number: 495.1408, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 12 A, plastic belt, belt width: 270 mm, dimensions slicer: 2070 mm x 1100 mm x 2150 mm. Dixie Union mobile outfeed belt, type: ATB 797/495.1654, number: 0130, year of construction: 1997, plastic belt, belt width: 400 mm, dimensions outfeed belt: 3000 mm x 900 mm x 1330 mm.	500
36	G. Mondini S.p.a.	G. Mondini S.p.a. cheese spreader, model: DTT/0-80, serial number: 2096-02/1, year of construction: 09-07-2002, 400 V, 3 Ph, 50 Hz, dimensions: 1580 mm x 1030 mm x 2030 mm.	500
38	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: GVS/MT.VG.1, serial number: 1701-A/00, year of construction: 06/05/00, 400 V, 3 Ph, 50 Hz, diameter cups: 140 mm, plastic belt, belt width: 240 mm, total dimensions: 3300 mm x 900 mm x 2650. Including pallet with extra dye sets.	2000
39	Lamberet / Air Liquide	Lamberet / Air Liquide nitrogen belt freezer, serial number: 86/097-001, year of construction: 1986, belt width: 590 mm, total dimensions: 6550 mm x 1350 mm x 1600 mm.	1500
44	Carsoe		750



Nr	Title	Description	Start €
		Carsoe buffer belt with tray denester, type: BUFFER LIGHT 2000, serial number: 10960, year of construction: 2014, 230 V, 1 Ph, 0.12 kW, s/s frame, plastic belt, belt width: 340 mm, dimensions trays: 280 mm x 180 mm, total dimensions: 2500 mm x 900 mm x 1600 mm.	
45	NN transport belt	S-shaped transport belt, s/s frame, plastic mesh belt, belt width: 320 mm, total dimensions: 1700 mm x 3100 mm x 1080 mm.	300
46	Scanvaegt	Scanvaegt checkweigher, type: WEIGHING MACHINE 4717.275.20, serial number: BOE00344, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 16 A, weight: 115 kg, plastic belt, belt width: 275 mm, total dimensions: 930 mm x 750 mm x 1820 mm.	1250
47	Maskin & Montage AB	Maskin & Montage AB rejecting belt, type: RE BA DC, number: 100, year of construction: 12-2015, s/s frame, plastic belt, belt width: 280 mm, total dimensions: 1200 mm x 670 mm x 1320 mm.	200
48	G. Mondini S.p.a.	G. Mondini S.p.a. transport belt, model: G/C, serial number: 3544/08, year of construction: 10/2008, 400 V, 3 Ph, 50 Hz, s/s frame, plastic belt, belt width: 275 mm, total dimensions: 3850 mm x 820 mm x 1600 mm.	750
49	G. Mondini S.p.a.	G. Mondini S.p.a. inliner, model: ND/1-2, machine number: 3544/08-3, year of construction: 10/2008, 400 V, 3 Ph, 50 Hz, s/s frame, plastic mesh belt, belt width: 505 mm, total dimensions: 2100 mm x 900 mm x 1700 mm.	300
50	G. Mondini S.p.a.	Switch cabinet for G. Mondini S.p.a. traysealer, dimensions: 1500 mm x 570 mm x 1360 mm. Incomplete.	300
51	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: E590 XL, serial number: 3545/08-4, year of construction: 10/2008, 400 V, 3 Ph, 50 Hz, plastic infeed belt, belt width: 500 mm, dye: (4x) 255 mm x 165 mm, total dimensions: 5000 mm x 1500 mm x 2150 mm. Including 2 pallets with parts and dye, dimensions pallet with parts: 1200 mm x 800 mm x 750 mm, pallet with dye set, dimensions dye: (4x) 300 mm x 240 mm, and 2 s/s trolley for dyes, dimensions: (2x) 1750 mm x 900 mm x 1550 mm.	5000
52	G. Mondini S.p.a.	G. Mondini S.p.a. transport belt, model: ND/2-1, serial number: 3544/08-1, year of construction: 10/2008, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 500 mm, total dimensions: 1050 mm x 900 mm x 1100 mm.	200
53	Carsoe	Carsoe buffer belt with tray denester, type: BUFFER LIGHT 2000, serial number: 10960, year of construction: 2014, 230 V, 1 Ph, 0.12 kW, s/s frame, plastic belt, belt width: 340 mm, dimensions trays: 280 mm x 180 mm, total dimensions: 2500 mm x 900 mm x 1600 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 800 mm.	1000
54	NN transport belt		300



Nr	Title	Description	Start €
		S-shaped transport belt, s/s frame, plastic mesh belt, belt width: 320 mm, total dimensions: 1700 mm x 3100 mm x 1080 mm.	
55	Scanvaegt	Scanvaegt checkweigher, type: WEIGHING MACHINE 4717.275.20, serial number: BOE00344, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 16 A, weight: 115 kg, plastic belt, belt width: 275 mm, total dimensions: 930 mm x 750 mm x 1820 mm.	1250
56	Maskin & Montage AB	Maskin & Montage AB rejecting belt, type: RE BA DC, number: 100, year of construction: 12-2015, s/s frame, plastic belt, belt width: 280 mm, total dimensions: 1200 mm x 670 mm x 1320 mm.	200
57	G. Mondini S.p.a.	G. Mondini S.p.a. transport belt, model: G/C, serial number: 3544/08, year of construction: 10/2008, 400 V, 3 Ph, 50 Hz, s/s frame, plastic belt, belt width: 275 mm, total dimensions: 3850 mm x 820 mm x 1600 mm.	750
58	G. Mondini S.p.a.	G. Mondini S.p.a. inliner, model: ND/1-2, machine number: 3544/08, year of construction: 10/2008, 400 V, 3 Ph, 50 Hz, s/s frame, plastic mesh belt, belt width: 505 mm, total dimensions: 2100 mm x 900 mm x 1700 mm.	350
59	G. Mondini S.p.a.	Switch cabinet for G. Mondini S.p.a. traysealer, dimensions: 1500 mm x 570 mm x 1360 mm. Incomplete.	350
60	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: E590 XL, serial number: 3544/08, year of construction: 10/2008, 400 V, 3 Ph, 50 Hz, plastic infeed belt, belt width: 500 mm, dye: (4x) 250 mm x 150 mm, total dimensions: 5000 mm x 1500 mm x 2150 mm. Including 6 pallets with dye set, dimensions dye: 2x (10x) 172 mm x 125 mm and (4x) 300 mm x 240 mm, and 2 s/s trolley for dyes, dimensions: (2x) 1700 mm x 850 mm x 1400 mm.	5000
61	G. Mondini S.p.a.	G. Mondini S.p.a. transport belt, model: ND/2-1, serial number: 3544/08, year of construction: 10/2008, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 500 mm, total dimensions: 1050 mm x 900 mm x 1100 mm.	200
63	G. Mondini S.p.a.	G. Mondini S.p.a. cheese spreader, model: DTT/LC-80, serial number: 1477/98, year of construction: 20/10/98, 400 V, 3 Ph, 50 Hz, dimensions: 1100 mm x 1800 mm x 2050 mm.	650
64	Pronova Specialmaskiner	Pronova Specialmaskiner bag sealing machine, type: Joker 115 VR, number: 861370, 220 V, 50 Hz, 1.2 kW, seal length: 170 mm, total dimensions: 3450 mm x 800 mm x 2000 mm.	650
65	Kliklok	Kliklok wraparound cartoner, type: Certiwrap C80, serial number: C80-26989-KM, 380/415 V, 3 Ph, 50 Hz, 30 A, plastic mesh belt, belt width: 150 mm, including Nordson hot glue unit with plastic bin, type: Problue 7, serial number: SA15D13034, 400/230 V, 50/60 Hz, 25 A, total dimensions: 5000 mm x 1300 mm x 1650 mm.	1500
67	Tecnopool	Tecnopool spiral cooler, model: TW 4-350, serial number: I0002129-001330, year of construction: 2018, plastic mesh	9000



Nr	Title	Description	Start €
		belt, belt width: 330 mm, total belt length: 192000 mm, useful belt length: 173000 mm, tier length: 19463 mm, tier pitch: 220 mm, clearance between tiers: 170 mm, maximum product height: 1.1-2.75 m/min, belt cleaning system. Cooling compressors not included. Lot is already dismantled and ready for transportation.	
69	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 205 mm, distance between dividers: 205 mm, divider height: 45 mm, elevating height: 2250 mm, total dimensions: 2000 mm x 1000 mm x 2350 mm.	200
70	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 305 mm, elevating height: 1270 mm, total dimensions: 3500 mm x 750 mm x 1380 mm.	100
72	NN vibration gutter	S/s vibration gutter with wire mesh, mesh width: 470 mm, total dimensions: 1750 mm x 800 mm x 1400 mm.	650
73	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1500 mm, total dimensions: 4880 mm x 600 mm x 1950 mm.	300
74	NN pallet stacker-destacker	Pallet stacker / de-stacker, plastic belt, belt width: 800 mm, total dimensions: 1850 mm x 1550 mm x 2000 mm.	500
80	NN stairs/platform	Mobile stairs/platform, 10 steps, working height: 2950 mm, total dimensions: 2000 mm x 1050 mm x 3850 mm.	300
85	NN trolley	S/s trolley, inside dimensions: (2x) 610 mm x 580 mm, total dimensions: 1430 mm x 660 mm x 820 mm.	25
87	Atlet AB	Atlet AB reach truck, model: UNS140DTFVXC640, serial number: UNS319, year of construction: 2004, 48C-DC, weight without battery: 2250 kg, max/min weight battery : 675/900 kg, fork length: 1150 mm, maximum lifting height: 6000 mm, total dimensions: 3350 mm x 1350 mm x 2660 mm, including Atlet AB battery charger.	1000
88	BT	BT electric pallet lifter, type: LPE200/8, number: 6142912, year of construction: 2010, capacity: 2000 kg, weight: 720 kg, fork length: (2x) 1150 mm, total dimensions: 1950 mm x 730 mm x 1500 mm. Including GNB battery charger.	400
89	Hyster	Hyster electric pallet lifter, model: S1.5S, capacity: 1500 kg, weight without battery: 1250 kg, fork length: 1160 mm, total dimensions: 2300 mm x 860 mm x 212 mm. With A.T.I.B Electronica battery charger, type: 3FCM24/60 - GY16E, serial number: 137066 3FCM513, 230 V, 50-60 Hz, output: 24 V/60 A, dimensions: 490 mm x 290 mm x 310 mm. Forks don't go up.	400
91	NN drip table	Mobile s/s drip table, dimensions: 1050 mm x 1020 mm x 930 mm.	50
92	NN infeed part	S/s frame, dimensions: 840 mm x 800 mm x 440 mm.	50
95	PackPojkarna	PackPojkarna wraparound packaging machine, type: PPWA KAM5, machine number: 92, year of construction: 2001, dimensions box: 750 mm x 500 mm, with Nordson glue unit, unit number: 3400V_2EAVD/R, serial number:	1000



Nr	Title	Description	Start €
		230883A 5A01E G0423, 400/230 V, 3 Ph, 50/60 Hz, 26 A, total dimensions: 4300 mm x 2000 mm x 2780 mm.	
96	Astra	Astra carton erector, clearance: (2x) 670 mm x 550 mm, total dimensions: 1800 mm x 1550 mm x 2200 mm. Incomplete, technical condition unknown.	1000
97	Astra	Astra packing robot, type: EQ-P-0058, chain belt with dividers, belt width: (2x) 200 mm, distance between dividers: 550 mm, divider height: 50 mm, 2 mettec labelling machines, 2 OPM robot arms, model: ICC, total dimensions: 10000 mm x 2400 mm x 2100 mm.	1500
98	NN meat bin	S/s meat bin, volume: 200 liter.	50
99	MIT AB	MIT AB height adjustable working platform, number: 80051, maximum height: 2800 mm, total dimensions: 900 mm x 900 mm x 2900 mm.	300
100	MIT AB	MIT AB height adjustable working platform, number: 80051, maximum height: 2850 mm, total dimensions: 1250 mm x 900 mm x 3270 mm.	300
102	NN trolley	S/s trolley for plates, 8 floors, dimensions floors: (8x) 100 mm x 670 mm, total dimensions: 1100 mm x 1020 mm x 1200 mm.	10
103	NN height adjustable working platform	S/s height adjustable working platform with s/s sink, 2 plastic soap dispensers and knife steriliser, dimensions: 2100 mm x 1400 mm x 4900 mm.	350
104	NN hydraulic unit	Hydraulic unit with Baldor motor, 220/380/440 V, 14/8.1/7 A, 1425 rates per minute, dimensions: 570 mm x 750 mm x 750 mm.	200
105	NN lifter	Lifter for 200 liter meat bins, type: SKV200M-1-PKHR, serial number: 1686, lifting height: 1810 mm, total dimensions: 1400 mm x 1100 mm x 2700 mm.	750
106	NN tank	S/s tank with lid, inside dimensions: ϕ 1010 mm x 1300 mm, total dimensions: 1300 mm x 1300 mm x 2150 mm.	200
107	NN tank	S/s tank with lid, inside dimensions: ϕ 1010 mm x 1300 mm, total dimensions: 1300 mm x 1300 mm x 2150 mm.	200
108	Fincoil	Fincoil evaporator, type: PB-CAE-202-10/12-2/24-32c-SP-T-3/400/50-1400rpm, number: 937989-1-001, year of construction: 2/2003, machine weight: 600 kg, 400 V, 3 Ph, 50 Hz, 11/19 A, 4.4 kW, 1400 rpm, volume: 150 liter, dimensions: 3800 mm x 1250 mm x 2400 mm.	250
109	NN cooling unit	Cooling unit with 2 scroll compressors, dimensions: 1250 mm x 800 mm x 1260 mm.	150
110	Sabroe	Sabroe reciprocating piston compressor, type: SMC 4-100, number: 48451, refrigerant: NH ₃ , pressure: 15 ATO, dimensions: 1600 mm x 1300 mm x 1400 mm.	500
111	Sabroe	Sabroe reciprocating piston compressor, type: SMC 8-100, number: 40058, refrigerant: NH ₃ , 15 ATO, dimensions: 1900 mm x 1200 mm x 1350 mm. Incomplete.	250
112	DAN Conveyor		400



Nr	Title	Description	Start €
		DAN Conveyor carton/pallet destacker, capacity: 1000 kg, maximum dimensions carton/pallet: 1350 mm x 860 mm, total dimensions: 2500 mm x 1400 mm x 1690 mm.	
113	Skov & Weidemann A/S	Skov & Weidemann A/S oven, type: E400, number: 3002, 380 V, 3 Ph, 50 Hz, 100 A, 61 kW, 9 integrated floors, dimensions each floor: 930 mm x 920 mm, total dimensions: 1550 mm x 1200 mm x 2900 mm.	500
114	Skov & Weidemann A/S	Skov & Weidemann A/S oven, type: E400, number: 3036, 380 V, 3 Ph, 50 Hz, 100 A, 61 kW, 9 integrated floors, dimensions each floor: 930 mm x 920 mm, total dimensions: 1550 mm x 1200 mm x 2900 mm.	500
117	Scanvaegt	Multihead weighing installation consisting of 2 elevating belts with dividers, s/s frame, plastic mesh belt, belt width: 320 mm, distance between dividers: 145 mm, divider height: 50 mm, elevating height: 3900 mm, 2 s/s vibrating gutters, gutter width: 360 mm, dimensions: (2x) 1600 mm x 600 mm x 1600 mm, 2 Scanvaegt 14-heads multihead weighers, model: ScanCombinator, type: 5414, serial number: BLS 00154, year of construction: 2002, dimensions: (2x) 1400 mm x 1600 mm x 1730 mm and s/s platform with stairs, 13 steps, dimensions: 4600 mm x 4400 mm x 3150 mm.	7500
118	Kramer + Grebe GmbH & Co. KG	Kramer + Grebe GmbH & Co. KG thermoformer, type: VA 430, fabrication number: 500/166, 380 V, 3 Ph, 50 Hz, 20-25 A, dye: (3x) 390 mm x 120 mm, total dimensions: 5800 mm x 1000 mm x 1760 mm. Rollies not included.	900
119	NN frame	S/s frame, dimensions: 780 mm x 540 mm x 1470 mm.	10
126	Krones	Krones 18-heads Canmatic labelling machine, dimensions: 2400 mm x 1950 mm x 2100 mm, including 2 trolleys with spare parts, dimensions: (2x) 750 mm x 750 mm x 1500 mm and switch cabinet, dimensions switch cabinet: 1180 mm x 550 mm x 2000 mm. Without transport belt.	1500
127	Nimo KG	Nimo KG s/s lifter for pallet boxes and tubs, type: SK800 MKR, number: 5131, lifting height: 2330 mm, maximum dimensions boxes: 1250 mm x 900 mm x 850 mm, total dimensions: 1700 mm x 1550 mm x 3600 mm.	500
128	NN lifter for meat bins	Lifter for 200 liter meat bins, lifting height: 3450 mm, total dimensions: 1025 mm x 1200 mm x 3950 mm.	500
129	Nimo KG	Nimo KG s/s lifter for 200 liter meat bins with s/s protection fence, type: SKV200MK, number: 8254, lifting height: 3900 mm, total dimensions: 1350 mm x 1100 mm x 4500 mm.	750
130	Nimo KG	Nimo KG Transportsystem AB tilting device for pallet boxes, type: SK 800 HA, number: 10077, year of construction: 2004, maximum load: 1000 kg, maximum dimensions box: 1200 mm x 900 mm x 1250 mm, elevating height: 2800 mm, total dimensions: 1700 mm x 1500 mm x 3550 mm.	750
131	KG Lyften AG	KG Lyften AG lifter for pallet boxes, type: SKV 200 MKR, number: 7486, year of construction: 1992, maximum	750



Nr	Title	Description	Start €
		capacity: 200 kg, lifting height: 2980 mm, total dimensions: 1150 mm x 1200 mm x 4070 mm.	
132	Wright field LTD	Wright field LTD lifter for 200 liter meat bins, serial number: 17594, year of construction: 2005, capacity: 300 kg, lifting height: 2200 mm, total dimensions: 1150 mm x 800 mm x 3050 mm.	500
134	Nimo KG	Nimo KG s/s bunker with outfeed screw, type: SKRUVTRANSP., number: 9482, year of construction: 2000, maximum load capacity: 1650 kg, tier: 225 mm, total dimensions: 3350 mm x 1400 mm x 2200 mm.	800
137	Scanio	Scanio s/s tumbler, dimensions: 1100 mm x 850 mm x 1300 mm.	500
138	Landteknikk A/L	Landteknikk A/L cooled mixing tank, type: 15V, number: 711289, year of construction: 1971, 220 V, 3 Ph, 50 Hz, 2200 W, volume: 1500 liter, DWM Copeland cooling compressor, type: DFL-20X-EWL-000, dimensions: 3500 mm x 1050 mm x 1550 mm.	500
141	NN mesh belt	S/s mesh belt, s/s frame, belt width: 360 mm, total dimensions: 2480 mm x 700 mm x 840 mm.	300
144	Setko	Setko part for lifter, dimensions: 1320 mm x 850 mm x 800 mm.	50
147	NN platform	Aluminium mobile platform with 4 steps, dimensions: 1500 mm x 1010 mm x 1820 mm.	50
148	NN platform	S/s platform with steel gratings, dimensions: 1200 mm x 720 mm x 1840 mm.	75
153	Scanvaegt	Scanvaegt checkweigher, type: ScanCheck RF5 5023.15, serial number: BMP00737, year of construction: 2004, 200-240 V, 1 Ph, 50/60 Hz, 5.0 A, weight: 125 kg, plastic belt, belt width: 230 mm, total dimensions: 900 mm x 700 mm x 1500 mm.	500
154	Edmolift	Edmolift lifter for pallets, maximum: 13 kNm, maximum dimensions pallets: 890 mm x 1200 mm, total dimensions: 910 mm x 2250 mm x 1540 mm.	150
155	NN evaporators	2 evaporators, each 2 fans, dimensions: (2x) 3250 mm x 800 mm x 330 mm.	200
156	NN trolleys with salmon forms	2 s/s trolleys with approximately 20 forms for salmon, dimensions each form: (8x) 750 mm x 90 mm x 70 mm, dimensions trolleys: (3x) 1000 mm x 800 mm x 1930 mm.	250
157	NN smoke trolleys for salmon	5 s/s smoke trolleys for salmon, 15 floors, floor dimensions: (15x) 870 mm x 1000 mm, distance between floors: 100 mm, total dimensions: (6x) 1000 mm x 940 mm x 200 mm.	450
159	NN pallet boxes	2 steel foldable pallet boxes, dimensions: 1210 mm x 810 mm x 800 mm.	50
161	NN trolleys with salmon forms	4 s/s trolleys with approximately 29 forms for salmon, dimensions each form: (8x) 750 mm x 90 mm x 70 mm, dimensions trolleys: (3x) 1000 mm x 800 mm x 1930 mm.	300
164	Eberhardt GmbH		300



Nr	Title	Description	Start €
		Eberhardt GmbH s/s mobile ham press, type: 11 "Groß", year of construction: 2004, weight: 650 kg, dimensions: 950 mm x 950 mm x 1600 mm.	
165	NN charge container	Mobile charge container used for tumbler, dimensions: 2250 mm x 1500 mm x 1950 mm.	300
166	Denios AG	2 Denios AG mobile plastic drip trays, type: FKP, serial number: 110085883-000300-003 and 110085883-000300-002, year of construction: 2005, volume: 225 liter, capacity: 350 kg, dimensions: (2x) 1950 mm x 800 mm x 460 mm.	50
168	Garos	Garos mobile charge container, inside dimensions: 1000 mm x 1000 mm x 700 mm, total dimensions: 1350 mm x 1070 mm x 2000 mm.	250
186	NN wheel barrows	S/s wheel barrow, dimensions: 1950 mm x 850 mm x 590 mm.	50
188	NN trolley	S/s trolley with two sinks, dimensions sink: (2x) 800 mm x 500 mm x 350 mm, total dimensions: 1350 mm x 800 mm x 950 mm.	10
189	Tactile	Trolley with Tactile screen, model: G4-12, serial number: 5A1521, 8/28 V, dimensions: 1150 mm x 620 mm x 1100 mm.	10
190	NN step ladder	Aluminium step ladder, 3 steps, dimensions: 500 mm x 550 mm x 600 mm.	5
191	NN frame with pegs	S/s mobile frame with 6 pegs, dimensions: 1660 mm x 1000 mm x 1700 mm.	25
196	Garos	Garos injector and tenderizer, type: GTH 128/576, machine number: 3977018, year of construction: 1997, 400 V, 50 Hz, 6 bar, 1670 kg, 128 needles, clearance: 550 mm x 310 mm, s/s walking beam, beam width: 550 mm, total dimensions: 3200 mm x 920 mm x 2170 mm, including 200 liter meat bin with filter.	2000
198	Marel	Marel checkweigher for salmon, type: CT Salmon 4717, serial number: E012345, year of construction: 2010, 400-460 V, 3 Ph, 50 Hz, 16 A, weight: 175 kg, maximum: 1 kg, minimum: 0.1 kg, e= 0.0005 kg, plastic belt, belt width: 275 mm, total dimensions: 930 mm x 750 mm x 1750 mm.	1000
200	NN tilting device	S/s tilting device for 200 liter meat bins, type: SKV200PK, serial number: 8217, tilting height: 950 mm, total dimensions: 1070 mm x 900 mm x 2180 mm.	300
203	AH Automation AB	AH Automation AB breaker, type: 152B5229, serial number: M611 A, 400 V, 50 Hz, 16 A, dimensions: 1030 mm x 900 mm x 1770 mm. Incomplete, technical condition unknown.	350
205	NN hopper	S/s infeed hopper with platform, dimensions: 2100 mm x 1600 mm x 1950 mm.	75
207	NN vessel	S/s mobile vessel, inside dimensions: Ø 600 x 1000 mm, total dimensions: 800 mm x 680 mm x 1320 mm.	25
211	Case-Link AB	Case-Link AB transport belt with ejector, type: CF1000, serial number: 0112, year of construction: 2001, 220/380 V,	400



Nr	Title	Description	Start €
		6 bar, s/s frame, plastic mesh belt, belt width: 905 mm, belt height: 2150 mm, total dimensions: 6200 mm x 2500 mm x 2550 mm.	
213	Transmeca AS	Transmeca AS leak tester, number: 272649, plastic belt, belt width: 300 mm, plastic wire belt, belt width: 230 mm, total dimensions: 2080 mm x 650 mm x 1150 mm.	150
214	Transmeca AS	Transmeca AS merge belt, number: 272649, plastic belts, belt width: 540 mm and 260 mm, total dimensions: 1350 mm x 1060 mm x 1380 mm.	100
216	Marel	Marel transport belt, type: dwu-pro3, serial number: A091487, year of construction: 2012, 230/400 V, 3 Ph, 0.88/0.51 A, 50/60 Hz, plastic mesh belt, belt width: 305 mm, total dimensions: 2000 mm x 650 mm x 620 mm.	350
219	NN infeed slide	S/s infeed slide, dimensions: 850 mm x 770 mm x 900 mm.	25
221	Marel	Marel vision slicer, type: IPS 3000, serial number: 9313, year of construction: 2006, 3x 220 V, 3 Ph, 50/60 Hz, 16 A, pressure: 6-8 bar, plastic in- and outfeed belt, belt width infeed belt: 200 mm, belt width outfeed belt: 280 mm, total dimensions: 3700 mm x 1050 mm x 1750 mm. Missing knife and control panel.	2000
222	Marel	Marel s/s infeed gutter with pneumatic lift, type: DA21617217, serial number: 163267 01, year of construction: 2012, dimensions: 1550 mm x 1400 mm x 1550 mm.	200
223	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 400 mm, elevating height: 1580 mm, total dimensions: 2800 mm x 720 mm x 1700 mm.	150
225	Meurer	Meurer shrink tunnel, type: CMS 40, machine number: 4.0571.01.98, year of construction: 1998, 400 V, 14 kW, clearance: 450 mm x 300 mm, dimensions: 2400 mm x 1100 mm x 1300 mm.	150
227	Brevetti E. Gasparin & C snc	Brevetti E. Gasparin & C snc horizontal wrapping machine, model: 50GOR2, serial number: 502 34, year of construction: 1996, 220 V, 3 Ph, 50 Hz, 5.5 A, 4 kW, weight: 735 kg, film width: 350 mm, chain infeed belt with dividers, distance between dividers: 190 mm, divider height: 30 mm, seal width: 220 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 3850 mm x 780 mm x 1780 mm.	500
230	NN motors	Pallet with 4 motors, among others: VEM, 11.0 kW, ABM, 1.5 kW, dimensions: 800 mm x 600 mm x 800 mm.	200
231	WEG / SEW- Eurodrive	Pallet with WEG motor, model: 3 AL100L-04 and RF62 DT100L4, 3 kW, dimensions: 500 mm x 400 mm x 540 mm and SEW-Eurodrive motor.	50
233	Kavee	Kavee hydraulic unit, type: UNTH00904, number: 157979, dimensions: 1200 mm x 900 mm x 700 mm.	100
234	Kavee	Kavee hydraulic unit, type: UNTH00904, number: 157979, dimensions: 1200 mm x 900 mm x 700 mm.	100
236	Busch		200



Nr	Title	Description	Start €
		Busch vacuum pump, type: 251 - 512 347, 0.5 mbar, capacity: 250 m ³ /hour, dimensions: 1250 mm x 820 mm x 800 mm.	
237	Leybold-Heraeus	Leybold-Heraeus vacuum pump, type: E150, fabrication number: 15012370, capacity: 150 m ³ /hour, dimensions: 900 mm x 300 mm x 730 mm.	100
238	Leybold-Heraeus	Leybold-Heraeus vacuum pump, type: E150, fabrication number: 15006434, capacity: 150 m ³ /hour, dimensions: 850 mm x 400 mm x 960 mm. Incomplete.	100
239	Huckepack	Huckepack vacuum pump, machine number: 4370151041, year of construction: 1974, capacity: 400 m ³ /hour, dimensions: 1550 mm x 650 mm x 850 mm.	250
240	SEW	Pallet 4 motors, among others: ABB motor, 7.5 kW / 8.6 kW, SEW motor, dimensions: 400 mm x 250 mm x 250 mm, ASEA motor, 4 kW, dimensions: 750 mm x 300 mm x 300 mm and Brook Crompton motor, 2.2 kW, dimensions: 650 mm x 300 mm x 200 mm.	100
241	ABB	ABB motor, 55.0 kW, dimensions: 850 mm x 450 mm x 440 mm.	75
243	Huckepack	Huckepack vacuum pump, type: 437 015 140, year of construction: 1977, capacity: 400 m ³ /hour, dimensions: 1400 mm x 700 mm x 900 mm.	250
244	APV	APV centrifugal pump, type: W-70/30-380-220, serial number: 81227270615262725, year of construction: 1995, dimensions: 750 mm x 420 mm x 600 mm.	200
249	Erpex	Erpex vibrating platform, dimensions: 400 mm x 400 mm x 230 mm.	5
250	NN labelling machine	Labelling machine, s/s frame, roller width: 230 mm, 300 mm, 400 mm, total dimensions: 1500 mm x 850 mm x 1800 mm.	200
252	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 180 mm, distance between dividers: 120 mm, divider height: 30 mm, elevating height: 1800 mm, total dimensions: 2400 mm x 650 mm x 1850 mm.	150
254	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 980 mm, total dimensions: 2030 mm x 1320 mm x 1050 mm.	100
255	NN curve conveyor	90° curve conveyor, plastic belt, belt width: 65 mm, total dimensions: 2000 mm x 900 mm x 1080 mm.	75
257	NN elevating belt	Elevating belt with dividers, s/s frame, plastic mesh belt, belt width: 270 mm, distance between dividers: 90 mm, divider height: 70 mm, elevating height: 4200 mm, total dimensions: 1100 mm x 700 mm x 5000 mm.	250
258	NN tank	Plastic tank with lid, dimensions: 900 mm x 900 mm x 1100 mm.	25
261	NN grinder	Grinder, dimensions: 1200 mm x 800 mm x 1700 mm.	250
262	Hymo		250



Nr	Title	Description	Start €
		Hymo lifter with hydraulic unit, dimensions: 370 mm x 280 mm x 830 mm, dimensions lifter: 1040 mm x 350 mm x 80 mm.	
272	Tagprint	Tagprint mobile labelling machine, type: Tagprint S60, dimensions: 600 mm x 620 mm x 1310 mm.	250
274	Maskin & Service	Maskin & Service mobile ice cream machine, model: SV.PAT.ANS.17.180/69, dimensions: 510 mm x 400 mm x 1600 mm.	100
276	Itec	Itec sole cleaner, type: 2384, series: 67, year of construction: 06-1998, 400 V, 3 Ph, 50 Hz, 0.25 kW, dimensions: 1360 mm x 540 mm x 1180 mm. Missing 1 brush.	75
278	Frymaster	Frymaster deep fryer, model: 12EFSC, serial number: 80H6371EX, 220/380 V, 3 Ph, 50 Hz, 12 kW, dimensions: 800 mm x 400 mm x 1000 mm. Without baskets.	25
279	Flintab AB	Flintab AB weighing scale with indicator, number: 4041-32, maximum weight: 600 kg, minimum weight: 4 kg, e= 0.2 kg, temperature: +5°C till + 40°C, scale dimensions: 500 mm x 500 mm, plastic rollers, roller width: 585 mm, total dimensions weighing scale: 750 mm x 650 mm x 1300 mm. Technical condition unknown.	75
281	UBI	UBI label printer, type: 201, model: T8-80, serial number: 47311, 115/230 V, 50/60 Hz, 2.6/1.3 A, dimensions: 630 mm x 220 mm x 220 mm.	10
282	Flintab AB	Flintab AB control panel, type: Microline 463, serial number: 463241, dimensions: 290 mm x 280 mm x 190 mm.	10
283	Intermec	Intermec label printer, model: Easycoder 201 IIE, serial numbers: 3120110006, 115/230 V, 50/60 Hz, 2.6/1.3 A, dimensions: 630 mm x 210 mm x 220 mm.	10
284	Hacla	Hacla mobile binding machine, model: TP-502, machine number: 30506922, year of construction: May 2003, 230 V, 1 Ph, 50 Hz, 2 A, dimensions: 850 mm x 570 mm x 900 mm.	50
285	Intermec	Intermec label printer, model: 1-202010-13, serial number: 54484, 115/230 V, 50-60 Hz, 2.6/1.3 A, dimensions: 600 mm x 220 mm x 200 mm.	10
286	Flintab AB	Flintab AB weighing scale with indicator, type scale: 1040-10kg-C3, serial number: 37505, dimensions scale: 330 mm x 230 mm x 90 mm, type indicator: 12-07P-01/47-04/1131-V, serial number: 120701B1-91, dimensions indicator: 430 mm x 90 mm x 200 mm.	75
289	Intermec	Intermec label printer, model: Easycoder 201 IIE, serial numbers: 79039, 115/230 V, 50/60 Hz, 2.6/1.3 A, dimensions: 630 mm x 210 mm x 220 mm.	10
290	UBI	UBI label printer, type: 201, model: T8-80, serial number: 27737, 115/230 V, 50/60 Hz, 2.6/1.3 A, dimensions: 630 mm x 220 mm x 220 mm.	10
291	Inventech		75



Nr	Title	Description	Start €
		Inventech laboratorium equipment, dimensions: 360 mm x 250 mm x 820 mm.	
292	NN table	S/s table, dimensions: 1430 mm x 670 mm x 970 mm.	75
293	Antonson	Antonson label printer, model: Uniprinter T8-76, type: 201, serial number: 29271, 230 V, 1 Ph, 50/60 Hz, 2.6/1.3 A, dimensions: 630 mm x 220 mm x 220 mm.	50
294	Antonson	Antonson label printer, model: Uniprinter T8-76, type: 201, serial number: 27736, 230 V, 1 Ph, 50/60 Hz, 2.6/1.3 A, dimensions: 630 mm x 220 mm x 220 mm.	50
295	Antonson	Antonson label printer, model: Uniprinter T8-76, type: 201, serial number: 29141, 230 V, 1 Ph, 50/60 Hz, 2.6/1.3 A, dimensions: 630 mm x 220 mm x 220 mm.	50
296	Antonson	Antonson label printer, model: Uniprinter T8-76, type: 201, serial number: 28849, 230 V, 1 Ph, 50/60 Hz, 2.6/1.3 A, dimensions: 630 mm x 220 mm x 220 mm.	50
297	Antonson	Antonson label printer, model: Uniprinter T8-76, dimensions: 630 mm x 220 mm x 220 mm.	50
298	NN table	S/s table, dimensions: 1430 mm x 670 mm x 970 mm.	75
299	Scanscale	Scanscale weighing scale, model: 813, maximum weight: 6000 gram, minimum weight: 40 gram, e= 2 gram, 220 V, 50 Hz, 10 W, dimensions: 360 mm x 290 mm x 110 mm.	10
300	TEW	TEW sealing unit, type: QS-300, 220 V, 50/60 Hz, 350 W, seal length: 300 mm, total dimensions: 450 mm x 90 mm x 260 mm.	75
301	NN table	NN mobile table, dimensions: 800 mm x 800 mm x 850 mm.	75
302	Katrin	3 Katrin waste bag holders, dimensions: (3x) 450 mm x 430 mm x 900 mm.	15
304	Lincat	Lincat deep fryer, type: A001, serial number: 22011072, 220-230 V, 3 Ph, dimensions: 600 mm x 300 mm x 500 mm. Without basket.	10
306	NN roller conveyer	Roller conveyer, s/s frame, plastic rollers, roller width: 585 mm, total dimensions: 630 mm x 450 mm x 90 mm.	5
308	Digi Europe LTD	Digi Europe LTD label printer, model: GP-460, serial number: 06511715, year of construction: 2007, 230 V, 50/60 Hz, 0.4 A, dimensions: 350 mm x 220 mm x 320 mm.	10
309	Scanvaegt/Flintab	Scanvaegt/Flintab weighing scale with indicator, serial number: 1411-031, maximum weight: 60 kg, minimum weight: 0.4 kg, d=e= 0.2 kg, T=-60 kg, dimensions: 500 mm x 500 mm x 350 mm.	75
311	Changzhou Hongli Weighing Equipment Co. LTD / Laumas	Changzhou Hongli Weighing Equipment Co. LTD weighing scale with Laumas indicator, model floor weighing scale: LWC-PSR, serial number: HL1188646-62, maximum weight: 6000 kg, minimum weight: 40 kg, e=d= 2 kg, temperature: -10°C + 40°C, Laumas indicator, model: WINOXLBP, serial number: E0221918, year of construction: 02/05/18, 12 V, 6 W, ramp width: 850 mm, dimensions scale: 1500 mm x 1500 mm x 180 mm.	250



Nr	Title	Description	Start €
319	Scanio	Scanio vacuum station for vacuum tumbler, type: UT5, serial number: 263, year of construction: 1988.12, 380 V, 3 Ph, 50 Hz, 7.5 A, 3 kW, Busch vacuum pump, type: 063-136, capacity: 63 m ³ per hour dimensions: 1600 mm x 550 mm x 1660 mm.	200
320	Viscofan	Viscofan casing machine, type: VN 202 SS, serial number: VN 202 SS 0003, year of construction: October 2007, dimensions: 1200 mm x 700 mm x 1750 mm.	250
321	NN tilting device	Mobile tilting device for 2 x 200 liter meat bins, dimensions: 2000 mm x 850 mm x 2150 mm.	250
323	AB Schaub & Co	AB Schaub & Co peeler, type: PSK-15, number: 6611M71B14-4 1400241, 220/380 V, 50 Hz, 1.8/2.1 A, diameter infeed: 170 mm, total dimensions: 700 mm x 600 mm x 1150 mm.	200
327	JKB Hybrand AB	JKB Hybrand AB oil tank for hydraulic unit, number: 95035, dimensions: 500 mm x 1000 mm x 1500 mm.	100
328	Intermec	Mobile s/s cabinet with 7 Intermec label printers, model: (3x) Easycoder 501 E, (3x) Easycoder 201 IIE and (1x) PF4i, with Flintab control panel and Dell printer, dimensions: 1500 mm x 600 mm x 1820 mm.	150
329	Intermec / Lenovo / NEC	S/s trolley with Lenovo computer, NEC monitor, 4 Intermec label printers, type: Easycoder 501 XP, and 2 OKI printers, dimensions: 1500 mm x 450 mm x 1030 mm.	150
331	Tesa	Tesa mobile box closing machine, type: 6030, serial number: 29 04, 380 V, 3 Ph, 50 Hz, 400 W, 1.5 A, roller width: (2x) 300 mm, total dimensions: 1450 mm x 900 mm x 1750 mm.	75
336	Corob	Corob paint mixer, model: D200, serial number: S9B0354, year of construction: 2009, 100-240 V, 50/60 Hz, 150 W, 10 A, dimensions: 860 mm x 700 mm x 1550 mm. Including box with paint.	25
337	Merivaara	2 Merivaara collapsible bar, length: (2x) 950 mm.	5
338	NN platform	S/s platform, dimensions: 600 mm x 500 mm x 300 mm.	10
339	NN table	S/s table, dimensions: 660 mm x 500 mm x 800 mm.	25
347	NN lifting platform	Steel lifting platform, dimensions: 1430 mm x 1140 mm x 80 mm.	25
348	NN cabinet	Steel cabinet, dimensions: 500 mm x 450 mm x 1260 mm.	5
349	Asko	Asko washing machine, model: W6561, dimensions: 600 mm x 600 mm x 850 mm.	10
350	NN locker	Steel locker, 2 doors, dimensions: 600 mm x 550 mm x 1940 mm.	5
351	Miele	Miele water purifier, type: G 7749, number: 18303139, 220 V, 50 Hz, dimensions: 600 mm x 300 mm x 860 mm.	5
352	Signode	Signode strapping machine, type: DF 9 A, fabric number: OM 02192, dimensions: 700 mm x 650 mm x 100 mm.	10
353	Dendu	Dendu mobile film roll holder, film width: 1300 mm, total dimensions: 750 mm x 700 mm x 1750 mm.	10



Nr	Title	Description	Start €
354	Antonson	Antonson label printer, dimensions: 330 mm x 500 mm x 500 mm.	50
355	Flintab AB	Flintab AB control panel, type: ML 466, serial number: 466021, 230 V, 50 Hz, 70 W, dimensions: 380 mm x 310 mm x 270 mm.	25
356	Intermec	2 Intermec label printers, model: Easycoder 201 IIE, serial numbers: 54468 and 79031, 115/230 V, 50/60 Hz, 2.6/1.3 A, dimensions: (2x) 630 mm x 210 mm x 220 mm.	20
361	Mettler Toledo	Mettler Toledo weighing scale, type: 12-07P-01/47-04/1131V, serial number: 120701B3-6, dimensions: 750 mm x 510 mm x 630 mm.	10
362	G. Mondini S.p.a.	G. Mondini S.p.a. trolley for dyes, model: CPS/R, number: 3546/A, dimensions: 1700 mm x 800 mm x 1500 mm.	200
363	G. Mondini S.p.a.	G. Mondini S.p.a. trolley for dyes, model: CPS/R, number: 3544/4, dimensions: 1700 mm x 800 mm x 1500 mm.	200
364	G. Mondini S.p.a.	G. Mondini S.p.a. trolley for dyes, model: O/PS, number: 3544/08, dimensions: 1700 mm x 800 mm x 1500 mm.	200
365	Accona	Accona refrigerator, model: 808506, serial number: 59239, year of construction: 2008-09-25, 230 V, 50 Hz, 2.1 A, 480 Watt, refrigerant: R-134a, 220 gram, dimensions: 860 mm x 720 mm x 2060 mm.	250
366	Gram	Gram refrigerator, type: K 660 brine, serial number: 177/00, 230 V, 50 Hz, 337-250 Watt, 4 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 810 mm x 725 mm x 2160 mm. Without cooling compressor.	100
367	Gram	Gram refrigerator, type: K 660 brine, serial number: 177/00, 230 V, 50 Hz, 337-250 Watt, 4 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 810 mm x 725 mm x 2160 mm. Without cooling compressor.	100
368	PALL-Pack	PALL-pack pallet wrapper, type: PALL-pack 2000, serial number: 336, year of construction: 12/97, 230 V, 50 Hz, 2.2/1.2/1.6 A, 370/250 Watt, diameter platform: 1630 mm, total dimensions: 2500 mm x 1630 mm x 2120 mm.	300
369	NN drip trays	6 plastic drip trays, dimensions: (6x) 1200 mm x 800 mm x 270 mm, 3 steel drip trays, dimensions: (2x) 1250 mm x 1250 mm x 300 mm, (1x) 1200 mm x 800 mm x 270 mm.	150
371	NN cooking trolleys	4 s/s cooking trolleys, 9 floors each, dimensions each floor: 1050 mm x 900 mm, 16 plates each, dimensions each plate: 900 mm x 450 mm, total dimensions: (4x) 1050 mm x 900 mm x 1810 mm.	400
372	NN smoke trolley	S/s smoke trolley, 18 perforated floors, perforations: \emptyset 10 mm, floor dimensions: 1020 mm x 990 mm, distance between floors: 70 mm, total dimensions: 1070 mm x 980 mm x 1960 mm.	200
373	NN smoke trolley	S/s smoke trolley, (2x) 10 floors, dimensions each floor: 970 mm x 430 mm, total dimensions: 1050 mm x 1000 mm x 1990 mm.	75
374	NN smoke trolley		25



Nr	Title	Description	Start €
		S/s smoke trolley, 10 floors, dimensions each floor: 1000 mm x 945 mm, total dimensions: 1020 mm x 1000 mm x 1885 mm.	
378	NN mobile frame	S/s mobile frame, dimensions: 840 mm x 700 mm x 1900 mm.	10
381	NN rack	S/s rack, 6 floors, dimensions floors: 860 mm x 640 mm, total dimensions: 900 mm x 700 mm x 1700 mm.	25
382	NN tool rack	Mobile s/s tool rack, dimensions: 900 mm x 700 mm x 1350 mm.	10

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law


16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

