



**Industrial  
Auctions**

**2121: Online auction machinery for the food industry in Boxtel (NL)**

**END DATE**  
29 April 2026 14:00



## General terms and conditions of the online auction

End date	29 April 2026 from 14:00 hrs.
Viewing days	28 April 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	06 May 2026 from 09:00 till 16:00 hrs.
Pick up address	Schouwrooij 29 5281 RE Boxtel Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1	Multivac	Multivac thermoformer, type: R515, serial number: 16767, year of construction: 2012, dimensions: 8000 mm x 1100 mm x 2100 mm. Including pallet with parts, without vacuum pump.	15000
2	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 14471, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 11 A, 4 kW, dimensions: 900 mm x 550 mm x 1650 mm.	2000
3	NN forming machine	Mobile forming machine, Ø pipe: 65 mm, total dimensions: 1000 mm x 770 mm x 1350 mm.	1000
4	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF 200, number: 2940-1, year of construction: 1994, 400 V, 50 Hz, 17 A, 6.5 kW, dimensions: 1800 mm x 1300 mm x 2250 mm. Including box with parts.	4500
5	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF300 B, number: 700, 420 V, 50 Hz, 23.6 A, 9.5 kW, dimensions: 1700 mm x 1300 mm x 2020 mm.	4500
6	Hoegger Alpina	Hoegger Alpina cutter with rejector and s/s knives, s/s bowl, dimensions: 2500 mm x 1500 mm x 1800 mm.	4400
7	Lutetia	Lutetia vacuum tumbler, serial number: 6732, 220 V, 3 Ph, dimensions drum: Ø 1300 mm x 1600 mm, total dimensions: 2900 mm x 1450 mm x 1950 mm. Without vacuum pump, lids are with the machine.	3500
8	Lutetia	Lutetia vacuum tumbler, 220 V, 3 Ph, dimensions drum: Ø 1300 mm x 1600 mm, total dimensions: 2900 mm x 1450 mm x 1950 mm. Without vacuum pump, lids are with the machine.	4000
9	Lutetia	Lutetia vacuum tumbler, serial number: 7666, 3 Ph, 220 V, dimensions drum: Ø 1300 mm x 1600 mm, total dimensions: 2900 mm x 1450 mm x 1950 mm. Without vacuum pump, missing 1 lid.	3500
10	Meissner	Meissner bowl cutter, type: RN-45, machine number: 118 7139, 380 V, 14/17 A, 6.2/7.8 kW, steel bowl, s/s knives, volume: 45 liter, total dimensions: 1100 mm x 1000 mm x 1150 mm. Lid broken.	2000
11	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine with lifter for 200 liter meat bins, type: F-Line F223, machine number: F223PT1092864, year of construction: 2014, 400 V, 50/60 Hz, 10.45 kW, Busch vacuum pump, type: RC 0021 C 3Z3, serial number: D18180231, year of construction: 2018, capacity: 24 m <sup>3</sup> per hour, total dimensions: 2000 mm x 1300 mm x 2100 mm. Including box with various parts.	20000
12	Grote		3000



Nr	Title	Description	Start €
		Grote mobile slicer, model: SNP-412, serial number: 11356229, 208/240 V, 1 Ph, 50/60 Hz, FLA: 5.0, dimensions: 1300 mm x 1050 mm x 1800 mm.	
13	Grote	Grote mobile slicer, model: SNP-412, serial number: 11356227, 208/240 V, 1 Ph, 50/60 Hz, FLA: 5.0, dimensions: 1300 mm x 1050 mm x 1800 mm.	3000
14	Packtech bv	Packtech bv case packer, type: CASE PACKER, machine number: 2002155 (LIJN1), year of construction: 2002, 400 V, 3 Ph, 50 Hz, 5 kW, dimensions: 2700 mm x 1400 mm x 2200 mm. Incomplete.	1000
15	Packtech bv	Packtech bv case packer, dimensions: 2200 mm x 1400 mm x 2200 mm. Incomplete.	1000
16	Packtech bv	Packtech bv case packer, type: CASE PACKER, machine number: 2002165 (LIJN3), year of construction: 2002, belt width: 180 mm, 400 V, 3 Ph, 50 Hz, 5 kW, plastic belt, belt width: 180 mm, dimensions: 3000 mm x 2600 mm x 2250 mm. Incomplete.	1000
17	Marden Edwards	Marden Edwards flowpacker, type: LX100 FF, machine number: 6420, year of construction: 1999, 400 V, 3 Ph, 50 Hz, dimensions: 2000 mm x 1500 mm x 2400 mm. Incomplete.	500
18	NN bread crumbler	Bread crumbler, dimensions: 800 mm x 800 mm x 1560 mm.	500
19	Tevopharm	Tevopharm flowpacker with ZodiacES coding attachment, seal width: 190 mm, plastic belt, belt width: 250 mm, total dimensions: 3650 mm x 1150 mm x 2100 mm.	500
20	PackAid B.V.	PackAid B.V. mobile continuous band sealer, machine number: 18039, year of construction: 2018, belt width: 400 mm, seal length: 500 mm, total dimensions: 2500 mm x 900 mm x 1430 mm.	500
21	Cryovac	Cryovac belt vacuum machine, model number: VS 90, serial number: A03301339, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 20 A, 5 kW, 15 Nm <sup>3</sup> /h, 6 bar, belt width: 660 mm, seal length: (2x) 960 mm, dimensions chamber: 960 mm x 720 mm, total dimensions: 2240 mm x 1200 mm x 1960 mm, including Busch vacuum pump, type: RA 0160 D 5Z1 GQXX, year of construction: 2010, dimensions: 860 mm x 500 mm x 600 mm. Incomplete.	1500
22	Bosgraaf	2 Bosgraaf s/s dispensers, dimensions: 280 mm x 250 mm x 400 mm.	20
23	Rivacold	Rivacold outside airco unit, code: ERM140Z3111, serial number: 90230237, year of construction: 2014, 230 V, 1 Ph, 50 Hz, dimensions: 920 mm x 400 mm x 600 mm.	100
24	NN roof condenser	Roof condenser, 2 fans, dimensions: 2620 mm x 910 mm x 1150 mm.	250
25	Goedhart Bohemia		250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Goedhart Bohemia evaporator, type: BSD 453 E, manufacturing number: 97-0148-040, 3 fans, weight: 220 kg, dimensions: 3000 mm x 1000 mm x 400 mm.	
26	NN switch cabinet	Switch cabinet, dimensions: 400 mm x 210 mm x 600 mm.	50
27	NN evaporator	Evaporator, 2 fans, dimensions: 1200 mm x 700 mm x 400 mm.	150
28	Helpman	Helpman evaporator, type: LEX 10-7RI-E/220-50-1, serial number: 470-004, refrigerant: R22/R404a, weight: 32 kg, dimensions: 1000 mm x 500 mm x 450 mm.	100
29	GEA Bock GmbH	GEA Bock GmbH cooling compressor, type: HGX4/650-4, number: AV20271A019, capacity: 56.6 m <sup>3</sup> per hour, dimensions: 1100 mm x 800 mm x 650 mm.	500
30	NN bin	S/s mobile bin, dimensions: 1000 mm x 950 mm x 1010 mm.	100
31	NN bin	S/s mobile bin, dimensions: 1000 mm x 950 mm x 1010 mm.	100
32	NN bin	S/s mobile bin, dimensions: 1000 mm x 950 mm x 1010 mm.	100
33	Maja-Maschinenfabrik	Maja-Maschinenfabrik skinning machine, type: AEM 438, machine number: 458933515, working width: 440 mm, total dimensions: 760 mm x 700 mm x 1000 mm.	250
34	NN meat bin	S/s meat bin, volume: 300 liter.	200
35	Bizerba	Bizerba mobile slicer, model: A 500, serial number: 10462882, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5.7 A, 2.3 kW, s/s mesh outfeed belt, belt width: 300 mm, total dimensions: 2350 mm x 900 mm x 1800 mm.	3500
36	Bizerba	Bizerba mobile slicer, serial number: 10273664, 400 V, 3 Ph, 50 Hz, 5.7 A, 2.3 kW, s/s mesh outfeed belt, belt width: 300 mm, total dimensions: 2350 mm x 900 mm x 1800 mm.	3500
37	NN evaporator	Evaporator, dimensions: 1600 mm x 850 mm x 260 mm.	100
38	NN writing desk	S/s writing desk, dimensions: 500 mm x 400 mm x 370 mm.	20
39	NN weighing scale	S/s mobile frame with weighing scale, dimensions: 1000 mm x 950 mm x 1200 mm.	100
40	Kärcher	Kärcher high pressure cleaner, number: 198624, 400 V, 3 Ph, 50 Hz, 6.4 kW, dimensions: 500 mm x 500 mm x 900 mm.	100
41	HBM	HBM weighing scale with indicator, dimensions: 730 mm x 600 mm x 1300 mm.	150
42	NN lockers	Lockers, dimensions: 1750 mm x 500 mm x 2100 mm.	50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
43	NN lockers	Lockers, dimensions: 1750 mm x 500 mm x 2100 mm.	50
44	NN lockers	Lockers, dimensions: 880 mm x 500 mm x 2100 mm.	25
45	NN frame	S/s frame, dimensions: 1440 mm x 1050 mm x 900 mm.	50
46	NN plastic window frame	Plastic window frame with window, dimensions: 2060 mm x 1060 mm x 50 mm.	50
47	NN parts	Pallet with various parts.	100
48	Kärcher	Kärcher mobile high pressure cleaner, type: HDS 990, year of construction: 1992, water capacity: 3.3 liter, dimensions: 1260 mm x 650 mm x 800 mm.	400
49	NN cabinet	S/s cabinet, dimensions: 900 mm x 500 mm x 2140 mm.	50
50	NN cabinet	S/s cabinet, dimensions: 900 mm x 500 mm x 2140 mm.	50
51	NN lockers	Lockers, dimensions: 2600 mm x 500 mm x 2200 mm.	100
52	Bosgraaf	Bosgraaf s/s dispenser, dimensions: 280 mm x 250 mm x 400 mm.	10
53	NN workplace inventory	Workplace inventory, among others: parts for stunner and signs.	10
54	Bettcher Industries, Inc.	Bettcher Industries, Inc. trimmer, type: UN-84, number: 95110542, 230 V, 1 Ph, 50 Hz, 2.1 A, 250 Watt, dimensions: 300 mm x 200 mm x 600 mm. Incomplete.	200
55	Bettcher Industries, Inc.	Bettcher Industries, Inc. trimmer, type: UN-84, 230 V, 1 Ph, 50 Hz, 2.1 A, 250 Watt, dimensions: 300 mm x 200 mm x 600 mm. Incomplete.	200
56	Bettcher Industries, Inc.	Bettcher Industries, Inc. trimmer, number: 66800904, 230 V, 1 Ph, 50 Hz, 2.6 A, 600 watt, dimensions: 300 mm x 200 mm x 600 mm. Incomplete.	200
57	NN stunners	2 stunners, type: N-BT-1.	200
58	Ohaus	Ohaus weighing scale with indicator, type indicator: Defender 3000XtremeW, scale dimensions: 550 mm x 400 mm.	250
59	Ohaus	Ohaus indicator, type: Defender 3000XtremeW.	100
60	Siat	Siat box closing machine, model: SM11/4.P C, serial number: 39678, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 Watt, dimensions: 2000 mm x 950 mm x 2000 mm.	250
61	Siat	Siat box closing machine, model: SM11/4.P C, serial number: 39677, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 Watt, dimensions: 2000 mm x 950 mm x 2000 mm.	250
62	Multivac	Multivac thermoformer, type: R145, serial number: 261406, year of construction: 2018, 400/230 V, 50 Hz, 3 Ph, 38/50 A, 10.5 kW, dye: (12x) 35 mm x 35 mm, total dimensions: 7100 mm x 1050 mm x 2100 mm.	20000
63	Kohlhoff		1500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Kohlhoff hygiene station with sole cleaner, hand disinfection, Dyson hand dryer and tourniquet, type: DLS1500+EK800, machine number: 77481, year of construction: 01/2009, 400 V, 3 Ph, 50 Hz, 2.4 kW, brush length: 1100 mm, dimensions: 2200 mm x 1100 mm x 1800 mm. Including 2 extra brushes.	
64	Econo Pak	Econo Pak case packing line consisting of: Econo Pak carton denester, type: PH-KT, machine number: 1273/PH, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 10 A, dimensions: 4800 mm x 1400 mm x 2450 mm and Econo Pak box closing machine, type: GVL, machine number: 1273/2, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 14 A, dimensions: 7000 mm x 1200 mm x 2450 mm. Incomplete.	2000
65	MECAPACK	MECAPACK traysealer, type: Q <sup>2</sup> 2500 HSK, serial number: O08966, year of construction: 2021, 400 V, 3 Ph, 6 A, 16 kW, dye: 225 mm x 200 mm, film width: 460 mm, total dimensions: 4400 mm x 1300 mm x 2100 mm. Including outfeed belt, plastic belt, belt width: 460 mm, total dimensions: 1550 mm x 740 mm x 1180 mm and pallet with parts.	10000
66	NN switch cabinet	Switch cabinet, dimensions: 800 mm x 400 mm x 2200 mm.	250
67	MECAPACK	MECAPACK traysealer, type: Q <sup>2</sup> 2500 HSK, serial number: O08757, year of construction: 2020, 400 V, 3 Ph, 6 A, 16 kW, dye: 225 mm x 200 mm, film width: 460 mm, total dimensions: 4400 mm x 1300 mm x 2100 mm. Including outfeed belt, plastic belt, belt width: 460 mm, total dimensions: 1550 mm x 740 mm x 1180 mm and pallet with parts. Dye is incomplete.	10000
68	NN platform	Aluminium mobile working platform, working height: 800 mm, total dimensions: 3700 mm x 1200 mm x 1700 mm.	500
69	NN platform	3 aluminium platforms, dimensions: 2500 mm x 800 mm x 280 mm.	300
70	Sienz S.L.	Sienz S.L. mobile transport belt, model: FC-M0106, serial number: 20154900/0901, year of construction: 2022, plastic belt, belt width: 300 mm, total dimensions: 4800 mm x 500 mm x 1400 mm.	750
71	Sienz S.L.	Sienz S.L. mobile elevating belt, model: FC-M0106, serial number: 20154900/0904, year of construction: 2022, plastic belt with dividers, belt width: 300 mm, divider height: 30 mm, distance between dividers: 220 mm, elevating height: 1850 mm, total dimensions: 3100 mm x 600 mm x 2100 mm.	1000
72	NN platform	Aluminium mobile working platform, working height: 1900 mm, total dimensions: 2100 mm x 2100 mm x 2850 mm.	500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
73	NN platform	Aluminium mobile working platform, working height: 800 mm, total dimensions: 3700 mm x 1200 mm x 1700 mm.	500
74	NN table	2x s/s table, dimensions: 770 mm x 500 mm x 900 mm.	50
75	NN platform	Aluminium mobile working platform, dimensions: 2200 mm x 500 mm x 290 mm.	100
76	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 300 mm, total dimensions: 3000 mm x 360 mm x 1000 mm.	250
77	Sienz S.L.	2 Sienz S.L. roller conveyors, model: PC-M0157, serial number: 20154900/1100, year of construction: 2022, s/s rollers, roller width: 500 mm, total dimensions: 5300 mm x 600 mm x 1000 mm.	500
78	KBN weegtechniek	KBN weegtechniek floor weighing scale with indicator, model indicator: DXN-1500, serial number: 1171105, 220-230 V, 50 Hz, maximum weight: 1500 kg, minimum weight: 10 kg, e = 0.5 kg, dimensions scale: 1500 mm x 1500 mm.	750
79	Freshtech Solutions	Freshtech Solutions 90° curved conveyor, model: Food Schakelband, serial number: 19003, year of construction: 2019, s/s frame, plastic mesh belt, belt width: 430 mm, total dimensions: 1950 mm x 5200 mm x 900 mm.	1500
80	NN vacuum machine	Mobile vacuum machine, seal length: 830 mm and 520 mm, chamber dimensions: 770 mm x 520 mm, vacuum pump, total dimensions: 930 mm x 760 mm x 1100 mm.	750
81	Talsa	Talsa mobile mixer, model: MIX 150, serial number: 235765, year of construction: 2003, 225/390 V, 3 Ph, 50 Hz, 2.5 A, volume: 150 liter, dimension: 1150 mm x 800 mm x 1300 mm. Lid broken and bowl damaged.	500
82	Inauen Maschinen AG	Inauen Maschinen AG belt dip tank, type: VC999/85.47 IE 20 kW, machine number: 95T99 1049, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 460 mm, total dimensions: 2300 mm x 1000 mm x 1350 mm. Covers are damaged.	1000
83	BT	BT electric pallet lifter, serial number: 6107048/2010, fork length: 1150 mm, total dimensions: 2000 mm x 850 mm x 1900 mm. Including MicroPower battery charger, type: STC 24/40, 24 V.	1000
84	Mitsubishi	Mitsubishi outside cooling unit, model: FDC224KXE6, serial number: FDC224KXE6/1, refrigerant: R410A, dimensions: 1100 mm x 1500 mm x 2000 mm.	350
85	Mitsubishi	Mitsubishi outside cooling unit, model: FDC335KXE6, serial number: FDC335KXE6/1, refrigerant: R410A, dimensions: 1100 mm x 1500 mm x 2000 mm.	350
86	Mitsubishi		350



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Mitsubishi outside cooling unit, model: FDC280KXE6, serial number: FDC280KXE6/1, refrigerant: R410A, dimensions: 1100 mm x 1500 mm x 2000 mm.	
87	Ansul	Ansul hose reel with hose, dimensions: 600 mm x 600 mm x 150 mm.	50
88	Ansul	Ansul hose reel with hose, dimensions: 600 mm x 600 mm x 150 mm.	50
89	Mitsubishi	Mitsubishi inside airco unit, dimensions: 950 mm x 950 mm x 300 mm.	150
90	Mitsubishi	Mitsubishi inside airco unit, dimensions: 950 mm x 950 mm x 300 mm.	150
91	Mitsubishi	Mitsubishi inside airco unit, dimensions: 950 mm x 950 mm x 300 mm.	150
92	Mitsubishi	Mitsubishi inside airco unit, dimensions: 950 mm x 950 mm x 300 mm.	150
93	Ajax	Ajax hose reel with hose, dimensions: 600 mm x 600 mm x 150 mm.	50
94	Clark	Clark forklift, model: IM 15N, serial number: IM145-7686-GFF, capacity: 1500 kg, fork length: 1000 mm, total dimensions: 2800 mm x 1100 mm x 2150 mm. Including battery charger.	1500
95	MXD Process/Rinnai Corporation	MXD Process/Rinnai Corporation mixing installation consisting of 2 MXD Process mixing tanks, serial number: 0040028-003-01 and 0040028-003-08, year of construction: 2020, volume: (2x) 227 liter, dimensions: (2x) Ø 260 mm x 1200 mm, 2 Rinnai Corporation water heaters, model: (2x) REU-N3237FFC-E, dimensions: 1200 mm x 1300 mm x 2000 mm.	2000
96	NN storage tank	Plastic storage tank, dimensions: Ø 1300 mm x 1600 mm.	100
97	NN platform	Aluminium mobile working platform, working height: 800 mm, total dimensions: 3700 mm x 1200 mm x 1700 mm.	500
98	NN platform	3 aluminium platforms, dimensions: 2500 mm x 800 mm x 280 mm.	300
100	CFS	CFS thermoformer, type: EVOLUTION, serial number: 4046100391, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 20 A, 10 kW, film width: 350 mm, dyes: (4x) 300 mm x 90 mm, index: 470 mm, belt width: 430 mm, label width: 85 mm, plastic belt, belt width: 420 mm, total dimensions: 13400 mm x 1300 mm x 2160 mm. Including 5 pallets with machine parts, among others: dyes: (8x) 200 mm x 65 mm, (3x) 255 mm x 130 mm. Transport rollies not included.	2000
101	TVM GmbH & Co KG	TVM GmbH & Co KG mobile portioning machine, type: Portio 4000, serial number: 05-00.26725215, year of construction: 2000, machine weight: 380 kg, plastic	500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		belt, belt width: 200 mm, total dimensions: 1800 mm x 800 mm x 1750 mm. Including trolley with parts.	
102	Multivac	Multivac traysealer, model: T 800, serial number: 239815, year of construction: 12-2016, 220/127 V, 3 Ph, 60 Hz, 32/50 A, 8.4 kW, plastic mesh belt, belt width: 300 mm, clearance: 500 mm x 170 mm, film width: 520 mm, total dimensions: 5400 mm x 1020 mm x 2100 mm. Including trolley with dye, dye: (5x) 190 mm x 130 mm, dimensions trolley: 1050 mm x 1050 mm x 1320 mm.	8000
103	Multivac	Multivac traysealer, model: T 800, plastic mesh belt, belt width: 250 mm, clearance: 350 mm x 170 mm, film width: 520 mm, infeed belt, belt with dividers, belt width: 205 mm, dividers height: 35 mm, distance between dividers: 290 mm, total dimensions: 6450 mm x 1050 mm x 2060 mm.	8000
104	Dorit	Dorit washing machine for smoke trolley, type: KRW 1, serial number: 20.022, 400 V, 3 Ph, 50 Hz, 6.5 kW, dimensions inside: 1150 mm x 1080 mm x 2150 mm, total dimensions: 2250 mm x 1700 mm x 2950 mm. Missing pump.	2900
105	Ilapak	Ilapak vertical bag form-, fill-, and seal machine, model: VT 2000 OF P, serial number: 063070047 S 3147/14, 400 V, 50 Hz, diameter filling pipe: 170 mm, vertical seal length: 400 mm, horizontal seal width: 450 mm, Videojet ink jet printer, model: 8.4 Clarity and Vortec switch cabinet cooler, model: 7035BSP, type: 4/4X, total dimensions: 1620 mm x 2380 mm x 2230 mm.	3500
106	Inauen	Inauen VC999 mobile vacuum machine, with Rietschle vacuum pump, type: CLFH 220 (20), dimensions: 1100 mm x 800 mm x 1020 mm. Technical condition unknown.	250
107	Tecno Pack	Tecno Pack vertical bag form-, fill-, and seal machine, model: FV-210, serial number: T2607, year of construction: 2015, 400 V, 50 Hz, 9 A, 6 kW, weight: 650 kg, film width: 505 mm, diameter filling pipe: 140 mm, vertical seal length: 420 mm, horizontal seal width: 280 mm, total dimensions: 1050 mm x 2000 mm x 2180 mm.	2000
108	Rühle	Rühle dicer with lifter for 200 liter meat bins, type: SR 3, number: 0071, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 32 A, 7 kW, dimensions: 3150 mm x 1400 mm x 2070 mm.	3000
109	Lutetia	Lutetia vacuum tumbler, type: 4, serial number: 16555, year of construction: 2004, 400 V, 50 Hz, volume: 1800 liter, Busch vacuum pump, type: RA	3000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		0040 F 503, capacity: 40 m <sup>3</sup> per hour, dimensions: 3300 mm x 1500 mm x 2100 mm.	
110	Payne pallet inverters	Payne pallet inverters pallet destacker, type: 6 l INVERTER, number: I64IR, year of construction: 07/11, capacity: 2000 kg, dimensions platform: 1300 mm x 1150 mm, total dimensions: 2050 mm x 1800 mm x 2270 mm.	500
111	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. product pump, type: 518, machine number: 21290, year of construction: 2001, 400 V, 50 Hz, 23 A, dimensions: 1550 mm x 1050 mm x 1400 mm.	1000
112	Pökemaschinen Ges.m.b.H	Pökemaschinen Ges.m.b.H. brine mixer, type: CLB-400, number: K-73, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 6 kW, volume: 400 liter, total dimensions: 1550 mm x 1250 mm x 1600 mm, including Pökemaschinen Ges.m.b.H s/s infeed bunker for brine mixer, inside dimensions: 530 mm x 490 mm x 200 mm, total dimensions: 900 mm x 730 mm x 1420 mm.	1500
113	Bilwinco	Bilwinco linear weigher consisting of: 2 6-lanes linear weighers, lane width: 120 mm, total dimensions: (2x) 1200 mm x 700 mm x 1300 mm, 2 vibrating gutters, gutter width: 350 mm, total dimensions: (2x) 1300 mm x 700 mm x 1600 mm, s/s frame with infeed hopper and switch cabinet, dimensions: 1600 mm x 1100 mm x 1750 mm. 1 weigher is incomplete.	3000
114	Mammuth	Mammuth mobile foldable engine hoist, capacity: 1000 kg, dimensions: 1450 mm x 1250 mm x 1400 mm.	100
115	Ziegra-Eismaschinen	Ziegra-Eismaschinen flake ice machine with BWT water softener, type: ZBE 350 EV, serial number: 140352, 400 V, 3 Ph, 50 Hz, 6 A, refrigerant: R744, dimensions: 700 mm x 750 mm x 1600 mm.	400
116	PSS	PSS mobile micro cutter, type: M-4000, year of construction: 2007, weight: 585 kg, dimensions: 1350 mm x 750 mm x 1150 mm. Incomplete.	200
117	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, type: RVE 800 S, serial number: I-39152, year of construction: 2008, 400 V, 3 Ph, 50 Hz, refrigerant: R 404A, roller width: 340 mm, total dimensions: 1350 mm x 700 mm x 1430 mm.	2000
118	Electrolux	Electrolux washing machine, model: WE170P, type: FLI0641B5, serial number: 810 00002, 230 V, 50 Hz, 10 A, 2200 Watt, dimensions: 600 mm x 625 mm x 850 mm	50
119	Classeq	Classeq washing machine, type: HYDRO 857, dimensions: 850 mm x 750 mm x 1530 mm. Incomplete.	40



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
120	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, type: RVE 800 S, serial number: I-39147, year of construction: 2008, 400 V, 3 Ph, 50 Hz, refrigerant: R 404A, roller width: 340 mm, total dimensions: 1350 mm x 700 mm x 1430 mm.	2000
121	Follet	Follett ice machine with ice bunker, model: E-ITS700SG-30, clearance: 570 mm x 270 mm, total dimensions: 1300 mm x 820 mm x 1900 mm.	1100
122	Itec	Itec mobile sausage cutter, type: SB-CUT, serial number: 0100, year of construction: 05/06, 400 V, 3 Ph, 50 Hz, 5 kW, dimensions: 1700 mm x 800 mm x 1500 mm.	800
123	Legion	Legion cooking vessel, model: LEC-60, serial number: 850396, double jacketed, electric heated, volume: 60 liter, dimensions: Ø 1000 mm x 1200 mm.	350
124	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG vacuum machine, type: VC999 07S H15/205, machine number: 07152588, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 7 kW, VC999 vacuum pump, type: 9603030/10, serial number: 1403600, year of construction: 2014, capacity: 205/245 m <sup>3</sup> per hour, seal length: (2x) 450 mm and (1x) 1000 mm, dimensions chamber: 1050 mm x 530 mm, total dimensions: 1350 mm x 850 mm x 1100 mm.	1000
125	Rühle	Rühle mobile dicer, type: SR 1, number: 813, year of construction 1999, 400 V, 50 Hz, dimensions chamber: 100 mm x 100 mm, distance between knives: 5 mm, total dimensions: 1000 mm x 700 mm x 1100 mm.	1000
126	Hoyer	Hoyer continuous ice cream freezer, type: KF1150, serial number: 114-2001, dimensions: 1950 mm x 750 mm x 2140 mm.	1500
127	Wiesheu GmbH	Wiesheu GmbH oven on s/s trolley, type: B8EMIS500, serial number: 10112789, year of construction: 02/2007, 400 V, 3 Ph, 50 Hz, 16 A, 10 kW, 10 floors oven, dimensions each floor: 610 mm x 370 mm, 6 floors trolley, dimensions each floor: 690 mm x 400 mm, total dimensions: 940 mm x 880 mm x 1860 mm.	300
128	MIWE	MIWE mobile oven, type: aeromat 8.64 T MUCS, number: 805 655, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 16 kW, 8 floors, dimensions each floor: 650 mm x 400 mm, total dimensions: 1350 mm x 900 mm x 2100 mm.	300
129	NN divider	Mobile s/s divider, dimensions: 2620 mm x 900 mm x 2100 mm.	50
130	Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) HSK6461-60-40P, serial number: 1079100320, 1079100321, 1079100318, capacity: 165/198 m <sup>3</sup> per	4000



Nr	Title	Description	Start €
		hour, year of construction: 2013, refrigerant: R404A, dimensions: 3600 mm x 1350 mm x 1970 mm. Including 2 Tecnac liquid receiver, model: (2x) RV-610-300, number: RV-0772-13, RV-0773-13, volume: 300 liter, maximum temperature: -20/100 °C, maximum pressure: 32 bar, dimensions: 1780 mm x 1180 mm x 1580 mm.	
131	Cookmax	Cookmax saladette, model: Saladette AK900X, serial number: 26060108, year of construction: 2016, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, temperature: 2-8 °C, weight: 70 kg, dimensions inside: (2x) 550 mm x 330 mm, total dimensions: 910 mm x 710 mm x 850 mm.	150
132	CRM / Termoelettronica spa	CRM / Termoelettronica spa mobile ice cream machine, model: EX42-60 W, serial number: 05/871, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 13 A, 6.7 kW, refrigerant: R404, dimensions: 750 mm x 500 mm x 1150 mm.	600
133	NN grill	Grill, dimensions: 800 mm x 400 mm x 500 mm.	150
134	Thermo Fischer	Thermo Fisher Scientific mobile metal detector, type: Apex 500, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 400 mm, clearance: 500 mm x 200 mm, total dimensions: 1750 mm x 900 mm x 1230 mm. Last calibrated: 04-08-2022.	500
135	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 439369, year of construction: 09/2016, 220/240 V, 50/60 Hz, 0.300 kW, dimensions: 700 mm x 680 mm x 1750 mm.	350
136	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 432596, year of construction: 11-2015, 220/240 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	400
137	Zumex	Zumex mobile juicer, model: ZUMEX SPEED SELF-SERVICE, serial number: 413999, year of construction: 04/2013, 230 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	350
138	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 430875, year of construction: 07/2015, 220/240 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	400
139	NN mixer	Mobile tiltable mixer, dimensions inside: 500 mm x 345 mm x 480 mm, total dimensions: 1100 mm x 400 mm x 820 mm.	700
140	NN diaphragm	Mobile diaphragm, diameter form: 65 mm, total dimensions: 760 mm x 1400 mm x 1370 mm.	300
141	SES	SES mobile labelling machine, dimensions: 750 mm x 750 mm x 1760 mm.	100
142	NN refrigerated counter	Refrigerated counter, model: VIPDT105, serial number: 07POP 005410, year of construction: jan 07, 220-230	50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		V, 50 Hz, 3.1 A, refrigerant: R404A, capacity: 260 liter, dimensions: 1100 mm x 700 mm x 880 mm.	
143	Teraoka Seiko co., LTD.	Teraoka Seiko co., LTD. mobile weigh-, wrap-, and label machine, model: AW-5600FX, serial number: 18110306, year of construction: 2018, 220/240 V, 1 Ph, 50/60 Hz, 1.8 kW, maximum: 3/6 kg, minimum: 20g, e=1/2 kg, T=-2999 g, m=250 kg, clearance: 380 mm x 280 mm, film width: 380 mm, total dimensions: 970 mm x 800 mm x 1440 mm.	3000
144	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07P F 15/W500, machine number: 07052425, 400 V, 3 Ph, 50 Hz, 11.5 A, 7.5 kW, dimensions chamber: 950 x 450 mm, seal length: (2x) 440 mm and (1x) 940 mm, total dimensions: 1300 mm x 850 mm x 1080 mm. Without vacuum pump.	750
145	NN dryer	Mobile dryer with plastic wired belt, belt width: 150 mm, clearance: 210 mm x 120 mm, total dimensions: 1410 mm x 600 mm x 1400 mm.	150
146	Rhima	Rhima dishwasher, model: MDR145, serial number: DWH1011369, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 1250 W, dimensions: 600 mm x 700 mm x 1400 mm.	250
147	Porkka	Porkka refrigerator, type: TFUR720C-SS C 720 R/R OIK, number: 200527-144652.001, 230 V, 50 Hz, 334 Watt, refrigerant: R-134a, 375 gram, dimensions: 850 mm x 710 mm x 1980 mm.	150
148	Convotherm	Convotherm combi steamer, model: OES 6.10 mini, number: XSMKJ2227, 400 V, 3 Ph, 50/60 Hz, 14.3 A, 7.1 kW, water pressure: 200-600 kP, 12 floors, dimensions each floor: 530 mm x 325 mm, total dimensions: 850 mm x 515 mm x 670 mm.	350
149	Electrolux	Electrolux shock freezer, 6 floors, dimensions each floor: 610 mm x 360 mm, total dimensions: 760 mm x 700 mm x 850 mm. Door broken.	250
150	Dowson	Dowson mobile bread slicer, model: D55-1, serial number: 02531096, 50 knives, distance between knives: 14 mm, total dimensions: 850 mm x 620 mm x 1120 mm.	100
151	Herbert	Herbert weighing machine with labeller, type: IH500, maximum: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, T = -1.000 kg, dimensions: 900 mm x 550 mm x 1600 mm.	75
152	Sibola A/S	Sibola A/S trolley, serial number: 11445, year of construction: 1991, 220/240 V, 0.26 A, 480 W, dimensions: 620 mm x 550 mm x 970 mm.	40
153	NN tumbler	Mobile tiltable tumbler, dimensions inside: 600 mm x 600 mm x 550 mm, total dimensions: 860 mm x 860 mm x 1660 mm.	750



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
154	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 4 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4JTC-10KY-40P, 4JTC-10KY-40S, serial number: 1672506278, 1672504853, 1672504854, 1672504851, capacity: (4x) 9/10.9 m <sup>3</sup> per hour, dimensions: 2200 mm x 1150 mm x 1950 mm.	2000
155	Miele	Miele washing machine, type: PW 6101 EL, machine number: 6009870, 380/415 V, 3 Ph, 50/60 Hz, 16 A, 9 kW, capacity: 10 kg, dimensions: 920 mm x 820 mm x 1220 mm.	750
156	NN dryer	Double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1200 mm x 760 mm x 2200 mm.	200
157	NN dryer	Double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1200 mm x 760 mm x 2200 mm.	200
158	NN dryer	Double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1200 mm x 760 mm x 2200 mm.	200
159	Unox	Unox combisteamer, type: XBC405E, serial number: 2014C0020325, 220-240/380-415 V, 1/3 Ph, 50/60 Hz, 7.5 kW, gross weight: 77 kg, net weight: 60 kg, 4 floors, dimensions each floor: 360 mm x 600 mm, total dimensions: 860 mm x 560 mm x 700 mm.	350
160	NN tilting device for barrels	S/s tilting device for barrels, dimensions: 1200 mm x 1000 mm x 1210 mm.	300
161	Marel	Marel weighing scale, type: M2200-T02, serial number: A131936, 110-230 V, 0.24-0.12 A, plastic belt, belt width: 250 mm, total dimensions: 550 mm x 450 mm x 1200 mm.	200
162	Weber	Weber mobile skinning machine, type: ASE 553, number: 869, 230 V, 50 Hz, 0.4 A, working width: 500 mm, total dimensions: 800 mm x 550 mm x 1000 mm. Incomplete.	250
163	Primus	Primus washing machine, model: C6, serial number: 6C001282VC, year of construction: 2012, 380/415 V, 3 Ph, 50 Hz, 16 A, 6.5 kW, capacity: 6 kg, dimensions: 690 mm x 630 mm x 1090 mm.	250
164	Alliance International Bvba	Alliance International Bvba washing machine, model: BF3JXASG403EN01, serial number: 1605020085, 400 V, 3 Ph, 50 Hz, 9.8 A, 4800 Watt, dimensions: 730 mm x 680 mm x 1110 mm.	600
165	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 210 mm, elevating height: 1400 mm, distance between dividers: 140 mm, divider height: 50 mm, total dimensions: 1500 mm x 700 mm x 1550 mm.	950
166	Nilfisk		500



Nr	Title	Description	Start €
		Nilfisk mobile high pressure cleaner, model: Typhoon 50HZ, serial number: 94665, year of construction: 20.09.2013, 380 V, 50 Hz, 4.75 A, weight: 126 kg, max temperature: 70 °C, maximum water supply: 50 litres per minute, dimensions: 1450 mm x 600 mm x 1020 mm.	
168	DiBo N.V.	DiBo N.V. hot water pressure cleaner, type: SBH-G 150bar 15ltr, serial number: 2-0155/16, 400 V, 3 Ph, 50 Hz, gas heated boiler, pressure: 150 bar, operating hours: 3225, dimensions: 850 mm x 920 mm x 1180 mm.	150
169	NN lid closing machine	Mobile lid closing machine, s/s frame, plastic belt, belt width: 150 mm, diameter press: 90 mm, total dimensions: 1750 mm x 700 mm x 1400 mm.	300
170	Loma Systems	Loma Systems mobile metal detector with rejector, year of construction: 1997, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 120 mm, total dimensions: 2200 mm x 1200 mm x 1100 mm.	500
171	True	True mobile refrigerator, model: TS-23G-2, serial number: 7681744, 230 V, 50 Hz, 4 A, refrigerant: R134A, 0.34 kg, capacity: 652 liter, floor dimensions: 580 mm x 540 mm, inside dimensions: 600 mm x 610 mm x 1450 mm, total dimensions: 690 mm x 800 mm x 2070 mm.	50
172	Domino	Domino mobile inkjet printer, model: A420i, serial number: AST000104778, 100-240 V, 50-60 Hz, 4 A, dimensions: 820 mm x 680 mm x 1430 mm. Incomplete.	500
173	Selo	Selo mobile steak scorer, type: B.S.R. 240317, serial number: 201701, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 0.3 kW, weight: 150 kg, plastic belt, belt width: 400 mm, working width: 380 mm, total dimensions: 1000 mm x 700 mm x 1050 mm.	500
174	Falcon	Falcon gas stove with oven, model: G1006FX, serial number: F574077, dimensions: 900 mm x 950 mm x 900 mm.	75
175	Bertrand	Bertrand 5-pits wok stove, type: ASIA II C5R, serial number: 25.07.10.10.2457, (2x) soup burner and (3x) jumbo burner, gas heated, 89.50 kW, 20/25 mbar, dimensions: 1800 mm x 900 mm x 1330 mm.	950
176	CRM	CRM mobile ice cream machine, model: GEL20E SIF, serial number: 02/328, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 2.2 A, 0.66 kW, dimensions: 640 mm x 460 mm x 1000 mm. Missing 1 cover.	750
177	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2500 mm x 500 mm x 1200 mm.	150
178	Townsend		300



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Townsend mobile skinning machine, working width: 500 mm, total dimensions: 850 mm x 550 mm x 1000 mm. Incomplete.	
179	Thermo Fischer	Thermo Fischer metal detector with rejecter, model: Apex500, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 250 mm, clearance: 350 mm x 150 mm, total dimensions: 1750 mm x 800 mm x 1360 mm.	500
180	AEW Delford	AEW Delford slicer, model: PolySlicer 3000V, serial number: 1890055, 400 V, 3 Ph, 50 Hz, 40 A, weight: 1100 kg, dimensions: 2800 mm x 1400 mm x 2350 mm. Without outfeed belt.	1000
181	Lundgrens IBS	Lundgrens IBS carton erector, type: E21, serial number: 99-291, 230/400 V, 3 Ph, 50/60 Hz, 3.7 kW, air pressure: 600 kPa, infeed width: 630 mm, total dimensions: 2500 mm x 1900 mm x 2250 mm.	850
182	Marel	Marel mobile portioning machine, type: Portio 4003S, serial number: 080S-0071, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, weight: 500 kg, plastic mesh belt, belt width: 250 mm, total dimensions: 2700 mm x 800 mm x 3000 mm.	500
183	Thissen & Stecher BV	Thissen & Stecher BV cooking vessel, inside dimensions: 1350 mm x 950 mm x 550 mm, total dimensions: 1450 mm x 1550 mm x 1050 mm.	750
184	Bobet Materiel	Bobet Materiel boot cleaner, type: L.B.M 92E, serial number: 1255, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 110 kg, brush length: (2x) 350 mm, total dimensions: 1500 mm x 600 mm x 1280 mm.	500
185	Karl Schnell GmbH & Co. KG	Karl Schnell GmbH & Co. KG process automat, type: 250, machine number: 25254, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 37 A, 18.4 kW, dimensions: 1380 mm x 1100 mm x 1830 mm.	3000
186	Günther	Günther cooled vacuum tumbler, type: GPA 300K, machine number: 30342, year of construction: 2007, 400 V, 16 A, 2.5 kW, Becker vacuum pump, type: U 4.20/09, capacity: 18-21 m <sup>3</sup> per hour, dimensions: 2100 mm x 1750 mm x 1630 mm.	4000
187	S/s frame	S/s frame, dimensions: 800 mm x 720 mm x 720 mm.	50
188	Alpeninox	Alpeninox refrigerated counter with 6 drawers, model: HB2PNT, serial number: 61510001, inside dimensions: (6x) 300 mm x 520 mm x 100 mm, total dimensions: 1220 mm x 700 mm x 820 mm.	350
189	Frigomat	Frigomat mobile ice cream machine, dimensions: 850 mm x 460 mm x 1250 mm. Incomplete, technical condition unknown.	50
190	Kolbe	Kolbe bandsaw, dimensions: 900 mm x 1000 mm x 1800 mm.	1000
191	Thermo Fischer		500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Thermo Fischer metal detector with rejector, model: Apex500, serial number: 9627, year of construction: 2012, 230 V, 50 Hz, plastic belt, belt width: 250 mm, clearance: 300 mm x 100 mm, total dimensions: 1400 mm x 1100 mm x 1350 mm.	
192	NN trolley	S/s trolley, 11 floors, dimensions each floor: 535 mm x 700 mm, total dimensions: 700 mm x 590 mm x 1600 mm.	40
193	NN trolleys	3 s/s trolleys, 18 floors each, dimensions each floor: 535 mm x 700 mm, total dimensions: (3x) 700 mm x 590 mm x 1600 mm.	120
194	Airpress	Airpress air compressor, model: 50MFL, year of construction: 2010, 220/240 V, 50 Hz, volume: 50 liter, dimensions: 670 mm x 620 mm x 665 mm.	150
195	Leventi	Leventi double combi steamer, type: BM 6 MM NG and BM 4 MM NG, number: 13 03 57830 and 13 03 57829, 400 V, 3 Ph, 50/60 Hz, 9 kW, 4 and 6 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1000 mm x 900 mm x 2200 mm.	1800
196	Itec	Itec lifter for 200 liter meat bins, type: 2700, series: 163, year of construction: 7/98, 400 V, 50 Hz, lifting height: 2130 mm, total dimensions: 3150 mm x 1000 mm x 1150 mm. Incomplete.	400
197	Loma Systems	Loma systems checkweigher with metal detector and double rejector, serial number: 71A001, 240 V, 1 Ph, 50 Hz, plastic belt, belt width: 300 mm, clearance: 450 mm x 130 mm, total dimensions: 2750 mm x 1000 mm x 1050 mm.	750
198	True	True mobile refrigerator, model: GDM-33, serial number: 5176500, refrigerant: R134A, 0.34 kg, capacity: 935 liter, dimensions: 1000 mm x 750 mm x 2080 mm.	50
199	Charot	Charot boiler, serial number: 229-98-2, year of construction: 09-93, 400 V, 48 kW, dimensions: 780 mm x 600 mm x 1800 mm.	350
200	Unox	Unox combisteamer, type: XBC404, serial number: 353, 230/400 V, 3 Ph, 50/60 Hz, net weight: 60 kg, 4 floors, dimensions each floor: 360 mm x 600 mm, total dimensions: 860 mm x 560 mm x 700 mm.	350
201	NN pasteurization installation	S/s HTST pasteurization installation, capacity: 1000 liters per hour, dimensions: 2100 mm x 1700 mm x 2000 mm. Never used.	2000
202	4-matic design	4-matic design mobile roller press, working width: 1000 mm, dimensions: 2200 mm x 1200 mm x 2200 mm.	300
203	NN breaker	Breaker, plastic belt, plastic belt, belt width: 620 mm, working width: 600 mm, total dimensions: 3250 mm x 1000 mm x 1850 mm.	400



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
204	Stal Refrigeration	Stal Refrigeration mini screw cooling compressor unit, type: RVA 59, number: AAE-BBD-AOB-BAF-A, dimensions: 1200 mm x 1200 mm x 1950 mm.	450
205	Hajek	Hajek thermoformer, type: VS20/420-100, number: 135227, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 11 kW, film width: 420 mm, dyes: 180 m x 180 mm, total dimensions: 2320 mm x 960 mm x 1770 mm.	3500
206	NN lid for cutter	Plastic lid for cutter, dimensions: 1120 mm x 500 mm x 180 mm. Broken.	10
207	Ascobloc Gastro-Gerätebau GmbH	Ascobloc Gastro-Gerätebau GmbH mobile cooking vessel, inside dimensions: 1040 mm x 600 mm x 1900 mm, total dimensions: 1200 mm x 1000 mm x 980 mm.	100
208	Bizerba	Bizerba hook weighing scale, type: ST, number: 11008533, 240 V, 50/60 Hz, 0.25 A, maximum weight: 150 kg, minimum weight: 1 kg, e= 0.05 kg, dimensions: 600 mm x 700 mm x 1300 mm.	150
209	Sharp	Sharp transport belt, number: SP40730-K, year of construction: 26-06-2018, plastic mesh belt, belt width: 470 mm, plastic rollers, roller width: 450 mm, total dimensions: 3100 mm x 1250 mm x 930 mm.	500
210	NN parts for traysealer	S/s trolley with parts for traysealer, dimensions dye: (2x) 190 mm x 100 mm, total dimensions: 630 mm x 500 mm x 1220 mm.	20
211	Gainsborough Craftsmen	Gainsborough Craftsmen packaging machine for sausages with tray denester, machine number: 1495, year of construction: oct 2005, 415 V, weight: 1500 kg, plastic belt, belt width: 50 mm, tray dimensions: 140 mm x 190 mm, total dimensions: 3350 mm x 1050 mm x 1950 mm. Incomplete.	750
212	Platz	Platz pump, serie: 48975, type: 407336, year of construction: 2002, 400 V, 50 Hz, 8.2 kW, capacity: 72 liter per minute, dimensions: 1140 mm x 760 mm x 1030 mm.	150
213	Alpma	Alpma cheese packaging machine, type: U-64/D, fabrication number: 6450.214.339, year of construction: 1988, capacity: 50 per minute, weight: 900 kg, dimensions: 1800 mm x 900 mm x 1600 mm. Including 2 pallets with parts.	500
214	Leonhardt	Leonhardt depositor, type: TG1/100, number: 0140/974, year of construction: 1998, dimensions: 1450 mm x 550 mm x 1280 mm.	350
215	Loma Systems	Loma Systems double metal detector with rejector, serial number: 894062, 415/240 V, 3/1 Ph, 50 Hz, clearance: 350 mm x 140 mm, plastic belt, belt width: 290 mm, total dimensions: 2500 mm x 800 mm x 1650 mm.	600



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
216	Loma Systems	Loma Systems metal detector, model: Euroscan F, serial number: 32F188, year of construction: march 1991, 415/240 V, 3 Ph, 50 Hz, clearance: 450 mm x 140 mm, plastic belt, belt width: 350 mm, total dimensions: 1500 mm x 900 mm x 1370 mm.	150
217	BVC	BVC industrial vacuum cleaner, model: TI 80 DLF, serial number: AC 00047, 400 V, 3 Ph, 50 Hz, 15 kW, dimensions: 1800 mm x 600 mm x 1850 mm.	50
218	Rietschle	Rietschle vacuum pump, type: VF 251 01, number: 931508, year of construction: 1985, capacity: 250 m <sup>3</sup> per hour, dimensions: 850 mm x 650 mm x 1130 mm.	50
219	Gunnebo Italdis	Gunnebo Italdis tourniquet with hand disinfection unit, model: Turn-O-Mat, serial number: TM05429, year of construction: 1999, 230 V, 50 Hz, 0.8 A, dimensions: 1600 mm x 1200 mm x 900 mm.	100
220	Berkel Prior/Mectec	Berkel Prior checkweigher with 2 Mectec labelling machines, type checkweigher: weegmachine voor, serial number: Mc 22148, maximum weight: 15 kg, minimum weight: 0.1 kg, e=d= 0.005, Mectec labeller, type: PCU III-AXX-E, serial number: 53606, year of construction: 2007 and Mectec labeller, type: A1160-50-100/100-L, serial number: 53608, year of construction: 2007, plastic belt, belt width: 400 mm, total dimensions: 2100 mm x 900 mm x 1640 mm.	200
221	Marel	Marel weighing and sorting line, consisting of: Marel grader and Marel 14-stations sorting line, type grader: Vision Unit-300, serial number: A038511, year of construction: 2006, 230/400 V, 3 Ph, 0.15 kW, plastic mesh belt, belt width: 310 mm, total dimensions grader: 1750 mm x 800 mm x 2470, Marel transport belt, type: con-mstr, serial number: A044894, year of construction: 2007, 230/400 V, 3 Ph, 0.25 kW, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions transport belt: 1050 mm x 700 mm x 1550 mm, Marel 14-stations sorting line, type: dis-ma43, serial number: A045229, year of construction: 2007, 230/400 V, 3 Ph, 0.75 kW, 2x elevating belt with dividers, plastic mesh belt, belt width: 560 mm, distance between dividers: 195 mm and 1800 mm, divider height: 25 mm and 100 mm, elevating height: 1450 mm, total dimensions sorting line: 7100 mm x 2200 mm x 2100 mm	5000
222	Hamba	Hamba 4 lanes cup filling machine, type: BK 6004, machine number: 44045, year of construction: 1980, 220/80 V, 50 Hz, 16-20 A, diameter cup: 100 mm, total dimensions: 4300 mm x 1500 mm x 2150 mm.	800
224	Isocab	Isocab cooling door, dimensions: 2500 mm x 2250 mm x 300 mm.	250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
225	Bastra	Bastra cooking vessel, gas heated, dimensions inside: 1150 mm x 800 mm x 400 mm, total dimensions: 1360 mm x 1330 mm x 1060 mm. Including switch cabinet, dimensions: 700 mm x 300 mm x 340 mm.	1000
226	Maurer AG	Maurer AG smoke generator for wood chips, type: REZ G 1, serial number: X0274849, year of construction: 02/03, 400 V, 50 Hz, 2.7 kW, dimensions: 1150 mm x 870 mm x 2200 mm.	600
227	Bosgraaf	Bosgraaf hygiene station with sole cleaner and tourniquet, length brush: (4x) 710 mm, total dimensions: 3600 mm x 1500 mm x 1280 mm.	1000
228	Miele	Miele washing machine, type: PW 6137 EL MF, serial number: 00/99964739, 380/415 V, 3 Ph, 50/60 Hz, 3x25 A, 15 kW, dimensions: 920 mm x 820 mm x 1220 mm.	1250
229	Knecht	Knecht mobile portioning machine and filling machine, type: BWA 45, number: 73054545, year of construction: 1998, dimensions : 1000 mm x 750 mm x 1550 mm.	300
230	Maurer AG	Maurer AG smoke generator for wood chips, type: REZ G 1, serial number: X0274847, year of construction: 02/03, 400 V, 50 Hz, 2.7 kW, dimensions: 1150 mm x 870 mm x 2200 mm.	500
231	Loma Systems	Loma Systems checkweigher with metal detector and rejector, model: 7000 series, serial number: PC39162-31458, year of construction: 2003, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 250 mm, clearance: 350 mm x 130 mm, total dimensions: 1650 mm x 1000 mm x 1370 mm.	200
232	Mado/Carsø	Mado mixer-grinder with Carsø lifter for 200 liter meat bins, diameter plate: 160 mm, dimensions mixer-grinder: 1320 mm x 1100 mm x 1850 mm, lifter type: HKV200, serial number: 94606, year of construction: 2001, 400 V, 3 Ph, 0.75 kW, lifting height: 2000 mm, dimensions lifter: 3300 mm x 1400 mm x 700 mm.	4000
233	Helpman	Helpman evaporator, 2 fans, dimensions: 1600 mm x 680 mm x 600 mm.	200
234	Helpman	Helpman evaporator, 2 fans, dimensions: 1600 mm x 680 mm x 600 mm.	200
235	Goedhart Bohemia	Goedhart Bohemia evaporator, 2 fans, type: BSD 452-7-230 E, number: 99 1063 000, 400 V, 50 Hz, 8760 W, maximum work pressure: 19.5 bar, weight: 158 kg, dimensions: 2200 mm x 1050 mm x 550 mm.	300
236	Friga-Bohn	Friga-Bohn evaporator, 2 fans, type: GKB08.C, serial number: MY0080, 230/400 V, 3 Ph, 50 Hz, dimensions: 1700 mm x 600 mm x 680 mm.	200
237	Goedhart Bohemia	Goedhart Bohemia evaporator, 2 fans, type: BSD 452-7-230 E, number: 99 1063 000, 400 V, 50 Hz, 8760	300



Nr	Title	Description	Start €
		W, maximum work pressure: 19.5 bar, weight: 158 kg, dimensions: 2200 mm x 1050 mm x 550 mm.	
238	Helpman	Helpman evaporator, 2 fans, dimensions: 1600 mm x 630 mm x 650 mm.	200
239	Helpman	Helpman evaporator, 3 fans, dimensions: 2620 mm x 700 mm x 700 mm.	200
240	Goedhart	Goedhart evaporator, 3 fans, type: VCB 63457, manufacturing number: 99-0835-020, year of construction: 1999, maximum working temperature: -10/42 °C, maximum working pressure: 19.5 bar, volume: 35 dm <sup>3</sup> , weight: 190 kg, dimensions: 2850 mm x 850 mm x 700 mm.	300
241	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 2 fans, type: DVS-42634, manufacturing number: PJV101888, year of construction: 2010, fluid: R404a, maximum work pressure: 28 bar, working temperature: +55/-5 °C, volume: 38 dm <sup>3</sup> , dimensions: 2500 mm x 1500 mm x 970 mm.	250
242	Helpman	Helpman evaporator, 3 fans, year of construction: 2004, 230 V, 1 Ph, 50 Hz, maximum temperature: -55/63 °C, maximum pressure: 25 bar, volume: 30.9 dm <sup>3</sup> , weight: 159 kg, dimensions: 2650 mm x 700 mm x 700 mm.	200
243	NN evaporator	Evaporator, 2 fans, dimensions: 1700 mm x 1800 mm x 550 mm.	100
244	Helpman	Helpman evaporator, 3 fans, dimensions: 2620 mm x 700 mm x 800 mm.	200
245	Searle	Searle evaporator, 2 fans, model: DSR116-6 AL, serial number: 928888, maximum work pressure: 21 bar, 220/240 V, 1 Ph, 50 Hz, 70 W, dimensions: 2530 mm x 950 mm x 450 mm.	150
246	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 2 fans, type: DVS-42634, manufacturing number: PJV101888, number: 003, year of construction: 2010, refrigerant: R404a, maximum work pressure: 28 bar, working temperature: +55/-5°C, volume: 38 dm <sup>3</sup> , dimensions: 2500 mm x 1500 mm x 900 mm.	250
247	NN evaporator	Evaporator, 2 fans, dimensions: 1700 mm x 2000 mm x 540 mm.	100
248	NN evaporator	Evaporator, 2 fans, dimensions: 1450 mm x 800 mm x 450 mm.	100
249	Goedhart	Goedhart evaporator, 1 fan, type: SKU38 41634, manufacturing number: PJV071615. VK0701376/270702180, year of construction: 2007, fluid: R404a, maximum work pressure: 28 bar, working temperature: +55/-1°C, volume: 15 dm <sup>3</sup> , dimensions: 1660 mm x 730 mm x 1080 mm.	300
250	Helpman		200



Nr	Title	Description	Start €
		Helpman evaporator, 3 fans, dimensions: 2620 mm x 700 mm x 800 mm.	
251	Goedhart	Goedhart evaporator, 2 fans, type: SKU38 62634, manufacturing number: PJV071614. VK0701376/270702170, year of construction: 2007, fluid: R404a, maximum work pressure: 28 bar, working temperature: +55/-1°C, volume: 41 dm <sup>3</sup> , dimensions: 2860 mm x 780 mm x 1250 mm.	300
252	Goedhart	Goedhart evaporator, 1 fan, type: SKU38 41634, manufacturing number: PJV071615. VK0701376/270702180, year of construction: 2007, fluid: R404a, maximum work pressure: 28 bar, working temperature: +55/-1°C, volume: 15 dm <sup>3</sup> , dimensions: 1660 mm x 730 mm x 1080 mm.	300
253	Carver	Carver compression moulding press, model: CMG75H-24-CX-CE, serial number: 210499, year of construction: 02-2022, 415 V, 3 Ph, 50 Hz, 15000 Watt per plate, weight: 3039 kg, dimensions: 1550 mm x 1550 mm x 2000 mm.	2000
254	Fine Interkorea	Fine Interkorea checkweigher with rejecter, model: FAC-5500 W335 535, serial number: E065031, year of construction: 2006/06, weight range: 1-500 gram, plastic belt, belt width: 300 mm, total dimensions: 1670 mm x 900 mm x 1630 mm.	300
255	Safeline	Safeline metal detector with rejecter, serial number head: 101408, clearance: 310 mm x 140 mm, plastic belt, belt width: 250 mm, total dimensions: 2500 mm x 900 mm x 1850 mm.	200
256	SureService Ltd	SureService Ltd weighing and labelling machine, model: GEMINI, serial number: HS85195, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, maximum weight: 4 kg, minimum weight: 0.1 kg, e=d= 0.002 kg, 60 packs per minute, plastic belt, belt width: 230 mm and (2x) 100 mm, total dimensions: 1700 mm x 800 mm x 2100 mm.	300
257	Thermo Fischer	Thermo Fischer x-ray scanner with rejecter, type: EZX 420, serial number: 08243260, year of construction: JUNE 2008, 100-240 V, 50//60 Hz, 7.5-15 A, plastic belt, belt width: 310 mm, clearance: 380 mm x 190 mm, total dimensions: 2000 mm x 1100 mm x 1730 mm.	950
258	Ilapak Italia S.p.a.	Ilapak Italia S.p.a. flowpacker, type: UNO, serial number: 061 96, year of construction: 4/1996, 380 V, 50 Hz, 5000 W, plastic infeed belt with dividers, belt width: 100 mm, divider height: 55 mm, distance between dividers: 430 mm, seal width: 250 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 5900 mm x 1300 mm x 1310 mm.	1000
259	NN glazing machine		1000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Mobile glazing machine, s/s mesh belt, belt width: 800 mm, total dimensions: 1700 mm x 1550 mm x 2440 mm.	
260	Ilapak Italia S.p.a.	Ilapak Italia S.p.a. flowpacker, type: Superflow, serial number: 99 056, year of construction: 4/1999, 400 V, 3 Ph, 50 Hz, 10 A, 5000 W, seal width: 250 mm, plastic belt, belt width: 100 mm, film width: 400 mm and 350 mm, total dimensions: 6800 mm x 1300 mm x 1600 mm.	1000
261	Electrolux	Electrolux double stacked dryer, model: T4300, serial number: 2330/0015489, dimensions: 1110 mm x 800 mm x 1940 mm.	300
262	Westfalia Separator AG	Westfalia Separator AG separator, type: MZA 6-69-905, machine number: 2204 463, dimensions: 900 mm x 800 mm x 1100 mm.	1500
263	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 0259001, year of construction: 2002, 400/230 V, 3 Ph, 50 Hz, 3 kW, dye: (2x) 145 mm x 210 mm, film width: 230 mm, total dimensions: 4550 mm x 700 mm x 1750 mm.	1000
264	NN frame	S/s frame, dimensions: 820 mm x 630 mm x 260 mm.	20
265	Freund	Freund balancer, type: F20-2SK, serial number: 010588, year of construction: 2000, maximum length: 2000 mm, weight: 7.7 kg, capacity: 15 kg.	50
266	Parry	Parry 4 pits stove, model: N1871, serial number: 160160283, 240/415 V, 50 Hz, 8.5/12.5/29.2 A, 7 kW, dimensions: 600 mm x 610 mm x 220 mm. Missing 2 buttons.	35
267	D&T Products	D&T Products coffee machine, type: Toscane FD 518, serial number: 00083482, 230/400 V, 50 Hz, 2.8.8.4 kW, dimensions: 520 mm x 475 mm x 710 mm.	100
268	DEM weighing systems	DEM weighing systems weighing scale and indicator, model: GSE 350, scale dimensions: 1000 mm x 1000 mm.	150
269	APV	APV plate heat exchanger, type: SR26B, dimensions: 440 mm x 400 mm x 1350 mm.	150
270	B&B Slasoft	B&B Slasoft computer cabinet, dimensions: 760 mm x 740 mm x 720 mm.	25
271	Dibal S.A.	Dibal S.A. weighing scale with label printer, model: DIBAL 4 A-650, serial number: 121226, 230 V, 50 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -995 gram, dimensions: 500 mm x 360 mm x 480 mm.	50
272	Bizerba	Bizerba weighing scale with indicator, model: SCII 800, number: 20081383, 120-240 V, 50/60 Hz, 0.35/0.25 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e= 2/5 gram, dimensions: 500 mm x 360 mm x 560 mm.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
273	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with label printer, type: M-15S-EB, serial number: 2375801, 100-240 V, 50/60 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T- -9,995 kg, dimensions: 400 mm x 350 mm x 520 mm.	25
274	NN frame	S/s wall mounted frame, dimensions: 530 mm x 320 mm x 170 mm.	5
275	Fimar	Fimar blender, model: SPM235M, serial number: 160701520, year of construction: 2016, 230 V, 1 Ph, 50-60 Hz, 150 W, weight: 3.8 kg, dimensions: 300 mm x 200 mm x 250 mm. Incomplete.	2
276	Mettler-Toledo GmbH	Mettler-Toledo GmbH pipe line metal detector, diameter clearance: 150 mm, total dimensions: 450 mm x 450 mm x 500 mm.	50
277	Helmac Srl	Helmac Srl weighing scale with label printer, model: GP1 AP, serial number: 0232906342, 220/250 V, maximum weight: 12/30 kg, minimum weight: 0.04 kg, e= 2/5 kg, T= -12 kg, Lim: 54 kg, dimensions: 440 mm x 370 mm x 560 mm.	50
278	CZB	CZB weighing scale with label printer, model: EQUA 5000, serial number: 120950249, 110/230 V, 50/60 Hz, 24 W, maximum capacity: 12 kg, minimum capacity: 40 g, e= 2 g, T = -9.998 kg, dimensions: 500 mm x 360 mm x 480 mm.	50
279	Edlund	Edlund can opener, diameter: 155 mm, dimensions: 250 mm x 320 mm x 700 mm.	50
280	NN plastic belt	Plastic belt, belt width: 225 mm, length: 1020 mm.	50
281	WEDA	WEDA weighing scale with indicator, number: 6011048, maximum: 15 kg, minimum: 0.1 kg, e=d=5g, dimensions scale: 360 mm x 240 mm x 110 mm.	150
282	Loma Systems	Loma Systems pipe line metal detector, serial number: DPL080267-07747D, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 55 mm, total dimensions: 600 mm x 400 mm x 500 mm.	300
283	Scholl Apparatebau	Scholl Apparatebau warming plate, serial number: 541362-003, 230 V, 50 Hz, 1.25 kW, dimensions: 800 mm x 600 mm x 650 mm.	100
284	Henkelman	Henkelman vacuum machine, type: JUMBO PLUS, number: 10302039, year of construction: 2003, 230 V, 1 Ph, 50 Hz, 1 kW, seal length: 280 mm, dimensions chamber: 305 mm x 285 mm x 50 mm, total dimensions: 450 mm x 340 mm x 300 mm.	350
285	Henkovac	Henkovac vacuum machine, model: T2, serial number: 20160199, year of construction: 2016, 220-240 V, 1 Ph, 50/60 Hz, 2.5 A, seal length: 275 mm, dimensions chamber: 315 mm x 295 mm x 40 mm, pump capacity: 4 m <sup>3</sup> per hour, total dimensions: 500 mm x 380 mm x 300 mm.	500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
286	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, machine number: CX 0130863, year of construction: 2003, 220 V, 50/60 Hz, 0.7 kW, dimensions: 370 mm x 300 mm x 150 mm	150
287	NN dye	Plastic crate with dye, dye: 275 mm x 180 mm, total dimensions: 600 mm x 400 mm x 300 mm.	50
288	NN dye	Plastic crate with dye, dye: 315 mm x 255 mm, total dimensions: 600 mm x 400 mm x 200 mm.	50
289	Laska	Plastic crate with 6 knives for Laska cutter, dimensions: 600 mm x 400 mm x 200 mm.	50
290	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, machine number: CX 0130853, year of construction: 2003, 220 V, 50/60 Hz, 0.7 kW, dimensions: 370 mm x 300 mm x 150 mm	150
291	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, machine number: CX 0452337, year of construction: 2007, 220 V, 50/60 Hz, 0.7 kW, dimensions: 370 mm x 300 mm x 150 mm	150
292	Maja Maschinenfabrik	Part for Maja Maschinenfabrik ice machine, dimensions: 740 mm x 180 mm x 1020 mm.	25
293	Bizerba	3 sets of Bizerba weighing scales with indicator and label printer, model scale: KF D08-09-021, serial number: 10810802, 230 V, 50 Hz, 0.35 A, scale dimensions: 280 mm x 280 mm.	300
294	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1402213091046, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	400
295	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1701213090427, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	350
296	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1806213090740, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	350
297	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1901213091520, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	400
298	S.A.M.	S.A.M. slicer, model: S.A.M. 310I T21, number: 1990, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 3.3 A,	360
299	Bizerba	Bizerba slicer, type: VS 12, number: 1770463, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 1.8 A, dimensions: 580 mm x 700 mm x 425 mm. Incomplete.	100
300	Graef		200



Nr	Title	Description	Start €
		Graef slicer, type: 3002, number: 3025451, 230 V, 1 Ph, 50 Hz, 2.4 A, 0.5 kW, dimensions: 610 mm x 600 mm x 420 mm.	
301	NN dye	Plastic crate with dye, dye: 275 mm x 180 mm, total dimensions: 600 mm x 400 mm x 300 mm.	50
302	NN pump	Edlund can opener, diameter: 155 mm, dimensions: 250 mm x 320 mm x 700 mm.	20
303	Henkovac	Henkovac vacuum machine, type: E-152, number: 20012075, year of construction: 2001, 230 V, 6 A, 1.3 kW, seal length: 440 mm, dimensions chamber: 450 mm x 370 mm x 70 mm, total dimensions: 450 mm x 500 mm x 550 mm.	400
304	Bizerba	Bizerba packaging machine, type: FP M, number: 2031420, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 2.3 A, 530 VA, dye: 220 mm x 170 mm, film width: 250 mm, total dimensions: 780 mm x 500 mm x 420 mm.	100
305	NN plastic trays	3 pallets with approximately 9600 plastic CH335 PET trays, tray dimensions: 173 mm x 133 mm x 35 mm.	10
306	NN plastic trays	3 pallets with approximately 9600 plastic CH335 PET trays, tray dimensions: 173 mm x 133 mm x 35 mm.	10
307	Goudsmit	Goudsmit Permanent magnetic pipe magnet, magnetic separator. Inlet/Outlet: Ø150 mm Flange Ø210xØ150 mm; Ptc Ø180 mm - 6xØ10 mm (2x) Anisotrope ferrite GSF D-33H, Br 4000 Gauss (at 20°C), Tmax 250°C	400
308	NN transport belt	NN transport belt , plastic belt, belt width: 380 mm, total dimensions: 980 mm x 800 mm x 950 mm.	150
309	NN turning table	Turning table, s/s frame, wooden top, diameter top: 1200 mm, total dimensions: ø 1230 mm x 800 mm.	300
310	MBGM	MBGM 90° curve conveyor, type: XM, fabrication number: 1254/2, year of construction: 1988, plastic belt, belt width: 80 mm, total dimensions: 900 mm x 900 mm x 920 mm.	150
311	MR Etikettiertechnik	MR Etikettiertechnik mobile labelling machine, type: MR335, machine number: 25347/06, year of construction: 2006, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: 195 mm, total dimensions: 1500 mm x 800 mm x 1800 mm.	1200
312	MR Etikettiertechnik	MR Etikettiertechnik labelling machine, type: MB000-00-00, plastic belt, belt width: 380 mm, total dimensions: 1250 mm x 1300 mm x 1350 mm.	150
313	NN tub	Mobile s/s tub, dimensions: 1450 mm x 750 mm x 800 mm.	350
314	Radweg	Radweg weighing scale for pallets, model: WPY/4P 1500C, serial number: 532598, year of construction: 2017, weighing range: 10-1500kg, e=0.5kg, dimensions: 1300 mm x 850 mm x 1000 mm.	350
315	NN dosing unit.	Dosing unit.	50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
316	NN stairs	S/s stairs, top platform height: 1050 mm, total dimensions: 1500 mm x 600 mm x 1920 mm.	400
317	Bedo-Verpackungsmaschinen	Bedo-Verpackungsmaschinen box closing machine, model: VA 300, serial number: 4515, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 2.2 A, adjustable clearance, dimensions: 2100 mm x 1000 mm x 2150 mm.	250
318	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH air screw compressor, type: SX 6, serial number: 2452, year of construction: 2001, 4 kW, dimensions: 600 mm x 570 mm x 660 mm.	400
319	Weber Waagenau U. Wägeelektronik GmbH	Weber Waagenau U. Wägeelektronik GmbH mobile bag filling machine, type: Dialog 165V-SWA, fabrication number: 6907, year of construction: 2001, 230/400 V, 50 Hz, weighing range: 0.05-2.5 kg, dimensions: 1350 mm x 1200 mm x 3100 mm.	900
320	Kenwei	Kenwei 14-head multhead weigher, type: JW-A14, identify code: A14-1-17, 220V, 50/60 Hz, 10 A, 1200W, weight: 470 kg, hopper volume: 1.6/2.5L, dimensions: 1300 mm x 1200 mm x 1900 mm. Including s/s infeed frame and pallet box with parts.	4500
321	Rovema	Rovema vertical bag forming, filling and sealing machine, type: VPX 250, number: 13601 P, horizontal seal width: 280 mm, vertical seal length: 360 mm, total dimensions: 2000 mm x 1400 mm x 2050 mm. Including pallet with parts. Year of revision: 2014.	4500
322	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: E3, fabrication number: 33004666, year of construction: 2006, 230 V, 50/60 Hz, plastic belt, belt width: 400 mm, total dimensions: 900 mm x 2400 mm x 1700 mm.	900
323	NN frame	S/s frame for transport belt, plastic belt, belt width: 400 mm, total dimensions: 1450 mm x 460 mm x 240 mm.	150
324	NN frame	S/s frame for transport belt, plastic belt, belt width: 400 mm, total dimensions: 2870 mm x 600 mm x 320 mm.	150
325	NN infeed table	S/s infeed table, dimensions: 900 mm x 1050 mm x 800 mm.	150
326	Puljolàs	Puljolàs dicer, model: PC300, serial number: 030601, year of construction: 2006, 230 V, dimensions chamber: 640 mm x 180 mm x 115 mm, 3 knives, distance between knives: 30 mm, total dimensions: 2370 mm x 600 mm x 950 mm.	1500
327	Additif	Additif film unwinding device, dimensions: 1300 mm x 870 mm x 910 mm.	150
328	ManSerPack S.L	ManSerPack S.L control panel, model: MTS-LST-SA-CU, serial number: 22049, year of construction: 2022, 50 Hz, dimensions: 510 mm x 440 mm x 1300 mm.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
329	Sato	Sato label printer, model: CL4NX, dimensions: 1000 mm x 300 mm x 350 mm.	100
330	Sato	Sato label rewinder, model: RWG500, dimensions: 390 mm x 270 mm x 250 mm.	100
331	NN film roll holder	Film roll holder, total dimensions: 775 mm x 770 mm x 700 mm.	100
332	Busch	Busch vacuum pump, type: RA 0250 D 561 CUZZ, number: C0950000217, capacity: 250 m <sup>3</sup> per hour, dimensions: 1000 mm x 700 mm x 530 mm	500
333	Intermas Nets S.A.	Intermas Nets S.A. pack and labelling machine, serial number: 4230, year of construction: 2010, dimensions: 1000 mm x 700 mm x 900 mm.	750
334	Intermas Nets S.A.	Intermas Nets S.A. pack and labelling machine, serial number: 4170, year of construction: 2009, dimensions: 970 mm x 650 mm x 910 mm.	750
335	Meca Plastic	Meca Plastic traysealer, type: FS950, serial number: T02249, year of construction: 03/2010, chain conveyor, conveyor width: 330 mm, dyes: Ø 55 mm, 7 lanes, total dimensions: 6000 mm x 1200 mm x 2000 mm. Including 2 pallets with parts.	1500
336	Thissen & Stecher BV	Thissen & Stecher BV s/s infeed hopper to empty baskets, dimensions: 1600 mm x 1000 mm x 1000 mm.	500
337	Thissen & Stecher BV	Thissen & Stecher BV s/s cooling tank, inside dimensions: 1300 mm x 800 mm x 560 mm, total dimensions: 1400 mm x 860 mm x 1000 mm.	1000
338	Christian Wagner	Christian Wagner mobile autoclave, type: KA MK120, number: 91004, year of construction: 1991, 400 V, 3 Ph, 30 A, 9 kW, volume: 120L, inside dimensions: Ø 500 mm x 550 mm, total dimensions: 900 mm x 700 mm x 1200 mm.	750
339	Fomaco	Fomaco mobile injector, model: FGM 16/64 F, serial number: 7063, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 2.8 A, plastic mesh belt, belt width: 240 mm, clearance: 280 mm x 130 mm, 64 needles, total dimensions: 1600 mm x 620 mm x 1700 mm.	2000
340	Selo	Selo flattener, plastic belt, belt width: (2x) 250 mm, total dimensions: 1500 mm 730 mm x 1200 mm. Completely overhauled.	2000
341	Inject Star	Inject Star vacuum tumbler, type: HS-7, inside dimensions: Ø 570 mm x 640 mm, total dimensions: 1150 mm x 750 mm x 950 mm.	1000
342	Inject Star / Pökelmaschinen Ges.m.b.H.	Inject Star / Pökelmaschinen Ges.m.b.H. vacuum tumbler, type: ES-1100, number: 239, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 1.8 kW, dimensions: 2150 mm x 1550 mm x 2000 mm. Fully overhauled.	8000
343	Henkelman	Henkelman mobile vacuum machine, type: Marlin 52, number: H0M301640491, year of construction: 2016,	1500



Nr	Title	Description	Start €
		200 V, 3 Ph, 50 Hz, 10.5 A, 3 kW, chamber dimensions: 530 mm x 500 mm x 50 mm, seal length: (2x) 530 mm, Busch vacuum pump, type: RA 0063 F 5K3, serial number: D16221836, year of construction: 2016, capacity: 63 m <sup>3</sup> per hour, total dimensions: 700 mm x 700 mm x 1000 mm.	
344	Inox MIM Grup S.L.	Inox MIM Grup S.L. mobile centrifugal pump, type: FL20CH, number: 58442/22, 4 kW, 1500 rpm, dimensions: 1000 mm x 520 mm x 750 mm.	500
345	NN tumbler	Plastic tumbler, inside dimensions: Ø 570 mm x 900 mm, total dimensions: 1000 mm x 520 mm x 750 mm.	500
346	Meat Master	Meat Master injector, s/s belt, belt width: 290 mm, clearance: 300 mm x 50 mm, 26 needles, total dimensions: 1550 mm x 560 mm x 2000 mm.	750
347	Thissen & Stecher BV	2 Thissen & Stecher BV cooking vessels with build-in steam generator, type: 500EG, volume: 500 liter, total dimensions: (2x) 1550 mm x 1400 mm x 1000 mm. Including 2 trolleys with basket dimensions: (2x) 1350 mm x 850 mm x 1000 mm and s/s switch cabinet.	10000
348	Verbufa	Verbufa mobile forming machine, type: 51478-A-3017, serial number: 212730-1, year of construction: 09/2011, 230 V, 50 Hz, 10 A, 2.2 kW, weight: 580 kg, plastic belt, belt width: (2x) 400 mm, 3 heads, diameter outfeed: Ø 35 mm, foot controlled, total dimensions: 750 mm x 600 mm x 1000.	1000
349	Maja-Maschinenfabrik	Maja-maschinenfabrik mobile skinning machine, type: AEM 438, year of construction: 1993, 380 V, 3 Ph, 50 Hz, working width: 430 mm, total dimensions: 770 mm x 720 mm x 1000 mm.	500
350	Maja-Maschinenfabrik	Maja-maschinenfabrik mobile skinning machine, type: VM EASY-1, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 430 mm, total dimensions: 750 mm x 600 mm x 100 mm.	500
351	Sorgo	Sorgo smoke generator for wood chips, dimensions inside: Ø 620 mm x 440 mm, total dimensions: 1000 mm x 750 mm x 1500 mm.	500
352	Belam B.V.	Belam B.V. mobile tenderizer, type: IT-3, machine number: 8412-3092, 380 V, 50 Hz, infeed clearance: 310 mm x 170 mm, total dimensions: 950 mm x 650 mm x 1400 mm.	750
353	Inotec	Inotec mobile sausage cutter, type: WT 93-S3/F, machine number: 001-1407, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 5 A, 2 kW, total dimensions: 950 mm x 650 mm x 1000 mm.	500
354	Hobart	Hobart bandsaw, model: 5700-D, serial number: 27-136-462, 380 V, 3 Ph, 50 Hz, 4.6 A, 2850 rpm, table dimensions: 800 mm x 600 mm, total dimensions: 1100 mm x 1000 mm x 2000 mm.	750



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
355	Marka	Marka flake ice maker, type: RE 600, serial number: 01112, year of construction: 1997, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions: 910 mm x 750 mm x 550 mm.	750
356	Follet	Follet ice storage with cart, clearance: 570 mm x 270 mm, total dimensions: 1050 mm x 800 mm x 1700 mm.	500
357	Fanuc	Fanuc palletizing robot with part for palletising system, pallet size: 1200 mm x 1000 mm x 145 mm, system: R-J3IC, type robot: A05B-2513-B010, dimensions robot: 2950 mm x 1200 mm x 2290 mm, dimensions platform: 1700 mm x 1550 mm x 1700 mm. Including pallet with parts.	500
359	NN crates.	20 pallets with 7000 foldable plastic crates, dimensions each crate: 600 mm x 400 mm x 160 mm.	7000
400	Monolith GmbH	Monolith GmbH grill, type: RC 800-G/0631, gas heated, dimensions: 540 mm x 400 mm x 310 mm.	160
401	Whirlpool	Whirlpool microwave, model: AVM 860/WP/ST, 230 V, 50 Hz, 2.7 kW, dimensions: 660 mm x 600 mm x 470 mm.	150
402	Möller & Co	Möller & Co tenderizer, working width: 200 mm, total dimensions: 210 mm x 410 mm x 420 mm.	350
403	Scharfen	Scharfen slicer, type: ES300, model: E 300 WA, number: 2031337 S, 230 V, 2.2 A, 300 W with Mettler Toledo weighing scale, maximum weight: 3 kg, minimum weight: 40 gram, e = 2 gram, total dimensions: 630 mm x 550 mm x 420 mm.	550
404	Berkel	Berkel slicer, model: 834, number: 61514, 220 V, 50 Hz, 220 W, dimensions: 600 mm x 600 mm x 450 mm.	500
405	Graef	Graef slicer, type: Master 3370, serial number: 7617243, year of construction: 2018, 230 V, 50 Hz, 2.2 A, 450 W, dimensions: 710 mm x 630 mm x 650 mm.	950
406	Bizerba	Bizerba slicer, type: VS 8, machine number: 1221010, 220 V, 50 Hz, 1.7 A, 0.3 kW, dimensions: 550 mm x 600 mm x 550 mm.	400
407	Bizerba	Bizerba slicer, type: VS 8, machine number: 1221003, 220 V, 50 Hz, 1.7 A, 0.3 kW, dimensions: 550 mm x 600 mm x 550 mm.	400
408	Bizerba	Bizerba slicer, type: VS 8, machine number: 1205607, 220 V, 50 Hz, 1.7 A, 0.3 kW, dimensions: 550 mm x 600 mm x 550 mm.	400
409	Bizerba	Bizerba slicer, dimensions: 550 mm x 600 mm x 550 mm.	400
410	Graef	Graef slicer, type: Euro 331, serial number: 6255730, year of construction: 2007, 230 V, 50 Hz, 2.2 A, 500 Watt, dimensions: 650 mm x 700 mm x 450 mm.	400
411	Graef		600



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Graef slicer, type: Euro 3310, serial number: 6255730, year of construction: 2007, 230 V, 50 Hz, 2.2 A, 500 W, dimensions: 550 mm x 700 mm x 500 mm.	
412	Diamond	Diamond mobile refrigerated showcase, type: RDN 800 FB, serial number: 19040306, 220-240 V, 50-60 Hz, 2200 Watt, refrigerant: R 452 A, 650 gram, dimensions: 800 mm x 650 mm x 1860 mm.	950
413	Lexovac	Lexovac mobile vacuum machine, type: 503 CE, machine number: 40303035, 400 V, 3 Ph, 2700 Watt, seal length: 800 mm and 500 mm, chamber dimensions: 800 mm x 500 mm, Busch vacuum pump, total dimensions: 920 mm x 750 mm x 1070 mm.	1800
414	Ecofrost	Ecofrost blast chiller, model: 4750.705, serial number: 6530 1525 1908 0706, 220/240 V, 50 Hz, 4.5 A, 750 W, weight: 108 kg, refrigerant: R290/250g, 5 floors, dimensions each floor: 600 mm x 370 mm, total dimensions: 800 mm x 800 mm x 1000 mm.	950
415	Talsa	Talsa mobile piston filler, model: F14A, serial number: 1913951, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 1.9/3.3 A, 0.56 kW, dimensions: 800 mm x 800 mm x 1010 mm.	1950
416	Stephan Alvac	Stephan Alvac mobile vacuum machine, type: ALVAC II SM, machine number: 8069-2384, 220-380 V, 3 Ph, 50 Hz, 1.5 kW, seal length: 500 mm, Rietschle vacuum pump, type: VCA 60, total dimensions: 600 mm x 800 mm x 1000 mm.	1300
417	Ilpra	Ilpra mobile traysealer, model: Energy V/G Proces, serial number: FP9700, year of construction: 2015, 220 V, dimensions: 1000 mm x 1100 mm x 1400 mm.	1200
418	Henkelman	Henkelman mobile dip tank, type: DT 60, number: DT107011, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, dimensions: 730 mm x 800 mm x 1500 mm.	950
419	Seffelaar & Looyen B.V.	Seffelaar & Looyen B.V. mobile flattener, type: SP250, number: SM152080, 220/380 V, 3 Ph, 50 Hz, 1.9/1.1 A, 0.3 kW, plastic belt, belt width: 250 mm, total dimensions: 1350 mm x 780 mm x 1350 mm.	1500
420	Vakona GmbH	Vakona GmbH mobile vacuum tumbler, type: 150 IPV, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 16 A, 1 kW, capacity: 150 liter, Busch vacuum pump, type: KC 0010 D, capacity: 10 m <sup>3</sup> per hour, dimensions: 1200 mm x 700 mm x 1300 mm.	3800
421	Rühle GmbH	Rühle GmbH vacuum tumbler, type: MTR 150, number: 219, volume: 150 liter, dimensions: 1100 mm x 750 mm x 1400 mm.	2900
422	Weber	Weber mobile skinning and derinding machine, type: ASB 560, number: 251, year of construction: 2007, 400 V, 50 Hz, 1.1 kW, weight: 400 kg, working width: 550	3950



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		mm, plastic belt, belt width: 490 mm, total dimensions: 2100 mm x 950 mm x 1250 mm.	
423	Heinrich GmbH	Heinrich GmbH mobile sausage cutter, machine number: 99004, year of construction: 1999, 220 V, 50 Hz, diameter drum: 510 mm, total dimensions: 1660 mm x 870 mm x 1400 mm.	1700
424	Stephanal Alvac	Stephanal Alvac mobile double chamber vacuum machine, type: Gemini, machine number: 1049-5437, year of construction: 2019, 230/400 V, 3 Ph, 50 Hz, 8.5/5 A, 2.2 kW, seal length: (4x) 550 mm, chamber dimensions: 615 mm x 550 mm, Busch vacuum pump, type: RA 0100 F 5R3, serial number: D18061371, capacity: 100 m <sup>3</sup> per hour, total dimensions: 1500 mm x 500 mm x 1500 mm.	4800
425	Henkelman	Henkelman mobile double chamber vacuum machine, model: POLAR 2-85, seal length: (4x) 830 mm, chamber dimensions: 830 mm x 830 mm, total dimensions: 1900 mm x 1300 mm x 1100 mm.	7800
426	Henkelman	Henkelman mobile vacuum machine, type: Atmoz 90, machine number: H0A10170008, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 11.5 A, 3.5 kW, chamber: 760 mm x 630 mm, seal length: (2x) 685 mm, Gardner Denver vacuum pump, type: V-VC 100 (20), capacity: 100/120 m <sup>3</sup> per hour, total dimensions: 1000 mm x 1000 mm x 1120 mm.	3500
427	Henkovac	Henkovac mobile vacuum machine, seal length: (2x) 500 mm, dimensions chamber: 610 mm x 510 mm, Busch vacuum pump, type: RA 0063, capacity: 63 m <sup>3</sup> per hour, total dimensions: 680 mm x 600 mm x 1070 mm.	1800
429	Kolbe	Kolbe bandsaw, number: 940135, dimensions: 900 mm x 1000 mm x 1800 mm.	1350
431	Maja	Maja mobile skinning machine, type: ESM 435, number: 41319, year or construction: 1999, 400 V, 3 Ph, 50 Hz, 2 A, 0.75 kW, working width: 540 mm, total dimensions: 900 mm x 540 mm x 1040 mm.	2600
432	Maja	Maja mobile skinning machine, type: ESM 435, number: 41319, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2 A, 0.75 kW, working width: 430 mm, total dimensions: 770 mm x 730 mm x 980 mm.	1500
433	Maja	Maja mobile skinning machine, type: 435 ESM, 220/380 V, 0.75 kW, working width: 425 mm, total dimensions: 770 mm x 570 mm x 920 mm.	1650
434	NN tenderizer	Mobile s/s tenderizer, working width: 210 mm, total dimensions: 1050 mm x 530 mm x 1600 mm.	1150
435	Frey	Frey mobile piston filler, type: KOMPAKTA2, machine number: K230C10434895, year of construction: 2015,	8700



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		400 V, 50 Hz, 3.7 kW, dimensions: 1000 mm x 800 mm x 1230 mm.	
436	Dadaux	Dadaux piston filler, type: PH13L, serial number: P-680, year of construction: 09-16, 400 V, 50 Hz, total dimensions: 600 mm x 450 mm x 1050 mm.	2400
437	Mado	Mado mobile grinder, type: MEW 620, number: 1530074, 230/400 V, 50 Hz, 11.1/6.4 A, 3 kW, plate diameter: 98 mm, total dimensions: 1060 mm x 870 mm x 1160 mm.	2500
438	K+G Wetter	K+G Wetter mobile grinder, type: Profi, machine number: 640/1066, year of construction: 2007, 400 V, 6.3 A, 3 kW, plate diameter: 98 mm, total dimensions: 500 mm x 800 mm x 1350 mm.	1700
439	Moller & Co	Moller & Co grinder, plate diameter: 98 mm, total dimensions: 600 mm x 900 mm x 1200 mm.	950
440	Ifooma / Freund	Ifooma / Freund Maschinenfabrik GmbH grinder, type: TGR 103, number: 700289, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 1.5/3.5 kW, diameter plate: 80 mm, total dimensions: 500 mm x 500 mm x 490 mm. Never used.	2900
441	Ifooma / Freund	Ifooma / Freund Maschinenfabrik GmbH grinder, type: TG 105, number: 603425, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 5.0 A, 2.2 kW, diameter plate: 98 mm, total dimensions: 700 mm x 590 mm x 590 mm. Never used.	3900
442	Stephan	Stephan universal machine, type: UM 44, machine number: 716.629.01, year of construction: 1990, 220 V, 50 Hz, 22.5/29.4 A, 5.5/7.5 kW, volume: 40 liter, dimensions: 800 mm x 540 mm x 1200 mm.	2600
443	Stephan	Stephan universal machine, type: UM 44A, machine number: 722479.01, year of construction: 1996, 400 V, 50 Hz, 8.1/9.5 A, 3.3/4.5 kW, volume: 40 liter, dimensions: 800 mm x 540 mm x 1200 mm.	2000
444	Rational	Rational combi steamer, model: ClimaPlus Combi CPC 201, serial number: E21CD02111079329, 400 V, 50 Hz, electric heated, s/s trolley, 20 floors, dimensions each floor: 530 mm x 330 mm, dimensions trolley: 850 mm x 540 mm x 1800, total dimensions: 1000 mm x 900 mm x 1900 mm.	2700
445	Convotherm	Convotherm combi steamer on s/s frame, type: C4eT 6.10ES, serial number: XS117109476, 400 V, 3 Ph, 50/60 Hz, 15.9 A, 11 kW, 7 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 1000 mm x 800 mm x 1530 mm.	3600
446	Rational	Rational combi steamer, 400 V, 50 Hz, 8 floors, floor dimensions: (8x) 410 mm x 610 mm, total dimensions: 980 mm x 850 mm x 1860 mm.	1850
447	Rational		2600



Nr	Title	Description	Start €
		Rational combi steamer, model: SCC WE 61G, serial number: G61SH14012387070, 230 V, 1 Ph, 50-60 Hz, 400 Watt, 13 kW, gas heated, 6 floors, floor dimensions: 340 mm x 530 mm, total dimensions: 850 mm x 900 mm x 1600 mm.	
448	Rational	Rational Vario Cooking Center, type: VCC 112T, serial number: E12vj20038046107, year of construction: 2020, 400 V, 3 Ph, 50/60 Hz, 13 kW, temperature: 30-250°C, water pressure: 150-600 kPa, volume: (2x) 14 liter, inside dimensions: (2x) 330 mm x 440 mm x 140 mm, total dimensions: 960 mm x 740 mm x 1040 mm. Including 2 s/s baskets.	5500
449	Hoshizaki	Hoshizaki ice machine, model: FM-150KE-50-N, serial number: G21816, 220-240 V, 50 Hz, 5 A, weight: 81 kg, refrigerant: R134a/0.22 kg, dimensions: 940 mm x 620 mm x 800 mm.	950
450	Dadaux	Dadaux mixer, type: PMX 90, number: VPMX90 5820, year of construction: 01/21, 400 V, 50 Hz, volume: 90 liter, dimensions: 600 mm x 900 mm x 1120 mm.	2200
451	Talsa	Talsa mobile mixer, model: MIX95, serial number: 1711191, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 1 A, 0.8 kW, volume: 95 liter, dimensions: 1280 mm x 840 mm x 1150 mm.	2600
452	Küppersbusch	Küppersbusch cooking vessel, inside dimensions: Ø 590 mm x 460 mm, total dimensions: 800 mm x 940 mm x 980 mm.	950
453	Spako	Spako cooking vessel with agitator, type: TRK100, serial number: 21.532, 230/400 V, 50 Hz, 9.5 kW, inside dimensions: Ø 600 mm x 400 mm, total dimensions: 1160 mm x 880 mm x 1590 mm.	5600
454	Tender Star	Tender Star tenderizer, number: 92293, working width: 200 mm, total dimensions: 500 mm x 600 mm x 1700 mm.	450
455	NN table	Table, s/s frame, plastic work top, dimensions: 1500 mm x 700 mm x 1060 mm.	250
457	Nesto	Nesto double shaft paddle mixer, type: MIX MAXI-200, serial number: 2014, year of construction: 2024, 400 V, 3 Ph, 50 Hz, weight: 300 kg, volume: 200 liter, dimensions: 1450 mm x 700 mm x 1500 mm. Never used.	13500
458	Nesto	Nesto frozen block cutter, type: CUT MAX, serial number: 2066, year of construction: 2026, 400 V, 3 Ph, 50 Hz, 5 kW, weight: 530 kg, working width: 470 mm, total dimensions: 2100 mm x 800 mm x 1800 mm. Never used.	19500
459	Nesto	Nesto double shaft paddle mixer with lifter for 200 liter meat bins, type: MIX MAXI-450, serial number: 1030, year of construction: 2026, 400 V, 3 Ph, 4 kW,	28500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		weight: 620 kg, volume: 450 liter, total dimensions: 2000 mm x 610 mm x 470 mm. Never used.	
460	Lexovac	Lexovac vacuum machine, type: 252CE, serial number: B200910406, year of construction: 2009, 220 V, seal length: (2x) 430 mm, chamber dimensions: 415 mm x 430 mm, total dimensions: 500 mm x 610 mm x 470 mm.	950
461	Henkelman	Henkelman vacuum machine, type: Jumbo Plus, machine number: H0J10160588, year of construction: 2016, 220/230 V, 1 Ph, 50/60 Hz, 3.5 A, 0.5 kW, seal length: 280 mm, chamber dimensions: 280 mm x 310 mm, total dimensions: 460 mm x 330 mm x 350 mm.	750
462	Henkelman	Henkelman vacuum machine, type: BOXER 42 XL II, machine number: B201105330, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 8.5 A, 1 kW, seal length: 425 mm, dimensions chamber: 425 mm x 425 mm x 70 mm, total dimensions: 620 mm x 500 mm x 480 mm.	1000
463	NN refrigerated counter	Mobile refrigerated counter, dimensions: 1950 mm x 850 mm x 2200 mm.	1500
464	Wiesheu GmbH	Wiesheu GmbH mobile combi steamer, type: M216CR+TS350+P.C1, number: 62678, year of construction: 1999, 400 V, 50 Hz, 18.6 kW, 10 floors, dimensions each floor: 520 mm x 330 mm, total dimensions: 950 mm x 870 mm x 2050 mm.	1100
465	Eurochef	Eurochef double deep fryer, type: Multi Fry, model: KLO, serial number: TD 18041, year of construction: 2015, 380 V, 3 Ph, 50/60 Hz, dimensions: 700 mm x 800 mm x 820 mm.	1200
466	Comenda	Comenda dishwasher, model: ELEA 327F, serial number: X1B057890618, 380*415 V, 3 Ph, 50 Hz, 11 A, 5 kW, dimensions: 600 mm x 600 mm x 820 mm.	450
467	Boons	Boons wall-mounted cleaning unit with centrifugal frequency-controlled booster pump and integrated satellite, type: SWU-20/1-GR, serial number: BO21/02-SWU-006, year of construction: 2021, 400 V, 50/60 Hz, 2.2 kW, weight: 80 kg, pressure: 20 bar, maximum temperature: 70°C, dimensions: 520 mm x 900 mm x 550 mm.	1500
468	Electrolux	Electrolux 4-pits stove, dimensions: 800 mmx 940 mm x 900 mm.	450
469	Baron	Baron grill, 400 V, 50/60 Hz, dimensions: 570 mm x 370 mm x 510 mm.	250
470	Alto Shaam	Alto Shaam oven, model: VMC-H4H, serial number: 2145219-000, year of construction: 12/13/17, 380-415 V, 3 Ph, 50/60 Hz, 10800-12700 W, 4 floors, dimensions each floor: 500 mm x 370 mm x 120 mm, total dimensions: 900 mm x 500 mm x 1100 mm.	4500
471	HFE Vacuum Systems		1600



Nr	Title	Description	Start €
		HFE Vacuum Systems mobile vacuum machine, type: EP 95, number: 20020555, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 9 A, 4.4 kW, seal length: 800 mm and 500 mm, chamber dimensions: 740 mm x 500 mm, Busch vacuum pump, type: RA 0100 E 5Z1, number: 02008455, total dimensions: 850 mm x 700 mm x 1040 mm.	
472	Giorik	Giorik combi steamer, 400 V, 3 Ph, 50 Hz, 6 floors, dimensions each floor: 510 mm x 330 mm, total dimensions: 850 mm x 850 mm x 830 mm.	2600
473	Franstal	Franstal combi steamer on s/s frame, type: ME061T, serial number: LA020009220, 6 floors, floor dimensions: 530 mm x 300 mm, total dimensions: 950 mm x 900 mm x 1720 mm.	1100
474	Convotherm	Convotherm combi steamer on s/s rack, type: OES 10.10, number: FS301003000A00, 400 V, 3 Ph, 50/60 Hz, 26.3 A, 19.8 kW, 11 floors, dimensions each floor: 530 mm x 320 mm, total dimensions: 900 mm x 930 mm x 1800 mm.	2300
475	Franstal	Franstal refrigerator, type: FHIM 70TNN AR., serial number: HPO20032096, year of construction: 2021, 220-240 V, 50 Hz, 1.13 A, 250 W, refrigerant: R290, 2 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	750
476	Everlasting	Everlasting refrigerator, (2x) 6 floors, dimensions each floor: 650 mm x 530 mm, maximum temperature: -2/+10C, total dimensions: 1480 mm x 840 mm x 2080 mm.	950
477	NN smoke racks	6 s/s smoke racks, 6 floors, floor dimensions: 950 mm x 815 mm, total dimensions: 820 mm x 1050 mm x 1480 mm.	750
478	Maurer-Atmos GmbH	Maurer-Atmos GmbH smoke chamber for 1 smoke rack, dimensions: 1400 mm x 1300 mm x 3000 mm. Including pallet with pipes.	4500
479	A&J	A&J crate washer, type: MP-300, serial number: 47/2011, year of construction: 2011, 400 V, 3 Ph, 37.5 Kw, crate dimensions: 600 mm x 200 mm, total dimensions: 3300 mm x 1050 mm x 1850 mm.	2200
480	Inauen Maschinen AG	Inauen Maschinen AG belt vacuum machine, type: VC999/K 1, machine number: 1003111, 400 V, 3 Ph, 50 Hz, 6-8 bar, plastic belt, belt width: 550 mm, total dimensions: 2800 mm x 1050 mm x 1140 mm.	3700
481	Maurer+Söhne GmbH	Maurer+Söhne GmbH cooking vessel, inside dimensions: 800 mm x 900 mm x 450 mm, total dimensions: 900 mm x 1000 mm x 1500 mm.	2300
482	Rietschle	Rietschle vacuum pump, type: VC 500 (10), number: 2283754, year of construction: 2000, capacity: 550 m <sup>3</sup>	1200



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		per hour, dimensions: 950 mm x 950 mm 650 mm and 650 mm x 500 mm x 500 mm.	
483	Cimbria S.r.l.	Cimbria S.r.l. colour sorting machine, model: CHROMEX-3 TN-TR, serial number: CX3-TN-TRC1680-17, year of construction: 2017, 230 V, 1 Ph, 50-60 Hz, weight: 1060 kg, 6 digital color cameras and additionally 3 NIR and 3 NIR InGaAs cameras for best possible detection, 2 CCD cameras per chute for real color detection, 4,048 pixels, camera resolution 0.07 mm/pixel, number of nozzles: 162, nozzle spacing: 5 mm, automatic interval cleaning of the detection system, chute width: from 810 mm, total dimensions: 1800 mm x 1100 mm x 2300 mm. Including 3 pallets with parts.	30000
484	Rühle	Rühle dicer with lifter for crates, chamber dimensions: 120 mm x 120 mm x 500 mm, plastic belt, belt width: 260 mm, total dimensions: 1600 mm x 1200 mm x 1650 mm.	1500
485	NN smoke trolley	S/s smoke trolley, 6 floors, dimensions each floor: 1000 mm x 1000 mm, total dimensions: 1050 mm x 1020 mm x 2000 mm.	50
486	NN trolley	Steel trolley, dimensions: 820 mm x 730 mm x 1530 mm.	5
487	NN trolley	Steel trolley, dimensions: 820 mm x 730 mm x 1530 mm.	10
488	NN smoke trolleys	5 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1960 mm.	350
489	NN smoke trolleys	7 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (7x) 1020 mm x 1000 mm x 1980 mm.	500
490	NN smoke trolleys	4 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1960 mm.	300
491	NN smoke trolleys	5 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1960 mm.	375
492	NN smoke trolleys	4 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1960 mm.	300
493	Spako	Spako cooking vessel, type number: RHU 1100 V, year of construction: 2010, natural gas, 230 V, 50 Hz, 60 W, volume: 1100 liter, dimensions inside: 1400 mm x 1300 mm x 600 mm, total dimensions: 2300 mm x 1670 mm x 1280 mm.	2000
494	Spako	Spako cooking vessel, type number: RHU 1100 V, year of construction: 2010, natural gas, 230 V, 50 Hz, 60 W, volume: 1100 liter, dimensions inside: 1400 mm x	2000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		1300 mm x 600 mm, total dimensions: 2300 mm x 1670 mm x 1280 mm.	
495	Spako	Spako cooking vessel, type number: RHU 1100 V, year of construction: 2010, natural gas, 230 V, 50 Hz, 60 W, volume: 1100 liter, dimensions inside: 1400 mm x 1300 mm x 600 mm, total dimensions: 2300 mm x 1670 mm x 1280 mm. Including: Spako parts for cooking vessel, dimensions switch cabinet: 830 mm x 570 mm x 330 mm, dimensions pallet with parts: 3450 mm x 1000 mm x 600 mm.	2000
496	NN lights	100 TL lights, length: 1300 mm.	450

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

