



**Industrial
Auctions**

**2123: Online auction machinery and inventory for
the production of frozen snacks due to factory
closure GoodLife Foods in Kaldenkirchen (DE)**

END DATE
30 April 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	30 April 2026 from 14:00 hrs.
Viewing days	28 April 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	07 May 2026 from 09:00 till 16:00 hrs.
Pick up address	Herrenpfad-Süd 46 41334 Nettetal Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Siloba	Siloba silo on weighing cells with galvanized stairs, diameter silo: 3000 mm, height silo: approximately 14500 mm. Last inspection: 02-2025.	1500
2	WAM S.p.a.	WAM S.p.a. infeed silo on weighing cells with s/s tubular screw conveyor and s/s control panel, type: FNXW3J13VC0471, serial number: T FN C 05602, year of construction: 2005, dimensions infeed silo: 1200 mm x 1200 mm x 2500 mm, length tubular screw conveyor: 5400 mm, control panel with Siemens Simatic HMI touch screen, dimensions control panel: 400 mm x 220 mm x 600 mm. Must be dismantled in parts to get it out of the factory.	1000
3	Seydelmann	Seydelmann automatic grinder, machine type: AV 250, machine number: 06089-1, year of construction: 2006, 400 V, 50 Hz, 138 A, 78 kW, compressed air: 6 - 10 bar, plate diameter: 250 mm, hopper: 800 liter, 3 speeds on feed screw, 2 speeds on working worm, dimensions grinder: 1650 mm x 1700 mm x 2400 mm, including Verbufa tool trolley, dimensions: 800 mm x 700 mm x 900 mm.	12500
4	CFS	CFS double shaft paddle mixer on weighing cells with switch cabinet, type: UNIMIX 1500L, serial number: 62267, year of construction: 2002, 3 x 400 V, 50 Hz, 11 kW, volume: 1500 liter, infeed height: 1850 mm, outfeed: 800 mm (double meat bin), Flintec SB4-20kN GP-s weighing cells with Bizerba indicator, dimensions mixer: 2600 mm x 1700 mm x 2300 mm.	7500
5	Ekomex	Ekomex double paddle vacuum mixer with lifter for 200 liter meat bins, type: ML-1000V, serial number: 14040801, year of construction: 2018, 3 x 400 V, 50 Hz, 9 kW, Busch vacuum pump, type: KB 0040 D 100, serial number: D16410645, year of construction: 2016, volume: 48 m ³ per hour, total dimensions: 2400 mm x 2100 mm x 2700 mm.	7500
6	Höfelmeyer	Höfelmeyer floor weighing scale, dimensions: 1200 mm x 1000 mm, including HTF 200 indicator.	250
7	Mauting	Mauting cooking vessel, type: VVM 300.D, serial number: 235/08, year of construction: 2008, 3 x 400 V, 50 Hz, 0.5 kW, volume: 300 liter, heating: steam 40 kg per hour, inside dimensions: 900 mm x 790 mm x 480 mm, basket size: 830 mm x 700 mm x 430 mm, infeed height: 950 mm, outfeed height: 300 mm, outfeed valve: DN 40, total dimensions: 1400 mm x 1100 mm x 1050 mm. Including control panel, dimensions: 500 mm x 200 mm x 500 mm.	1000
8	Mauting	Mauting cooking vessel, type: VVM 300.D, serial number: 234/08, year of construction: 2008, 3 x 400 V, 50 Hz, 0.5 kW, volume: 300 liter, heating: steam 40 kg	1000



Nr	Title	Description	Start €
		per hour, inside dimensions: 900 mm x 790 mm x 480 mm, basket size: 830 mm x 700 mm x 430 mm, infeed height: 950 mm, outfeed height: 300 mm, outfeed valve: DN 40, total dimensions: 1400 mm x 1100 mm x 1050 mm. Including control panel, dimensions: 500 mm x 200 mm x 500 mm.	
9	Thissen & Stecher BV	Thissen & Stecher BV cooking vessel with agitator, model: TSRR 200 SLD, serial number: 303 NL 2017, year of construction: 2017, 3 x 400 V, 50 Hz, 2.2 kW, volume: 200 liter, heating: steam 111 kg per hour, mixing: 10 - 60 rates per minute, total dimensions: 1550 mm x 1250 mm x 1700 mm.	1500
10	Seydelmann	Seydelmann cutter with unloader, type: K120U, serial number: 99268-1, year of construction: 1999, 3 x 400 V, 50 Hz, 97 A, s/s bowl, volume: 120 liter, 2 speeds on knife / bowl and mixing speeds, weight: 1385 kg, dimensions cutter: 2050 mm x 1250 mm x 1250 mm, DGA33 control indicator, dimensions: 330 mm x 300 mm x 200 mm and switch cabinet, dimensions: 800 mm x 300 mm x 1000 mm.	10000
11	Buus	Buus flake ice machine, type: BF7000, serial number: 2022, year of construction: 2013, 3 x 400 V, 50 Hz, 2.5 kW, capacity: 7000 kg per hour, drum speed: 6.2 rates per minute, refrigerant: TYFOXIT F50 brine, weight: 325 kg, dimensions: 2400 mm x 900 mm x 1600 mm. With UV filter. Without cooling compressor.	4500
12	Garos	Garos vacuum tumbler with double jacket for cooling on weighing cells, type: MDF1600K, serial number: 26308026, year of construction: 2003, 3 x 380 V, 50 Hz, 5.2 kW, volume: 1600 liter, capacity: maximum 1100 kg, speed: 1.8 - 8.0 rates per minute, infeed height: 1650 mm, outfeed height: 880 mm, weight: 1650 kg, total dimensions: 3070 mm x 1900 mm x 2250 mm.	4500
13	Dynaco	Dynaco electric high speed shutter door, door type: M2 Compact, serial number: DE65804, year of construction: 10-2020, dimensions door: 2050 mm x 2600 mm, dimensions switch cabinet: 400 mm x 230 mm x 500 mm.	250
14	LHS / Foamico	Hygiene station consisting of LHS s/s hose reel with hose and pistol, dimensions hose reel: 550 mm x 400 mm x 500, Foamico soap mixing station, dimensions: 260 mm x 200 mm x 350 mm, s/s wall mounted frame for jerry cans and s/s wall mounted peg for spraying pistols.	150
15	NN switch cabinet	S/s switch cabinet, dimensions: 750 mm x 300 mm x 750 mm.	50
16	Roma Isolatiesystemen		150



Nr	Title	Description	Start €
		Roma Isolatiesystemen refrigerated sliding door, year of construction: 2024, dimensions door: 1620 mm x 2350 mm, thickness door: 100 mm, length rails: 3550 mm.	
17	Itec	Itec s/s sink with 2 soap dispensers, sensor control, dimensions sink: 420 mm x 450 mm x 600 mm, EURO Products paper dispenser and Gebra Secubox safety glasses.	50
18	Cool It	Cool It refrigerated sliding door, dimensions door: 1560 mm x 2280 mm, thickness door: 80 mm, length rails: 3300 mm.	150
19	Vikan	4 s/s pegs with 3 Vikan plastic shovels, length pegs: (2x) 1700 mm and (2x) 500 mm.	25
20	Goedhart	Goedhart evaporator with air socks, 2 fans, dimensions evaporator: 2600 mm x 700 mm x 850 mm, length air socks: 5000 mm / 8000 mm.	150
21	Goedhart	Goedhart evaporator, dimensions: 2600 mm x 700 mm x 850 mm.	150
22	Itec	Itec s/s sink with 2 soap dispensers, sensor control, dimensions sink: 420 mm x 450 mm x 600 mm, soap dispenser, Tork paper dispenser and s/s waste bin.	50
23	NN protection frames	S/s protection frames, height: 250 mm, diameter: 75 mm, lengths: 8500 mm / 7500 mm / 6500 mm / 3500 mm / 3000 mm and (3x) 2000 mm.	250
24	Laska	Laska frozen block flaker with lifter for frozen blocks, type: GS510, serial number: Y6242, 3 x 380 V, 50 Hz, 18.5 kW, infeed height: 1750 mm, block cross section: maximum 500 mm x 300 mm, capacity: up to 4000 kg per hour, weight: 1000 kg, total dimensions: 1700 mm x 1800 mm x 2100 mm.	3500
25	NN meat bin	S/s meat bin with drain, volume: 200 liter.	50
26	Risco	Risco vacuum filling machine with lifter for 200 liter meat bins, type: RS605, serial number: S216011, year of construction: 2018, 3 x 400 V, 50 Hz, 11 kW, filling and portioning, filling pressure: maximum: 40 bar, hopper: 350 liter, weight: 995 kg, built-in Busch vacuum pump, type: RA 0040 F 5Z3, capacity: 48 m ³ per hour, dimensions: 1300 mm x 2050 mm x 2100 mm.	5000
27	Verbufa	Verbufa mobile forming machine, type: MFD, serial number: 207580, year of construction: 2010, 230 VAC, 50 Hz, 2 kW, 4-lanes, plastic belt, belt width: 500 mm, product diameter: 5 - 56 mm, maximum 250 portions per lane / minute, weight: 450 kg, dimensions: 1450 mm x 1050 mm x 1700 mm. Used for ball forming, kofta, kebab sticks, cevapcici & croquettes. Incomplete. Technical condition unknown.	1500
28			1000



Nr	Title	Description	Start €
	NN skinless sausage cutting machine	Mobile skinless sausage cutting machine, length sausages: 300 mm, total dimensions: 1040 mm x 500 mm x 1400 mm.	
29	NN skinless sausage cutting machine	Skinless sausage cutting machine, (2x) length sausages: 300 mm, total dimensions: total dimensions: 1040 mm x 500 mm x 350 mm.	500
30	NN skinless sausage cutting machine	Skinless sausage cutting machine, plastic mesh belt, belt width: 760 mm, distance between dividers: 70 mm, divider height: 30 mm, length sausages: 300 mm, total dimensions: 1600 mm x 1550 mm x 980 mm.	1500
32	NN trolley	S/s trolley with Trelleborg hose, dimensions trolley: 1450 mm x 600 mm x 1100 mm.	100
33	NN protection frames	S/s protection frames, height: 250 mm, diameter: 75 mm, lengths: 10000 mm / 5000 mm / 4000 mm / 3000 mm / 2000 mm / 750 mm.	250
34	Goedhart	Goedhart evaporator, 2 fans, dimensions: 2000 mm x 700 mm x 750 mm.	150
35	Dynaco	Dynaco electric high speed shutter door, door type: Power M2, serial number: NL60666, year of construction: 07-2019, dimensions door: 3000 mm x 2680 mm, dimensions switch cabinet: 400 mm x 230 mm x 500 mm and 600 mm x 200 mm x 380 mm.	250
36	Automationstechnik GmbH	4 pcs. Automationstechnik GmbH s/s tanks, year of construction: 2019, maximum allowed pressure: + 2.0 bar / -0.15 bar, test pressure: +3.4 bar, maximum allowed pressure: +130 / -10C, capacity: (4x) 1000 liter, dimensions: (4x) 1000 mm x 1000 mm x 1850 mm.	800
37	Automationstechnik GmbH	3 pcs. Automationstechnik GmbH s/s tanks, year of construction: 2019, maximum allowed pressure: + 2.0 bar / -0.15 bar, test pressure: +3.4 bar, maximum allowed pressure: +130 / -10C, capacity: (3x) 1000 liter, dimensions: (3x) 1000 mm x 1000 mm x 1850 mm.	600
38	Automationstechnik GmbH	3 pcs. Automationstechnik GmbH s/s tanks, year of construction: 2019, maximum allowed pressure: + 2.0 bar / -0.15 bar, test pressure: +3.4 bar, maximum allowed pressure: +130 / -10C, capacity: (3x) 1000 liter, dimensions: (3x) 1000 mm x 1000 mm x 1850 mm.	600
39	Mediotec	Mediotec s/s insect killer, dimensions: 500 mm x 400 mm x 200 mm.	10
40	NN door	S/s door, thickness door: 80 mm, dimensions door: 1300 mm x 2250 mm.	100
41	NN door	S/s door, thickness door: 80 mm, dimensions door: 1500 mm x 2250 mm.	100
42	NN pegs	7 s/s pegs, length: 300 mm. Including plastic hose.	25
43	Foodlogistik		1500



Nr	Title	Description	Start €
		Foodlogistik mobile dicer, model: Dicer Capacity 140, serial number: 2162722, year of construction: 2016, 3 x 400 V, 50 Hz, 5.6 kW, plastic outfeed belt, belt width: 245 mm, outfeed height: 800 mm, chamber dimensions: 550 mm x 140 mm x 140 mm, knife set: 5 x 5 mm, weight: 650 kg, dimensions: 1650 mm x 1800 mm x 1200 mm.	
44	Marel	Marel mobile flattener, type: Platino 400, serial number: E013925, year of construction: 2012, 3 x 400 V, 50 Hz, 3 kW, plastic mesh belt, belt width: 400 mm, height setting: 2 - 51 mm, compressed air: 6 - 10 bar, weight: 600 kg, dimensions: 2250 mm x 1100 mm x 1550 mm.	5000
45	NN cabinet	S/s wall mounted cabinet, dimensions: 500 mm x 300 mm x 500 mm.	10
46	NN knife holders	2 s/s knife holders, dimensions: (2x) 610 mm x 300 mm.	10
47	NN protection frames	5 s/s protection frames, height: 250 mm, diameter: 75 mm, lengths: 5000 mm / (2x) 4000 mm / 2000 mm / 600 mm.	250
48	NN swing door	Plastic swing door, dimensions: 1500 mm x 2250 mm.	75
49	NN swing door	Plastic swing door, dimensions: 1500 mm x 2250 mm.	75
50	P. Verbruggen	P. Verbruggen mobile stick inserter, type: Stick inserter 600, serial number: 47, year of construction: 2020, 3 x 380 V, 50 Hz, 0.75 kW, plastic mesh belt, belt width: 600 mm, belt speed: 1.5 - 15 meter / minute, compressed air: 6 bar / 400 liter per minute, weight: 300 kg, total dimensions: 1650 mm x 1100 mm x 2000 mm. Attachment for GEA MultiFormer / FreshFormer.	2500
51	Zentjes	Zentjes mobile flattener, type: RMP400, 3 x 380 V, 50 Hz, 0.55 kW, plastic belt, belt width: 400 mm, belt speed: 2 - 9 meter / minute, weight: 270 kg, dimensions: 2100 mm x 700 mm x 1750 mm.	1500
52	Alco food-machines	Alco food-machines schnitzel press, model: ASP600HDI, serial number: 21401214, year of construction: 2003, 3 x 400 V, 50 Hz, 2.2 kW, plastic belt, belt width: 600 mm, weight: 590 kg, total dimensions: 2400 mm x 900 mm x 1600 mm.	2000
53	Hiwell	Hiwell mobile batter mixer, type: DJJ100, serial number: 1312559, year of construction: 2025, 3 x 380 V, 50 Hz, 3 kW, volume: 200 liter, Dgedong SCP-10422 vane pump, weight: 200 kg, dimensions: 1300 mm x 900 mm x 1800 mm. Never used.	3500
54	LHS / Ecolab	Hygiene station consisting of LHS s/s hose reel with hose, type: ST40/12/2ep-eco, serial number: 049657, year of construction: 2005, pressure: 200 bar, dimensions hose reel: 550 mm x 400 mm x 500, Ecolab soap mixing station, dimensions: 400 mm x 150	150



Nr	Title	Description	Start €
		mm x 330 mm, s/s wall mounted frame for jerry cans and s/s hose reel with plastic hose.	
55	Itec	Itec s/s sink with 2 soap dispensers, sensor control, dimensions sink: 420 mm x 450 mm x 600 mm, s/s paper dispenser, s/s waste bin, Cederroth eye wash and Gebra Secubox safety glasses.	50
56	Vikan	2 Vikan pegs, length pegs: (2x) 430 mm. Including some cleaning equipment.	10
57	NN protection frames	5 s/s protection frames, height: 250 mm, diameter: 75 mm, lengths: 5000 mm / 4500 mm / 4000 mm / 2200 mm / 600 mm.	250
58	Cool It	Cool It plastic swing door, dimensions: 1500 mm x 2250 mm.	75
59	Cool It	Cool It plastic swing door, dimensions: 1500 mm x 2250 mm.	75
60	NN meat bins	4 s/s meat bins, volume: 200 liter.	200
61	NN meat bins	6 s/s meat bins, volume: 200 liter.	300
62	NN meat bins	6 s/s meat bins, volume: 200 liter.	300
63	NN meat bins	6 s/s meat bins, volume: 200 liter.	300
64	NN meat bins	6 s/s meat bins, volume: 200 liter.	300
65	Krause	Krause mobile aluminium stairs with platform, working height: 1200 mm, total dimensions: 1500 mm x 800 mm x 2200 mm.	75
66	Cool It	Cool It refrigerated sliding door, dimensions door: 1560 mm x 2280 mm, thickness door: 80 mm, length rails: 3300 mm.	150
67	NN packaging table	S/s packaging table with film roll, width roll: 1000 mm, total dimensions: 1650 mm x 900 mm x 1600 mm.	100
68	Goedhart	Goedhart evaporator, 2 fans, dimensions: 2000 mm x 600 mm x 700 mm.	150
69	NN protection frames	6 s/s protection frames, height: 250 mm, diameter: 75 mm, lengths: (2x) 8000 mm / 4000 mm / 3000 mm / 1200 mm / 1000 mm.	250
70	LHS / Foamico	Hygiene station consisting of LHS s/s hose reel with hose and pistol, dimensions hose reel: 550 mm x 400 mm x 500, Foamico soap mixing station, dimensions: 260 mm x 200 mm x 350 mm, s/s wall mounted frame for jerry cans and s/s wall mounted peg for spraying pistols.	150
71	Thissen & Stecher BV	Thissen & Stecher BV cooking line, model: TSKL-5000, serial number: 2014 DE 2014, year of construction: 2014, 400 V, 63 A, 18.5 kW, maximum temperature: 100Celsius, steam heated, weight: 4500 kg, s/s mesh belt, belt width: 600 mm, s/s mesh outfeed belt, belt width: 650 mm, outfeed height: 1350 mm, total dimensions: 11000 mm x 1500 mm x 4000 mm.	5000



Nr	Title	Description	Start €
		Including s/s switch cabinet with Siemens Simatic HMI touch screen.	
72	Marcelissen BV	Marcelissen BV s/s elevating belt with dividers, s/s mesh belt, belt width: 660 mm, divider height: 50 mm, distance between dividers: 200 mm, elevating from 600 mm to 5200 mm, total dimensions: 5000 mm x 1100 mm x 5350 mm.	1000
73	NN stairs	S/s stairs, total dimensions: 2350 mm x 4000 mm x 4700 mm. Can be dismantled in parts.	750
74	Mauser / Royal Buisman	Mauser IBC-tank with approximately 100 liter Royal Buisman caramelised sugar, volume IBC-tank: 1000 liter, total dimensions: 1050 mm x 1200 mm x 1500 mm.	50
75	PHT / Foamico	Hygiene station consisting of PHT s/s hose reel with hose and pistol, type: ST40/12/2e, serial number: 163864, year of construction: 2019, maximum pressure: 200 bar, dimensions hose reel: 550 mm x 400 mm x 500 mm, Foamico soap mixing station, dimensions: 260 mm x 200 mm x 350 mm, s/s wall mounted frame for jerry cans and s/s wall mounted peg for spraying pistols.	150
76	SAB Barth GmbH	SAB Barth GmbH spiral freezer, type: SF-S/1 24-716 RR SD, freezer number: FA00302, year of construction: 2014, s/s mesh belt, total belt width: 716 mm, usable belt width: 645 mm, infeed height: 4700 mm, outfeed height: 920 mm, 24 floors, maximum product height: 100 mm, total dimensions spiral freezer: 5600 mm x 13000 mm x 6500 mm, Lagafors CIP-installation with Grundfos circulation pump, dimensions: 600 mm x 400 mm x 1200 mm, switch cabinet, dimensions: 2400 mm x 400 mm x 2300 mm.	15000
77	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1150 mm, total dimensions: 3400 mm x 900 mm x 1470 mm.	250
78	SW Fördersysteme	SW Fördersysteme roof mounted elevating belt, s/s frame, plastic belt with dividers, distance between dividers: 200 mm, divider height: 80 mm, belt width: 350 mm, elevating height: 2700 mm, total dimensions: 3700 mm x 600 mm x 3000 mm.	250
79	NN curtain	Plastic curtain on s/s sliding rail, length curtain: 5000 mm, height curtain: 4000 mm.	50
80	Hiwell	Hiwell forming machine, model: AMF600-IV, serial number: 0162576, year of construction: 2025, 380 V, 3 Ph, 50 Hz, 11.12 kW, weight: 1600 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 3600 mm x 1100 mm x 2420 mm. Including carton box with forming plate, diameter: (4x) 100 mm. Never used.	25000
81	CFS		9500



Nr	Title	Description	Start €
		CFS MultiFormer forming machine, type: MLF 400, serial number: 2326, year of construction: 2006, 3 x 400 V, 50 Hz, 8 kW, maximum: 50 strokes per minute, plastic mesh belt, belt width: 600 mm, hopper volume: 270 liter, weight: 1186 kg, total dimensions: 2500 mm x 900 mm x 2600 mm.	
82	CFS	CFS MultiFormer forming machine, type: MLF 400, serial number: 2190, year of constructoin: 2002, 3 x 380 V, 50 Hz, 7.86 kW, maximum: 50 strokes per minute, s/s mesh belt, belt width: 400 mm, hopper volume: 270 liter, weight: 1186 kg, total dimensions: 3000 mm x 1000 mm x 2600 mm. Including BDG400 bridge breaker and extra long outfeed conveyor of 900 mm.	9500
83	NN extraction hood	S/s extraction hood with plastic curtains used for 3 cooking lines, total dimensions: 9000 mm x 1800 mm x 1000 mm.	500
84	Thissen & Stecher BV	Thissen & Stecher BV cooking line, working width: 900 mm, s/s mesh outfeed belt with dividers, belt width: 800 mm, divider height: 50 mm, distance between dividers: 190 mm, elevating height: 2300 mm, IGEFA tubular heat exchanger, type: 161U-159-159, fabrication number: 50723, year of construction: 2014, tube: 17 liter, shell: 16 liter, medium: water, efficiency: 380 kW, total dimensions: 11500 mm x 1600 mm x 4000 mm.	5000
85	Koppens Machinefabriek B.V.	Koppens Machinefabriek BV s/s cooling tunnel, type: KT55 5200/1100, machine number: KT55 5200/1100-59, 380 V, 3 Ph, 50 Hz, 4 A, 0.74 kW, weight: 2000 kg, s/s mesh belt, belt width: 1100 mm, 5 floors, distance between floors: 70 mm, total dimensions: 6000 mm x 2450 mm x 3800 mm.	3500
86	NIKO GmbH & Co. KG	NIKO GmbH & Co. KG mobile elevating belt, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1000 mm, total dimensions: 2900 mm x 1000 mm x 1150 mm.	250
87	Sartorius / Minebea Intec	Sartorius / Minebea Intec metal detector with checkweigher with double rejector, model metal detector: MDP Plus - S 37.5 x 15, year of construction: 2009, clearance: 376 mm x 113 mm, Sartorius checkweigher, type: SYNUS 10, number: SYNUS 2_0-24036500, year of construction: 2009, 230 V, 50 Hz, maximum: 5000 gram, minimum: 10 gram, e = 0.5 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 1050 mm x 2000 mm.	1500
88	NN table	S/s table, 2 floors, dimensions: 1000 mm x 700 mm x 900 mm.	50
89			3500



Nr	Title	Description	Start €
	Koppens Machinefabriek B.V.	Koppens Machinefabriek BV cooking line, type: WS 9000 / 900, machine number: WS 9000 / 900 - 70, 380 V, 3 Ph, 50 Hz, 1.6 A, 0.43 kW, working width: 900 mm, s/s mesh outfeed belt with dividers, belt width: 800 mm, divider height: 50 mm, distance between dividers: 190 mm, elevating height: 2300 mm, IGEFA tubular heat exchanger, type: 161U-159-159, fabrication number: 50725, year of construction: 2014, tube: 17 liter, shell: 16 liter, medium: water, efficiency: 380 kW, 1 manual hoist, 1 electric hoist, total dimensions: 11500 mm x 1600 mm x 3000 mm.	
90	Koppens Machinefabriek B.V.	Koppens Machinefabriek BV s/s cooling tunnel, type: KT5S 5200/1100, 380 V, 3 Ph, 50 Hz, 4 A, 0.74 kW, weight: 2000 kg, s/s mesh belt, belt width: 1100 mm, 5 floors, distance between floors: 70 mm, total dimensions: 6000 mm x 2450 mm x 3800 mm.	3500
91	NIKO GmbH & Co. KG	NIKO GmbH & Co. KG mobile elevating belt, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1000 mm, total dimensions: 2900 mm x 1000 mm x 1150 mm.	250
92	Sartorius / Minebea Intec	Sartorius / Minebea Intec metal detector with checkweigher with double rejector, model metal detector: MDP Plus - S 37.5 x 15, year of construction: 2009, clearance: 376 mm x 113 mm, Sartorius checkweigher, type: SYNUS 10, number: SYNUS 2_0-24036504, year of construction: 2009, 230 V, 50 Hz, maximum: 5000 gram, minimum: 10 gram, e = 0.5 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 1050 mm x 2000 mm.	1500
93	NN table	S/s table, 2 floors, dimensions: 1000 mm x 700 mm x 900 mm.	50
94	NN cooking line	Cooking line, working width: 1400 mm, IGEFA tubular heat exchanger, type: 161U-159-159, fabrication number: 50724, year of construction: 2014, tube: 17 liter, shell: 16 liter, medium: water, efficiency: 380 kW, 2 electrical hoists, total dimensions cooking line: 11000 mm x 2100 mm x 3000 mm, vertical s/s outfeed belt, s/s mesh belt with dividers, belt width: 1200 mm, distance between dividers: 200 mm, divider height: 85 mm, elevating height: 4300 mm.	5000
95	NN extraction hood	S/s extraction hood with plastic curtains used for 3 cooking lines, total dimensions: 9000 mm x 3000 mm x 1000 mm.	500
96	SAB Barth GmbH	SAB Barth GmbH linear freezer, type: BF 2 + 7 1.200 - 12.000, freezer number: FA 00420, year of construction: 2014, s/s mesh belt, belt width: 1200 mm, distance between floors: 100 mm, 2 + 7 floors - 9 floors in total, infeed height: 4300 mm, outfeed	7500



Nr	Title	Description	Start €
		height: 1700 mm, GEA Küba GmbH evaporators, type: SGB 56-G65 A Hochleistungsluft V1.XX V3.12, total dimensions: 13500 mm x 2800 mm x 5200 mm, s/s switch cabinet, dimensions: 1200 mm x 500 mm x 2500 mm.	
97	ACB Solutions	ACB Solutions mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, belt height: 1250 mm, total dimensions: 2000 mm x 700 mm x 1450 mm.	150
98	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, usable belt width: 265 mm, divider height: 50 mm, distance between dividers: 300 mm, elevating height: 3800 mm, total dimensions: 3400 mm x 1000 mm x 4000 mm.	250
99	ACB Solutions	ACB Solutions roof mounted de-elevating belt with dividers, s/s frame, plastic belt, belt width: 280 mm, divider height: 30 mm, distance between dividers: 300 mm, total belt length: 6800 mm.	250
100	NN transport belt	Roof mounted transport belt, s/s frame, plastic belt, belt width: 300 mm, total belt length: approximately 11000 mm.	350
101	NN transport belt	Roof mounted transport belt, s/s frame, plastic belt, belt width: 300 mm, total belt length: approximately 8250 mm.	350
102	NN de-elevating belt	Roof mounted de-elevating belt with dividers, s/s frame, plastic belt with dividers, belt width: 300 mm, divider height: 40 mm, distance between dividers: 300 mm, total dimensions: 3700 mm x 650 mm x 500 mm.	150
103	NN de-elevating belt	De-elevating belt with dividers, s/s frame, plastic belt with dividers, belt width: 300 mm, divider height: 50 mm, distance between dividers: 200 mm, total dimensions: 1300 mm x 700 mm x 1700 mm.	150
104	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 240 mm, total dimensions: 3200 mm x 700 mm x 980 mm.	150
105	Sartorius / Minebea Intec	Sartorius / Minebea Intec metal detector with checkweigher with double rejector, model metal detector: MDP Plus - S 37.5 x 15, year of construction: 2009, clearance: 376 mm x 113 mm, Sartorius checkweigher, type: SYNUS 10, number: SYNUS 2_0-24036502, year of construction: 2009, 230 V, 50 Hz, maximum: 5000 gram, minimum: 10 gram, e = 0.5 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 1050 mm x 2000 mm.	1500
106	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roll width: 500 mm, total dimensions: 1800 mm x 550 mm x 900 mm.	50
107	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. teflon belt grill, type: BG 3600 / 600, machine number: 550, year of	3500



Nr	Title	Description	Start €
		construction: 1994, 380 V, 3 Ph, 50 Hz, 48 A, 22 kW, weight: 4140 kg, maximum capacity elements: 6 x 27 kW, heating: thermic oil, oil volume: 120 dm ³ , teflon belt, belt width: 643 mm, total dimensions: 6600 mm x 1700 mm x 2650 mm, switch cabinet, dimensions: 1070 mm x 450 mm x 2100 mm, valve station, dimensions: 1600 mm x 900 mm x 3000 mm, thermic oil station with Allweiler thermic oil pump, type: NBT 32-200, dimensions: 1300 mm x 800 mm x 2700 mm.	
108	NN platform	S/s and steel platform, 2 steps, dimensions: 1000 mm x 750 mm x 600 mm.	25
109	Mediotec	Mediotec s/s insect killer, dimensions: 500 mm x 400 mm x 200 mm.	10
110	LHS / Foamico	Hygiene station consisting of LHS s/s hose reel with hose, type: ST40/12/2ep-eco, serial number: 049661, year of construction: 2005, working pressure: 200 bar, dimensions hose reel: 550 mm x 400 mm x 500 mm, Foamico soap mixing station, dimensions: 260 mm x 200 mm x 350 mm, s/s wall mounted frame for jerry cans and s/s wall mounted peg for spraying pistols.	150
111	NN trolley	S/s trolley used for parts for forming machine, dimensions: 1200 mm x 1250 mm x 1000 mm.	100
112	NN buckets	4 s/s buckets, volume: 10 liter, diameter: 300 mm, height: 240 mm. Including some oil rests.	25
113	CFS	CFS outfeed belt for forming machine, s/s mesh belt, belt width: 400 mm, belt length: 2000 mm.	250
114	NN trolley	S/s trolley used for parts for forming machine, dimensions: 1200 mm x 1250 mm x 1000 mm.	100
115	LHS / Ecolab	Hygiene station consisting of LHS s/s hose reel with hose, type: ST40/12/2ep-eco, serial number: 049653, year of construction: 2005, pressure: 200 bar, dimensions hose reel: 550 mm x 400 mm x 500 mm, Ecolab soap mixing station, dimensions: 400 mm x 150 mm x 330 mm, s/s wall mounted frame for jerry cans and s/s hose reel with plastic hose.	150
116	Gebra / Plum	Gebra Secubox safety glasses and Cederroth eye wash.	10
117	Itec	Itec s/s sink with 2 soap dispensers, sensor control, dimensions sink: 420 mm x 450 mm x 600 mm, s/s paper dispenser, s/s waste bin and soap dispenser.	50
118	NN trolley	S/s trolley, 1-side wheels, dimensions: 1020 mm x 420 mm x 1100 mm.	25
119	NN switch cabinet	S/s switch cabinet with Siemens touch screen, dimensions: 600 mm x 200 mm x 750 mm.	250
120	LHS / Foamico	Hygiene station consisting of LHS s/s hose reel with hose, type: ST40/12/2ep-eco, working pressure: 200 bar, dimensions hose reel: 550 mm x 400 mm x 500 mm, Foamico soap mixing station, dimensions: 260 mm x 200 mm x 350 mm, s/s wall mounted frame for	150



Nr	Title	Description	Start €
		jerry cans and s/s wall mounted peg for spraying pistols.	
121	NN trolley	S/s trolley, dimensions: 1200 mm x 800 mm x 1000 mm.	100
122	NN trolley	S/s trolley, dimensions: 1200 mm x 800 mm x 1000 mm.	100
123	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. mobile tempura dipper, type: TD 600, machine number: TD 600-124, 380 V, 3 Ph, 50 Hz, 1.64 A, 0.45 kW, s/s mesh belt, belt width: 600 mm, weight: 200 kg, total dimensions: 2650 mm x 800 mm x 1350 mm.	1500
124	Schomaker Convenience Technik GmbH	Schomaker Convenience Technik GmbH fryer, type: BR 1800/400, serial number: 2403199, year of construction: 1994, 3 x 400 V, 50 Hz, 38 kW, heating: electric 36 kW, s/s mesh belt, belt width: 400 mm, hold down belt, circulation pump, oil level control, prepared for CO2 fire extinguisher, dimensions fryer: 4300 mm x 1400 mm x 1450 mm and pallet, dimensions: 1200 mm x 800 mm x 600 mm.	3500
125	D.C. Norris	D.C. Norris mobile ball former, model: 270, 415 V, 50 Hz, s/s mesh belts, belt width: 600 mm / 900 mm, total dimensions: 1700 mm x 1200 mm x 1750 mm.	500
126	PHT / Foamico	Hygiene station consisting of PHT s/s hose reel with hose and pistol, type: ST40/12/2e, serial number: 180553, year of construction: 2021, maximum pressure: 200 bar, dimensions hose reel: 550 mm x 400 mm x 500 mm, Foamico soap mixing station, dimensions: 260 mm x 200 mm x 350 mm, s/s wall mounted frame for jerry cans and s/s wall mounted peg for spraying pistols.	150
127	NN protection frames	7 s/s protection frames, height: 250 mm, diameter: 75 mm, lengths: 10000 mm / (2x) 5000 mm / 4500 mm / (2x) 2000 mm / 750 mm.	250
128	PHT / Foamico	Hygiene station consisting of PHT s/s hose reel with hose and pistol, type: ST40/12/2e, maximum pressure: 200 bar, dimensions hose reel: 550 mm x 400 mm x 500 mm, Foamico soap mixing station, dimensions: 260 mm x 200 mm x 350 mm, s/s wall mounted frame for jerry cans, s/s wall mounted peg for spraying pistols and Vikan plastic peg.	150
129	NN door	S/s door, thickness door: 80 mm, dimensions door: 940 mm x 2120 mm.	75
130	Itec	Itec s/s sink with 2 soap dispensers, sensor control, dimensions sink: 420 mm x 450 mm x 600 mm, s/s paper dispenser and s/s waste bin.	50
131	NN door	S/s door, thickness door: 80 mm, dimensions door: 940 mm x 2120 mm.	75
132	NN protection frames		250



Nr	Title	Description	Start €
		6 s/s protection frames, height: 250 mm, diameter: 75 mm, lengths: (2x) 6700 mm / 6500 mm / 4500 mm and (2x) 1000 mm.	
133	Vikan	3 Vikan pegs, length: (3x) 430 mm. Including various cleaning equipment.	25
134	NN table	S/s mobile table, dimensions: 1900 mm x 800 mm x 950 mm.	100
135	NN step	S/s step with rubber mat, dimensions step: 1000 mm x 600 mm x 120 mm and dimensions rubber mat: 950 mm x 630 mm.	25
136	Loma Systems	Loma Systems metal detector with rejector, model: IQ ² , serial number: MDOIEU-36479, year of construction: Sept 2004, plastic belt, belt width: 300 mm, clearance: 350 mm x 120 mm, total dimensions: 1700 mm x 1100 mm x 1200 mm.	1000
137	NN table	S/s table, 2 floors, dimensions: 1000 mm x 700 mm x 900 mm.	50
138	Best Pack / Tien Heng Machinery Co. LTD.	Best Pack / Tien Heng Machinery Co. LTD. box closing machine with bottom closer, 400 V, 3 Ph, 50 Hz, s/s rollers, roll width: 650 mm / 500 mm, total dimensions: 1500 mm x 900 mm x 1500 mm.	150
139	NN roller conveyor	Mobile roller conveyor, s/s frame, plastic rollers, roll width: 500 mm, total dimensions: 1500 mm x 550 mm x 920 mm.	25
140	Loma Systems	Loma Systems metal detector, model: IQ3, serial number: AMC45371-48763F, year of construction: 2009, 3 x 415 V, 50 Hz, 1.2 A, compressed air: 6 - 8 bar, plastic belt, belt width: 500 mm, clearance: 550 mm x 200 mm, maximum product height: 150 mm, shuttle conveyor: +/- 350 mm, total dimensions: 2700 mm x 1000 mm x 2500 mm.	1950
141	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roll width: 400 mm, total dimensions: 1500 mm x 450 mm x 880 mm.	25
142	Best Pack / Tien Heng Machinery Co. LTD.	Best Pack / Tien Heng Machinery Co. LTD. double box closing machine with bottom and top closing machine, model: MSD22-28, year of construction: 2008, 400 V, 3 Ph, 50 Hz, dimensions: 1000 mm x 1000 mm x 1450 mm and 1500 mm x 900 mm x 1000 mm.	250
143	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 340 mm, total dimensions: 4000 mm x 700 mm x 1400 mm.	150
144	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 235 mm, total dimensions: 2500 mm x 450 mm x 1450 mm.	150
145	NN transport belt	Transport belt with 3-lane curve conveyor, s/s frame, plastic belt, belt width: 180 mm, belt length: 2500	150



Nr	Title	Description	Start €
		mm, 3-lane curve conveyor, belt width: (3x) 115 mm, total dimensions: 3400 mm x 800 mm x 1500 mm.	
146	NN transport belt	Transport belt with 3-lane curve conveyor, s/s frame, plastic belt, belt width: 180 mm, belt length: 2500 mm, 3-lane curve conveyor, belt width: (3x) 115 mm, total dimensions: 3400 mm x 800 mm x 1500 mm.	150
147	Goedhart / Kelvion	Goedhart / Kelvion evaporator, 2 fans, dimensions: 2000 mm x 1200 mm x 500 mm.	150
148	Goedhart / Kelvion	Goedhart / Kelvion evaporator, 2 fans, dimensions: 2000 mm x 1200 mm x 500 mm.	150
149	Itec	Itec s/s sink with 2 soap dispensers, sensor control, dimensions sink: 420 mm x 450 mm x 600 mm, soap dispenser and s/s waste bin.	50
150	PHT / Foamico	Hygiene station consisting of PHT s/s hose reel with hose and pistol, type: ST40/12/2e, serial number: 188555, year of construction: 2022, maximum pressure: 200 bar, dimensions hose reel: 550 mm x 400 mm x 500 mm, Foamico soap mixing station, dimensions: 260 mm x 200 mm x 350 mm, s/s wall mounted frame for jerry cans and s/s wall mounted peg for spraying pistols.	150
151	Gebra	Gebra Secubox safety glasses, dimensions: 240 mm x 120 mm x 120 mm.	10
152	NN table	S/s table used for crates, dimensions: 1700 mm x 700 mm x 1200 mm.	100
153	Dynaco	Dynaco electric high speed shutter door, type: Freezer M2, serial number: DE62203A, year of construction: 11-2019, door dimensions: 1530 mm x 2350 mm, dimensions frame: 1850 mm x 3100 mm. Including 2 switch cabinets, dimensions switch cabinets: 400 mm x 300 mm x 500 mm and 600 mm x 200 mm x 600 mm.	250
154	NN protection rails	2 s/s protection rails, dimensions: (2x) 3300 mm x 200 mm x 250 mm.	50
155	NN blast chiller installation	Blast chiller installation consisting of: 2 evaporators, 2x 5 fans, dimensions: (2x) 6300 mm x 600 mm x 1200 mm. Including steel frame, total dimensions frame: 12300 mm x 5500 mm x 2500 mm.	1000
156	Dynaco	Dynaco electric high speed shutter door, type: Freezer M2, serial number: DE57638B, year of construction: 12-2018, door dimensions: 1500 mm x 2600 mm, dimensions frame: 1950 mm x 3050 mm. Including switch cabinet, dimensions switch cabinet: 400 mm x 250 mm x 550 mm.	250
157	Dynaco	Dynaco electric high speed shutter door, type: Freezer M2, serial number: DE57638A, year of construction: 12-2018, door dimensions: 1500 mm x 2250 mm, dimensions frame: 2000 mm x 3050 mm. Including	250



Nr	Title	Description	Start €
		switch cabinet, dimensions switch cabinet: 400 mm x 250 mm x 550 mm.	
158	NN protection rails	2 s/s protection rails, dimensions: (2x) 3300 mm x 200 mm x 250 mm.	50
159	NN blast chiller installation	Blast chiller installation consisting of: 2 evaporators, 2x 5 fans, dimensions: (2x) 6300 mm x 600 mm x 1200 mm. Including steel frame, total dimensions frame: 12300 mm x 5500 mm x 2500 mm.	1000
160	Dynaco	Dynaco electric high speed shutter door, type: Freezer M2, serial number: DE62203B, year of construction: 11-2019, door dimensions: 1550 mm x 2300 mm, dimensions frame: 2100 mm x 3100 mm. Including 2 switch cabinets, dimensions switch cabinets: 400 mm x 250 mm x 550 mm and 600 mm x 230 mm x 380 mm.	250
161	NN crates	2 pallets with large amount of plastic crates, dimensions each crate: 600 mm x 400 mm x 120 mm.	50
162	Itec	Itec sink, sensor control, type: 20550-W, 230 V, 50-60 Hz, 0.1 kW, dimensions sink: 430 mm x 450 mm x 1000 mm, s/s paper dispenser, dimensions paper dispenser: 280 mm x 220 mm x 370 mm.	50
163	PHT / Foamico	Hygiene station consisting of PHT s/s hose reel with hose and pistol, type: ST40/12/2e, serial number: 157889, year of construction: 04/2019, working pressure: 200 bar, dimensions: 530 mm x 400 mm x 500 mm. Including Foamico s/s soap mixing station, dimensions soap mixing station: 260 mm x 180 mm x 400 mm, frame for jerry cans and steel waste bin.	150
164	ACB Solutions	ACB Solutions mobile elevating belt, s/s frame, machine number: SW0007715, plastic belt, belt width: 350 mm, elevating height: 1000 mm, total dimensions: 1700 mm x 450 mm x 1000 mm.	150
165	SW Fördersysteme	SW Fördersysteme mobile transport belt, s/s frame, machine number: 47695/01, year of construction: 01-2020, 230/400 V, 50 Hz, 0.18 kW, plastic belt, belt width: 350 mm, total dimensions: 1100 mm x 600 mm x 800 mm.	150
166	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 180 mm, total dimensions: 2550 mm x 550 mm x 980 mm.	150
167	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 300 mm, divider height: 30 mm, distance between dividers: 300 mm, elevating height: 2350 mm, total dimensions: 1800 mm x 800 mm x 2650 mm.	150
168	Vikan	Vikan peg with squeegee including s/s peg with 4 pegs.	10
169	Loma Systems		2500



Nr	Title	Description	Start €
		Loma Systems mobile metal detector with rejector, model: IQ ³ +ST, serial number: QPB90-15-24908, year of construction: 27.5.2014, 110-240 V, 1 Ph, 50/60 Hz, 0.5-1.0 A, plastic belt, belt width: 860 mm, clearance: 860 mm x 105 mm, total dimensions: 2350 mm x 1500 mm x 1650 mm.	
170	Multipond	Multipond 14-heads multihead weigher, type: MP 1424-D, serial number: M 860, year of construction: 1995, 230 V, 50 Hz, basket: 220 mm x 180 mm x 200 mm, maximum weighing capacity total: N x 6000 gram, maximum weighing capacity single: 2500 gram, e-total = 2 gram, total dimensions: 1670 mm x 1450 mm x 1700 mm.	1000
171	NN platform	S/s platform, 9 steps, working height: 2300 mm, total dimensions: 5000 mm x 2900 mm x 3500 mm. Including s/s switch cabinet and s/s cabinet.	1000
172	Kopas Verpackungsmaschinen GmbH	Kopas Verpackungsmaschinen GmbH vertical bag form-, fill-, and seal machine, type: JK 360 FM, machine number: 265, year of construction: 11/2005, 400 V, 3 Ph, 50 Hz, 11.5 kW, vertical seal length: 500 mm, horizontal seal length: 380 mm, film width: 780 mm, VideoJet barcode printer, model: 8.4 CLARITY, total dimensions: 2200 mm x 1700 mm x 1920 mm. Missing filling pipe.	500
173	ARCO Solutions BV	ARCO Solutions BV 180° mobile curve conveyor, s/s frame, type: CURVED CONVEYOR, serial number: SW-0219913 / EA0014800, year of construction: 2023, plastic belt, belt width: 215 mm, total dimensions: 1580 mm x 3300 mm x 1000 mm.	250
174	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 400 mm, elevating height: 3100 mm, total dimensions: 8700 mm x 600 mm x 3600 mm.	400
175	ARCO Solutions BV	ARCO Solutions BV transport belt, s/s frame, type: BELT CONVEYOR, serial number: SW-0219590 / EA0014703, year of construction: 2023, plastic belt, belt width: 400 mm, total dimensions: 12200 mm x 800 mm x 750 mm.	400
176	ARCO Solutions BV	ARCO Solutions BV 90° curve conveyor, s/s frame, type: CURVED CONVEYOR, serial number: SW-0220006 / EA0014859, year of construction: 2023, plastic belt, belt width: 215 mm, total dimensions: 2300 mm x 1400 mm x 500 mm.	150
177	ARCO Solutions BV	ARCO Solutions BV de-elevating belt with roller conveyor, s/s frames, type de-elevating belt: BELT CONVEYOR, serial number: SW-0219717 / EA0014751, year of construction: 2023, plastic belt, belt width: 400 mm, total dimensions de-elevating belt: 6000 mm x 750 mm x 3300 mm, plastic rollers, roller width: 410	200



Nr	Title	Description	Start €
		mm, total dimensions roller conveyor: 3600 mm x 500 mm x 1250 mm.	
178	Dynaco	Dynaco electric high speed shutter door, type: DYNACO M2 Compact, serial number: DE76683, year of construction: 5-2023, door dimensions: 1850 mm x 2500 mm, dimensions frame: 2400 mm x 2900 mm. Including switch cabinet, dimensions switch cabinet: 300 mm x 250 mm x 500 mm.	250
179	NN swing door	Plastic swing door, dimensions: 1700 mm x 2600 mm.	75
180	Mediotec	Mediotec s/s insect killer, dimensions: 450 mm x 350 mm x 150 mm.	10
181	NN waste containers	4 plastic waste containers, dimensions: (4x) 730 mm x 600 mm x 1050 mm.	50
182	NN frame	S/s frame with plastic plates for pallet stacking , total dimensions: 1800 mm x 1500 mm x 2100 mm.	75
183	Goedhart	Goedhart evaporator, 2 fans, dimensions: 1800 mm x 1200 mm x 350 mm.	150
184	NN frame	S/s frame with plastic plates for pallet stacking, total dimensions: 1800 mm x 1500 mm x 2100 mm.	75
185	Vikan	2 Vikan plastic pegs, width: (2x) 420 mm.	10
186	NN mirror	Bowl safety mirror, dimensions: 800 mm x 400 mm x 350 mm.	10
187	Dynaco	Dynaco electric high speed shutter door, type: Freezer M2, serial number: DE56380, year of construction: 9-2018, door dimensions: 1980 mm x 3250 mm, dimensions frame: 2500 mm x 3500 mm. Including switch cabinet, dimensions switch cabinets: 400 mm x 250 mm x 500 mm. Including Frigovent air curtain.	250
188	NN heating lamps	2 s/s heating lamps, dimensions: (2x) 750 mm x 100 mm x 100 mm.	10
189	Sweepix	Sweepix floor scrubbing machine, type: YZ-X2 Hand-push Floor Scrubber, serial number: 57277CX20250826002, cleaning width: 530 mm, squeegee width: 800 mm, working efficiency: 3000 m ² per hour, dimensions: 1350 mm x 550 mm x 1100 mm. Including charger. New, never used.	1500
190	Sweepix	Sweepix floor sweeper, type: YZ-GL4 Ride-on Floor Sweeper, serial number: 57277CX202508190014, cleaning width: 1000 mm, rolling brush width: 450 mm, side brush width: (2x) 350 mm, total dimensions: 1350 mm x 750 mm x 1100 mm. New, never used.	2000
191	Sweepix	Sweepix vacuum cleaner, type: YZ-302 Commercial vacuum cleaner, serial number: 57277CX20250826063, 220 V, 50-60 Hz, 3200 W, volume: 70 liter, dimensions: 500 mm x 600 mm x 750 mm. New, never used.	150
192	Sweepix	Sweepix vacuum cleaner, type: YZ-106 Commercial vacuum cleaner, 220 V, 50-60 Hz, 1600 W, volume: 35	100



Nr	Title	Description	Start €
		liter, dimensions: 360 mm x 350 mm x 700 mm. New, never used.	
193	Sweepix	Sweepix vacuum cleaner, type: YZ-106 Commercial vacuum cleaner, serial number: 57277CX20250829021, 220 V, 50-60 Hz, 1600 W, volume: 35 liter, dimensions: 360 mm x 350 mm x 700 mm. New, never used.	100
194	NN trolleys	2 s/s trolleys, 5 floors, dimensions floors: (5x) 930 mm x 600 mm, total dimensions: (2x) 930 mm x 600 mm x 1670 mm. Damaged.	50
195	NN trolleys	4 s/s trolleys, 5 floors, dimensions floors: (5x) 930 mm x 600 mm, total dimensions: (4x) 930 mm x 600 mm x 1670 mm.	100
196	NN trolleys	2 s/s trolleys, dimensions: (2x) 950 mm x 600 mm x 900 mm.	50
197	NN trolleys	2 s/s trolleys, dimensions: (2x) 900 mm x 600 mm x 900 mm.	50
198	NN trolleys	4 s/s trolleys, 5 floors, dimensions floors: (5x) 930 mm x 600 mm, total dimensions: (4x) 930 mm x 600 mm x 1670 mm.	100
199	NN trolleys	4 s/s trolleys, 5 floors, dimensions floors: (5x) 870 mm x 600 mm, total dimensions: (4x) 950 mm x 600 mm x 1950 mm.	100
200	NN trolley	S/s trolley, dimensions: 660 mm x 430 mm x 1070 mm.	5
201	F.W. Heider GmbH	F.W. Heider GmbH steel pressure vessel, type: DIN 4810, number: 11066, year of construction: 07-03-2005, volume: 1000 liter, maximum working pressure: 6.0 bar, dimensions: 900 mm x 900 mm x 2450 mm.	250
202	Sulo	3 Sulo plastic waste containers, dimensions: (3x) 530 mm x 440 mm x 940 mm. Including large amount of glue pellets.	75
203	NN trolley	S/s trolley, dimensions: 950 mm x 600 mm x 1950 mm.	10
204	Schut Systems	Schut Systems carton erector, type: EM60, serial number: 832111, year of construction: 2020, 3x400 V, 50 Hz, 2.1 kW, cassette size: 180 mm x 110 mm x 35 mm, capacity: 60 cartons/min, weight: 480 kg, total dimensions carton erector: 1600 mm x 1250 mm x 2400 mm	12500
205	Schut Systems	Schut Systems loading conveyor, type: LB4200, serial number: 06-24153, year of construction: 2020, belt width: 185 mm, total dimensions loading conveyor: 4100 mm x 400 mm x 1000 mm.	1500
206	Schut Systems	Schut carton closer, type: CM65, serial number: 572012, year of construction: 2020, 3x400 V, 50 Hz, 6.1 kW, 5-10 bar, capacity: maximum 60 cartons/minute, with Nordson ProBlue P4 glue unit, weight:	15000



Nr	Title	Description	Start €
		1100 kg, total dimensions carton closer: 4000 mm x 2000 mm x 1500 mm.	
207	KOPAS Verpackungsmaschinen GmbH	KOPAS Verpackungsmaschinen GmbH vertical form, fill and seal machine, machine type: JK 350 F-M-SERVO, machine number: E005, 3x400 V / 230 V AC, 24 V DC, 3x20 A, 6 bar, 10 kW, vertical seal length: 450 mm, horizontal seal length: 400 mm, total dimensions: 1500 mm x 2200 mm x 2000 mm. Incomplete, missing filling pipe.	500
208	NN containers	8 mobile steel containers, dimensions: (8x) 800 mm x 750 mm x 1900 mm.	125
209	NN writing desk	S/s mobile writing desk, dimensions: 570 mm x 570 mm x 1250 mm.	10
210	NN containers	13 mobile steel containers, dimensions: (13x) 800 mm x 720 mm x 1630 mm.	100
211	NN containers	2 mobile steel containers, dimensions: (2x) 800 mm x 660 mm x 1800 mm.	25
212	NN frame	S/s frame, dimensions: 860 mm x 500 mm x 1130 mm.	10
213	NN trolleys	7 s/s trolleys, 5 floors, dimensions floors: (5x) 910 mm x 600 mm, total dimensions: (7x) 950 mm x 600 mm x 1950 mm.	175
214	NN trolleys	5 s/s trolleys, 5 floors, dimensions floors: (5x) 910 mm x 600 mm, total dimensions: (5x) 930 mm x 600 mm x 1650 mm.	125
215	Mediotec	Mediotec s/s insect killer, dimensions: 450 mm x 350 mm x 150 mm.	10
216	Toyota	Toyota s/s electrical pallet lifter, model: SWE120i, number: 6917618, year of construction: 05-2021, capacity: 1600 kg, lifting height: 2000 mm, fork length: 1140 mm, total dimensions: 2100 mm x 800 mm x 1670 mm. Including GNB Industrial Power battery charger, type: 2100 SP, dimensions charger: 440 mm x 100 mm x 170 mm. Technical condition unknown.	250
217	Toyota	Toyota s/s electrical pallet lifter, model: SWE120i, capacity: 1600 kg, lifting height: 2000 mm, fork length: 1140 mm, total dimensions: 2100 mm x 800 mm x 1670 mm. Technical condition unknown. Without battery charger.	250
218	NN trolleys	9 s/s trolleys, 5 floors, dimensions floors: (5x) 910 mm x 600 mm, total dimensions: (9x) 950 mm x 600 mm x 1660 mm. Missing some wheels.	225
219	NN trolleys	6 s/s trolleys, 5 floors, dimensions floors: (5x) 910 mm x 600 mm, total dimensions: (6x) 950 mm x 600 mm x 1950 mm. Missing some wheels.	150
220	NN trolleys	6 s/s trolleys, 5 floors, dimensions floors: (5x) 910 mm x 600 mm, total dimensions: (6x) 950 mm x 600 mm x 1950 mm. Missing some wheels.	150
221	NN trolleys		100



Nr	Title	Description	Start €
		4 s/s trolleys, 5 floors, dimensions floors: (5x) 910 mm x 600 mm, total dimensions: (4x) 950 mm x 600 mm x 1950 mm. Including crate with additional wheels.	
222	NN protection frame	2 plastic protection frames, dimensions: (2x) 2500 mm x 120 mm x 1160 mm.	50
223	NN evaporator	Evaporator, 2 fans, dimensions: 2100 mm x 1000 mm x 500 mm.	150
224	NN cabinet	Steel cabinet, dimensions: 800 mm x 400 mm x 1800 mm.	10
225	NN lockers	2 pcs. 4-doors steel lockers, total dimensions: (2x) 1200 mm x 520 mm x 2100 mm.	50
226	NN dispenser	2 s/s wall mounted dispensers for hair nets, dimensions: (2x) 225 mm x 170 mm x 220 mm.	10
227	NN whiteboard	Whiteboard, dimensions: 1800 mm x 900 mm.	10
228	Cool It	Cool It electric refrigerated sliding door, dimensions door: 2100 mm x 160 mm x 3100 mm, rail length: 4650 mm. Including air curtain.	250
229	NN evaporator	Evaporator, 2 fans, dimensions: 2700 mm x 2000 mm x 1000 mm.	150
230	NN evaporator	Evaporator, 2 fans, dimensions: 2700 mm x 2000 mm x 1000 mm.	150
231	NN evaporator	Evaporator, 2 fans, dimensions: 2700 mm x 2000 mm x 1000 mm.	150
232	NN evaporator	Evaporator, 2 fans, dimensions: 2700 mm x 2000 mm x 1000 mm.	150
233	Cool It	Cool It electric refrigerated sliding door, type: CE-12H, serial number: 10357168, year of construction: 2023, dimensions door: 2100 mm x 160 mm x 3100 mm, rail length: 4650 mm.	250
234	NN frame for electric high speed shutter door	S/s frame for electric high speed shutter door, dimensions: 2500 mm x 3600 mm. Including s/s switch cabinet, dimensions switch cabinet: 400 mm x 250 mm x 550 mm.	100
235	Mediotec	Mediotec s/s insect killer, dimensions: 450 mm x 350 mm x 150 mm.	10
236	NN carton boxes	2 pallet with carton boxes, dimensions box: 1230 mm x 850 mm x 200 mm + 850 mm, total dimensions pallets: 1700 mm x 1200 mm x 950 mm and 1700 mm x 850 mm x 1470 mm.	25
237	NN office equipment	Office equipment, consisting of: 3 office chairs, 2 cabinets, dimensions cabinets: (2x) 1200 mm x 430 mm x 1980 mm, 2 office tables, dimensions tables: (2x) 1200 mm x 600 mm x 750 mm, 1 desk, dimensions desk: 2000 mm x 1200 mm x 720 mm, whiteboard.	50
238	Tork	Tork paper dispenser, dimensions: 250 mm x 250 mm x 350 mm.	5



Nr	Title	Description	Start €
239	NN lockers	Steel 4 doors lockers, dimensions: 1200 mm x 500 mm x 1700 mm.	25
240	MaxiFreeze	MaxiFreeze freezer, model: MF-430F, 220-240 V, 50 Hz, 4.0 A, 600 W, capacity: 410 liter, refrigerant: R404a / 0.3 kg, dimensions: 730 mm x 700 mm x 2120 mm.	75
241	Kelvion	Kelvion evaporator, 2 fans, dimensions: 2000 mm x 1000 mm x 400 mm.	150
242	FINKTEC	FINKTEC alkaline foam cleaner with active chlorine, type: FINK - FC 23, dimensions: 560 mm x 550 mm x 1250 mm.	75
243	FINKTEC	FINKTEC acid foam cleaner, dimensions: 560 mm x 550 mm x 1250 mm.	75
244	FINKTEC	FINKTEC alkaline foam cleaner with active chlorine, type: FINK - FC 23, dimensions: 560 mm x 550 mm x 1250 mm.	75
245	Cool It	Cool It refrigerated sliding door, dimensions door: 1570 mm x 1000 mm x 400 mm, rail length: 3350 mm.	150
246	NN dispenser	Plastic wall mounted dispenser for safety glasses, dimensions: 240 mm x 130 mm x 240 mm.	10
247	NN drip trays	2 plastic drip trays, dimensions: (2x) 1320 mm x 670 mm x 160 mm.	50
248	Asecos	Asecos plastic drip tray, type: Auffangwanne W.29040, year of construction: 2017, capacity: 220 liter, maximum weight: 760 kg, dimensions: 1250 mm x 870 mm x 400 mm.	50
249	FINKTEC	15 jerry cans with FINKTEC FINK - FC 23 alkaline foam cleaner with active chlorine, dimensions: (15x) 300 mm x 250 mm x 420 mm. 2 cans are empty.	75
250	NN drip tray	Plastic drip tray, dimensions: 1320 mm x 670 mm x 160 mm.	25
251	FINKTEC	3 jerry cans with FINKTEC FT 107 DES disinfectant for spray and surface disinfection, dimensions: (3x) 300 mm x 250 mm x 420 mm.	15
252	NN jerry cans	Pallet with 48 jerry cans used for FINKTEC FINK-Alu-Reiniger mit schaum aluminium cleaner / FINK - FC 23 alkaline foam cleaner with active chlorine, dimensions jerry cans: (48x) 300 mm x 250 mm x 420 mm. Empty.	25
253	FINKTEC	5 jerry cans with FINKTEC FINK-Antisept HR alcoholic liquid for hand disinfection, dimensions: (3x) 300 mm x 250 mm x 420 mm.	25
254	NN racks	2 s/s racks, 4 floor each rack, dimensions floors: (4x) 1000 mm x 400 mm, total dimensions: (2x) 1000 mm x 400 mm x 1900 mm.	25
256	NN drip trays	2 plastic drip trays, dimensions: (2x) 1320 mm x 670 mm x 160 mm.	50
257	FINKTEC		50



Nr	Title	Description	Start €
		9 jerry cans with FINKTEC FINK - FC 23 alkaline foam cleaner with active chlorine, dimensions: (9x) 300 mm x 250 mm x 420 mm.	
258	NN hygiene equipment	Hygiene equipment, consisting of: Vikan wall mount with 2 shovels and squeegee, steel cabinet, dimensions cabinet: 800 mm x 380 mm x 1800 mm and whiteboard, dimensions whiteboard: 900 mm x 600 mm.	25
259	Denios	2 Denios plastic drip trays, dimensions: 1400 mm x 1450 mm x 970 mm and 1400 mm x 1450 mm x 800 mm.	50
260	NN ramp	Ramp, elevating height: 340 mm, total dimensions: 3400 mm x 1350 mm x 340 mm.	50
261	NN pallet box	Plastic pallet box, dimensions: 1200 mm x 980 mm x 740 mm.	25
262	NN pallet boxes	4 plastic pallet boxes, dimensions: (4x) 1200 mm x 1000 mm x 730 mm.	100
263	NN cabinet	Steel cabinet, dimensions: 920 mm x 420 mm x 1950 mm.	25
264	NN electrical cables	Pallet with various electrical cables, dimensions pallet: 1200 mm x 800 mm x 600 mm.	150
265	NN work bench	S/s work bench, dimensions: 1300 mm x 1000 mm x 880 mm.	75
266	NN plates and knives	Plastic crate with various plates and knives for grinder / microcutter, diameter plates and knives: 200 mm, total dimensions crate: 600 mm x 400 mm x 160 mm.	75
267	NN trolley	Steel trolley, dimensions: 1400 mm x 700 mm x 1000 mm. Including 4 plastic crates with bolts.	25
268	Optimum Maschinen	Optimum Maschinen column drill, model: B 40 GSM, serial number: 72159, year of construction: 2017, dimensions: 1100 mm x 600 mm x 2300 mm.	250
269	NN tables	2 s/s tables with plastic top, dimensions: (2x) 1900 mm x 960 mm x 860 mm.	150
270	Demag	Demag hoist, type: DC-COM 5-500 1/1 H4 V4.5/1.1, serial number: 94225368, year of construction: 05/2021, 380-415 V, 50 Hz, hook path: 4 meter, capacity: 500 kg, dimensions: 500 mm x 300 mm x 500 mm.	50
271	Forum	Forum steel tool trolley, dimensions: 500 mm x 300 mm x 500 mm. Including content.	25
272	NN trolley	S/s welding trolley with gas cylinder, dimensions; 850 mm x 460 mm x 1200 mm.	25
273	NN wheels	3 boxes with wheels.	25
274	NN tool board	Tool board with various tools.	25
275	NN hose reel	Plastic hose reel with air hose, dimensions: 450 mm x 200 mm x 450 mm.	10



Nr	Title	Description	Start €
276	NN work bench	Work bench with vice, dimensions: 2500 mm x 600 mm x 950 mm. Including content.	50
277	Güde	Güde grinder, type: GDS 200, year of construction: 1999, 230 V, 400 W, 2850 U/min, width disc: 25 mm, dimensions: 340 mm x 260 mm x 250 mm.	50
278	Gedore	Gedore steel tool trolley, dimensions: 850 mm x 450 mm x 1020 mm. Including various tools.	50
279	SEW	Pallet with 2 SEW motors, (2x) 0.37 kW, dimensions: 400 mm x 250 mm x 270 mm and 2 MK Antriebstechnik e.k. motors, (2x) 4.0 kW, dimensions: (2x) 400 mm x 200 mm x 200 mm.	100
280	NN heat exchanger	Steel trolley with plate heat exchanger, dimensions heat exchanger: 850 mm x 330 mm x 650 mm, dimensions trolley: 1400 mm x 700 mm x 1000 mm.	75
281	Grundfos / Bosa Ventilatoren	Grundfos / Bosa Ventilatoren fan, type: RHD 5/10, number: 14/26901, 200-240 V, 50/60 Hz, 5750 0/min, 10.5 m ³ /min, dimensions: 500 mm x 400 mm x 400 mm.	25
282	Calpeda	Calpeda centrifugal pump, type: MXH-F 4801/A, serial number: 2021127934, 230/400 V, 3 Ph, 50 Hz, 3 kW, 2900 rpm, Q min/max: 21/60 m ³ /h, H min/max: 7/18 m, 39.1 kg, dimensions: 580 mm x 350 mm x 320 mm. Never used.	50
283	Handtmann	3 Handtmann displays, dimensions: (3x) 400 mm x 300 mm x 40 mm.	150
284	Mitsubishi	Mitsubishi display, model: GT2508, dimensions: 300 mm x 250 mm x 100 mm. Defect.	50
285	Yamato	Yamato weighing unit, dimensions: 380 mm x 300 mm x 450 mm.	50
286	PHT	PHT s/s hose reel, type: ST40/12/2e, serial number: 188560, year of construction: 02/2022, 200 bar, dimensions: 580 mm x 400 mm x 500 mm.	50
287	NN workshop inventory	Large amount of workshop inventory, consisting of: 3 steel racks with various parts, among others: cables, belts, motors, drum motors, 3 steel cabinets, desk, 2 chairs and refrigerator.	100
288	NN workshop inventory	Large amount of workshop inventory, consisting of: 4 steel racks with parts, among others: wheels, motors, hoist, lights, various pallets with parts, steel frame with s/s pipes and beams, 5 steel trolleys and large amount of cylinders.	500
289	NN welding trolley	Welding trolley, dimensions: 700 mm x 500 mm x 1100 mm.	25
290	Artec	Artec welding trolley, dimensions: 1000 mm x 400 mm x 1700 mm.	50
291	NN steel racks	2 steel racks with wooden floors, consisting of: 2 uprights and 4 beams each, floors dimensions: (4x)	50



Nr	Title	Description	Start €
		2680 mm x 900 mm, total dimensions: (2x) 2900 mm x 900 mm x 2000 mm. Including various content.	
292	NN salt	Steel trolley with 3 bags of salt, dimensions trolley: 1300 mm x 750 mm x 1000 mm.	10
293	NN mesh belts	3 boxes with mesh belts, belt width: (3x) 1483 mm, length: (2x) 43 m and (1x) 40 m, dimensions boxes: (3x) 2000 mm x 1000 mm x 900 mm.	150
294	Chiorino	Box with Chiorino transport belt, type: 3M* UO-U5 HP blue A, plastic belt with dividers, belt width: 400 mm, distance between dividers: 200 mm, divider height: 80 mm, belt length: 9630 mm, dimensions box: 1200 mm x 800 mm x 800mm.	50
295	FINKTEC	Pallet with 17 FINKTEC jerrycans with vehicle cleaner, type: FC 509, dimensions pallet: 1200 mm x 800 mm x 450 mm.	100
296	Asecos	Asecos plastic drip tray, type: KTC-Station W.13054, year of construction: 2021, polyethylene, capacity: 1000 liter, load capacity: 2000 kg, dimensions: 1600 mm x 1300 mm x 800 mm. Including Denios block for IBC tank, year of construction: 2021, load capacity: 2000 kg.	50
297	NN workshop inventory	3 steel trolleys and container with various workshop inventory, among others: filters, hose, and tires.	150
298	NN shutter doors	2 shutters doors, door width: 1550 mm.	50
299	NN machine part	Machine part, dimensions forms: (6x) 25 mm, total dimensions: 900 mm x 650 mm x 500 mm.	25
300	Dema	Dema mobile foam trolley, dimensions: 650 mm x 520 mm x 900 mm.	50
301	Kaeser Kompressoren	Kaeser Kompressoren oil/water separator, type: CF 19, serial number: 3539, year of construction: 01.07.2013, dimensions: 550 mm x 450 mm x 900 mm.	50
302	NN rollies	5 plastic rollies, dimensions: (5x) 760 mm x 470 mm x 180 mm.	25
303	Kärcher	Kärcher industrial vacuum machine, type: IVR-L 100/24-2 Tc Me Dp, serial number: 99878870000415, year of construction: 2021, 220-240 V, 1 Ph, 50/60 Hz, 2400 W, 56 kg, dimensions: 750 mm x 650 mm x 1400 mm.	75
304	Ecolab	Ecolab dosing unit, dimensions: 170 mm x 150 mm x 300 mm.	10
305	NN roller conveyer	45° curved roller conveyer, s/s frame, plastic rollers, roller width: 155 mm, total dimensions: 1800 mm x 750 mm x 600 mm.	25
306	Itec	Itec sole cleaner, type: 23874, series: 0320, year of construction: 2013, 400 V, 3 Ph, 50-60 Hz, sensor control, brush length: (2x) 1000 mm, total dimensions: 1900 mm x 1000 mm x 1350 mm.	500



Nr	Title	Description	Start €
307	NN cabinets	3 steel cabinets, dimensions: (3x) 800 mm x 400 mm x 1800 mm.	30
308	Blupura	Blupura cold water dispenser, model: Blusoda 30 Fizz, serial number: 1903026222, 230 V, 1 Ph, 50 Hz, 1.00 A, 230 W, refrigerant: R290 (40 gram), dimensions: 600 mm x 500 mm x 1450 mm.	150
309	NN tub for ice water	S/s tub for ice water with Dovac ring compressor, type: ZDI40-1-0,18-3H, total dimensions: 1400 mm x 1050 mm x 800 mm.	150
310	Grundfos	Grundfos high pressure system, type: Hydro Mono 1 CR 10-4 400 V, serial number: 0000000054, year of construction: 12/24, 400/230 V, 3 Ph, 50 Hz, 1.5 kW, capacity maximum: 12 m ³ per hour, with Grundfos circulation pump, type: CR10-4 A-A-A-E-HQQE, serial number: capacity: 10.0 m ³ per hour and Reflex pressure vessel, maximum: 10 bar, capacity: 18 liter, total dimensions: 700 mm x 800 mm x 800 mm.	150
311	NN switch cabinet	Switch cabinet for cooling installation, dimensions: 1000 mm x 400 mm x 2000 mm.	150
312	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 3 compressors, type: 4EC-6.2Y-40S, capacity: 22.7 / 27.4 m ³ per hour, type: 4DC-7.2Y-40S, capacity: 26.9 / 32.4 m ³ per hour and type: 4NCS-20.2Y-40P, capacity: 56.2 / 67.9 m ³ per hour, total dimensions: 2000 mm x 1000 mm x 1100 mm.	500
313	Dorin	Dorin compressor rack with 2 compressors, model: K750CC-02, capacity: 32.54 m ³ per hour and model: H751CC, capacity: 31.88 m ³ per hour, refrigerant: R449A / 83 kg, total dimensions: 1200 mm x 1000 mm x 1400 mm.	400
314	NN switch cabinet	Switch cabinet for cooling installation, dimensions: 1000 mm x 300 mm x 1650 mm.	150
315	Dorin	Dorin compressor rack with 2 compressors, model: (2x) K3000CS-01, capacity: 110.60 m ³ per hour, Kelvion heat exchanger, type: GWH500H-AE-60, serial number: 5102210473-0001, year of construction: 2025, total dimensions: 1800 mm x 900 mm x 1200 mm.	400
318	NN combisteamer	Combisteamer, model: EFC04M, serial number: 50410541, 400 V, 3 Ph, 50 Hz, 6.25 kW, 4 floors, dimensions floors: (4x) 530 mm x 360 mm, total dimensions: 860 mm x 700 mm x 530 mm.	100
319	Alex Meijer & Co	Alex Meijer & Co coffee machine, model: EXCELSCO, serial number: 2NF50042, 220-240 V, 50-60 Hz, 2250 W, dimensions: 200 mm x 400 mm x 400 mm.	25
320	NN kitchen counter	Kitchen counter consisting of: Tefcold refrigerated showcase, dimensions: 1760 mm x 700 mm x 880 mm, Zanussi frying / baking cabinet, dimensions: 2100 mm	500



Nr	Title	Description	Start €
		x 700 mm x 880 mm, hood, 2 wall mounted cabinets, dimensions: 1300 mm x 400 mm x 600 mm, s/s washing table with double sink, dimensions: 2500 mm x 700 mm x 900 mm, dishwasher, dimensions: 600 mm x 800 mm x 850 mm.	
321	NN canteen tables	6 canteen tables with 17 chairs, dimensions tables: (6x) 1400 mm x 700 mm x 740 mm.	100
323	NN table	S/s table with wooden worktop, dimensions: 680 mm x 590 mm x 750 mm.	25
324	NN office equipment	Office equipment, consisting of: Office table, consisting of 2 parts, dimensions: 2000 mm x 1000 mm x 770 mm and 1400 mm x 650 mm x 680 mm 2 office cabinets, dimensions: (2x) 800 mm x 460 mm x 1260 mm.	200
325	NN canteen tables	8 canteen tables with 18 chairs, dimensions tables: (8x) 1800 mm x 800 mm x 730 mm.	100
326	NN storage tank	Dirt water storage tank, diameter tank: 2050 mm, length tank: 6800 mm, total height tank: 3250 mm. Including steel platform with stairs.	1500
327	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 4 compressors built-in 40 FT container, type compressors: (4x) HSN8571-125-40P, capacity: (4x) 410 / 495 m ³ per hour, 2900 / 3500 rates per minute, Bitzer Kühlmaschinenbau GmbH oil separator, type: OA25112, serial number: 1184400996, year of construction: 2013, volume: 655 liter, maximum working pressure: 28 bar, refrigerant: R507 (885 kg), dimensions container: 12200 mm x 2400 mm x 2900 mm.	10000
328	GEA Goedhart BV	GEA Goedhart BV air-cooled condenser, model: KOAL-S MVB274M-EC725, serial number: 1101393, 400 V, 3 Ph, 50 Hz, 43.4 A, 14 fans, 14 x 1700 W, maximum pressure: 28 bar, coil volume: 486 liter, total dimensions: 10300 mm x 2230 mm x 2200 mm. Including s/s platform.	5000
329	GEA Goedhart BV	GEA Goedhart BV roof condenser, model: KOALS L F M C 101 K 4 H 091, serial number: 1101497, 400 V, 3 Ph, 50 Hz, maximum pressure: 28 bar, net weight: 315 kg, total dimensions: 2100 mm x 1200 mm x 1300 mm.	250
330	AFA Apparatenfabriek "Aalsmeer"	AFA Apparatenfabriek "Aalsmeer" isolated tank, year of construction: 2014, design / test pressure: 6 / 8.6 bar, design temperature: 95C, volume: 15.45 m ³ , medium: water, diameter tank: 2200 mm, height tank: approximately 7000 mm. Including steel stairs.	750
331	NN tank	Isolated steel tank, diameter tank: 2450 mm, height tank: approximately 8000 mm.	750
332	NN safety fence		25



Nr	Title	Description	Start €
		S/s safety fence, dimensions: 1000 mm x 1020 mm x 1450 mm.	
333	Imi Hydronic	Imi Hydronic expansion vessel, type: DG 700.6, fabrication number: 201810090004, pressure: 6.0 bar, volume: 700 liter, diameter vessel: 750 mm, height vessel: 2100 mm.	200
334	Pneumatex	Pneumatex expansion vessel, diameter: 450 mm, height: 1350 mm.	100
335	Pneumatex	Pneumatex expansion vessel, type: TGI 3000.2 H, year of construction: 2014, volume: 3000 liter, working pressure: 0 / 2.0 bar, working temperature: -10 / +120C, diameter vessel: 1400 mm, height vessel: 2800 mm. Including Pneumatex water level limiter.	500
336	Lowara	Lowara high pressure system with 2 Lowara circulation pumps, pump unit: (2x) 3SV12F011T/D, capacity: 1.2 / 4.4 m ³ per hour, 2900 rates per minute, total dimensions: 1100 mm x 1000 mm x 950 mm.	250
337	Franklin Electric	Franklin Electric circulation pump, model: EV3/17 F1015 T5 E1 IE3, serial number: 25B70 03-0014G, year of construction: 2025, capacity: 23.3 - 70 liter per minute, 1.5 kW, dimensions: 260 mm x 200 mm x 950 mm.	50
338	Böhm Kabeltechnik	Böhm Kabeltechnik cable reel, diameter: 460 mm, height: 530 mm.	50
339	Grundfos	Part for Grundfos circulation pump, type: CR 8-200 S-P-I-AUUE, model: B42Z21420R P1 0833, capacity: 9.5 m ³ per hour, 2900 rates per minute, dimensions: 300 mm x 300 mm x 940 mm.	25
340	GEA Grasso	GEA Grasso piston compressor, model: RC69, number: 98061357, year of construction: 1998, capacity: 422 m ³ per hour, 21 bar, 1450 rates per minute, Schorch motor, 110 / 127 kW, dimensions compressor: 2200 mm x 1100 mm x 1400 mm, switch cabinet, dimensions: 1200 mm x 500 mm x 2150 mm.	1500
341	Tranter International AB	Tranter International AB heat exchanger, model: GCD-016PR, year of construction: 2015, volume: 5.52 / 5.28 liter, test pressure: 14.3 bar, total dimensions: 700 mm x 300 mm x 850 mm.	100
342	NN valves	4 manual valves, DN 80, PN 16, dimensions: (4x) 300 mm x 400 mm x 200 mm.	100
343	Grundfos	2 Grundfos motors for circulation pumps, dimensions: (2x) 300 mm x 300 mm x 400 mm.	50
344	Chemie + Wasser Lohbeck	Chemie + Wasser Lohbeck water softening installation consisting of 2 composite tanks, type: SOFTTROL D-60-CD, year of construction: 2018, dimensions: (2x) 200 mm x 200 mm x 1100 mm, storage tub for salt, dimensions: 600 mm x 600 mm x 800 mm and Grundfos pump.	150



Nr	Title	Description	Start €
345	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 compressors, type: (2x) 6G-40.2, fabrication numbers: 502 011 and 15041595, capacity: 126.8 m ³ per hour, 1450 rates per minute, dimensions compressor rack: 4200 mm x 1300 mm x 2150 mm. Including switch cabinet, dimensions switch cabinet: 1200 mm x 400 mm x 1900 mm.	1250
346	Bosch / Walter Dreizler GmbH	Bosch steam boiler, type: UT-M 14, serial number: 130449, year of construction: 2018, maximum allowable pressure: 10 bar, test pressure: 18.5 bar, volume: 1690 liter, maximum allowable temperature: 170C, thermal capacity: 1500 kW, Walter Dreizler GmbH gas burner, model: M 1501-F1 ARZ, identification number: 1824944, year of construction: 2018, 250 - 1900 kW, Bosch economizer, type: ECO7 1.1-600/378-2v-ET1-FE33-D7, thermal capacity: 63,78 kW, total dimensions steam boiler: 5450 mm x 1700 mm x 2250 mm, switch cabinet, dimensions: 800 mm x 400 mm x 1900 mm. Including chimney. Inspection certificates not available.	7500
347	Wilo	Wilo circulation pump, type: TOP-Z40/7 RG, 400 / 230 V, 3 Ph, 50 Hz, maximum temperature: 80C, dimensions: 270 mm x 150 mm x 270 mm.	25
348	Hanna Instruments	2 boxes with various Hanna Instruments equipment, amongst other: HI 3812 Hardness test kist.	25
349	NN isolated tank	S/s isolated tank, diameter tank: 2800 mm, height tank: 5400 mm.	1500
350	NN tank	S/s tank, diameter: 2200 mm, height: 4800 mm.	1500
351	KSB / Grundfos	4 KSB circulation pumps and 3 Grundfos circulation pumps.	250
352	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 compressors, type: (2x) HSN7471-75-40P, serial number: 1079001887 and 1079001886, capacity: 250 / 300 m ³ per hour, 2900 / 3500 rates per minute, refrigerant: R507 / 240 kg, dimensions compressor rack: 2600 mm x 1400 mm x 1800 mm, switch cabinet, dimensions: 1200 mm x 400 mm x 2200 mm.	2500
353	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 compressors, type: (2x) HSN7471-75-40P, serial number: 1066700359 and 1068200082, capacity: 250 / 300 m ³ per hour, 2900 / 3500 rates per minute, refrigerant: R507 / 240 kg, dimensions compressor rack: 2600 mm x 1400 mm x 1800 mm, switch cabinet, dimensions: 1200 mm x 400 mm x 2200 mm.	2500
354	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 compressors, type: (2x) HSN7471-75-40P, capacity: 250 / 300 m ³ per hour, 2900 / 3500 rates per minute, refrigerant: R507 / 354 kg, dimensions compressor	2500



Nr	Title	Description	Start €
		rack: 2600 mm x 1400 mm x 1800 mm, switch cabinet, dimensions: 1200 mm x 400 mm x 2200 mm. 1 compressor already taken off.	
355	NN cabinet with parts	Steel cabinet with parts for cooling compressors, dimensions cabinet: 800 mm x 380 mm x 1780 mm.	150
358	Trinnity	15 bags with Trinnity salt tablets, each bag: 25 kg.	25
359	Grassair	Grassair air compressor, type: RLR75V, serial number: API172339, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 55 kW, capacity: 10.1 m ³ / minute, weight: 1200 kg, total dimensions: 1700 mm x 1100 mm x 1650 mm.	1250
360	Grassair	Grassair air dryer, type: DW 72 (A12), serial number: CAI778968, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 2.93 kW, maximum working pressure: 13 bar, refrigerant: R410A (1.6 kg), dimensions: 750 mm x 850 mm x 980 mm.	500
361	Worthington Creyssensac	2 Worthington Creyssensac filters, maximum: 16 bar, dimensions: (2x) 150 mm x 150 mm x 800 mm.	150
362	SIAP	SIAP pressure vessel, volume: 900 liter, working pressure: 11 bar, diameter vessel: 800 mm, height vessel: 2500 mm.	250
363	Donaldson	Donaldson activated carbon adsorber, plant installation: AKC 0650, serial number: 86411544, year of construction: 2014, minimum: 4 bar, maximum: 16 bar, dimensions: 600 mm x 600 mm x 1850 mm. Including 2 filters.	250
364	Lubron	Lubron water softening installation consisting of Lubron composite tank, model: JR400 ECO-DV, serial number: 15110203, 230 V, 50 Hz, 75 W, volume: 120 liter, dimensions composite tank: 370 mm x 370 mm x 1850 mm, plastic barrels for salt tablets, dimensions: 700 mm x 700 mm x 950 mm.	150
365	M.T.A. SRL	M.T.A. SRL air dryer, type: DE025, serial number: 2200042941, year of construction: 2004, dimensions: 650 mm x 400 mm x 800 mm.	150
366	Grassair	Grassair oil condensate separator, type: S128, number: SIR0003209, dimensions: 800 mm x 550 mm x 1000 mm.	100
367	OKS Otto Klein GmbH	OKS Otto Klein GmbH pressure vessel, serial number: 512883, year of construction: 2005, maximum working pressure: 11 bar, minimum / maximum working temperature: -10 / +50C, volume: 1000 liter, diameter vessel: 800 mm, height vessel: 2400 mm.	250
368	Kaeser Kompressoren	Kaeser Kompressoren active carbon adsorber, model: ACT 108, serial number: 9.5497.0 - 1139, year of construction: 2013, minimum / maximum working pressure: 4 / 16 bar, maximum working temperature: 55/ 131F, desiccant: Activated carbon (68 kg),	250



Nr	Title	Description	Start €
		dimensions: 800 mm x 600 mm x 2000 mm. Including Kaeser filter.	
369	M.T.A. S.p.A.	M.T.A. S.p.A. air dryer, model: DE 032, serial number: 2200207619, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 3.7 A, 0.72 kW, refrigerant: R134a (0.600 kg), dimensions: 700 mm x 700 mm x 950 mm.	150
370	Kaeser Kompressoren	Kaeser Kompressoren oil water separator, serial number: 2801, dimensions: 360 mm x 360 mm x 800 mm.	50
371	NN meat bin	S/s meat bin, volume: 200 liter, including barrel with used oil.	50
372	ACB Solutions	ACB Solutions switch cabinet used for transport belt system, dimensions: 800 mm x 800 mm x 320 mm.	50
373	ARCO Solutions BV	ARCO Solutions BV switch cabinet used for transport belt system, dimensions: 1100 mm x 1000 mm x 1500 mm.	100
374	ACB Solutions	2 ACB Solutions switch cabinets used for transport belt system, dimensions: (2x) 800 mm x 300 mm x 1150 mm.	100
375	Goedhart	Goedhart roof condenser, type: KOAL-M6490E-8P, manufacturing number: PJV050152, year of construction: 2005, working pressure: 28 bar, test pressure: 40 bar, volume: 141 dm ³ , weight: 1087 kg, refrigerant: R507, 4 fans, dimensions: 8400 mm x 1220 mm x 1500 mm.	1000
376	Goedhart	Goedhart roof condenser, type: KOAL-M6490E-8P, manufacturing number: PJV051208, year of construction: 2005, working pressure: 28 bar, test pressure: 40 bar, volume: 141 dm ³ , weight: 1087 kg, refrigerant: R507, 4 fans, dimensions: 8400 mm x 1220 mm x 1500 mm.	1000
377	GEA Goedhart BV	GEA Goedhart BV roof condenser, model: KOAL-G-L4490E-C-8p(S), manufacturing number: 10057002 / 2010 / 00486218 / 1, 400 V, 3 Ph, 50 Hz, tube volume: 149 liter, maximum pressure: 32 bar, 4 fans, 8400 W, total dimensions: 8400 mm x 1200 mm x 1900 mm.	1000
378	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor / condensing unit, compressor type: 4NCS-20.2Y-40P, serial number: 1672505132, 50/60 Hz, capacity: 56.2 / 67.9 m ³ per hour, 1450 / 1750 rates per minute, dimensions: 1650 mm x 1100 mm x 1050 mm.	400
379	Friga-Bohn	Friga-Bohn roof condenser, model: CAD, type: 4266/8P, 220 / 380 V, 8 fans, dimensions: 5600 mm x 2200 mm x 1500 mm.	500
380	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor / condensing unit, compressor type: 4PCS-15.2Y-40P, serial number: 1672306511, 50/60 Hz, capacity: 48.5 /	400



Nr	Title	Description	Start €
		58.5 m ³ per hour, 1450 / 1750 rates per minute, dimensions: 1650 mm x 1100 mm x 1050 mm.	
381	Helpman	Helpman roof condenser, type: TGV-5580 n-1000, 220/380 V, 3 Ph, 50 Hz, 8 fans, dimensions: 5200 mm x 2300 mm x 1000 mm.	500
382	Lu-Ve Contardo	Lu-Ve Contardo roof condenser, model: SHVN 110, 4 fans, dimensions: 1900 mm x 1700 mm x 1200 mm.	500
383	Lu-Ve Contardo	Lu-Ve Contardo roof condenser, model: SHVN 83 H, serial number: 082083318, 400 V, 3 Ph, 50 Hz, internal volume: 24.1 dm ³ , 1.7 A, refrigerant: R134a - R404a - R22, 3 fans, dimensions: 2750 mm x 800 mm x 1200 mm. 1 fan already been dismantled.	500
384	Goedhart	Goedhart roof condenser, type: KOAL-M4371E-6P, manufacturing number: PJV050153, year of construction: 2005, working pressure: 28 bar, test pressure: 40 bar, volume: 43 dm ³ , refrigerant: R507, 3 fans, dimensions: 4700 mm x 1050 mm x 1300 mm.	500
385	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor / condensing unit, type: LH84/FS126, serial number: 1668102682, compressor type: 4FC-5.2Y-40S, serial number: 1665100270, 50/60 Hz, capacity: 18.1 / 21.8 m ³ per hour, 1450 / 1750 rates per minute, dimensions: 1000 mm x 700 mm x 920 mm.	250
386	Denco Happel Production GmbH	Denco Happel Production GmbH air treatment cabinet, model: CAIRplus 220 188A2BK, serial number: 642099 0101, year of construction: 2017, nominal air capacity: 40.000 m ³ per hour, heating capacity: 429 kW, Gebhardt ventilator, type: RLM E6-8090-6W 33J, dimensions: 4500 mm x 2250 mm x 2100 mm. Including air channel and s/s switch cabinet.	1500
387	Stephan	Stephan microcutter, type: MCHD90, serial number: 721.305.01, year of construction: 1994, motor: 3 x 400 V, 50 Hz, 75 kW, knife speed: 2900 rates per minute, hopper volume: 250 liter, weight: 1000 kg, dimensions: 2400 mm x 1100 mm x 1250 mm.	7500
400	NN trolleys	22 s/s trolleys, 5 floors, floor dimensions: (5x) 910 mm x 600 mm, total dimensions: (22x) 950 mm x 600 mm x 1950 mm.	550
401	NN trolleys	18 s/s trolleys, 5 floors, floor dimensions: (5x) 910 mm x 600 mm, total dimensions: (18x) 950 mm x 600 mm x 1650 mm.	450
402	NN trolleys	18 s/s trolleys, 5 floors, floor dimensions: (5x) 910 mm x 600 mm, total dimensions: (18x) 950 mm x 600 mm x 1950 mm.	450
403	NN trolleys	48 s/s trolleys, 5 floors, floor dimensions: (5x) 910 mm x 600 mm, total dimensions: (48x) 950 mm x 600 mm x 1650 mm.	1200
404	NN trolleys		1200



Nr	Title	Description	Start €
		48 s/s trolleys, 5 floors, floor dimensions: (5x) 910 mm x 600 mm, total dimensions: (48x) 950 mm x 600 mm x 1650 mm.	
405	NN trolleys	21 s/s trolleys, 5 floors, floor dimensions: (5x) 910 mm x 600 mm, total dimensions: (21x) 950 mm x 600 mm x 1950 mm.	525
406	NN trolleys	21 s/s trolleys, 5 floors, floor dimensions: (5x) 910 mm x 600 mm, total dimensions: (21x) 950 mm x 600 mm x 1650 mm.	525
407	NN trolleys	21 s/s trolleys, 5 floors, floor dimensions: (5x) 910 mm x 600 mm, total dimensions: (21x) 950 mm x 600 mm x 1950 mm.	525
408	NN pallet rack	Steel pallet rack consisting of: 14 uprights, upright length: (10x) 5850 mm, (4x) 6700 mm, approximately 50 beams, beam length: 3700 mm, 3 pallets with corners and parts for pallet rack.	250
409	Linde Material Handling	Linde Material Handling reach truck, model: R14 1120, fork length: 1200 mm, maximum lifting height: 8600 mm, total dimensions: 1400 mm x 2500 mm x 3350 mm. Including Hawker battery charger, model: Motionline puls, serial number: 0500429-0010-001, year of construction: 01.2018, 400 V, 3 Ph, 50 Hz, 8.87 A, 6.07 kVA, weight: 56 kg, dimensions: 500 mm x 440 mm x 740 mm.	1500
410	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 230 mm, total dimensions: 3050 mm x 270 mm x 920 mm. Wheels included.	150
411	ACB Solutions	ACB Solutions mobile transport belt, s/s frame, plastic belt, belt width: 230 mm, total dimensions: 3550 mm x 600 mm x 1100 mm.	150
412	Tecno Fluss	Tecno Fluss mobile depositor, model: VM 300, number: 770, year of construction: 2002, tub dimensions: Ø 480 mm x 500 mm, outfeed diameter: 10 mm, total dimensions: 800 mm x 800 mm x 2000 mm.	400
413	Alfa-Laval / Koppens	Alfa-Laval / Koppens mobile lifter for 200 liter meat bins, type: L25L, machine number: L25L-1344, 380 V, 3 Ph, 50 Hz, 18 A, 0.55 kW, weight: 310 kg, lifting height: 2200 mm, total dimensions: 1500 mm x 1300 mm x 2950 mm.	1250
414	Verbufa	Verbufa mobile double waterwheel, type: 51402-A-0004, serial number: 218833-1, year of construction: 09/2013, 230 V, 50 Hz, 10 A, 2 kW, weight: 200 kg, 2x 4 outfeed pipes, outfeed diameter: Ø 23 mm, total dimensions: 1700 mm x 1300 mm x 1550 mm. Missing rotor.	3000
416	Elpress	Elpress mobile high pressure cleaner, type: 83302220, serial number: 28186, year of construction: 07/11/17,	400



Nr	Title	Description	Start €
		400 V, 3 Ph, 50 Hz, 16 A, 4 kW, weight: 120 kg, pressure: 20 bar, maximum temperature: 70°C, dimensions: 1000 mm x 700 mm x 1100 mm.	
417	P.Verbruggen	P.Verbruggen mobile batter mixer, volume: 125 liter, dimensions: 950 mm x 600 mm x 1300 mm.	500
418	Laska Maschinenfabrik	Laska Maschinenfabrik mobile grinder, type: W 130 1, number: H 6144, year of construction: 1996, 380/400 V, 3 Ph, 50 Hz, 16 A, 7.5 kW, maximum plate diameter: 130 mm, total dimensions: 1280 mm x 750 mm x 1360 mm. Without worm, knives and plates.	250
419	Lakidis	Lakidis double shaft paddle mixer, model: PL-300, volume: 300 liter, inside dimensions: 860 mm x 660 mm x 570 mm, total dimensions: 1550 mm x 800 mm x 1600 mm. Technical condition unknown. Incomplete. Missing cover.	1500
421	P.Verbruggen	P.Verbruggen mobile continuous stick inserter, type: 04, year of construction: 2016, 380 V, 2 A, 0.18 kW, weight: 200 kg, clearance: (6x) 31 mm x 12 mm, plastic mesh belt, belt width: 390 mm, total dimensions: 2350 mm x 950 mm x 1450 mm.	1500
422	Pulsotronic	Pulsotronic metal detector, type: M-Pulse BD 400x200, machine number: 90001609, year of construction: 2008, 230 V, 1 Ph, 50/60 Hz, 300 W, plastic belt, belt width: 325 mm, clearance: 400 mm x 116 mm, total dimensions: 1400 mm x 850 mm x 1580 mm.	500
423	Philips	40 Philips lights, model: MDK 400 IC/S, 230 V, 50 Hz, 400 W, dimensions: (40x) 500 mm x 450 mm x 500 mm.	400
424	Webo	Webo column drill, dimensions: 1000 mm x 650 mm x 2250 mm.	250
425	NN lockers	12 steel lockers with 4 doors each, dimensions: (12x) 1200 mm x 500 mm x 2080 mm.	300
426	NN carton boxes	11 pallet with carton boxes, dimensions box: 1230 mm x 850 mm x 200 mm + 850 mm, total dimensions pallets: (4x) 1700 mm x 1400 mm and (7x) 1700 mm x 900 mm.	250
427	NN plates and knives	3 crates with plates and knives for grinder / micro cutter, plate diameter: 200 mm, total dimensions: (3x) 600 mm x 400 mm x 200 mm.	150
428	NN knife for vegetable slicer	S/s knife for vegetable slicer, diameter: 470 mm.	10
429	NN parts for forming machine	Parts for forming machine.	100
430	NN motor	Carton box with motor and s/s parts, dimensions: 870 mm x 450 mm x 500 mm.	50
431	Weber	Weber mobile wet and dry vacuum cleaner, model: WE 60L, 220/240 V, 1 Ph, 50 Hz, 3000 W, dimensions: 550 mm x 600 mm x 800 mm.	50



Nr	Title	Description	Start €
432	Lorch Schweißtechnik GmbH	Lorch Schweißtechnik GmbH welding machine on s/s trolley, model: A 2200, serial number: 720-1530-005, 230 V, 1 Ph, 50/60 Hz, 25 A, dimensions: 900 mm x 700 mm x 1000 mm.	50
433	NN parts	2 plastic pallet boxes with various parts, dimensions: (2x) 1200 mm x 1000 mm x 980 mm.	50
434	NN cables	3 wooden reels with cables.	100
435	Van De Velde / Schut	Van De Velde / Schut parts dye carton erector, dye: 125 mm x 180 mm x 50 mm.	150
436	NN part for cabinet	Steel part for cabinet, dimensions: 1200 mm x 600 mm x 600 mm.	10
437	NN fan	Fan, dimensions: 1060 mm x 1060 mm x 340 mm.	50
438	NN heat exchangers	2 heat exchangers, dimensions: (2x) 800 mm x 350 mm x 550 mm.	50
439	Nuaire	Nuaire fan, dimensions: Ø 900 mm x 500 mm.	50
440	NN rollers for pizza preparation	Trolley with 9 rollers for pizza preparation line, roller width: 650 mm, trolley dimensions: 1100 mm x 800 mm x 1500 mm. Including pallet with 4 rollers, pallet dimensions: 1200 mm x 800 mm x 400 mm.	400
441	NN trolleys	21 pcs. s/s trolleys, 9 floors, total dimensions: (21x) 1540 mm x 590 mm x 1750 mm.	525
442	NN trolleys	13 pcs. steel trolleys, 11 floors, total dimensions: (13x) 1260 mm x 650 mm x 1760 mm.	130
443	NN trolleys	38 pcs. steel trolleys, 9 floors, dimensions floors: (9x) 920 mm x 600 mm, total dimensions: (38x) 1000 mm x 600 mm x 1670 mm. Every trolley includes 9 steel plates.	380
450	Stiebel Eltron	Stiebel Eltron boiler, model: SHW 400 S, number: 182122-9743-000164, 50/60 Hz, 45 liter per minute, volume: 400 liter, diameter: 700 mm, height: 1800 mm.	150
451	Buderus	Buderus double wall-hung condensing gas boiler, model: Logamax Plus, type: GB272-150 H, serial number: 3290-279-000027-7736701646 and 3290-280-000027-7736701646, 2 Wilo circulation pumps, total dimensions: 1050 mm x 700 mm x 1700 mm, control panel, dimensions: 650 mm x 300 mm x 300 mm and 2 Buderus expansion vessels, model: (2x) Logafix BU-H 18 L, volume: (2x) 18 liter.	4500
452	Buderus / Weishaupt	Buderus boiler with Weishaupt burner, type boiler: GE515 455-510, Pn (Hi): 455.0 - 510.0 kW, Qn (Hi): 488.2 - 547.8 kW, volume: 442 liter, test pressure: 8.6 bar, Weishaupt burner, burner type: WM-G10/3-A, serial number: 40419405, year of construction: 2017, minimum capacity: 100 kW, maximum capacity: 1000 kW, maximum: 500 mbar, 230 V / 400 V, 1-3 Ph, 50 Hz, total dimensions: 1000 mm x 3200 mm x 2000 mm. Including Wilo circulation pump.	1200



Nr	Title	Description	Start €
453	Buderus / Weishaupt	Buderus boiler with Weishaupt burner, type boiler: GE515, Pn (Hi): 296- 350 kW, Qn (Hi): 316.6 - 377.1 kW, volume: 334 liter, test pressure: 8.6 bar, Weishaupt burner, burner type: WG40N/1-A, serial number: 5293421, year of construction: 2003, minimum capacity: 55kW, maximum capacity: 550 kW, maximum: 500 mbar, 230 V / 400 V, 1-3 Ph, 50 Hz, total dimensions: 1000 mm x 2400 mm x 2000 mm. Including Wilo circulation pump.	1000
454	Cetetherm	Cetetherm boiler with heat exchanger, type: CETENIRO 500, manufacturing number: 348978, year of construction: 2002, maximum working pressure: 10 bar, maximum working temperature: 95 degree Celsius, volume: 500 liter, diameter: 800 mm, height: 1950 mm, Cetetherm heat exchanger, model: Cetepac NI 415-20, number: 5432894, year of construction: 2001.	100
455	Cosmo	Cosmo boiler, type: CCES1000WEN, production number: CE0005879, year of construction: 2012, working pressure: 10 bar, working temperature: 90 degree Celsius, volume: 1000 liter, diameter: 950 mm, height: 2300 mm.	100
456	Cetetherm	Cetetherm boiler with heat exchanger, type: CETENIRO 500E, manufacturing number: E50237 PS, year of construction: 2004 9 kW, maximum working pressure: 10 bar, maximum working temperature: 95 degree Celsius, volume: 500 liter, diameter: 800 mm, height: 1900 mm, Cetetherm heat exchanger, model: Cetethermsolidpac 615-20, number: 17077265, year of construction: 2004.	100
457	Reflex	2 Reflex expansion vessels, type: (2x) Reflex N 600, volume: (2x) 600 liter, allowable work pressure: 6 bar, test pressure: 8.6 bar, allowable flow temperature: 120 degree Celsius, diameter: (2x) 750 mm, height: (2x) 1600 mm.	400
458	Assa Abloy	Assa Abloy high speed shutter door, type: RR300, year of construction: 2020, 400 V, 3 Ph, 50 Hz, dimensions: 2050 mm x 2470 mm.	500
459	Albany Door Systems	Albany Door Systems high speed shutter door, type: R350E, serial number: 6128958, year of construction: 2004, 400 V, 3 Ph, 50 Hz, dimensions: 2450 mm x 3000 mm.	500
460	Assa Abloy	Assa Abloy high speed shutter door, type: BR 300 plus, year of construction: 2015, 400 V, 3 Ph, 50 Hz, dimensions: 2100 mm x 2900 mm.	500
461	Albany Assa Abloy	Albany Assa Abloy electrical high speed shutter door, door type: RR 355, serial number: 000000001500001957, year of construction:	500



Nr	Title	Description	Start €
		2015.07.17, 400 V 3 Ph, 50 Hz, 3 KVA, door dimensions: 3000 mm x 2950 mm.	
462	Schieffer	Schieffer high speed shutter door, type: Roll 350 E, serial number: 108121/98/1/1, year of construction: 1998, 400 V, 50 Hz, 0.75 kW, dimensions: 2500 mm x 2450 mm. Technical condition unknown.	500
463	Assa Abloy	Assa Abloy high speed shutter door, type: RR_Food, year of construction: 2012, 400 V, 3 Ph, 50 Hz, dimensions: 2220 mm x 2500 mm.	500
464	NN office unit	Office unit, dimensions: 2900 mm x 8200 mm x 3000 mm.	2500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

