



Industrial Auctions

2131: Online auction machinery and inventory for the production of frozen snacks due to factory closure GoodLife Foods in Dordrecht (NL)

END DATE
07 May 2026 14:00



General terms and conditions of the online auction

End date	07 May 2026 from 14:00 hrs.
Viewing days	05 May 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	19 May 2026 from 09:00 till 16:00 hrs.
Pick up address	Bunsenstraat 79 3316 GC Dordrecht Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Seydelmann	Seydelmann vacuum cutter with lifter for 200 liter meat bins and unloader, type: K504 DC6 88071-1, year of construction: 1988, 230 / 400 V, 50 HZ, 500 A, 218 kW, s/s bowl, bowl capacity: 500 liter, dimensions cutter: 3600 mm x 2800 mm x 2300 mm, switch cabinet, dimensions switch cabinet: 1200 mm x 500 mm x 2200 mm, Seydelmann Micro 112 control panel, crate with additional knives and tools.	12500
2	Vikan	S/s peg with Vikan squeegee, dimensions peg: 800 mm x 100 mm x 120 mm.	10
3	Kombimix	Kombimix water dosing machine, model: NT 10-24 EL, 230 V, 50/60 Hz, maximum inlet temperature water: 80C, volume: 0.5 - 900 liter, 36 liter per minute, dimensions: 300 mm x 150 mm x 400 mm.	100
4	Seydelmann	Seydelmann grinder, model: AU200B, machine number: 98419-1, year of construction: 1998, 400 V, 50 Hz, 105 A, plate diameter: 200 mm, total dimensions: 3050 mm x 1550 mm x 1750 mm, including tool trolley with some additional plates, dimensions tool trolley: 800 mm x 400 mm x 1000 mm.	12500
5	Kolbe	Kolbe mobile mixer-grinder, type: MWE32, serial number: 125537, year of construction: 1997, 3 x 400 V, 50 Hz, 6.6 kW, infeed height: 1500 mm, outfeed height: 750 mm, hopper: 120 liter, plate diameter: Enterprise 32 / 100 mm, weight: 500 kg, dimensions: 1200 mm x 800 mm x 1800 mm.	1500
6	K+G Wetter	K+G Wetter cutter, type: SM120STL, serial number: 264-1086-1, year of construction: 1994, 3 x 400 V, 50 Hz, 42 kW, s/s bowl, bowl speed: 2 speeds, variable knife speed, weight: 1600 kg, temperature indicator, dimensions: 1450 mm x 1850 mm x 1400 mm.	7500
7	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 1000 mm x 480 mm x 1000 mm.	50
8	NN peg	S/s peg, dimensions: 800 mm x 100 mm x 120 mm.	10
9	GEA Goedhart B.V.	GEA Goedhart B.V. s/s evaporator, type: DRS 32404 P, manufacturing number: PJV100283, VK1000212 / 300240020, year of construction: 2010, cooling capacity: 15.1 kW at +10C / 0C, volume: 10 dm ³ , PS: 22 bar, PT: 32 bar, fluid: NH3 pump, weight: 120 kg, 2 fans, dimensions: 1656 mm x 1220 mm x 420 mm.	250
10	Metaflex	Metaflex s/s refrigerated sliding door, model: PPO-055503/001, year of construction: 2020, thickness door: 100 mm, dimensions door: 1230 mm x 2000 mm, length rail: 3170 mm.	150
11	NN writing desk	S/s mobile writing desk, dimensions: 620 mm x 550 mm x 1200 mm.	75
12	GEA Goedhart B.V.		150



Nr	Title	Description	Start €
		GEA Goedhart B.V. s/s evaporator, type: VRB 41457 P, manufacturing number: PJV100283, VK1000212 / 300240050, year of construction: 2010, volume: 8 dm ³ , PS: 22 bar, PT: 32 bar, fluid: NH3 pump, weight: 70 kg, 1 fan, dimensions: 1300 mm x 600 mm x 700 mm.	
13	Karl Schnell	Karl Schnell emulsifier with lifter for 200 liter meat bins, type: FD9, machine number: 31315, year of construction: 2002, 400 V, 50 Hz, 400 A, 200 kW, dimensions emulsifier: 4100 mm x 2800 mm x 2700 mm, switch cabinet, dimensions: 1700 mm x 600 mm x 2300 mm, control panel, dimensions: 600 mm x 300 mm x 700 mm, including 2 rollies and trolley with large amount of plates and knives, dimensions trolley: 1100 mm x 600 mm x 1000 mm, including pallet with various parts.	17500
14	Roboqbo	Roboqbo universal processing system, type: Qbo120-3-316-SGPV, serial number: 2304023123006, year of construction: 2012, 3 x 400 V, 50 Hz, 22 kW, bowl: 120 liter, speed: 0 - 2000 rates per minute, heating: steam 160 kg per hour, weight: 900 kg, total dimensions: 1800 mm x 1750 mm x 1800 mm. With automatic mixing, vacuum, double jacket and steam injection. Including 3 crates with various parts.	9000
15	NN sink	S/s sink, dimensions: 400 mm x 400 mm x 400 mm, s/s paper dispenser, dimensions: 260 mm x 260 mm x 360 mm and s/s soap dispenser.	25
16	NN hose reel	S/s hose reel with hose and pistol, dimensions: 500 mm x 500 mm x 250 mm and extra plastic hose with pistol.	100
17	NN table	S/s mobile table (1-side wheels), dimensions: 600 mm x 400 mm x 880 mm.	25
18	Vikan	S/s peg with Vikan squeegees and various plastic hoses, dimensions peg: 800 mm x 100 mm x 120 mm.	10
19	Inotec	Inotec double shaft paddle mixer with cooling by injection in the hopper, type: IM-1000, serial number: 0208-IPM00128, year of construction: 2002, 3 x 400 V, 50 Hz, 13.5 kW, volume: 100 liter, infeed height: 1800 mm, Siemens touch control panel, total dimensions: 3000 mm x 1700 mm x 2100 mm.	7500
20	NN sink	S/s sink, knee control, dimensions: 460 mm x 460 mm x 800 mm, s/s paper dispenser, dimensions: 270 mm x 270 mm x 400 mm and 2 s/s soap dispensers.	50
21	Kilia	Kilia frozen block cutter, working width: 600 mm, total dimensions: 2400 mm x 1250 mm x 2600 mm.	3500
22	Magurit	Magurit frozen block cutter, type: 053, machine number: 6159, year of construction: 2011, 400 V, 50 Hz, 13 A, 5.5 kW, weight: 660 kg, air pressure: 6 bar, working width: 500 mm, distance between knives: 50 mm, total dimensions: 2200 mm x 950 mm x 900 mm.	10000
23			100



Nr	Title	Description	Start €
	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose, type: ST40/19/1e, serial number: 056116, year of construction: 2006, working pressure: 200 bar, dimensions hose reel: 600 mm x 650 mm x 500 mm.	
24	Kelvion	Kelvion s/s evaporator, 2 fans, dimensions: 2500 mm x 1500 mm x 500 mm.	250
25	NN peg	S/s peg, dimensions: 800 mm x 100 mm x 130 mm.	10
26	NN writing desk	S/s wall mounted writing desk, dimensions: 700 mm x 550 mm x 1200 mm.	25
27	NN table	S/s mobile table, dimensions: 2350 mm x 730 mm x 1050 mm.	150
28	NN hose reel	S/s hose reel, dimensions: 360 mm x 170 mm x 200 mm.	10
29	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1350 mm.	25
30	VIB Isolatie	VIB Isolatie refrigerated sliding door, model: KSL, production number: 17-02-033, thickness door: 100 mm, dimensions door: 1650 mm x 2300 mm, length rail: 3550 mm.	150
31	GEA Goedhart B.V.	GEA Goedhart B.V. s/s evaporator, type: VRB 41457 P, year of construction: 2010, volume: 8 dm ³ , PS: 22 bar, PT: 32 bar, fluid: NH3 pump, weight: 70 kg, 1 fan, dimensions: 1300 mm x 600 mm x 700 mm.	150
32	Dynaco Entrematic	2 Dynaco Entrematic electric shutter door, dimensions door: (2x) 2600 mm x 3200 mm. Including 1 switch cabinet with frequency inverter.	400
33	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 2 fans, dimensions: 2200 mm x 1000 mm x 1000 mm.	250
34	NN sink	S/s sink, dimensions: 500 mm x 450 mm x 600 mm, s/s paper dispenser, dimensions: 270 mm x 270 mm x 400 mm, soap dispenser and s/s protection rack, dimensions: 1100 mm x 200 mm x 1000 mm.	75
35	Metaflex	Metaflex refrigerated sliding door, serial number: 1060348, year of construction: 2006, thickness door: 150 mm, dimensions door: 2050 mm x 3100 mm, length rail: 4100 mm.	250
36	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, model: VRZ 42458, cooling capacity: 13 kW at -22C / -30C, 2 fans, dimensions: 2056 mm x 770 mm x 710 mm.	250
37	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, model: VRZ 42458, cooling capacity: 13 kW at -22C / -30C, 2 fans, dimensions: 2056 mm x 770 mm x 710 mm.	250
38	NN hose reel	S/s hose reel, dimensions: 1050 mm x 600 mm x 300 mm.	10
39	Anticimex	Anticimex insect killer, dimensions: 500 mm x 100 mm x 300 mm.	10
40	NN table	S/s mobile table (1-side wheels), dimensions: 700 mm x 600 mm x 700 mm.	25
41	GEA Goedhart B.V.		150



Nr	Title	Description	Start €
		GEA Goedhart B.V. evaporator, 1 fan, dimensions: 1600 mm x 1600 mm x 500 mm.	
42	NN swing door	Plastic swing door, dimensions: 2500 mm x 2950 mm.	100
43	NN trolley	S/s trolley for film rolls, film width: 1000 mm, dimensions: 1350 mm x 800 mm x 1400 mm.	100
44	NN swing door	Plastic swing door, dimensions: 2000 mm x 3150 mm.	100
45	Metaflex	Metaflex plastic swing door, serial number: 3070180, year of construction: 2007, dimensions: 1900 mm x 2130 mm.	100
46	Metaflex	Metaflex s/s refrigerated sliding door, model: PPO-039983/001, year of construction: 2017, thickness door: 80 mm, dimensions door: 1600 mm x 2000 mm, length rail: 3200 mm.	150
47	NN sink	S/s sink, dimensions: 400 mm x 400 mm x 500 mm, s/s paper dispenser, dimensions: 270 mm x 270 mm x 400 mm and 2 s/s soap dispensers.	50
48	Metaflex	Metaflex plastic swing door, dimensions: 1700 mm x 2400 mm.	100
49	NN swing door	Plastic swing door, dimensions: 1700 mm x 2100 mm.	100
50	Diversey	Diversey Suma hygiene dosing station in s/s cabinet, dimensions: 500 mm x 250 mm x 500 mm.	25
51	Itec	Itec sole cleaner, type: 23820, serial: 0495, year of construction: 01 / 08, 400 V, 3 Ph, 50 Hz, 0.25 kW, brush width: 230 mm, total dimensions: 650 mm x 600 mm x 1300 mm.	150
52	Elpress	Elpress washing machine for meat bins, model: EKW 600, clearance: 800 mm x 800 mm, total dimensions: 8100 mm x 2050 mm x 3200 mm.	3500
53	Vikan	S/s peg with Vikan broom, dimensions peg: 800 mm x 100 mm x 130 mm.	10
54	NN swing door	Plastic swing door, dimensions: 1700 mm x 2100 mm.	100
55	Syspal	Syspal tumbler for 200 and 300 liter meat bins, type: TT2 1001, serial number: K5224, year of construction: 2015, 3 x 415 V, 50 Hz, 4 kW, compressor air: 6 bar, working load: 350 kg, weight: 850 kg, total dimensions: 1800 mm x 1700 mm x 2000 mm.	7500
56	NN trolley	S/s trolley with perforations, 3 mm, total dimensions: 1000 mm x 550 mm x 700 mm.	75
57	NN writing desk	S/s writing desk, dimensions: 600 mm x 550 mm x 1200 mm.	50
58	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 1000 mm x 480 mm x 1000 mm.	50
59	Treif	Treif dicer on mobile frame, type: DERBY-CE, 3 x 380 V, 50 Hz, 2.2 kW, capacity: maximum 995 kg per hour, chamber size: 360 mm x 84 mm x 84 mm, cut-off length: 0.5 - 36 mm, knife set: 17 mm x 17 mm, weight: 295 kg, dimensions: 1650 mm x 900 mm x 1200 mm.	1500
60	Koppens		4000



Nr	Title	Description	Start €
		Koppens mobile forming machine with stick inserter, type: VM 600 H, machine number: VM 600 H - 525, 380 V, 3 Ph, 50 Hz, 24.17 A, 11.27 kW, weight: 1045 kg, s/s mesh belt, belt width: 600 mm, CFS stick inserter, type: STI600-236, year of construction: 2005, total dimensions: 3050 mm x 1000 mm x 2000 mm.	
61	GEA / Hellings Machinebouw B.V.	GEA / Hellings Machinebouw B.V. mobile elevating belt, serial number: E011270405136, year of construction: 2018, 400 V, 3 Ph, 50 Hz, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1000 mm, total dimensions: 1900 mm x 1250 mm x 1100 mm.	400
62	Koppens	Koppens mobile mesh belt, type: TG 3000 / 1000, machine number: TG 3000 / 1000 - 893, 380 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 165, s/s mesh belt, belt width: 1000 mm, total dimensions: 1600 mm x 1200 mm x 1150 mm.	400
63	NN trolley	S/s trolley, dimensions: 800 mm x 600 mm x 900 mm.	75
64	NN paper dispenser	Mobile s/s paper dispenser with waste bag holder, dimensions: 730 mm x 550 mm x 1300 mm.	75
65	NN tool trolley	Tool trolley, dimensions: 1200 mm x 800 mm x 1200 mm.	75
66	BAT Machinebouw	BAT Machinebouw elevating belt, type: BGP-2317, serial number: 0432317-5, year of construction: 2020, 230 V, 50 Hz, 16 A, 1.8 kW, plastic belt width dividers, belt width: 700 mm, divider height: 80 mm, distance between dividers: 200 mm, elevating height: 4000 mm, total dimensions: 4200 mm x 1100 mm x 1600 mm.	500
67	Koppens	Koppens lifter for 200 liter meat bins, type: L25R, machine number: L25R-1250, 380 V, 3 Ph, 50 Hz, 1.8 A, 0.55 kW, weight: 310 kg, lifting height: 2200 mm, total dimensions: 1550 mm x 1100 mm x 2900 mm.	1500
68	CFS	CFS MultiFormer forming machine, type: MLF600, serial number: 727, year of construction: 2001, 3 x 400 V, 50 Hz, 23 kW, compressed air: 6 - 8 bar, 300 liter per minute, capacity: maximum 65 strokes per minute, plastic mesh belt, belt width: 600 mm, weight: 1782 kg, total dimensions: 2850 mm x 1300 mm x 2500 mm, including tool trolley, dimensions: 1500 mm x 700 mm x 1700 mm.	9500
69	Koppens	Koppens steam tunnel, type: ST 14000 / 600, serial number: ST 14000 / 600 - 35, 380 V, 3 Ph, 50 Hz, steam pressure: 4.8 bar, steam: 780 kg per hour (6 bar), weight: 4850 kg, s/s mesh belt, belt width: 600 mm, working length: 14000 mm, automatic lifters, total dimensions: 14400 mm x 2000 mm x 2700 mm.	7500
70	NN mesh belt	S/s mobile mesh belt, belt width: 600 mm, total dimensions: 7200 mm x 900 mm x 1100 mm.	1500
71	NN storage tub	S/s storage tub with centrifugal pump, inside dimensions: 2000 mm x 580 mm x 750 mm, total dimensions: 2900 mm x 600 mm x 1300 mm.	150
72	NN platform		150



Nr	Title	Description	Start €
		S/s mobile platform, 3 steps, total dimensions: 1000 mm x 700 mm x 1700 mm.	
73	Koppens	Koppens mobile forming machine, type: VM400HD, 3 x 400 V, 50 Hz, 7.8 kW, s/s mesh belt, belt width: 400 mm, capacity: maximum 50 strokes per minute, weight: 820 kg, total dimensions: 2150 mm x 800 mm x 2250 mm.	2500
74	NN fryer	Fryer, s/s belt, belt width: 700 mm, total dimensions: 6700 mm x 1600 mm x 2400 mm. Including switch cabinet.	2500
75	Koppens	Koppens mobile 90°curve conveyor, type: RT 90-8-900R, machine number: RT90-8-900R-192, 380 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, s/s mesh belt, belt width: 900 mm, total dimensions: 1850 mm x 1850 mm x 1000 mm.	400
76	Schrofner / HTS	Schrofner / HTS vacuum filling machine with lifter for 200 liter meat bins, type: SVF 200, machine number: 200520495, year of construction: 1995, total dimensions: 1600 mm x 1200 mm x 2550 mm.	1500
77	NN meat ball forming machine	Meat ball forming machine, type: T-03-ZF, serial number: MBZF13, year of construction: 2006, diameter: (8x) 10 mm, inlet: 100 mm, total dimensions: 800 mm x 550 mm x 1120 mm.	500
78	Koppens	Koppens cooking line, type: WS 8000 / 900, machine number: WS 8000 / 900 - 85, 380 V, 3 Ph, 50 Hz, 1.54 A, 0.43 kW, weight: 5200 kg, s/s mesh belt, belt width: 900 mm, frying length: 8000 mm, dimensions cooking line: 9000 mm x 1800 mm x 3850 mm, 2 Demag electrical chain hoists, Alfa Laval centrifugal pump, type: LKH 5/132 SSS 2.2 kW, year of construction: 2003, Wiking centrifugal pump and s/s storage tub, dimensions tub: 800 mm x 700 mm x 800 mm.	5000
79	Koppens / GEA Goedhart B.V.	Koppens / GEA Goedhart B.V. cooling tunnel, type: KT3S 6000 / 1000, machine number: KT3S 6000 / 1000 - 138, 380 V, 3 Ph, 50 Hz, 1.12 A, 0.37 kW, 3 floors, s/s mesh belt, belt width: 1000 mm, GEA Goedhart B.V. evaporator, type: LLK.s 411 m ² , manufacturing number: PJV100282, year of construction: 2010, volume: 135 dm ³ , refrigerant: NH3, weight: 770 kg, working pressure: 22 bar, test pressure: 32 bar, total dimensions including cooling panels and s/s door: 7500 mm x 2700 mm x 3300 mm.	3500
80	NN platform	S/s mobile platform, 3 steps, total dimensions: 1000 mm x 730 mm x 1620 mm.	150
81	Schrofner / HTS	Schrofner / HTS vacuum filling machine with lifter for 200 liter meat bins, type: HTS 250-SP/OP, machine number: Schrofner 2013, built-in Busch vacuum pump, type: KC 0016 E 3Z0, year of construction: 2021, capacity: 19 m ³ per hour, total dimensions: 1700 mm x 1200 mm x 1950 mm.	1500
82	TAP Machinebouw B.V.	TAP Machinebouw B.V. 2-heads mobile diaphragm, type: 1-2DF50, serial number: 042-06633, year of construction:	1000



Nr	Title	Description	Start €
		2009, 2-heads, diameter: (2x) 35 mm, total dimensions: 1100 mm x 850 mm x 1250 mm.	
83	Alco Food-Machines	Alco Food-Machines mobile flattener, machine type: ASP 600 HDI, serial number: 23401215, 380 V, 3 Ph, 50 Hz, 3 kW, plastic belt, belt width: 600 mm, total dimensions: 2200 mm x 950 mm x 1500 mm.	2500
84	Koppens	Koppens cooking line, type: WS 8000 / 900, machine number: WS 8000 / 900 - 89, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 7.5 A, 1.6 kW, weight: 6500 kg, s/s mesh belt, belt width: 900 mm, cooking length: 8000 mm, dimensions cooking line: 9500 mm x 2000 mm x 3650 mm, 2 Demag electrical chain hoists, Alfa Laval centrifugal pump, type: LKH 5/132 SSS 2.2 kW, year of construction: 2004, dimensions centrifugal pump: 1100 mm x 600 mm x 900 mm.	5000
85	Koppens / GEA Goedhart B.V.	Koppens / GEA Goedhart B.V. cooling tunnel, type: KT5S 7500 / 1000, machine number: KT3S 6000 / 1000 - 192, 380 V, 3 Ph, 50 Hz, 5 floors, s/s mesh belt, belt width: 1000 mm, GEA Goedhart B.V. evaporator, type: LLK.s 411 m ² , manufacturing number: PJV100282, year of construction: 2010, volume: 135 dm ³ , refrigerant: NH3, weight: 770 kg, working pressure: 22 bar, test pressure: 32 bar, total dimensions including cooling panels and s/s door: 8100 mm x 3000 mm x 3300 mm.	3500
86	NN sink	S/s sink, dimensions: 400 mm x 400 mm x 450 mm, s/s paper dispenser, dimensions: 270 mm x 270 mm x 400 mm, 2 s/s soap dispensers.	50
87	Vikan	S/s peg with Vikan broom and squeegee, dimensions peg: 800 mm x 100 mm x 130 mm.	10
88	NN swing door	Plastic swing door, dimensions: 2000 mm x 3200 mm.	100
89	NN whiteboard	Whiteboard, dimensions: 1200 mm x 900 mm.	10
90	NN switch cabinets	2 plastic switch cabinets, dimensions: (2x) 300 mm x 200 mm x 450 mm and plastic crate with electrical cables.	75
91	NN rack	Plastic rack, 3 floors, dimensions floors: (3x) 1400 mm x 600 mm, total dimensions: 1470 mm x 600 mm x 1800 mm.	25
92	NN pipes	Crates with 4 s/s pipes for vacuum filling machine, diameter pipes: 60 mm, dimensions crate: 600 mm x 400 mm x 200 mm.	50
93	NN table	S/s mobile table, dimensions: 2000 mm x 800 mm x 1050 mm.	150
94	NN plastic bins	Rollie with 11 plastic bins, dimensions bins: (11x) 800 mm x 600 mm x 250 mm, total dimensions: 800 mm x 600 mm x 1100 mm.	25
95	NN table	S/s table with wooden cabinet, dimensions: 2150 mm x 700 mm x 900 mm.	150
96	Tork	Tork paper dispenser, dimensions: 340 mm x 300 mm x 470 mm.	10



Nr	Title	Description	Start €
97	REA	REA rack, 4 floors, dimensions floors: (4x) 1350 mm x 580 mm, total dimensions: 1500 mm x 600 mm x 1800 mm.	75
98	NN protection frames	2 s/s protection frames, dimensions: 900 mm x 360 mm x 970 mm and 1400 mm x 360 mm x 970 mm.	50
99	NN soap dispenser	S/s soap dispenser, dimensions: 100 mm x 230 mm x 350 mm.	10
100	Boons	2 Boons s/s paper dispensers, dimensions: (2x) 280 mm x 220 mm x 440 mm.	25
101	NN swing door	Plastic swing door, dimensions: 990 mm x 2100 mm.	75
102	VIB	VIB plastic swing door, dimensions: 800 mm x 2300 mm.	75
103	NN shutter door	Electric shutter door, dimensions door: 2000 mm x 2650 mm, dimensions switch cabinet: 400 mm x 150 mm x 100 mm.	200
104	NN hose reel	S/s hose reel with plastic hose, dimensions hose reel: 360 mm x 140 mm x 140 mm.	25
105	Chameleon	Chameleon 1 x 2 insect killer, dimensions: 500 mm x 70 mm x 300 mm.	10
106	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 610 mm, total dimensions: 3230 mm x 1000 mm x 1130 mm.	300
107	BAT Machinebouw	BAT Machinebouw mobile transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 4500 mm x 900 mm x 1300 mm.	500
108	CVP Systems INC.	CVP SYSTEMS INC mobile modified atmosphere packaging machine, model number: A-300, serial number: 9313-27, 240 V, 1 Ph, 50/60 Hz, 10 A, seal length: 1400 mm, total dimensions: 1500 mm x 1150 mm x 1950 mm.	1250
109	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 170 mm, total dimensions: 3100 mm x 1100 mm x 500 mm.	300
110	Koppens	Koppens mobile transport belt, type: TG 6700 / 400, serial number: TG 6700 / 400 - 894, 380 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 185 kg, s/s frame, plastic belt, belt width: 400 mm, including upper belt, belt width: 165 mm, total dimensions: 7200 mm x 1000 mm x 1700 mm.	500
111	NN trolley with frames	S/s trolley with 10 s/s side frames for transport belt, dimensions frames: (2x) 800 mm x 300 mm x 150 mm and (8x) 1260 mm x 320 mm x 150 mm, dimensions trolley: 1100 mm x 750 mm x 1450 mm.	150
112	NN steps	Rollie with 10 s/s steps, dimensions steps: (10x) 600 mm x 400 mm x 120 mm, total dimensions: 600 mm x 400 mm x 1200 mm.	100
113	NN rollies	6 plastic rollies, dimensions: (6x) 610 mm x 410 mm x 150 mm.	30
114	NN rollie	S/s rollie, dimensions: 720 mm x 540 mm x 210 mm.	10
115	NN rollies	20 s/s rollies, dimensions: (20x) 660 mm x 420 mm x 200 mm.	200
116	NN rollies		60



Nr	Title	Description	Start €
		6 s/s rollies, dimensions: (6x) 660 mm x 420 mm x 200 mm.	
117	NN protection screen	S/s protection screen with plastic curtain, dimensions: 2150 mm x 600 mm x 1700 mm.	25
118	Koppens	Koppens mobile transport belt, type: TG 3400/400, machine number: TG 3400/400-895, 380 V, 3 Ph, 50 Hz, 0.47 A, 0.09 kW, s/s frame, plastic belt, belt width: 400 mm, including upper belt, belt width: 170 mm, total dimensions: 6800 mm x 700 mm x 1800 mm.	500
119	NN pallet stacking device	Pallet stacking device, dimensions: 1250 mm x 1150 mm x 1650 mm.	100
120	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roll width: 400 mm, total dimensions: 860 mm x 500 mm x 900 mm.	75
121	NN table	S/s table, dimensions: 2000 mm x 800 mm x 850 mm.	150
122	NN table	S/s table, dimensions: 1500 mm x 1000 mm x 900 mm.	150
123	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) 950 mm x 470 mm x 970 mm.	75
124	NN trolley	S/s trolley, dimensions: 500 mm x 450 mm x 850 mm.	10
125	Dynaco Europe	Dynaco Europe electric shutter door, type: D-311 LF, serial number: NL35503, year of construction: 06-2023, dimensions door: 1500 mm x 2500 mm, dimensions switch cabinet: 380 mm x 230 mm x 400 mm.	200
126	NN table	S/s table, dimensions: 700 mm x 600 mm x 700 mm.	50
127	Metaflex	Metaflex refrigerated sliding door, thickness door: 150 mm, dimensions door: 2050 mm x 3000 mm, length rails: 4100 mm.	150
128	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 2 fans, dimensions: 2200 mm x 1000 mm x 1000 mm.	250
129	NN whiteboard	Whiteboard, dimensions: 900 mm x 600 mm.	10
130	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, model: DRS-31454, cooling capacity: 14.9 kW at +10C / 0C, 1 fan, dimensions: 1056 mm x 1270 mm x 520 mm.	150
131	NN door	S/s door, thickness door: 80 mm, dimensions door: 1300 mm x 2350 mm.	100
132	Metaflex	Metaflex cooling door, model: PPO-054157/001, year of construction: 2020, thickness door: 150 mm, dimensions door: 1250 mm x 2300 mm.	100
133	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, model: LLK.p 20x6-3606/50x50, cooling capacity: 45.050W at -32C / -39C, 5 fans, dimensions: 6000 mm x 1000 mm x 1200 mm.	1000
134	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, model: LLK.p 20x6-3606/50x50, cooling capacity: 45.050W at -32C / -39C, 5 fans, dimensions: 6000 mm x 1000 mm x 1200 mm.	1000
135	System Square Inc.	System Square Inc. mobile metal detector, model: SDII5020WH, serial: M094201337, 100 - 240 V, 50/60 Hz, 100 VA, plastic belt, belt width: 455 mm, clearance: 500	250



Nr	Title	Description	Start €
		mm x 190 mm, total dimensions: 1800 mm x 900 mm x 1350 mm.	
136	NN protection poles	3 protection poles, dimensions: (3x) 250 mm x 250 mm x 1030 mm.	30
137	NN curtains	Plastic curtains, dimensions: 2200 mm x 3500 mm.	25
138	Vikan	S/s peg with Vikan squeegee, dimensions peg: 450 mm x 120 mm x 120 mm.	10
139	Toyota Material Handling	Toyota Material Handling pallet lifter, type: LHM230, serial number: 8928958, year of construction: 2025, fork length: 1150 mm, total dimensions: 1500 mm x 530 mm x 1250 mm.	100
140	NN pallet rack	Steel pallet rack, 1 x 3 floors and 1 x 2 floors, floor dimensions: (5x) 1930 mm x 1000 mm, total dimensions: 4060 mm x 1000 mm x 2300 mm.	75
141	NN sink	S/s sink, dimensions: 400 mm x 400 mm x 500 mm and Hostess paper dispenser, dimensions: 300 mm x 330 mm x 380 mm.	50
142	NN storage racks	Steel storage rack with wooden plates, 1 x 3 floors and 1 x 4 floors, floor dimensions: (7x) 1500 mm x 640 mm, total dimensions: 3200 mm x 640 mm x 2000 mm.	75
143	Gebra	6 pcs. Gebra Secubox safety boxes with safety equipment, dimensions: (2x) 250 mm x 220 mm x 320 mm / (2x) 240 mm x 130 mm x 240 mm and (2x) 240 mm x 120 mm x 120 mm.	30
144	NN stairs	Stairs, dimensions: 220 mm x 550 mm x 2650 mm.	25
145	NN dispensers	5 pcs. s/s dispensers for gloves and earplugs, dimensions: (3x) 140 mm x 190 mm x 400 mm, (1x) 500 mm x 100 mm x 300 mm, (1x) 400 mm x 200 mm x 570 mm.	25
146	X-Trap	X-Trap insect killer, dimensions: 550 mm x 130 mm x 330 mm.	10
147	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) 460 mm x 480 mm x 970 mm.	30
148	NN lockers	9 pcs. various lockers, dimensions: (4x) 1600 mm x 600 mm x 2100 mm, (2x) 800 mm x 550 mm x 2100 mm, (1x) 1500 mm x 500 mm x 1950 mm, (1x) 400 mm x 550 mm x 1100 mm and (1x) 900 mm x 500 mm x 1950 mm. Including bench.	100
149	NN table	S/s table, dimensions: 2600 mm x 700 mm x 1050 mm.	150
150	HEKA	HEKA first aid kit, dimensions: 320 mm x 140 mm x 220 mm.	10
151	Veripart	Veripart refrigerator, model: VPKK701, serial number: B362300 0179, 220-240 V, 1 Ph, 50 Hz, 0.4 A, refrigerant: R600a (26 gram, net volume: 133 liter, dimensions: 550 mm x 570 mm x 850 mm.	50
152	NN table with cabinet	S/s table with wooden cabinet, dimensions: 1800 mm x 600 mm x 940 mm.	75
153	Tork		10



Nr	Title	Description	Start €
		Tork paper dispenser, dimensions: 340 mm x 300 mm x 470 mm.	
154	Princess	Princess panini grill, article number: 01.112415.01.001, 220-240 V, 1 Ph, 50/60 Hz, 2000 W, dimensions: 350 mm x 350 mm x 100 mm, Princess long slot toaster, article number: 142353, 220-240 V, 1 Ph, 50/60 Hz, 1000 W, dimensions:: 350 mm x 130 mm x 200 mm and microwave oven, 230-240 V, wattage: 1.55 kW, dimensions: 520 mm x 500 mm x 320 mm.	25
155	NN waste bag holder	Waste bag holder, dimensions: 1000 mm x 480 mm x 980 mm.	10
156	NN canteen tables with chairs	9 canteen tables with 18 chairs, dimensions tables: (9x) 1600 mm x 800 mm x 750 mm, dimensions chairs: (18x) 500 mm x 600 mm x 770 mm.	150
157	Citizen Quartz	Citizen Quartz clock, diameter: 500 mm.	10
158	NN office cabinets	4 office cabinets, dimensions: (3x) 1200 mm x 450 mm x 1980 mm and (1x) 1200 mm x 460 mm x 760 mm.	100
159	AED	AED kit with first aid kit, dimensions: 400 mm x 200 mm x 400 mm and 400 mm x 150 mm x 400 mm.	150
160	NN cabinet	Steel cabinet, dimensions: 980 mm x 500 mm x 1970 mm.	25
161	Indesit	Indesit freezer, dimensions: 600 mm x 600 mm x 1750 mm. Missing some drawers.	50
162	Indesit	Indesit freezer, dimensions: 600 mm x 600 mm x 1750 mm. Missing some drawers.	50
163	PestWest	PestWest insect killer, model number: TITAN 30, serial number: M76623, 230 V, 50 Hz, 2 x 15 W, power consumption of the complete unit: 60 W, dimensions: 470 mm x 100 mm x 370 mm.	10
164	NN table	S/s table, dimensions: 2100 mm x 700 mm x 900 mm.	150
165	NN table	S/s table with wooden cabinet, dimensions: 2150 mm x 700 mm x 900 mm.	100
166	Mettler Toledo	Mettler Toledo weighing scale, model: PR5001 / M, 100-240 V, 50/60 Hz, maximum: 5100 gram, minimum: 5 gram, e: 1 gram, dimensions scale: 200 mm x 200 mm, total dimensions: 370 mm x 200 mm x 100 mm. Defect.	10
167	Anbo	Anbo s/s extraction hood, dimensions: 1400 mm x 900 mm x 1500 mm.	150
168	Beuk Horeca	Beuk Horeca oven, 5 floors, dimensions floors: (5x) 430 mm x 340 mm, total dimensions: 600 mm x 570 mm x 600 mm.	75
169	Modular	Modular fryer with 2 baskets, dimensions: 700 mm x 700 mm x 450 mm.	75
170	NN washing table	S/s washing table with wooden cabinet, dimensions table: 2500 mm x 600 mm x 900 mm. Including 2 soap dispenser and Hostess paper dispenser, dimensions: 300 mm x 350 mm x 300 mm.	100
171			50



Nr	Title	Description	Start €
	NN office equipment	Office equipment consisting of office cabinets, dimensions: 800 mm x 450 mm x 1980 mm and 580 mm x 420 mm x 530 mm, whiteboard, dimensions: 1200 mm x 900 mm.	
172	Chameleon	Chameleon 1 x 2 insect killer, dimensions: 500 mm x 70 mm x 300 mm.	10
173	NN cabinet	Steel cabinet, dimensions: 1000 mm x 500 mm x 1950 mm.	25
174	NN boot dryer	Boot dryer for 50-pairs of boots, dimensions: 1750 mm x 800 mm x 2000 mm.	150
175	AEG	AEG dryer, model: T76288AC, type: TC09H6MHW, serial number: 45115175, production number: 916 097 110 01, 230 V, 1 Ph, 50 Hz, 2800 W, dimensions: 600 mm x 600 mm x 830 mm. Door broken.	50
176	Whirlpool	Whirlpool washing machine, type: AMW 1112, 230 V, 1 Ph, 50 Hz, 10 A, 2.3 kW, dimensions: 700 mm x 800 mm x 970 mm.	50
177	NN office equipment	Office equipment consisting of 2 office tables, dimensions (2x): 1600 mm x 800 mm x 750 mm, 2 office chairs, dimensions chairs: (2x) 650 mm x 800 mm x 1100 mm, 2 cabinets, dimensions cabinets: 800 mm x 450 mm x 1980 mm and 1200 mm x 450 mm x 1980 mm.	100
178	NN whiteboard	2 whiteboards, dimensions: (2x) 1500 mm x 1000 mm.	20
179	Power System	Power System air compressor, type: NOBEL 15-10 DV (IE3), serial number: 4895670002, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 10 bar, 2100 liter / minute, weight: 297 kg, dimensions: 1100 mm x 750 mm x 1050 mm.	750
180	Power System	Power System air compressor, model: GALILEO PM 1315 10, serial number: 340077, year of construction: 2014, 380/400 V, 50 Hz, 15 kW, 4500 rates per minute, weight: 190 kg, dimensions: 1150 mm x 700 mm x 1050 mm.	500
181	ATS Solutions	ATS Solutions dessicant dryer, model: HGO.00120.0.00.00, year of construction: 2020, 230 V, 1 Ph, 50 Hz, minimum / maximum allowable pressure: 3.0 bar / 16.0 bar, test pressure: 22.88 bar, volume:43 liter, weight: 75 kg, dimensions: 800 mm x 300 mm x 1550 mm.	150
182	ATS Solutions	ATS Solutions dessicant dryer, model: HGO.00120.0.00.00, serial number: 20N100156, year of construction: 2020, 230 V, 1 Ph, 50 Hz, minimum / maximum allowable pressure: 3.0 bar / 16.0 bar, test pressure: 22.88 bar, volume:43 liter, weight: 75 kg, dimensions: 800 mm x 300 mm x 1550 mm.	150
183	Puro	Puro oil / water separator, 8 m ³ / minute, 300 cfm, dimensions: 700 mm x 300 mm x 700 mm.	50
184	CSC SRL	CSC SRL pressure vessel, number: 13454, year of construction: 2005, volume: 500 liter, maximum working pressure: 11 bar, minimum / maximum working temperature: -10° / -100C, dimensions: 1100 mm x 600 mm x 2200 mm.	250
185	Altrex		25



Nr	Title	Description	Start €
		Altrex stairs, 5 steps, working height: 1200 mm, total dimensions: 1000 mm x 550 mm x 1800 mm.	
186	NN stairs	Stairs, 3 steps, working height: 800 mm, total dimensions: 800 mm x 450 mm x 1500 mm.	25
187	BT Products AB	BT Products AB steel pallet lifter, model: LHM230, serial number: 3370867, fork length: 1150 mm, total dimensions: 1500 mm x 570 mm x 1250 mm.	100
188	NN rack	S/s rack, dimensions: 3650 mm x 700 mm x 1550 mm.	150
189	SIAT	Pallet with parts for SIAT box closing machine, dimensions pallet: 1200 mm x 1000 mm x 400 mm.	150
190	Schrofner / HTS	Pallet with parts for Schrofner / HTS vacuum filling machines, amongst other: rotors, parts for diaphragm, Busch vacuum pump, type: KC 0016 E 3Z0, capacity: 19 m ³ per hour, dimensions pallet: 1200 mm x 800 mm x 400 mm.	250
191	NN office cabinets	2 office cabinets, dimensions: (2x) 1200 mm x 450 mm x 1980 mm.	50
192	Turbocut	Turbocut knife and 2 separating knives for 200 MM grinder.	150
193	NN valves	Steel rack with various valves / couplings, dimensions rack: 1600 mm x 300 mm x 1250 mm.	150
194	NN pipes	6 pipes, diameter: 90 mm, length: 900 mm.	10
195	Robot Coupe	Robot Coupe cutter, model: BLIXER 3, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 750 / 1000 W, dimensions: 320 mm x 210 mm x 450 mm.	50
196	NN washing table	S/s washing table with wooden cabinet, dimensions table: 2470 mm x 600 mm x 1150 mm. Including pan and fryer. Wooden cabinet damaged.	100
197	NN transport belt	S/s transport belt, s/s frame, s/s belt, belt width: 190 mm, total dimensions: 2600 mm x 350 mm x 800 mm.	75
198	GEA Goedhart B.V.	GEA Goedhart B.V. roof condenser, type / model: PS = 32 ba-GAVS06-2x2G, manufacturing number: 10035194 / 2010 / 00359937/ 1, 400 V, 3 Ph, 50 hz, total fans: 1600 W, maximum allowable pressure: 32 bar, maximum working temperature: 100C, tube volume: 77.60 liter, 4 fans, total dimensions: 2500 mm x 2400 mm x 1100 mm.	1000
199	GEA Goedhart B.V.	GEA Goedhart B.V. roof condenser, 400 V, 3 Ph, 50 hz, total fans: 22000 W, maximum allowable pressure: 32 bar, maximum working temperature: 100C, tube volume: 366.00 liter, air capacity: 246.500 m ³ per hour, 10 fans, weight: 2575 kg, total dimensions: 10500 mm x 2400 mm x 2100 mm.	1750
200	Insect-O-cutor	Insect-O-cutor insect killer, dimensions: 350 mm x 150 mm x 400 mm.	10
201	NN work bench	Steel work bench with bench vice, dimensions: 3200 mm x 900 mm x 1100 mm.	100
202	NN grinding machine	Double grinding machine, diameter: (2x) 150 mm, total dimensions: 450 mm x 240 mm x 470 mm.	50



Nr	Title	Description	Start €
203	TNW	TNW column drill, model: Super Condor, 380 V, 50 Hz, 1.5 / 1.7 A, dimensions: 700 mm x 400 mm x 1800 mm.	150
205	Itec	Itec hygiene station with sole cleaner and sink, model: Solo Traditio Complete, type: 23822, serial: 0816, year of construction: 2015, sensor control, brush width: 200 mm, total dimensions: 600 mm x 350 mm x 1300 mm, including s/s paper dispenser, dimensions: 270 mm x 270 mm x 400 mm, 2 soap dispensers and waste bin.	150
206	NN refrigerated sliding door	Refrigerated sliding door, thickness door: 100 mm, dimensions door: 2200 mm x 2600 mm, length rail: 4600 mm.	250
207	Metaflex	Metaflex refrigerated sliding door, thickness door: 130 mm, dimensions door: 2550 mm x 3050 mm, length rail: 5100 mm.	250
208	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 1 fan, dimensions: 1500 mm x 1000 mm x 1000 mm.	150
209	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 1 fan, dimensions: 1500 mm x 1000 mm x 1000 mm.	150
210	NN waste bag holder	S/s waste bag holder, dimensions: 1500 mm x 1000 mm x 1000 mm.	25
211	NN pallet rack	Steel pallet rack, 2 floors, dimensions floor: (2x) 1930 mm, total dimensions: 2060 mm x 1000 mm x 2300 mm.	50
212	Kärcher	Kärcher walk behind sweeper, model: KM 75/40 W P, serial number: 010139, year of construction: 2010, 400 W, 24 V, dimensions: 1400 mm x 800 mm x 1200 mm. Including MGX2405.E battery charger, 24 V.	150
213	GEA Goedhart B.V.	GEA Goedhart B.V. s/s evaporator, type: VRB 41457 P, year of construction: 2010, volume: 8 dm ³ , PS: 22 bar, PT: 32 bar, fluid: NH3 pump, weight: 70 kg, 1 fan, dimensions: 1300 mm x 600 mm x 700 mm.	150
214	NN fan	Fan, diameter fan: 1000 mm, width fan: 350 mm.	25
215	Machiefabriek "De Gouwe" B.V.	Machiefabriek "De Gouwe" B.V. s/s tank with agitator, diameter tank: 2200 mm, height: 4800 mm.	750
216	NN refrigerated sliding door	Refrigerated sliding door, thickness: 80 mm, dimensions door: 1600 mm x 2100 mm. Without rail.	100
217	NN smoking area	Glass smoking area, dimensions: 3800 mm x 1300 mm x 2200 mm. Including bench and ash tray.	250
218	NN trolleys	10 steel trolleys, 8 floors, dimensions floors: (8x) 920 mm x 600 mm, total dimensions: (10x) 1000 mm x 600 mm x 1650 mm.	200
219	NN cage	Steel cage, dimensions: 1200 mm x 750 mm x 900 mm.	25
220	IBC	2 plastic IBC tanks, dimensions: 1200 mm x 1000 mm x 1180 mm.	50
221	NN platform with stairs	S/s platform with stairs, dimensions platform: 2250 mm x 1000 mm x 900 mm, dimensions stairs: 3600 mm x 700 mm x 900 mm.	100
222	NN trolleys		600



Nr	Title	Description	Start €
		24 s/s trolleys, 10 floors, dimensions floors: (10x) 900 mm x 750 mm, total dimensions: (24x) 810 mm x 900 mm x 1700 mm.	
223	NN trolleys	3 s/s trolleys, 9 floors, dimensions floors: (9x) 1480 mm x 580 mm, total dimensions: (3x) 1550 mm x 600 mm x 1750 mm.	150
224	Samaritan	Samaritan PAD 350P AED, dimensions: 250 mm x 150 mm x 200 mm.	150
225	Bitzer Kühlmaschinenbau GmbH / WITT	Bitzer Kühlmaschinenbau GmbH NH3 compressor installation with 4 pcs. Bitzer Kühlmaschinenbau GmbH screw compressor, compressor 1: (-4°C section), type: OSKA 8851 K, cooling capacity: 235 kW, 3000 rates per minute / 50 Hz, nominal capacity: 90 kW, compressor 2: (-4°C section), type OSKA 8551-K, cooling capacity: 284 kW, 3500 rates per minute / 60 Hz, nominal capacity: 90 kW, compressor 3: (-30°C section), type: OSKAB 7461 K, cooling capacity: 82 kW, 3500 rates per minute / 60 Hz, nominal capacity: 30 kW, compressor 4: (-40°C section), type: OSKAB 8571 K, cooling capacity: 90 kW, 3500 rates per minute / 60 Hz, nominal capacity: 75 kW, 3 pcs. WITT separation vessel, refrigerant: NH3, capacity: 500 kW / 75 kW / 150 kW, volume: 1950 liter / 753 liter / 330 liter, 4 pcs. Witt liquid pumps, type: HRP 3232, motor capacity: 1.0 kW, complete switch cabinet, total dimensions switch cabinet: 7000 mm x 600 mm x 2200 mm.	17500
226	NN office table	Office table with 8 chairs, dimensions table: 3200 mm x 1300 mm x 750 mm. Including office cabinet and whiteboard.	150
227	NN office equipment	Office equipment consisting of 6 office tables, dimensions (6x): 1600 mm x 800 mm x 750 mm, 6 office chairs, dimensions chairs: (6x) 650 mm x 800 mm x 1100 mm,	150
228	Koppens	Plastic pallet box with large amount with forms for Koppens 600 MM forming machines, dimensions pallet box: 1200 mm x 1000 mm x 1200 mm.	1500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law


16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

