



Industrial Auctions

2135: Online auction machinery for the food industry in Middelbeers (NL)

END DATE
12 May 2026 14:00



General terms and conditions of the online auction

End date	12 May 2026 from 14:00 hrs.
Viewing days	11 May 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	20 May 2026 from 09:00 till 16:00 hrs.
Pick up address	Langereijt 29A 5091 JP Middelbeers Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Europack	Europack wrapping and shrinking line, serial number: 02.10775.1, year of construction: 2002, 415 V, 3 Ph, 50 Hz, 29 kW, clearance infeed: 340 mm x 120 mm, film width: 780 mm, s/s belt, belt width: 660 mm, clearance shrink tunnel: 750 mm x 420 mm, outfeed belt width: 750 mm, total dimensions: 4650 mm x 3200 mm x 2000 mm. Including extra infeed wheels. Missing control panel.	1000
2	Bettcher Industries Inc.	Bettcher Industries Inc form press, model: Dynaform Pers, year of construction: 2010, 400 V, dimensions power unit: 1200 mm x 1070 mm x 960 mm, s/s tool trolley, dimensions: 1100 mm x 850 mm x 960 mm, total dimensions: 2450 mm x 800 mm x 2000 mm. Incomplete.	500
3	Travaini	Travaini vacuum pump on s/s frame, type: TRSE 125-1550/XC/RZ, serial number: GG307, year of construction: 2018, weight: 1334 kg, pipe diameter: 120 mm, total dimensions: 2350 mm x 770 mm x 2050 mm.	750
4	LPF Verpakkingen B.V.	LPF Verpakkingen B.V. carton erector, type: JR, serial number: 225S, dimensions cartons: 163 mm x 163 mm x 30 mm, total dimensions: 1400 mm x 1450 mm x 2160 mm. Missing vacuum pump.	1000
5	LPF Verpakkingen B.V.	LPF Verpakkingen B.V. carton erector, 2 lanes, dimensions cartons: 150 mm x 98 mm x 30 mm, with Becker vacuum pump, type: BOL/4X, total dimensions: 1500 mm x 1350 mm x 2140 mm. With pallet box with large amount of parts for carton erector, dimensions: 1200 mm x 1000 mm x 1050 mm.	1500
6	LPF Verpakkingen B.V.	LPF Verpakkingen B.V. carton erector, 2 lanes, dimensions cartons: 150 mm x 98 mm x 30 mm, with Becker vacuum pump, type: BOL/4X, total dimensions: 1500 mm x 1350 mm x 2140 mm. With pallet box with large amount of parts for carton erector, dimensions: 1200 mm x 1000 mm x 1050 mm.	1500
7	Wolfking Scanio	Wolfking Scanio vacuum tumbler with lifter for 200 liter meat bins, type: TRC2.5, serial number: 9241, year of construction: 2000, 415 V, 50 Hz, 20.4 A, total dimensions: 3750 mm x 2400 mm x 2750 mm. Lifter dimensions: 1600 mm x 1550 mm x 2720 mm. Without vacuum pump.	2000
8	MegaPack	MegaPack denester, number: 107027, dimensions trays: (2x) 192 mm x 65 mm, dimensions mould: (2x) ø 110 mm, plastic belt, belt width: 175 mm, total dimensions: 1400 mm x 2650 mm x 1930 mm.	650
9	Dixie Union	Dixie Union thermoformer, model: EVOLUTION, machine number: EVO.0245, year of construction: 1999, plastic belt, belt width: 380 mm, dye dimensions: (3x) 170 mm x 105 mm x 30 mm, Rietschle vacuum pump, type: VCA 60 (01), year of construction: 1999, capacity: 60 m ³ /h, total	1500



Nr	Title	Description	Start €
		dimensions: 8100 mm x 1300 mm x 1900 mm. Including 2 pallets with parts.	
10	Repak	Repak thermoformer, type: RF3, machine number: 20321, year of construction: 2002, 220/380 V, 3 Ph, 50 Hz, 54 A, 20 kW, dye: (4x) 185 mm x 185 mm x 55 mm, plastic outfeed belts, belt width: (2x) 155 mm, ELS labeller, type: 520, machine number: 3854/2002, total dimensions: 10570 mm x 1680 mm x 2000 mm. Including suction device for rest film, dimensions: Ø 530 mm x 1160 mm, Additif film unwinding device, type: Jumbo, dimensions: 1150 mm x 850 mm x 900 mm, and 4 pallets with parts and dyes, dyes: (4x) 185 mm x 180 mm, (6x) 180 mm x 115 mm. Without vacuum pump.	2000
11	Bradman Lake Group	Bradman Lake Group dual feed flow packer, machine type: FT120CLX, serial number: 7098, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 10 kW, plastic belt with dividers, belt width: (2x) 40 mm, divider height: 35 mm, distance between dividers: 300 mm, seal width: 230 mm, total dimensions: 5750 mm x 1200 mm x 2500 mm. Including infeed and outfeed belt, plastic infeed belt, belt width: 160 mm, total dimension: 3500 mm x 980 mm x 1550 mm. plastic outfeed belt, plastic mesh belt, belt width: 300 mm, total dimensions: 2600 mm x 600 mm x 1250 mm.	1000
12	Bradman Lake Group	Bradman Lake Group dual feed flow packer, machine type: FT120CLX, serial number: 7097, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 10 kW, plastic infeed belt with dividers, belt width: (2x) 40 mm, divider height: 35 mm, distance between dividers: 300 mm, seal width: 230 mm, total dimensions: 5750 mm x 1200 mm x 2500 mm. Including infeed and outfeed belt, plastic mesh infeed belt, 160 mm, total dimensions: 3500 mm x 980 mm x 1550 mm. Plastic outfeed belt, belt width: 300 mm, total dimensions: 2600 mm x 600 mm x 1250 mm.	1000
13	Cryovac	Cryovac belt vacuum machine, model number: VS95TS, serial number: A03801415, year of construction: 2005, 3x400 V, 50 Hz, 32 A, 13.5 kW, 15 Nm ³ /h, plastic belt, belt width: 725 mm, seal length: (2x) 1550 mm, dimensions chamber: 1600 mm x 750 mm, with Busch booster pump, type: WP 1250 D 2V1 ZZXX, number: C0511000080, year of construction: 2005, total dimensions vacuum machine: 4200 mm x 1300 mm x 1950 mm. Including suction device for rest film, dimensions: 900 mm x 800 mm x 1400 mm and 7 seal bars.	5000
14	Cryovac	Cryovac belt vacuum machine, model number: VS90, serial number: SN02426, year of construction: 2011, 400 V, 50 Hz, 20 A, 8.3 kW, 15 Nm ³ per hour, 6 bar, plastic belt, belt width: 680 mm, total dimensions: 2800 mm x 1240 mm x 1970 mm. Without vacuum pump.	2500



Nr	Title	Description	Start €
15	Formax	Formax slicer, model: PowerMax 3500, serial number: PX3.5-16112, 400 V, 3 Ph, 50 Hz, 29.5 A, 18.5 kW, plastic belt, belt width: (2x) 100 mm, plastic wire belt, belt width: 390 mm, total dimensions: 3900 mm x 1500 mm x 2250 mm. Including trolley with knife holder, dimensions: 770 mm x 600 mm x 1350 mm.	25000
16	Formax	Formax checkweigher, plastic wire belt, belt width: (2x) 210 mm, total dimensions: 1570 mm x 1150 mm x 1000 mm. Missing wires.	1500
17	Multitec	Multitec outfeed belt, year of construction: 2016, belt width: 620 mm, total dimensions: 6100 mm x 2000 mm x 2080 mm.	5000
18	Formax	Formax knife sharpener, model: HPX3, serial number: 16113, 24 VDC, dimensions: 1170 mm x 800 mm x 1170 mm.	1500
19	Airmaster	Airmaster convector heater, model: HC2D, year of construction: 08-10-2017, 220-240 VAC, 50 Hz, 2 kW, dimensions: 650 mm x 150 mm x 430 mm.	5
20	Kuka	Kuka packaging unit, consisting of: Kuka robot, number: 991134623, dimensions: 1600 mm x 800 mm x 1800 mm; ABB Robotics robot, dimensions: 2200 mm x 1100 mm x 2550 mm; 2 pallets with switch cabinets, dimensions: 1200 mm x 800 mm x 2250 mm and 1200 mm x 800 mm x 1950 mm; Busch pump, model: Mink MM 1144 BV, dimensions: 1200 mm x 800 mm x 650 mm; Infeed conveyor, clearance: 285 mm, plastic belt, belt width: (2x) 200 mm, dimensions: 2850 mm x 1200 mm x 2100 mm; Infeed belt, plastic mesh belt, belt width: 530 mm, total dimensions: 1650 mm x 1170 mm x 650 mm; Roller conveyor, plastic rollers, roller width: 490 mm, total dimensions: 4150 mm x 1100 mm x 1000 mm; Transport belt, coat belt, belt width: 545 mm, total dimensions: 1200 mm x 1150 mm x 1000 mm; Pallet with racks, dimensions: 2300 mm x 1800 mm x 600 mm. Technical condition unknown.	2500
21	Paktech	Paktech linear case erector, plastic belt, belt width: 400 mm, clearance: 225 mm, total dimensions: 3700 mm x 1650 mm x 2100 mm.	2500
22	Reverse Transducers	S/s floor weighing scale with Reverse Transducers indicator, model: VT200, dimensions scale: 1200 mm x 1200 mm x 150 mm. Including aluminium ramp.	150
23	Bobet Material	Bobet Material boots washer, type: C.C220, serial number: 1163, year of construction: 2002, brush length: (4x) 370 mm and (4x) 480 mm, total dimensions: 2200 mm x 1000 mm x 1200 mm.	750
24	Consol Converging Solutions	Consol Converging Solutions inliner 4 to 1, model: INT3 H/S, serial number: CS 6480, year of construction: 2018, 230 V, 16 A, plastic mesh belt, belt width: 680 mm, plastic	750



Nr	Title	Description	Start €
		belts, belt width: (4x) 115 mm, (4x) 80 mm, total dimensions: 2460 mm x 860 mm x 1230 mm.	
25	Converging Solutions	Converging Solutions inliner, model: Integrator Mk2, serial number: CS5455, year of construction: 08/2008, plastic belts, belt width: (2x) 225 mm, (1x) 625 mm, total dimensions: 1580 mm x 820 mm x 1120 mm.	300
26	ABB	ABB flexpalletizer with control unit, type: IRB640 M98, weight: 1900 kg, dimensions control unit: 950 mm x 700 mm x 970 mm, total dimensions robot: 2850 mm x 1350 mm x 2400 mm.	1500
27	Cryovac	Cryovac dip tank, model number: ST12 ELH, serial number: A51500108, year of construction: 1997, 380/415 V, 50 Hz, 51 A, 6 bar, s/s mesh belt, belt width: 600 mm, clearance: 650 mm x 230 mm, total dimensions: 1300 mm x 1250 mm x 1600 mm.	1500
28	Safeline	Safeline metal detector with rejector, plastic belt, belt width: 200 mm, clearance: 305 mm x 85 mm, total dimensions: 1500 mm x 1150 mm x 1200 mm.	1500
29	Multivac	Multivac labeller, type: L310, machine number: 274011, year of construction: 2018, 400 V, 3 Ph, 2000 VA, belt width: (2x) 135 mm, 90 mm, total dimensions: 1800 mm x 1500 mm x 1980 mm.	2500
30	Multivac	Multivac labeller, type: L310, machine number: 266619, year of construction: 2018, 400 V, 3 Ph, 2000 VA, belt width: (2x) 135 mm, 90 mm, total dimensions: 1800 mm x 1500 mm x 1980 mm.	2500
31	VWS Nederland B.V.	VWS Nederland B.V. double labeller, type: (2x) LP400L_Blow, model: 4/300, serial number: LP152511 and LP152512, 100-240 V, 50-60 Hz, 2 A, belt width: 295 mm, 255 mm, total dimensions: 1620 mm x 900 mm x 1960 mm.	1250
32	Herbert	Herbert labeller with double top and double bottom labeller, model: PZ-113-00777-3, serial number: 5055TBXR 029, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250
33	MegaPack	MegaPack denester, number: 103026, dimensions trays: (2x) 195 mm x 60 mm, total dimensions: 1800 mm x 1200 mm x 2030 mm.	650
34	Belam B.V.	Belam B.V. tenderiser, type: IT-3, machine number: 9306-951.0069, 380 V, 50 Hz, plastic belt, belt width: 300 mm, working width: 330 mm, total dimensions: 2000 mm x 950 mm x 1250 mm.	1250
35	Domino	Domino mobile inkjet printer, model: A300, dimensions: 650 mm x 700 mm x 1800 mm.	500
36	Inox Meccanica	Inox Meccanica meat press, output diameter: 135 mm, total dimensions: 2950 mm x 1100 mm x 1530 mm.	1250
37	Mettler Toledo	Mettler Toledo weighing scale on s/s mobile frame, type indicator: SPIDER 1S-60LS/M, serial number: 2267474,	200



Nr	Title	Description	Start €
		year of construction: 1999, 230-240 V, 50/60 Hz, weighing range: 400g-60kg, e= 20g, dimensions scale: 400 mm x 500 mm, total dimensions: 700 mm x 800 mm x 1400 mm.	
38	NN film unwinding frame	S/s film unwinding frame, dimensions: 970 mm x 750 mm x 600 mm.	150
39	NN film unwinding frame	S/s film unwinding frame, dimensions: 970 mm x 750 mm x 600 mm.	150
40	NN film unwinding frame	S/s film unwinding frame, dimensions: 1200 mm x 750 mm x 680 mm.	150
41	NN film unwinding frame	S/s film unwinding frame, dimensions: 970 mm x 750 mm x 600 mm.	150
42	NN film unwinding frame	S/s film unwinding frame, dimensions: 970 mm x 750 mm x 600 mm.	150
43	Verbufa	Verbufa dosing machine, type: 51834-A-0010, serial number: 211952, year of construction: 2012, 230 V, 50 Hz, 10 A, 2 kW, weight: 200 kg, dimensions: 900 mm x 600 mm x 1650 mm. Incomplete.	500
44	NN table	S/s table, dimensions: 1100 mm x 1210 mm x 1380 mm.	100
45	NN table	S/s table with plastic top, top dimensions: 1300 mm x 600 mm, total dimensions: 1300 mm x 600 mm x 950 mm.	150
46	BG PACK SpA	BG PACK SpA mobile pre-heater, model: PRE HEATER-12, serial number: S.O. 55627, year of construction: 2015, 400 V, 50 Hz, 9.5 kW, 14 A, seal length: (2x) 1200 mm, total dimensions: 1800 mm x 850 mm x 1140 mm.	250
47	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Derby 100S-CE, machine number: 274010.69891.100685, year of construction: 2005, 230 V, 3 Ph, 50/60 Hz, 10 A, weight: 281 kg, dimension chamber: 95 mm x 55 mm x 100 mm, 17 knives, distance between knives: 10 mm, total dimensions: 1360 mm x 920 mm x 1080 mm.	2000
48	Converging Solutions	Converging Solutions inliner, model: Integrator, serial number: 5173, year of construction: 10/2004, 240 V, 1 Ph, 50 Hz, 16 A, plastic belts, belt width: 625 mm and (4x) 110 mm, total dimensions: 1620 mm x 820 mm x 1120 mm.	300
49	ENE	ENE double lane transport belt, type: Conveyor 105, serial number: 171128, year of construction: 11/2017, 415 V, 50 Hz, 0.18 kW, plastic belts, belt width: (2x) 380 mm, total dimensions: 1700 mm x 1140 mm x 940 mm.	300
50	Automotion Systems BV	Automotion Systems BV transport belt, type: MER013, year of construction: 2004, 240 VAC, 16 A, 1 kW, plastic belt, belt width: 255 mm, total dimensions: 1520 mm x 450 mm x 1020 mm.	250
51	Machinefabriek Geurtsen Deventer B.V.	Machinefabriek Geurtsen Deventer B.V. mobile elevating belt, type: 9010231, serial number: BAND 1, 220/380 V, 0.18 kW, s/s mesh belt, belt width: 490 mm, elevating height: 1150 mm, total dimensions: 2000 mm x 840 mm x 1150 mm.	500
52	NN elevating belt		500



Nr	Title	Description	Start €
		Elevating belt, plastic belt with dividers, belt width: 1600 mm, distance between dividers: 300 mm, divider height: 150 mm, elevating height: 1580 mm, total dimensions: 1100 mm x 1800 mm x 1700 mm.	
53	Pester Pac Automation	Pester Pac Automation shrink wrap- and seal machine, type: PEWO-pack 800/therm III 800 E, machine number: 10671A, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 25.5 A, 16.5 kW, plastic belt, belt width: 780 mm, clearance: 780 mm x 350 mm, seal length: 850, steel rollers: roller length: 845 mm, total dimensions: 3850 mm x 1650 mm x 2300 mm. Incomplete.	1250
54	Packaging Automation	Packaging Automation rotary cup filling-, sealing- and closing machine, type: FastFill 60, diameter cups, 105 mm, belt width: 120 mm, total dimensions: 1300 mm x 2100 mm x 2350 mm. Including pallet with parts.	2500
55	T. Freemantle Ltd.	T. Freemantle Ltd. mobile semi automatic pre-glued sleever, model: S11, serial number: 03-178, year of construction: 03/2004, 240 V, 1 Ph, plastic belt, belt width: 250 mm, total dimensions: 4200 mm x 1200 mm x 1700 mm.	500
56	Hoegger	Hoegger meat press, type: 115241, number: 09-153, year of construction: 2010, 380/420 V, 50/60 Hz, 24.5/27.5 kW, 6/10 bar, dimensions: 2100 mm x 1150 mm x 2220 mm. Including pallet with parts.	2500
57	Wright Field LTD	Wright Field LTD turning table, serial number: 17807F, year of construction: 03/2005, Ø table: 1000 mm, total dimensions: Ø 1000 mm x 900 mm.	450
58	Wright Field LTD	Wright Field LTD turning table, serial number: 17807E, year of construction: 03/2005, Ø table: 1000 mm, total dimensions: Ø 1000 mm x 1000 mm.	450
59	NN turning table	S/s turning table, Ø table: 1200 mm, total dimensions: Ø 1200 mm x 960 mm.	450
60	Foodlogistik	Foodlogistik mobile dicer with infeed hopper, type: MS120.4, machine number: 980021, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 5.6 kW, infeed clearance: 250 mm x 460 mm, dimensions chamber: 500 mm x 120 mm x 120 mm, 10 knives, distance between knives: 20 mm, total dimensions: 1550 mm x 900 mm x 1800 mm.	1500
61	Busch	Busch vacuum pump in s/s cabinet, type: PANDA WV 1000 C01, capacity: 1000 m ³ per hour dimensions: 1200 mm x 750 mm x 1350 mm.	1250
62	Busch	Busch vacuum pump in s/s cabinet, type: WV 1000 C01, serial number: C1435000468, year of construction: 2014, capacity: 1000 m ³ per hour, dimensions: 1300 mm x 750 mm x 1200 mm.	1250
63	Variovac	Variovac thermoformer, type: PRIMUS, serial number: 420.517.05, year of construction: 2005, 230/400 V, 33.6 A, 19.1 kW, 6 bar, dye dimensions: (2x) 350 mm x 210 mm,	1500



Nr	Title	Description	Start €
		index: 495 mm, plastic belt, belt width: 370 mm, film width: 425 mm, including Busch vacuum pump, type: RA 0063 F 5K3, capacity: 63 m ³ per hour, total dimensions: 5700 mm x 1000 mm x 1850 mm.	
64	Sienz S.L.	Sienz S.L. drying tunnel, model: SMCC1.1, serial number: 20154900/500, 400 V, 3 Ph, 50 Hz, 14 A, s/s rollers, roller width: 1500 mm, total dimensions: 10000 mm x 2300 mm x 3550 mm.	15000
65	Handtmann	Handtmann mobile forming machine, type forming machine: RF 440, serial number: 34286, year of construction: 2014, 200/240 V, 50/60 Hz, 0.55 kW, Ø form: 45 mm, total dimensions: 950 mm x 850 mm x 1200 mm. Mobile transport belt, plastic mesh belt, belt width: 300 mm, total dimensions: 1400 mm x 700 mm x 1000 mm.	1500
66	Kolbe	Kolbe bandsaw on platform, table dimensions: 970 mm x 870 mm, total dimensions: 1150 mm x 1050 mm x 2000 mm. S/s platform, platform dimensions: 1900 mm x 1600 mm x 1300 mm.	500
67	Murzan	Murzan mobile diaphragm pump, model: SBR2X2IR, serial number: 09077320, dimensions: 900 mm x 430 mm x 1090 mm.	400
68	Technovac	Technovac mobile traysealer, dye dimensions: (1x) 295 mm x 150 mm, total dimensions: 1180 mm x 1000 mm x 1530 mm.	500
69	Proseal UK LTD	Proseal UK LTD mobile rotating traysealer, serial number: 1058, 240 V, 50 Hz, 5 bar, film width: 205 mm, dye: (2x) 105 mm x 160 mm, total dimensions: 1150 mm x 1000 mm x 1680 mm. Including s/s rack with large amount of extra forms, dye: (2x) 140 mm x 165 mm, (2x) 120 mm x 160 mm, (2x) 170 mm x 215 mm, 175 mm x 215 mm, (2x) 115 mm x 115 mm, (2x) 165 mm x 215 mm, (2x) Ø 135 mm, total dimensions rack: 1000 mm x 900 mm x 1600 mm.	2000
70	Proseal UK LTD	Proseal UK LTD mobile traysealer, serial number: 1974, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 6 bar, plastic belt, belt width: (4x) 25 mm, total dimensions: 4600 mm x 1100 mm x 2050 mm. Incomplete.	1000
71	Consol Converging Solutions	Consol Converging Solutions inliner, model: INT3, serial number: CS 6696, year of construction: 2019, 230 V, 16 A, plastic belts, belt width: (1x) 680 mm, (2x) 135 mm, total dimensions: 2650 mm x 860 mm x 1150 mm.	750
72	Videojet	Videojet inkjet printer, model: EXCEL 17/01, 220 V, 1 Ph, 50/60 Hz, 2 A, dimensions: 510 mm x 210 mm x 800 mm.	75
73	Videojet	Videojet inkjet printer, model: EXCEL 170i, 220 V, 50/60 Hz, 2 A, dimensions: 510 mm x 210 mm x 800 mm.	75
74	NN infeed funnel	Infeed funnel with mobile screw and product pump., screw diameter: 260 mm, tier: 110 mm, clearance: 1790 mm x 455 mm, dimensions screw trolley: 2500 mm x 550	400



Nr	Title	Description	Start €
		mm x 630 mm, dimensions funnel: 2500 mm x 700 mm x 2150 mm.	
75	NN elevating belt	Elevating belt, s/s frame, plastic mesh belt, belt width: 405, working width: 325 mm, divider height: 25 mm, distance between dividers: 295 mm, elevating height: 1060 mm, total dimensions: 3750 mm x 1200 mm x 1190 mm.	500
76	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 270 mm, total dimensions: 1100 mm x 600 mm x 1060 mm.	150
77	Kovacs limited	Kovacs limited net loader, type: KS2955, serial number: 266, year of construction: 11/2013, clearance: Ø 280 mm, total dimensions: 650 mm x 470 mm x 2000 mm.	100
78	Formax	Formax knife sharpener, model number: H-180, serial number: 122, 24 VDC, dimensions: 1020 mm x 810 mm x 1940 mm.	250
79	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 580 mm, total dimensions: 4300 mm x 900 mm x 390 mm.	300
80	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 580 mm, clearance: 600 mm x 150 mm, total dimensions: 2900 mm x 770 mm x 550 mm.	300
81	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 580 mm, clearance: 600 mm x 150 mm, total dimensions: 2900 mm x 770 mm x 550 mm.	300
82	TVI	TVI crustfreezer, type: CBF2000, clearance: (2x) 720 mm x 190 mm, inside dimensions: 1620 mm x 1050 mm x 2450 mm, total dimensions: 2250 mm x 1950 mm x 2800 mm. Trolley with 34 baskets, dimensions: 2350 mm x 1150 mm x 1900 mm.	7000
83	Bizerba	Pallet with Bizerba labeler with weighing scale, type: GLM-E, serial number: 11069514, 240 V, 50/60 Hz, 2.4 A, type scale: 18-A, serial number: 11069514, maximum: 6 kg, minimum: 40 gram, e= 2 gram, dimenions: 800 mm x 1200 mm x 700 mm.	100
84	ABB AB	2 ABB robot arms with controller unit, type: (2x) IRB 140 M2004, serial number: 14M-65794 and 14M-65793, year of construction: 2012, type contol unit: (2x) IRC5 M2004, serial number: 14M-65794 and 14M-65793, year of construction: 2012, 400 V, 3 Ph, 50-60 Hz, 7 A, dimenions robot arm: (2x) 800 mm x 450 mm x 810 mm.	1250
85	Transnova RUF	Transnova RUF robot palletizer, type: 470/526, machine number: 10669, year of construction: 2010, 4 lanes, plastic belt, belt width: (4x) 100 mm (1x) 400 mm, distance between dividers: 140 mm, divider height: 2 mm, steel rollers, roller width: 750 mm, Busch vacuum pump, type: SV 1040 C 000 INXX, total dimensions: 4000 mm x 2600 mm x 2900 mm.	2500
86	Webomatic	Webomatic mobile double chamber vacuum machine, type: CD 130-PR, serial number: 5810PB192, year of	1000



Nr	Title	Description	Start €
		construction: 02/2007, 400 V, 3 Ph, 50 Hz, 9 A, 4 kW, dimensions chamber: (2x) 780 mm x 660 mm, seal length: (4x) 650 mm, total dimensions: 1450 mm x 1100 mm x 1150 mm. Without vacuum pump.	
87	Seydelmann	Seydelmann double shaft ribbon mixer, type: MR 600, machine number: 16 670-1, year of construction: 2016, dimensions inside: 1000 mm x 850 mm x 750 mm, total dimensions: 2100 mm x 1500 mm x 2000 mm. Including s/s platform, working height: 800 mm, total dimensions: 1500 mm x 900 mm x 1900 mm.	9500
88	Multivac	Multivac labelling machine, type: L310, serial number: 285950, year of construction: 2019, 400 V, 3 Ph, year of construction: 2019, weight: 1000 kg, plastic belt, belt width: (3x) 190 mm (1x) 90 mm, total dimensions: 2900 mm x 1850 mm x 2000 mm.	8000
89	Multivac	Multivac labelling machine, plastic belt, belt width: (3x) 190 mm (1x) 90 mm, total dimensions: 2900 mm x 1900 mm x 2000 mm.	8000
90	Multivac	Multivac labelling machine, type: L310, serial number: 351329, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 10 A, 2 kW, plastic belt, belt width: 90 mm, label width: 270 mm, total dimensions: 3850 mm x 1260 mm x 2000 mm.	8000
91	Multivac	Multivac labelling machine, type: L310, serial number: 351328, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 10 A, 2 kW, plastic belt, belt width: 90 mm, label width: 270 mm, total dimensions: 3850 mm x 1260 mm x 2000 mm.	8000
92	Multivac	Multivac labelling machine, plastic belt, belt width: (3x) 190 mm (1x) 90 mm, total dimensions: 2900 mm x 1900 mm x 2000 mm.	8000
93	Multivac	Multivac labelling machine, type: L310, serial number: 285953, year of construction: 2019, 400 V, 3 Ph, plastic belt, belt width: (3x) 190 mm (1x) 90 mm, total dimensions: 2900 mm x 1900 mm x 2000 mm.	8000
94	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 02 823 01, year of construction: 2003, 400 V, 3 Ph, 3 kW, weight: 450 kg, dimensions dye: (2x) \varnothing 115 mm, plastic belt, belt width: 250 mm, with Witt Gasetechnik gas mixing station total dimensions: 7000 mm x 700 mm x 1830 mm. Including s/s tool trolley, dimensions: 800 mm x 700 mm x 1350 mm.	1500
95	Scanvaegt	Scanvaegt rejector belt, type: DropDown, serial number: BQI00044, year of construction: 2005, 3x230 V, 3 Ph, 50/60 Hz, 1.2 A, weight: 50 kg, belt width: 275 mm, total dimensions: 800 mm x 670 mm x 1390 mm.	100
96	Sealpac	Sealpac dyes on s/s rack, dimensions dye: (6x) 170 mm x 120 mm, (3x) 300 mm x 240 mm, dimensions rack: 4900 mm x 750 mm x 1300 mm.	750
97	Multivac		1000



Nr	Title	Description	Start €
		Multivac labeller with double top and double bottom labeller, type: MR339, model: MR339 TQ2419BS6000RG, machine number: 30102/11, year of construction: 2011, 3x400 V, 4000 VA, plastic belts, belt width: (2x) 85 mm, total dimensions labeller: 2600 mm x 950 mm x 2100 mm, including s/s switch cabinet, dimensions: 1200 mm x 550 mm x 1680 mm.	
98	Herbert	Herbert labeller with double top and double bottom labeller, model: PZ-113-00777-2, serial number: 5055TBXR028, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250
99	PBI-Dansensor A/S	PBI-Dansensor A/S leak detector, type: LeakPointer, serial number: 71090383, year of construction: 2010, 207-253 VAC, 50/60 Hz, 1000 VA, dimensions chamber: 500 mm x 400 mm x 160 mm, total dimensions: 600 mm x 720 mm x 500 mm.	250
100	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 1100 mm x 670 mm x 770 mm.	150
101	NN transport belt	Transport belt, s/s frame, plastic mesh belt with dividers, belt width: 300 mm, divider height: 15 mm, distance between dividers: 450 mm, total dimensions: 2320 mm x 550 mm x 620 mm.	150
102	Risco SPA	Risco SPA vacuum filling machine, type: RS 1040, serial number: A194007, year of construction: 1994, 415 V, 9/16 A, 3.7 kW, dimensions: 700 mm x 800 mm x 1650 mm. Rotor is incomplete, scraper is missing.	2000
103	Nematec	Nematec cutter, type: SM 65 S, machine number: 110, year of construction: 1994, 400 V, 3 Ph, 50 Hz, weight: 920 kg, s/s bowl, volume: 65 liter, total dimensions: 1280 mm x 1000 mm x 1350 mm.	2500
104	Formax	Formax infeed SNS scanner, clearance: 240 mm x 115 mm, total dimensions: 2600 mm x 880 mm x 1920 mm.	500
105	Dimaco Ltd	Dimaco Ltd pack label VeriPack verification machine, model: 932-5149/A, serial number: 1304949, year of construction: 21-05-13, 240 V, 50 Hz, 6.0 A, belt width: 275 mm, total dimensions: 1200 mm x 780 mm x 1700 mm. Technical condition unknown.	100
106	Karl Schnell	Karl Schnell vacuum filling machine with lifter for 200 liter meat bins, type: 573-SE, serial number: 20691, 380 V, 3 Ph, 50 Hz, 13.6 A, 7.3 kW, total dimensions: 2950 mm x 1100 mm x 1530 mm.	1750
107	Jansen Techniek	Jansen Techniek shuttle conveyor, type: SBK150, model: Schietband, year of construction: 2019, plastic belt, belt width: 240 mm, total dimensions: 1400 mm x 600 mm x 1250 mm. Including switch cabinet, dimensions: 700 mm x 500 mm x 1250.	2000
108	Jansen Techniek		2000



Nr	Title	Description	Start €
		Jansen Techniek shuttle conveyor, type: SBK150, model: Schietband, year of construction: 2019, plastic belt, belt width: 240 mm, total dimensions: 1400 mm x 600 mm x 1250 mm. Including switch cabinet, dimensions: 700 mm x 500 mm x 1250.	
109	Jansen Techniek	Jansen Techniek shuttle conveyor, type: SBK150, model: schietband, year of construction: 2019, plastic belt, belt width: 240 mm, total dimensions: 1400 mm x 600 mm x 1250 mm. Including switch cabinet, dimensions: 700 mm x 500 mm x 1250.	2000
110	NN trolley	S/s mobile trolley, working width: 390 mm, total dimensions: 1500 mm x 480 mm x 1010 mm.	75
111	Attec Food Technology	Attec Food Technology fully automatic pig cutting line consisting of: steel hanging line, dimensions: 6500 mm x 400 mm x 1700, Attec automatic primal cutting line, type: AGOL-850, order number: ON17163, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 45 kW, capacity: 800 pigs/hr, product: pork carcasses, left & right, s/s outfeed belt for waste pork legs, belt width: 290 mm, automatic measuring system for precise and individual cuts of individual pork carcass, plastic belt, belt width: 800 mm, 1300 mm, 500 mm, 300 mm, 100 mm and s/s protection fence, total dimensions: 9800 mm x 4200 mm x 2200 mm. Line is never used.	75000
112	Linx Airborne Technologies	Linx Airborne Technologies helicopter, showroom model, not for flying purposes, dimensions: 5200 mm x 2500 mm x 3200 mm. Including Stetzl & Söhne Ges.m.b.H. trailer, model: H 400 T, serial number: HST 400027, year of construction: 2013, maximum weight: 1600 kg, trailer dimensions: 6700 mm x 2550 mm x 1270 mm.	5000
113	Karl Schnell GmbH	Karl Schnell GmbH vacuum mixer with lifter for meat bins, type: 32378, 210/415 V, 50 Hz, 1.32 kW, dimensions mixer: 2900 mm x 2600 mm x 2350 mm, type lifter: 33797, machine number: 11536, dimensions lifter: 1250 mm x 1100 mm x 3250 mm, dimensions control cabinet: 1100 mm x 750 mm x 2300 mm, Rittal cool unit, type: SK3299500, year of construction: 2000, 400 V, 50/60 Hz, refrigerant: R134a, dimensions: 750 mm x 600 mm x 400 mm, s/s cabinet with Eurotherm Chessell panel, dimensions: 4900 mm x 2150 mm x 600 mm. Including crate with parts.	10000
114	Webomatic	Webomatic thermoformer, type: ML-C 3600, machine number: H6513 Z1151, 400 V, 3 Ph, 50 Hz, 15 kW, dye: (1x) 367 mm x 285 mm, (2x) 285 mm x 178 mm and (3x) 115 mm x 285 mm, Busch vacuum pump, type: RA 0155 A 503, capacity: 155 m ³ per hour, Selbach water chiller, type: BK30, total dimensions: 4650 mm x 1200 mm x 1960 mm.	7500
115	NN crates		500



Nr	Title	Description	Start €
		Approximately 2048 plastic crates, dimensions: 560 mm x 350 mm x 110 mm.	
116	NN vegetable washer	Vegetable washer with vibrating gutter, gutter width: 750 mm, perforations: \varnothing 5 mm, total dimensions: 5500 mm x 1600 mm x 2700 mm.	2250
117	Karl Schnell GmbH	Karl Schnell GmbH mixer, type: 756, serial number: 13285, year of construction: 1999, steam injection, inside dimensions: 2250 mm x 1400 mm x 1000 mm. total dimensions: 4000 mm x 2300 mm x 2150 mm. Incomplete.	1500
118	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer line, consisting of: Slicer, model: Divider 880, machine number: 541002.171338.113678, year of construction: 2012, 400-480 V, 3 Ph, 50 Hz, 19.5 A, weight: 1950 kg, 6 lanes, plastic infeed belt, belt width: 450 mm, dimensions: 6250 mm x 1970 mm x 2700 mm; Tray feeder line, model: Einlegerlinie, machine number: 431000.188602.118591, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 24 A, 13 kW, weight: 2300 kg, plastic belt, belt width: 505 mm, dimensions: 5700 mm x 1650 mm x 1880 mm, total dimensions: 10800 mm x 1870 mm x 2700 mm. Technical condition unknown.	10000
119	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer line, consisting of: Slicer, model: Divider 880, machine number: 541305.193115.122216, year of construction: 2015, 400/480 V, 3 Ph, 50/60 Hz, 19.5 A, 8.2 kW, weight: 3200 kg, 4 lanes, plastic wire belt, belt width: 480 mm, dimensions: 6200 mm x 2080 mm x 2700 mm; Tray feeder line, model: Einlegerlinie, machine number: 430009.156236.108465, year of construction: 2011, 400 V, 3 Ph, 50/60 Hz, 24 A, 13 kW, weight: 2300 kg, plastic belt, belt width: 550 mm, dimensions: 5680 mm x 1850 mm x 1950 mm. Technical condition unknown.	10000
120	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer line, consisting of: Slicer, model: Divider 880, machine number: 541304.184670.118165, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 19 A, 2 lanes, plastic wire belt, belt width: 480 mm, dimensions: 5450 mm x 1950 mm x 2300 mm. Tray feeder line, model: Einlegerlinie, machine number: 430001.184789.116682, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 24 A, 13 kW, weight: 2300 kg, plastic belt, belt width: 540 mm, dimensions tray feeder line: 5500 mm x 1760 mm x 1660 mm. Technical condition unknown.	10000
121	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Divider 880, machine number: 541301.160825.111010, year of construction: 2012, 400/480 V, 3 Ph, 50/60 Hz, 19.5 A, 8.2 kW, weight: 1950 kg, 4 lanes, plastic infeed belt, belt width: 445 mm, dimensions slicer: 5100 mm x 1870 mm x 2700 mm. Technical condition unknown.	10000



Nr	Title	Description	Start €
122	Treif Maschinenbau GmbH	Large amount of different parts for Treif Maschinenbau GmbH Divider 880 slicer line, among others: conveyors, lane dividing belts, s/s covers, moulds and trolleys.	2000
123	NN knives	Plastic pallet box with various knives for slicers.	200
124	NN knives	Plastic pallet box with various knives for cutters.	200
125	NN knives	Plastic pallet box with various knives for slicers.	200
126	NN knives	Plastic crate with various knives.	200
127	NN knives	Pallet with various knives for dicer.	200
128	NN knives	2 E2 crates with various knives.	200
129	NN knives	Pallet with knives for Weber slicer.	200
130	NN knives	Pallet with various knives.	200
131	GEA	4 knives for GEA slicers.	200
132	NN knives	Pallet with various knives for cutters.	200
133	NN knives	Crate with various knives for cutter.	200
134	NN knives	Crate with various knives for cutter.	200
135	NN knives	Plastic bin with various knives for cutter.	200
136	NN knives	Pallet with various knives for dicer.	200
137	NN knives	Pallet with various knives for dicer.	200
138	NN knives	Pallet with various knives for dicer.	200
139	NN knives	Bin with with cutter knives.	100
140	NN knives	Bin with cutter knives.	50
141	NN knives	Crate with cutter knives.	50
142	NN knives	Crate with cutter knives.	75
143	NN crates	28 plastic crates, crate dimensions: 600 mm x 400 mm x 60 mm.	10
144	NN gutters	10 s/s gutters.	100
145	NN gutter	S/s gutter, inside dimensions: 1115 mm x 290 mm x 75 mm, total dimensions: 1120 mm x 340 mm x 210 mm.	25
146	Robot Coupe	Plastic crate with various parts for Robot Coupe.	50
147	NN knives	Plastic pallet box with various knives.	200
148	NN parts	Plastic crate with machine parts.	200
149	NN parts	Plastic crate with machine parts.	200
150	Robot Coupe	Plastic crate with parts for Robot coupe machine.	200
151	NN parts	Plastic crate with machine parts.	200
152	NN parts	Plastic pallet box various machine parts.	200
153	NN knives	Plastic crate with various knives for cutter.	50
154	NN knives	Plastic crate with various knives for cutter.	200
155	NN knives	Plastic pallet box with various knives for cutter.	200
156	NN knives	5 crates with various knives for cutter.	200
157	Kerres	Kerres smoke chamber installation, consisting of: 2 sections of kerres smoke chambers, inside dimensions: (2x) 2150 mm x 1050 mm x 2100, total dimensions: (2x) 3100 mm x 2450 mm x 3150 mm, Kerres smoke generator for wood chips, type: RE 203, year of construction: 02/2014, 400 V, 3 Ph, 2 kW, Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 2DES-3Y-40S, serial	7500



Nr	Title	Description	Start €
		number: 1686110770, capacity: 13.4/16.1 m ³ per hour dimensions: 1000 mm x 750 mm x 800 mm. Including 3 pallets with parts.	
158	Tennant	Tennant floor scrubbing machine, type: 18/5TTM435, serial number: 510550467, dimensions: 1200 mm x 2100 mm x 1600 mm. With Chloride motive power battery charger, 36 V.	400
159	Ilapak	Ilapak flowpacker, type: Delta Flobag, serial number: 0640190057, year of construction: 2016, 400 V, 50/60 Hz, plastic belt, belt width: 280 mm, seal length: 360 mm, total dimensions: 3500 mm x 1500 mm x 1900 mm, mobile infeed belt, plastic belt, belt width: 160 mm, distance between dividers: 205 mm, divider height: 50 mm, total dimensions: 405 mm x 700 mm x 1050 mm. Including 2 crates with parts.	2000
160	Ilapak	Ilapak flowpacker, plastic belt, belt width: 280 mm, seal length: 360 mm, total dimensions: 3500 mm x 1500 mm x 1900 mm, mobile infeed belt, plastic belt, belt width: 160 mm, distance between dividers: 205 mm, divider height: 50 mm, total dimensions: 405 mm x 700 mm x 1050 mm. Including 2 crates with parts.	2000
161	Fortress Technology	Fortress Technology metal detector with rejector, model: Phantom, serial number: EQC-1408, year of construction: 2016, 110/230 V, 1 Ph, 50 Hz, 16 A, plastic mesh belt, belt width: 300 mm, clearance: 340 mm x 150 mm, total dimensions: 1750 mm x 1100 mm x 1200 mm.	1000
162	Fortress Technology	Fortress Technology metal detector with rejector, model: Phantom, serial number: EQC-1406, year of construction: 2016, 110/230 V, 1 Ph, 50 Hz, 16 A, plastic mesh belt, belt width: 300 mm, clearance: 340 mm x 150 mm, total dimensions: 1750 mm x 1100 mm x 1200 mm.	1000
163	Keymac Packaging Systems	Keymac Packaging Systems case packer, model: K 201, serial number: 74971218G, 230 V, 50 Hz, 1 Ph, dual lane, 120 packs per min, plastic mesh belt, belt width: (3x) 150 mm, total dimensions: 4250 mm x 1350 mm x 2000 mm.	2000
166	GEA	GEA thermoformer, type: PowerPak, serial number: 50560181, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 53 A, 35 kW, film width: 565 mm, index: 335 mm, dye: (2x) 300 mm x 250 mm x 50 mm, plastic belt, belt width: 495 mm, Gardner Denver vacuum pump, type: VWP 500 (05), serial number: SC10405318002, year of construction: 2020, capacity: 485 m ³ /h.	5000
167	Fomaco	Fomaco meat press, model: FLL800-160, machine number: 10232-2005, year of construction: 2005, 400 V, 3 Ph, 16 A, dimensions chamber: Ø 135 mm x 860 mm, total dimensions: 2600 mm x 850 mm x 1680 mm.	1000
168	Parry Catering	Parry Catering grill, model: Piastra Singola, serial number: 0321, year of construction: 01/2002, 230 V, 50 Hz, 3400 W,	25



Nr	Title	Description	Start €
		dimensions grill: 220 mm x 220 mm, total dimensions: 400 mm x 330 mm x 185 mm.	
169	NN transport belt	Mobile transport belt, 2 lanes, s/s mesh belts, belt width: 510 mm, total dimensions: 8100 mm x 1900 mm x 1100 mm.	1200
170	Multiforce Contracts Limited	Multiforce Contracts Limited mobile transport belt, year of construction: 2019, plastic belt, belt width: 500 mm, total dimensions: 3200 mm x 720 mm x 1640 mm.	750
171	Celsiusfood	Celsiusfood teflon grill belt, belt width: (1x) 545 mm, (1x) 560 mm, clearance: 545 mm x 115 mm, electric heated, total dimensions: 4000 mm x 1350 mm x 1860 mm. Display broken.	2000
172	NN elevating belt	Elevating belt, plastic mesh belt, belt width: 285 mm, total dimensions: 2900 mm x 750 mm x 1200 mm.	250
173	NN transport belt	S/s transport belt, plastic belt, belt width: 275 mm, total dimensions: 3920 mm x 400 mm x 900 mm.	650
174	Econopak	Econopak mobile transport belt, type: GKF900-KB254, year of construction: 2018, plastic mesh belt, belt width: 250 mm, total dimensions: 4000 mm x 750 mm x 1050 mm.	400
175	NN transport belt	Transport belt, plastic mesh belt, belt width: 250 mm, total dimensions: 4350 mm x 560 mm x 1060 mm.	300
176	SF Engineering Food Processing Solutions	SF Engineering Food Processing Solutions elevating belt, serial number: SF 1268517.1418, year of construction: 10.10.17, s/s frame, belt width: 300 mm, elevating height: 1270 mm, total dimensions: 7530 mm x 650 mm x 1320 mm. Including plastic belt, belt width: 300 mm.	300
177	SF Engineering Food Processing Solutions	SF Engineering Food Processing Solutions elevating belt, serial number: SF 1065916.1166, year of construction: 02.09.16, s/s frame, belt width: 300 mm, elevating height: 1270 mm, total dimensions: 7530 mm x 650 mm x 1320 mm. Without belt.	300
178	Industrial Washing Machines	Industrial Washing Machines crate washer, type: SAN 100 SP, number: 442 S1SP A/1510/01U, year of construction: 04/11/2002, plastic mesh belt, belt width: (2x) 150 mm, clearance: (2x) 265 mm x 290 mm, total dimensions: 2500 mm x 1400 mm x 1950 mm.	1500
179	De Jager BV	De Jager BV double 90° curve conveyor, type: 11-0608-02, year of construction: 01/2012, plastic mesh belts, belt width: 355 mm, total dimensions: 7800 mm x 4300 mm x 1400 mm.	1250
180	NN transport belt	S/s transport belt, maximum belt width: 505 mm, total dimensions: 2900 mm x 700 mm x 850 mm. Without belt.	450
181	Van De Vecht	Van de Vecht elevating belt, plastic belt, belt width: 300 mm, divider height: 10 mm, distance between dividers: 310 mm, elevating height: 1700 mm, total dimensions: 2800 mm x 750 mm x 1900 mm.	350
182			600



Nr	Title	Description	Start €
	SF Engineering Food Processing Solutions	SF Engineering Food Processing Solutions 180° curve conveyor, serial number: SF777115 955, year of construction: 09/2015, approximately belt width: 380 mm, total dimensions: 3400 mm x 3350 mm x 1100 mm. Missing belt.	
183	Autocoding systems	Autocoding systems mobile transport belt, model: MAC5001, serial number: 55203-1440-0808, 230 V, 50 Hz, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 600 mm x 1900 mm.	750
184	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: EVO390-XL, number: 3761/09, year of construction: 10/2009, 415 V, 3 Ph, 50 Hz, infeed chain with dividers, divider height: 20 mm, distance between dividers: 190 mm, plastic belts, belt width: 280 mm, total dimensions: 11900 mm x 1300 mm x 2450 mm. S/s trolley to change dye's, model: CPS/R, number: 3761/09, year of construction: 10/2009, dye: (6x) 202 mm x 153 mm, total dimensions 1650 mm x 900 mm x 1550 mm. Including 3 pallets with dye's, dye: (5x) 255 mm x 161 mm, (5x) 232 mm x 182 mm, (7x) 180 mm x 128 mm. S/s frame for 3 dye sets model: CP/S-3+3, number: 3762/09, year of construction: 10/2009, dimensions: 4200 mm x 750 mm x 1860 mm.	9500
185	NN conveyor system	Conveyor system consisting of: s/s frame, dimensions: 4000 mm x 1000 mm x 1700 mm, pallet with 2 belts, belt width: (2x) 85 mm and 4 pallets with parts, dimensions: (1x) 1900 mm x 800 mm x 400 mm, (1x) 2200 mm x 800 mm x 500 mm, (1x) 2600 mm x 1000 mm x 450 mm, (1x) 4000 mm x 800 mm x 300 mm.	800
186	NN cabinet	Cabinet, dimensions: 1800 mm x 710 mm x 1130 mm.	75
187	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray denester, type: TDS 300, serial number: 114, year of construction: 2012, 400 V, 3 Ph, weight: 70 kg, dye: 232 mm x 146 mm, plastic mesh belt, belt width: 250 mm, total dimensions: 4350 mm x 1000 mm x 1800 mm.	2000
188	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray denester, type: TDS 300, serial number: 115, year of construction: 2012, 400 V, weight: 70 kg, dye: 232 mm x 146 mm, plastic mesh belt, belt width: 250 mm, total dimensions: 4350 mm x 1000 mm x 1800 mm.	2000
189	TVM	TVM mobile portioning machine, type: TVM - Portio 4000, serial number: 09-99.26445 138, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.5 A, weight: 380 kg, plastic belt, belt width: 205 mm, total dimensions: 1600 mm x 1100 mm x 2100 mm. Including s/s trolley with parts, dimensions: 860 mm x 620 mm x 1800 mm.	1025
190	SF Engineering Food Processing Solutions	SF Engineering Food Processing Solutions weighing table with indicator, type: SF-190, dimensions scale: 415 mm x	100



Nr	Title	Description	Start €
		415 mm, total dimensions: 1150 mm x 1000 mm x 1450 mm.	
191	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH transport belt, plastic mesh belt, belt width: 250 mm, total dimensions: 2000 mm x 700 mm x 1000 mm.	300
192	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray filler, type: AIS autoloader 500, serial number: 101, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, weight: 600 kg, maximum belt width: 300 mm, total dimensions: 2700 mm x 1200 mm x 2050 mm.	1500
193	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray filler, type: AIS autoloader 500, serial number: 102, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, weight: 600 kg, maximum belt width: 300 mm, total dimensions: 2700 mm x 1200 mm x 2050 mm.	1500
194	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH weighing belt with 4 rejectors, type: GMI multitrax 800, serial number: 0013, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, 8 bar, 875 kg, belt width: 250 mm, total dimensions: 3600 mm x 1050 mm x 1540 mm.	1500
195	HP. Auriol	HP. Auriol cooking vessel with mixing arm and scrapers, type: Marmite, number: 2578 B, year of construction: 07/1999, 380 V, 50 Hz, volume: 300 liter, dimensions: 1950 mm x 1400 mm x 1870 mm. Control panel broken	1200
196	Case packing Systems	Case packing Systems case packer, number: 28835, year of construction: 10/2011, 400 V, 3 Ph, 50 Hz, 16 A, belt width: 400 mm, total dimensions: 1200 mm x 1200 mm x 2600 mm, 1500 mm x 550 mm x 1750 mm, 900 mm x 1300 mm x 3300 mm and 2500 mm x 1000 mm x 500 mm.	4000
197	Escon Electronic A/S	Escon Electronic A/S primal cutting saw, model: SAWCIRC003, dimensions: 1400 mm x 800 mm x 1500 mm. Saw blade is missing.	500
198	ABAC	ABAC air compressors with hose reel, model: XPN, 230 V, 1 Ph, 50/60 Hz, 1100 W, weight: 8.5 kg, total dimensions: 400 mm x 250 mm x 300 mm.	150
199	Alup Kompressoren GmbH	Alup Kompressoren GmbH screw compressor, type: SCK31-08, 22 kW, 10 bar, dimensions: 1300 mm x 850 mm x 1200 mm.	1000
200	Alup Kompressoren GmbH	Alup Kompressoren GmbH screw compressor, type: SOLO 30, production number: F0707167, year of construction: 2007, maximum working pressure: 13 bar, dimensions: 1300 mm x 1200 mm x 1700 mm.	1000
201	Alup Kompressoren GmbH	Alup Kompressoren GmbH screw compressor, type: LARGO 22-10, serial number: CAI465970, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 22 kW, 10 bar, weight: 496 kg, dimensions: 1500 mm x 800 mm x 1550 mm.	1000
202			250



Nr	Title	Description	Start €
	TVI Entwicklung & Produktion GmbH	Part for TVI Entwicklung & Produktion GmbH machine, type: TDS 300, serial number: 130, year of construction: 2014, weight: 195 Kg, 230 V, 1 Ph, 50 Hz, dimensions: 1700 mm x 1000 mm x 550 mm.	
203	NN transport belt	S/s transport belt, plastic belt, belt width: 375 mm, total dimensions: 530 mm x 500 mm x 850 mm.	100
204	The A.E.W. Engineering	The A.E.W. Engineering band saw, type: MK9, machine: 400M, serial number: LHS63283, 415 V, 3 Ph, 5.08 A, table dimensions: 1050 mm x 880 mm, total dimensions: 1050 mm x 1000 mm x 1880 mm. Incomplete and without saw.	500
205	The A.E.W. Engineering	The A.E.W. Engineering band saw, type: MK8, machine: 350M, serial number: RH 100690, 415 V, 3 Ph, 3.5 A, table dimensions: 810 mm x 660 mm, total dimensions: 810 mm x 740 mm x 1700 mm. Incomplete, without saw.	500
206	Medoc	Medoc bandsaw, model: STL 480, table dimensions: 1080 mm x 940 mm, total dimensions: 1080 mm x 1060 mm x 1900 mm. Missing saw.	500
207	AEW Thurne Ltd	AEW Thurne Ltd mobile bandsaw, model: 350 bandsaw, serial number: 1392066, year of construction: 2004, 415 V, 3 Ph, 50 Hz, weight: 142 kg, table dimensions: 740 mm x 660 mm, total dimensions: 760 mm x 720 mm x 1750 mm. Incomplete, without saw.	750
208	AEW Thurne Ltd	AEW Thurne Ltd mobile bandsaw, model: 350 bandsaw, serial number: 1182132, year of construction: 31-07-2007, 415 V, 3 Ph, 50 Hz, 4 A, weight: 142 kg, table dimensions: 740 mm x 660 mm, total dimensions: 760 mm x 720 mm x 1750 mm. Incomplete, without saw.	750
209	NN bandsaw	Bandsaw, dimensions saw table: 1050 mm x 850 mm, total dimensions: 1050 mm x 1000 mm x 1900 mm. Incomplete, technical condition unknown.	500
210	AEW Delford Systems Ltd	AEW Delford Systems Ltd band saw, model: 350, serial number: 1392140, year of construction: 13-6-2007, 415 V, 3 Ph, 4 A, table dimensions: 800 mm x 700 mm, total dimensions: 800 mm x 750 mm x 1750 mm. Incomplete, without saw.	250
211	Rentokil	5 Rentokil insect killers, dimensions: 660 mm x 220 mm x 470 mm.	10
212	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
213	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
214	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
215	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
216	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
217	Rentokil		10



Nr	Title	Description	Start €
		5 Rentokil insect killers, dimensions: 660 mm x 220 mm x 470 mm and 660 mm x 220 mm x 470 mm.	
218	NN meat press	Mobile s/s meat press, dimensions: 1750 mm x 500 mm x 1000 mm. Incomplete.	150
219	Hyfra	Hyfra cooling unit, type: VVK 7/1-s, machine number: 08060336, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 4.90 A, 1.10 kW, refrigerant: R407C, 0.875 kg, dimensions: 750 m x 550 mm x 750 mm.	125
220	Inotec	Inotec mobile mixer, type: 520.040DR, serial number: 13.3520, year of construction: 2008, dimensions: 1000 mm x 1000 mm x 1740 mm.	250
221	NN transport belt	Transport belt, s/s frame, s/s mesh belt, belt width: 600 mm, total dimensions: 3810 mm x 820 mm x 1030 mm.	600
222	Thom	Thom shuttle conveyor, model: Multi-Line Loader, number: 054543-001-00, year of construction: 2015, plastic belt, belt width: 650 mm, total dimensions: 2800 mm x 1150 mm x 1240 mm.	750
223	NN denester	Mobile denester, dye: 200 mm x 150 mm, total dimensions: 1650 mm x 550 mm x 1970 mm.	150
224	NN denester	Mobile denester, dye: 195 mm x 145 mm, total dimensions: 1450 mm x 600 mm x 1950 mm.	150
225	NN denester	Mobile denester, dye: 275 mm x 180 mm, total dimensions: 1600 mm x 550 mm x 2030 mm.	150
226	NN denester	Mobile denester, dye: 195 mm x 145 mm, total dimensions: 1500 mm x 600 mm x 1900 mm.	150
227	NN tool trolley	S/s tool trolley, dimensions: 1540 mm x 950 mm x 1980 mm.	75
228	NN floor weighing scale	S/s floor weighing scale, model: 760286, number: 1288, dimensions: 1160 mm x 1000 mm x 180 mm. Without indicator.	150
229	Mafo	Mafo washing and drying machine for crates with loading and unloading device, serial number: 200-800-890, year of construction: 01/2007, 400 V, 3 Ph, 50 Hz, 27.5/13.8 A, 15.0 kW, maximum crate width: 690 mm, dimensions: 15000 mm x 2500 mm x 2500 mm. Including switch cabinets, dimensions switch cabinet: (1x) 1250 mm x 450 mm x 2200 mm, (1x) 600 mm x 400 mm x 600 mm. Including s/s frames, dimensions: 4150 mm x 2100 mm x 900 mm.	2500
230	NN machine parts	Pallet with various parts for traysealer, dimensions: 1200 mm x 800 mm x 1100 mm.	100
231	Sealpac	Pallet with Sealpac dye, dye: (5x) 175 mm x 128 mm, total dimensions: 1200 mm x 800 mm x 450 mm.	100
232	Sealpac	Pallet with Sealpac dye, dye: (5x) 174 mm x 128 mm, total dimensions: 1200 mm x 800 mm x 850 mm.	100
233	NN transport belt		75



Nr	Title	Description	Start €
		Transport belt, chain conveyor, chain width: 190 mm, total dimensions: 1900 mm x 750 mm x 180 mm. 3 chains are missing.	
234	Sealpac	Sealpac 3 sets of grippers for traysealer, gripper length: (3x) 1500 mm.	45
235	Sealpac	Pallet with parts and s/s covers for Sealpac traysealer, dimensions: 1200 mm x 800 mm x 1200 mm.	50
237	Sealpac	Sealpac s/s grippers, gripper length: (2x) 1500 mm and (2x) 1650 mm, 2000 mm.	75
238	Sealpac	Parts for Sealpac traysealer, gripper length: 1600 mm, dimensions dye: (4x) 240 mm x 180 mm.	250
239	Sealpac	Sealpac s/s frame for transport belt, 4 chains, chain width: 155 mm, total dimensions: 4200 mm x 660 mm x 1050 mm.	500
240	NN tumbler	S/s mobile marinate tumbler, drum dimensions: Ø 1230 mm x 1510 mm, total dimensions: 2000 mm x 1950 mm x 1850 mm.	750
241	NN tumbler	S/s mobile marinate tumbler, drum dimensions: Ø 1230 mm x 1510 mm, total dimensions: 2000 mm x 1950 mm x 1850 mm.	750
242	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 01109501, year of construction: 2004, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, dye: (6x) 258 mm x 70 mm, plastic belt, belt width: 360 mm, total dimensions: 6800 mm x 900 mm x 2100 mm. Including s/s trolley for dye's, dimensions: 1400 mm x 1000 mm x 1350 mm, pallet with dye, dye: (5x) 175 mm x 128 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	3000
243	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 018640, year of construction: 2003, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, film width: 325 mm, dye: (4x) 260 mm x 158 mm, total dimensions: 6000 mm x 900 mm x 2100 mm. Including s/s trolley for dye's, dye: (4x) 225 mm x 178 mm, (5x) 230 mm x 168 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	3000
244	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 0147801, year of construction: 2002, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, dimensions: 5200 mm x 900 mm x 2050 mm. Including s/s trolley for dye's, dye: (4x) 260 mm x 158 mm, total dimensions: 1500 mm x 1000 mm x 1500 mm, Sealpac heating unit, type: Sealpac VS, serial number: ZVS-0012, year of construction: 2016, 400/230 V, 3 Ph, 50/60 Hz, 12 kW, weight: 50 kg, dimensions: 600 mm x 250 mm x 600 mm.	3000
245	Sealpac	Sealpac traysealer, type: Sealpac 800, serial number: TVG 01124801, year of construction: 2005, 400/230 V, 3 Ph, 10 kW, dye: (4x) 258 mm x 158 mm, total dimensions: 6100 mm x 950 mm x 2100 mm. Including pallet with dye, dye:	3000



Nr	Title	Description	Start €
		(2x) 304 mm x 243 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	
246	Weber Maschinenbau GmbH	Weber loading conveyor, type: CWB, number: 6708, year of construction: 2004, plastic belt, belt width: 450 mm, total dimensions: 1270 mm x 830 mm x 1260 mm. Missing cover. Technical condition unknown.	500
247	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH product scanner, type: CPS, number: 6708, year of construction: 2004, plastic belt, belt width: 420 mm, total dimensions: 2400 mm x 1100 mm x 1900 mm. Technical condition unknown.	750
248	Econopak	Econopak carton erector, type: GVE-DL, year of construction: 2003, 400 V, 3 PH, 50 Hz, 13 A, 6 kW, clearance: 190 mm x 175 mm, total dimensions: 4500 mm x 1250 mm x 2350 mm. Incomplete.	1250
249	Marel	Marel smart splitter, model: SSP dual lane, serial number: 10486164, year of construction: 2021, belt width: (2x) 360 mm, (1x) 180 mm, clearance: (2x) 325 mm x 120 mm, working width: 300 mm, total dimensions: 2090 mm x 1850 mm x 1460 mm.	4500
250	Marel	Marel smart splitter, model: SSP dual lane, serial number: 10433512, year of construction: 2020, 380-480 V, 50-60 Hz, 6.4-8.0 A, 4 kW, belt width: (2x) 360 mm, (1x) 180 mm, clearance: (2x) 325 mm x 120 mm, working width: 300 mm, total dimensions: 2100 mm x 1900 mm x 1450 mm.	4499
251	Ishida	Ishida traysealer, model: QX775 FLEX, serial number: 560010289, year of construction: 2016, 380-415 V, 3 Ph, 50-60 Hz, 22 A, 9.5 kW, weight: 2000 kg, plastic belt, belt width: 200 mm, total dimensions: 3400 mm x 1400 mm x 2100 mm. Including s/s trolley for dyes, dimensions trolley: 1100 mm x 1050 mm x 1600 mm, including 2 s/s frames with dye's, dimensions dye's: (5x) 183 mm x 132 mm, (6x) 105 mm x 115 mm, dimensions frames: (2x) 1000 mm x 800 mm x 850 mm and 2 gripper arms.	4500
252	Seffelaar En Looyen BVBA	Seffelaar En Looyen BVBA mobile flattener, number: 82026, plastic belt, belt width: (2x) 250 mm, total dimensions: 1500 mm x 750 mm x 1350 mm.	1000
253	Koppens	Koppens mobile breeding machine, number: PR 200-44, 380 V, 3 Ph, 50 Hz, 3.7 A, 0.61 kW, weight: 135 kg, maximum belt width: 200 mm, clearance: 210 mm x 60 mm, total dimensions: 1550 mm x 500 mm x 1520 mm. Without belt.	1000
254	Nieros	Nieros boots cleaner, type: DR/400V300, serial number: N3F47-07, year of construction: 11/2015, 400 V, 3 Ph, 50 Hz, 1 kW, dimensions: 1600 mm x 1500 mm x 1250 mm.	1000
255	CFS	CFS mobile bunker for bread crumbs, type: BRF 250, machine number: 213, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 3.49 A, 0.92 kW, weight: 230 kg, elevating	750



Nr	Title	Description	Start €
		height: 1860 mm, total dimensions: 1300 mm x 1000 mm x 2600 mm.	
256	Fomaco	Fomaco injector, model: FGM 88 DC, machine number: 10861-2006, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 63 A, 37.0 kW, air: 6.0 bar, plastic mesh belt, belt width: 720 mm, total dimensions: 2900 mm x 1300 mm x 2300 mm. Including Fomaco mobile filter tub, model: PFS 7 / 225 R, dimensions: 1900 mm x 700 mm x 950 mm, mobile frame for belt, dimensions frame: 2900 mm x 900 mm x 1250 mm. Incomplete.	2500
257	Fomaco	Fomaco injector, model: FGM 44/88, machine number: 8060 2000, year of construction: 2000, 3x415 V, 50 Hz, 9.0/25.0 A, s/s mesh belt, belt width: 550 mm, clearance: 560 mm x 200 mm, total dimensions injector: 2700 mm x 980 mm x 2280 mm, including Fomaco A/S mobile filter tub, dimensions: 1700 mm x 600 mm x 630 mm. Filter tub is incomplete.	2500
258	Fomaco	Fomaco A/S injector, model: FGM 64F SW, machine number: 7897 1999, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 18/32 A, 6 bar, s/s walking beam width: 540 mm, clearance: 540 mm x 150 mm, total dimensions: 1680 mm x 850 mm x 2220 mm. Including Fomaco A/S mobile filter tub, model: PFS 5/225 ROS, machine number: 8720, year of construction: 2001, dimensions: 1800 mm x 620 mm x 920 mm. Filter tub is incomplete.	2500
259	Fomaco	Fomaco Injector, model: FGM 48 SW, machine number: 9205, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 19/35 A, 6 bar, 12 needles, s/s walking beam, clearance: 420 mm x 250 mm, total dimensions: 2300 mm x 1200 mm x 2300 mm. Including 2 pallet with parts, dimensions: 1200 mm x 800 mm x 400 mm. Incomplete.	750
260	Wittkamp	Wittkamp s/s mobile elevating belt, type: FB 400/2000, serial number: 0005.14a, year of construction: 09/2014, 400 V, 16 A, plastic belt, belt width: 400 mm, elevating height: 800 mm, total dimensions: 2250 mm x 900 mm x 1400 mm.	300
261	Winston Industries	Winston Industries oven, model: HA8503WE, serial number: 20120222-070, year of construction: 02/12, 120 V, 1 Ph, 60 Hz, 11.2 A, 8 trays, tray dimensions: (8x) 540 mm x 170 mm x 70 mm, total dimensions: 650 mm x 500 mm x 910 mm.	500
262	NN transport belt	S/s mobile mesh belt, s/s mesh belt, belt width: 710 mm, total dimensions: 1220 mm x 900 mm x 1100 mm.	450
263	NN transport belt	S/s mobile mesh belt, s/s mesh belt, belt width: 600 mm, total dimensions: 2260 mm x 850 mm x 1030 mm.	450
264	NN flattener	Mobile flattener, plastic belt, belt width: (2x) 250 mm, total dimensions: 1380 mm x 600 mm x 1260 mm.	1000
265	CFS		800



Nr	Title	Description	Start €
		CFS mobile transport belt, type: TCP 600, machine number: 375, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 1.42 A, 0.74 kW, weight: 325 kg, plastic belt, belt width: 800 mm, total dimensions: 5250 mm x 1000 mm x 1230 mm.	
266	NN cabinet	Mobile wooden cabinet, dimensions: 1000 mm x 650 mm x 2100 mm.	40
267	NN crates	2 pallets with large amount of crates, dimensions each crate: 600 mm x 400 mm x 150 mm, total dimensions: (2x) 1200 mm x 800 mm x 2100 mm.	130
268	NN table	Mobile s/s table, 15 floors, (15x) dimensions: 580 mm x 405 mm, total dimensions: 2600 mm x 850 mm x 1040 mm. 3 wheels missing.	200
269	NN labels	Carton box with 15 label rolls.	10
270	Lensink	Lensink fish slicing line, plastic belt, belt width: 250 mm, dimensions: 4300 mm x 1000 mm x 1600 mm.	750
271	NN infeed funnel	S/s infeed funnel on s/s trolley, inside dimensions: Ø 300 mm x 300 mm, total dimension: 900 mm x 850 mm x 1430 mm.	75
272	Mecapack	Mecapack traysealer, type: O ² 7000, serial number: O07923, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 20 kW, weight: 3000 kg, film width: 355 mm, total dimensions: 5800 mm x 900 mm x 2400 mm. Including s/s trolley with extra dye, dye dimensions: (5x) 148 mm x 233 mm, total dimensions trolley: 1400 mm x 1100 mm x 1400 mm.	4750
273	Kortlever	Kortlever mobile waterwheel, 5 heads, dimensions: 1700 mm x 1250 mm x 1700 mm. Incomplete. Including s/s trolley with parts, dimensions: 1300 mm x 750 mm x 1400 mm.	1750
274	Ishida	Ishida traysealer, model: QX1100-RL-AMI-ST-WIDE, serial number: 561844, year of construction: 03/2012, 415 V, 3 Ph, 50 Hz, 25 A, weight: 2500 kg, dye: (6x) 247 mm x 174 mm, plastic belts, belt width: 210 mm, total dimensions: 4600 mm x 1400 mm x 1900 mm. Including frame for dye's, model: Maintenance station, serial number: 559329, year of construction: 01/2009, weight: 220 kg, dimensions: 1700 mm x 800 mm x 2050 mm. Including Ishida trolley for dye's, model: QX1100 Tooling trolley, serial number: 560010794, year of construction: 05/2016, weight: 125 kg, dimensions: 1360 mm x 950 mm x 1420 mm.	7500
275	Ishida	Ishida trolley for dyes, dimensions: 1250 mm x 750 mm x 1200 mm.	200
276	NN trolleys	4 s/s trolleys for rotary oven, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (4x) 770 mm x 530 mm x 1830 mm.	300
277	NN trolleys		450



Nr	Title	Description	Start €
		6 s/s trolleys for rotary oven, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (6x) 770 mm x 530 mm x 1830 mm.	
278	NN trolleys	6 s/s trolleys for rotary oven, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (6x) 770 mm x 530 mm x 1830 mm.	450
279	Jansen Techniek	Jansen Techniek double transport belt, type: S1100 F6 PP, number: 20115047, year of construction: 2012, plastic mesh belt, belt width: (1x) 265 mm, total dimensions: 1250 mm x 1100 mm x 950 mm. Without 1 belt.	250
280	AEW Delford	AEW Delford mobile checkweigher, type: G2200-01, serial number: N3, year of construction: 2003, 415 V, 3 Ph, 50 Hz, 3 A, maximum capacity: 990 g, minimum capacity: 10 g, plastic belts, belt width: 360 mm, dimensions: 1550 mm x 900 mm x 1500 mm.	450
281	Wright Pugson	Wright Pugson mobile cheese slicer, model: C23 MARK IV, number: J8349, 415 V, 3 Ph, working width: 400 mm, plastic rollers, roller width: 280 mm, total dimensions: 2750 mm x 1050 mm x 2130 mm.	750
282	NN transport belt	S/s mobile mesh belt, belt width: 630 mm, total dimensions: 2100 mm x 1100 mm x 1150 mm.	550
283	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: XE3DMS, serial number: 35004036, year of construction: 2012, 100/240 V, maximum: 3500 kg, minimum: 0.020 kg, e=: 0.001 kg, d=: 0.001 kg, T=: 3.150 kg, plastic belt, belt width: (6x) 300 mm, total dimensions: 1960 mm x 1070 mm x 1630 mm.	750
284	Mettler Toledo	Mettler Toledo metal detector with rejector, model : V48-RAD, 50/60 Hz, 100/240V, 340 W, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 400 mm, total dimensions: 1450 mm x 1200 mm x 1250 mm.	1000
285	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with rejector, type: C3571, fabrication number: 147027610010, year of construction: 2019, 100/240 V, 50/60 Hz, temperature: 0°/+40°C, maximum weight: 1500/3600 gram, minimum weight: 180 gram, e=d= 0.5, T=-900 gram, plastic belt, belt width: 290 mm, total dimensions: 1950 mm x 900 mm x 1960 mm.	350
286	Marel / AEW Delford	Marel / AEW Delford weighing and labelling machine, model: 9060, serial number: 1049954496084, Max capacity: 5.5 kg, 230 V, 50 Hz, belt speed: 0.3-0.5 m/s, plastic belt, belt width: 195 mm, total dimensions: 2600 mm x 650 mm x 1780 mm.	750
287	Marel	Marel weighing and labelling machine with rejector, plastic belt, belt width: (2x) 136 mm and 285 mm, total dimensions: 1720 mm x 1120 mm x 1220 mm.	750
288	Ishida	Ishida traysealer, model: QX775, serial number: 580445, year of construction: 08/2006, 415 V, 3 Ph, 50 Hz, 16 A,	3000



Nr	Title	Description	Start €
		850 kg, s/s chain conveyor with dividers, distance between dividers: 300 mm, dimensions dye: (4x) 180 mm x 280 mm, total dimensions: 4750 mm x 800 mm x 1820 mm.	
289	NN dyes	2 pallets with dyes, 4 dyes, dimensions: (2x) 145 mm x 145 mm, (2x) 200 mm x 150 mm, 290 mm x 225 mm, (2x) 185 mm x 145 mm.	150
290	Ishida	Ishida s/s rack for dye's, 4 dyes, dimensions: (5x) 165 mm x 120, (4x) 200 mm x 150 mm, (4x) 200 mm x 150 mm, (3x) Ø 185 mm, total dimensions: 3650 mm x 595 mm x 1350 mm.	500
291	Ishida	Ishida traysealer, model: QX775, serial number: 557811, year of construction: 10/2007, 415 V, 3 Ph, 50 Hz, 16 A, 830 kg, dimensions dye: (4x) 265 mm x 165 mm, total dimensions: 4750 mm x 800 mm x 1820 mm. Missing infeed belt.	3000
292	Ishida	Ishida traysealer, model: QX775, serial number: 580095, year of construction: 03/2004, 415 V, 3 Ph, 50 Hz, 16 A, 815 kg, s/s chain conveyor with dividers, distance between dividers: 300 mm, dimensions dye: (4x) 180 mm x 280 mm, total dimensions: 4750 mm x 800 mm x 1820 mm.	2500
293	Ishida	Ishida traysealer, model: QX775, s/s chain conveyor with dividers, distance between dividers: 300 mm, dimensions dye: (4x) 180 mm x 280 mm, total dimensions: 4750 mm x 800 mm x 1820 mm.	2500
294	Edelstahl Maschinenbau Engler	Edelstahl Maschinenbau Engler mobile pocket filling machine, type: Pocketfillerdos10 LH(2,2), number: 991431, year of construction: 99/10, dye: 78 mm, dimensions 2750 mm x 1750 mm x 2950 mm.	2500
295	Ishida	8 pallets with dyes for Ishida traysealer, dimensions: (4x) 210 mm x 160 mm, (4x) 245 mm x 155 mm, (4x) 205 mm x 165 mm, (4x) 200 mm x 160 mm, (5x) 170 mm x 120 mm, (4x) 165 mm x 165 mm, (4x) 245 mm x 160 mm, (3x) Ø 180 mm, (3x) 280 mm x 190 mm, (3x) 230 mm x 150 mm. Including pallet with grippers.	700
296	Sealpac	Pallet with s/s covers for Sealpac traysealer, dimensions: 1200 mm x 800 mm x 1200 mm.	50
297	Marel	Marel 2 lanes transport belt, model: JR0710, type: 7799013, serial number: 10523994, year of construction: 2023, plastic mesh belt, belt width: 400 mm and 300 mm, total dimensions: 3670 mm x 1000 mm x 950 mm.	1500
298	Marel	Marel elevating belt, model: JR0710, type: 7799514, serial number: 10523991, year of construction: 2023, plastic belt, belt width: 610 mm, total dimensions: 1170 mm x 800 mm x 1230 mm.	1250
299	Marel	Marel transport belt, model: JR0710, type: 7796640, serial number: 10523995, year of construction: 2023, plastic belt, belt width: 455 mm, total dimensions: 940 mm x 750 mm x 950 mm.	750



Nr	Title	Description	Start €
300	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523960, year of construction: 2023, max: 40 kg, min: 0.4 kg, e=d=0.02 kg, plastic belt, belt width: 607 mm, total dimensions: 1050 mm x 1000 mm x 1420 mm.	1500
301	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523959, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 505 mm, total dimensions: 1050 mm x 900 mm x 1650 mm.	1500
302	Marel	Marel transport belt, model: JR0710, type: 7799222, serial number: 10523966, year of construction: 2023, plastic belt, belt width: 505 mm, total dimensions: 1100 mm x 850 mm x 1400 mm.	1250
303	Marel	Marel transport belt, number: 1100037841, year of construction: 21-08-2015, plastic belt, belt width: 300 mm, total dimensions: 1700 mm x 450 mm x 870 mm.	750
304	Marel	Marel transport belt, number: 1100037992, year of construction: 21-08-2015, plastic belt, belt width: 300 mm, total dimensions: 1150 mm x 450 mm x 870 mm.	750
305	Marel	Marel transport belt, model: JR0710, type: 7800571, serial number: 10523992, year of construction: 2023, plastic belt, belt width: 305 mm, total dimensions: 1100 mm x 550 mm x 930 mm.	750
306	Marel	Marel 2 lanes transport belt, model: JR0710, type: 7800297, 7799829, serial number: 10523996, 10523993, year of construction: 2023, plastic mesh belt, belt width: 400 mm, total dimensions: 3480 mm x 1100 mm x 950 mm.	1500
307	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523961, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 505 mm, total dimensions: 1250 mm x 900 mm x 1250 mm.	1500
308	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523963, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 405 mm, total dimensions: 1050 mm x 800 mm x 1230 mm.	1500
309	Marel	Marel transport belt, model: JR0710, type: 7798323, serial number: 10523998, year of construction: 2023, plastic belt, belt width: 405 mm, total dimensions: 850 mm x 600 mm x 970 mm.	750
310	Marel	Marel transport belt, model: JR0710, type: 7797666, serial number: 10523997, year of construction: 2023, plastic belt, belt width: 405 mm, total dimensions: 950 mm x 600 mm x 960 mm.	750
311	Marel	2x Marel switch cabinets, model: (2x) JR0740, type: 7797862, 7797875, year of construction: 2023, dimensions: (2x) 480 mm x 450 mm x 1100 mm.	100
312	NN vibrating gutter		400



Nr	Title	Description	Start €
		S/s vibrating gutter with sieve, gutter width: 730 mm, perforations: Ø 13 mm, total dimensions: 1850 mm x 1400 mm x 1050 mm. Without vibrating motors.	
313	NN elevating belt	Elevating belt with infeed hopper, s/s frame, plastic belt, belt width: 455 mm, total dimensions: 1900 mm x 1200 mm x 1540 mm.	300
314	NN roller conveyer	Roller conveyer with plastic rollers, roller width: 785 mm, total dimensions: 800 mm x 450 mm x 1270 mm.	50
315	Roestvrijstalen-Apparatenbouw De Jager BV	Roestvrijstalen-Apparatenbouw De Jager BV mobile elevating screw, number: 689.010, year of construction: March 1995, s/s screw, diameter screw: 250 mm, tier: 140 mm, elevating height: 2100 mm, total dimensions: 3800 mm x 1100 mm x 2600 mm.	800
317	Maja Maschinenfabrik	Maja Maschinenfabrik mobile slicer for cordon blue, type: FS 90-540-2, serial number: H0143, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.4 A, 1.3 kW, plastic belt, belt width: (2x) 100 mm, total dimensions: 1800 mm x 1100 mm x 1150 mm. Missing knives and one of the belts is missing.	400
318	NN flattener	Mobile flattener, plastic belt, belt width: (2x) 600 mm, clearance: 600 mm x 40 mm, total dimensions: 1850 mm x 1200 mm x 1400 mm.	1000
319	Thermopac Wanson	Thermopac Wanson thermic fluid heater, type: 300 LNE, year of construction: 1999, gas heated, 380 V, 3 Ph, capacity: 349 kW, dimensions: 1550 mm x 1200 mm x 2300 mm, rotor pump, type: XF160MK02 810 X, 380 V, 11/15 kW, dimensions: 1450 mm x 370 mm x 520 mm. Including pallet with parts.	1500
320	Syspal	Syspal mobile crate washer, type: 512/071502-415V, number: C3581-1-1, year of construction: 2015, clearance: 610 mm x 300 mm, total dimensions: 2300 mm x 1200 mm x 1300 mm. Belt is missing.	300
321	Denester	Denester, plastic belt, belt width: 195 mm, clearance: 125 mm x 40 mm, suction cap: Ø 50 mm Busch vacuum pump, type: SV 1016 C 000, serial number: C1604000430, capacity: 19 m ³ /h, total dimensions: 2500 mm x 1000 mm x 1950 mm.	1500
322	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1255 mm x 110 mm. Without indicator.	50
323	Turbo Systems	Turbo Systems mobile depositor, type: D250P, machine number: D250P6002009, year of construction: 2010, inside dimensions: Ø 600 mm x 600 mm, outfeed Ø: (2x) 50 mm, total dimensions: 1400 mm x 950 mm x 1850 mm. Incomplete.	500
324	Nordson	Nordson glue unit, type: MESA, serial number: JC21D12341, 200/240 V, 50/60 Hz, 15/18 A, dimensions: 750 mm x 350 mm x 570 mm.	1000
325			250



Nr	Title	Description	Start €
	NN washing machine	Washing machine for knife holders, 4100 W, inside dimensions: 550 mm x 540 mm x 610 mm, total dimensions: 810 mm x 800 mm x 1650 mm.	
326	Carsoe	Carsoe turn belt, 230 V, 1 Ph, 50 Hz, 10 A, plastic mesh belt, belt width: (2x) 200 mm, total dimensions: 1500 mm x 950 mm x 1600 mm.	200
327	PFM Spa	PFM Spa vertical bag form-, fill and seal machine, model: ZENITH EW INOX SERVO, serial number: D2303, year on construction: 2013, 400 V, 60 Hz, 21 A, 12.3 kW, weight: 630 kg, diameter pipe: 195 mm, vertical seal length: 460 mm, horizontal seal length: 350 mm, total dimensions: 1550 mm x 1450 mm x 2200. 3 extra filling pipes, diameter: 185 mm, 150 mm and 135 mm, Outfeed elevating belt, plastic belt with dividers, belt width: 430 mm, distance between dividers: 380 mm, divider height: 50 mm, elevating height: 1100, total dimensions: 2050 mm x 750 mm x 1250 mm.	2500
328	Wachtel	Wachtel oven, type: mini Comet 10/64. serial number: 23101BRR, year of construction: 04/2010, 400 V, 3 Ph, 50 Hz, 22,1 kW, 20 floors, (10x) top floor dimensions: 590 mm x 405 mm, (10x) lower floor dimensions: 800 mm x 600 mm, total dimensions: 1700 mm x 980 mm x 2220 mm.	850
329	Mono	Mono rotary oven with 2 trolleys, inside dimensions: 950 mm x 950 mm x 1950 mm, total dimensions: 1500 mm x 1350 mm x 2600 mm. 2 s/s trolleys, 32 floors, floor dimensions: (32x) 760 mm x 460 mm, total dimensions: (2x) 770 mm x 530 mm x 1830 mm.	1000
330	Handtmann	Handtmann mobile collating system for sausages, type: 310-01, number: 153, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 9 A, 4 kW, dimensions: 2150 mm x 900 mm x 1460 mm. Damaged.	2500
331	Inox Meccanica	Inox Meccanica meat press, dimensions: 2700 mm x 900 mm x 1500 mm. Including extra pipes, Ø 150 mm and (2x) 145 mm.	500
332	Multivac	Carton box with Multivac parts for thermoformer, dimensions: 1300 mm x 750 mm x 850 mm.	50
333	Sartorius	Sartorius metal detector, and checkweigher with 2 rejectors, type metal detector: Vistus-S 25 x 15, plastic belt, belt width: 190 mm, clearance: 250 mm x 100 mm, type check weigher: EWK3010, number: BO-GC2108AA0030-23537437, year of construction: 2009, 230 V, 50 Hz, 800 VA, maximum weight: 2000 gram, minimum weight: 4 gram, d=e= 0.2 gram, T=-2000 gram, capacity: 120 packages per minute, temperature: 0°C / +40°C, total dimensions: 1750 mm x 950 mm x 2100 mm.	500
334	NN floor weighing scale	S/s floor weighing scale with Marel indicator, type indicator: C2, serial number: A068512, 110/230 V, 0.16/0.1 A, Max1/e1: 600 kg / 200g, Max2/e2: 1500 kg /	25



Nr	Title	Description	Start €
		500g, min1/min2: 4 kg / 10 kg, dimensions ramp: 1500 mm x 800 x 100 mm, dimensions: 1500 mm x 1250 x 100 mm.	
335	NN floor weighing scale	S/s floor weighing scale with Cardinal indicator, model indicator: 190, dimensions: 1850 mm x 1375 mm x 190 mm.	100
336	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 105 mm. Without indicator.	50
337	Satex	Satex weighing scale, type: 46 SA 250, serial number: 28912846, max: 150 Kg, min: 0 g, e= 50 g, scale dimensions: 600 mm x 450 mm, total dimensions: 770 mm x 450 mm x 965 mm.	75
338	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 105 mm. Without indicator.	50
339	NN pallet with parts	Pallet box with various parts for Honeywell labeller	25
340	Alexanderwerk	Alexanderwerk cutter, type: NCS 45, machine number: 04505022, 400 V, 50 Hz, 25.16/14.44 A, 7.5 kW, s/s bowl, volume: 45 liter, dimensions: 1150 mm x 950 mm x 1150 mm. Technical condition unknown.	2000
341	NN strip cutter	Strip cutter, clearance: 210 mm x 190 mm, working width: 200 mm, 32 knives, distance between knives: 10 mm, total dimensions: 550 mm x 450 mm x 850 mm.	500
342	Multivac	Multivac mobile foil lifter, type: HW220, serial number: 20 188526, year of construction: 2017, max load: 250 kg, dimensions: 1350 mm x 1350 mm x 2000 mm.	250
343	Falcon	Falcon air compressor, type: RS 130, serial number: 18447, year of construction: 2008, 400 V, 50 Hz, maximum pressure: 10 bar, dimensions: 1300 mm x 900 mm x 1300 mm.	750
344	Falcon	Falcon air compressor, type: PS11P, serial number: 958915, year of construction: 1998, 400 V, 50 Hz, 11 kW, maximum pressure: 10 bar, dimensions: 800 mm x 600 mm x 1150 mm.	500
345	Ingersoll Rand	Ingersoll Rand air compressor, type: R451-A8.5, serial number: UCV1004484, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 45 kW, maximum allowable working pressure: 8.5 bar, dimensions: 1950 mm x 1100 mm x 1700 mm.	1750
346	EcoAir	EcoAir air compressor, type: D102-8, serial number: 1090382, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 75 kW, maximum pressure: 8 bar, dimensions: 2000 mm x 1100 mm x 1700 mm.	1000
347	Ingersoll Rand	Ingersoll Rand air compressor, model: NIRVANA N45, serial number: 2730708, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 45 kW, maximum allowable working pressure: 10.0 bar, dimensions: 1600 mm x 1400 mm x 1750 mm.	500
348	Berko	Berko air compressor, type: BR52V, serial number: WCF251415, weight: 905 kg, 400 V, 3 Ph, 50 Hz, 37 kW,	1000



Nr	Title	Description	Start €
		maximum pressure: 9.5 bar, dimensions: 1750 mm x 1000 mm x 1800 mm.	
349	Falcon	Falcon air compressor, type: 45kW, serial number: 600268, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 45 kW, maximum pressure: 10 bar, dimensions: 1900 mm x 1050 mm x 1300 mm.	750
350	Atlas Copco	Atlas Copco air compressor, type: GA22, serial number: AII202442, year of construction: 1992, 22 kW, maximum pressure: 10 bar, dimensions: 1300 mm x 800 mm x 970 mm.	500
351	Knecht Maschinenbau	Knecht Maschinenbau knife sharpener, type: A 950 C, number: 600762950 C, year of construction: 10/2006, 400 V, 50 Hz, 1.5 A, 1.0 kW, weight: 400 kg, dimensions: 1700 mm x 1000 mm x 1750 mm.	2000
352	Falcon	Falcon air compressor, type: RS1-30, serial number: 18447, year of construction: 2008, 400 V, 50 Hz, 30 kW, maximum pressure, dimensions: 1300 mm x 1000 mm x 1300 mm.	750
353	CFS	CFS Megaslicer, year of construction: 2004, machine number: DU460.2284, plastic belt, belt width: 310 mm, string belt, belt width: 260 mm, total dimensions: 4900 mm x 1150 mm x 2250 mm. Including crate and pallet with parts.	3500
354	Diosna	Diosna mobile mixer, type: M120/20, machine number: 6-8379, inside dimensions: Ø 750 mm x 430 mm, total dimensions: 950 mm x 850 mm x 1150 mm.	750
355	Hovmand	Hovmand trolley for film rolls, model: FLEXI, serial number: F-2466, year of construction: 11/2010, dimensions: 1200 mm x 750 mm x 1100 mm.	50
356	Busch	Busch vacuum pump, type: RA 0250 D 523, serial number: CHM120250498, year of construction: 2020, capacity: 250 m ³ /h, dimensions: 950 mm x 600 mm x 450 mm.	250
357	Inox Meccanica	Inox Meccanica meat press, model: P800 L XP, serial number: 2125, year of construction: 2010, 100/240 V, 50 Hz, 0.25 kW, 7 bar, dimensions: 1800 mm x 1000 mm x 1600 mm. Incomplete, technical condition unknown.	100
359	TVM	TVM mobile portioning machine, type: TVM - Portio 4000, serial number: 09-99.26445 138, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.5 A, weight: 380 kg, plastic belt, belt width: 205 mm, total dimensions: 1600 mm x 1100 mm x 2100 mm. Including s/s trolley with parts, dimensions: 860 mm x 620 mm x 1800 mm.	1025
360	Digi Systems	Digi Systems weighing scale with label printer, type: DI-3600, serial number: 08121568, 220-240 V, 50/60 Hz, 0.3 A, min 100 gram, max 15 kg, e= 5 gram, scale dimensions: 345mm x 450 mm, total dimensions: 480 mm x 400 mm x 600 mm.	50
361	Silverson	Silverson mixer on s/s frame, length mixing arm: 550 mm, total dimensions: 950 mm x 900 mm x 1840 mm.	500



Nr	Title	Description	Start €
362	Silverson	Silverson mixer on mobile s/s frame, length mixing arm: 820 mm, total dimensions: 850 mm x 775 mm x 1870 mm.	500
363	Tawi	Tawi mobile lifter, model: PRO 120, serial number: 1207044, year of construction: 14-03, 100/240 V, 55 W, capacity: 50 kg, lifting height: 1980 mm, total dimensions: 1450 mm x 630 mm x 1990 mm.	250
364	Silverson	Silverson mixer on mobile s/s frame, length mixing arm: 550 mm, total dimensions: 950 mm x 900 mm x 1840 mm.	500
365	Silverson	Silverson mixer on mobile s/s frame, length mixing arm: 820 mm, total dimensions: 850 mm x 775 mm x 1870 mm.	500
366	Silverson	Silverson mixer on s/s mobile frame, length mixing arm: 820 mm, total dimensions: 850 mm x 775 mm x 1870 mm.	500
367	Bakon	Bakon mobile jelly machine, type: Jelly comfort, serial number: 1.60.491, year of construction 1996, 220 V, 50 Hz, 2000 W, dimensions: 650 mm x 550 mm x 950 mm.	50
368	Ingersoll Rand	Ingersoll Rand air dryer, model: D1890IN-A, serial number: 14M-012296, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 6.59 kW, dimensions: 750 mm x 1350 mm x 1600 mm.	250
369	Falcon	Falcon air compressor, type: RS11-10, serial number: 2061-05, year of construction: 2005, 400 V, 3 Ph, 50 Hz, maximum pressure: 10 bar, dimensions: 1000 mm x 750 mm x 1100 mm.	500
370	Ecoair	Ecoair air compressor, type: D40, serial number: 1065442, year of construction: 1999, 400 V, 3 Ph, 50 Hz, weight: 670 kg, maximum operating pressure: 10 bar, dimensions: 2000 mm x 800 mm x 1500 mm.	750
371	Falcon	Falcon air screw compressor, JSG 55-10, serial number: G07011, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 55 kW, maximum pressure: 10 bar, dimensions: 2550 mm x 1350 mm x 1500 mm. Motor defect.	500
372	Falcon	Falcon air compressor, type: FS15M, serial number: 200116, year of construction: 2000, 400 V, 50 Hz, maximum pressure: 10 bar, dimensions: 1000 mm x 650 mm x 1350 mm.	500
373	Falcon	Falcon air compressor, type: PS404, serial number: 20014, year of construction: 2000, dimensions: 1150 mm x 550 mm x 950 mm.	500
374	Flowtech	Flowtech hygienic positive displacement pump, serial number: 5034, dimensions: 600 mm x 280 mm x 450 mm.	75
375	Ingersoll Rand	Ingersoll Rand air dryer, model: TMS 38, serial number: TMS38-0908/3542, year of construction: 08/2014, weight: 111 kg, 220/240 V, 1 Ph, 50 Hz, refrigerant: R134a, dimensions: 800 mm x 610 mm x 750 mm.	250
376	Falcon	Falcon air dryer, model: TME 132, serial number: 99 TME132, year of construction: 12/1999, 230 V, 1 Ph, 50 Hz, refrigerant: R134a,	250
377	Creemers	Creemers air compressor, type: RCC30, serial number: CAI111870, year of construction: 2004, 400 V, 3 Ph, 50 Hz,	750



Nr	Title	Description	Start €
		30 kW, maximum pressure: 10 bar, weight: 440 kg, dimensions: 1300 mm x 800 m x 1200 mm.	
378	Berko	Berko air compressor, type: BR 25 7.5, serial number: WCF152574, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 18.5 kW, weight: 465 kg, dimensions: 1900 mm x 850 mm x 1500 mm.	750
379	Mecapack	Mecapac mobile traysealer, dye: 290 mm x 220 mm, with Busch vacuum pump, total dimensions: 750 mm x 750 mm x 1430 mm.	150
380	Minipack-Torre S.p.A.	Minipack-Torre S.p.A. traysealer, number: 95149, 220 V, 50 Hz, 8 A, 2000 W, total dimensions: 610 mm x 750 mm x 740 mm, including pallet with forming set, dye: (4x) 120 mm x 80 mm.	200
381	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik mobile hydraulic paw and leg nipper for sows and boars, type: Z 08, serial number: 231, year of construction: 2012, 200 bar, with EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik hydraulic unit, type: HKL48V5, serial number: 96, year of construction: 2016, total dimensions: 720 mm x 500 mm x 1200 mm.	600
382	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Divider economic 400, serial number: 2570S8.115401.4070, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 6,9/16 A, 4,8 kW, weight: 400 Kg, clearance: 250 mm x 100 mm, plastic string outfeed belt, belt width: 310 mm, total dimensions: 2150 mm x 1950 mm x 1950 mm. Including trolley and knife holder, trolley dimensions: 750 mm x 550 mm x 850 mm.	2000
383	Espera / MR Etikettiertechnik	Espera labelling machine with 3 MR Etikettiertechnik labellers, Espera model: ES 7000, labeller type: (3x) MR233, year of construction: 2007, 230 V, 50 Hz, maximum label width: 150 mm, plastic belts, belt width: 350 mm, total dimensions: 2050 mm x 750 mm x 1950 mm.	600
384	Espera / MR Etikettiertechnik	Espera labelling machine with 3 MR Etikettiertechnik labellers, Espera model: ES 7000, labeller type: (3x) MR233, year of construction: 2007, 230 V, 50 Hz, maximum label width: 150 mm, plastic belts, belt width: 350 mm, total dimensions: 2050 mm x 750 mm x 2150 mm.	600
385	Ermatec	Ermatec ultrasonic slicing line used for cheese, type: 1717-19-12-08, serial number: Trancheur From, year of construction: 17/12/08, working width: 600 mm, 6 lanes, plastic belts, belt width: 75 mm, total dimensions: 13200 mm x 1900 mm x 2600 mm. Including pallet with various parts, dimensions: 1200 mm x 980 mm x 1120 mm. Including pallet box with various parts, dimensions pallet: 1200 mm x 800 mm x 1000 mm.	4000



Nr	Title	Description	Start €
386	Espera / MR Etiketierrechnik	Espera labelling machine with 3 MR Etikettiertechnik labellers, Espera model: ES 7000, labeller type: (3x) MR233, year of construction: 2007, 230 V, 50 Hz, maximum label width: 150 mm, plastic belts, belt width: 350 mm, total dimensions: 2000 mm x 750 mm x 2200 mm.	600
387	Alexanderwerk	Alexanderwerk grinder, type: HWN 114/1, machine number: 04902131, 400/690 V, 50 Hz, 9.24/5.34 A, 4 kW, plate diameter: 114 mm, total dimensions: 1100 mm x 650 mm x 1130 mm.	1500
388	Videojet	Videojet inkjet printer, model: 1530, serial number: 20336004C44ZH, 200/240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 400 mm x 350 mm x 600 mm.	300
389	Videojet	Videojet inkjet printer, model: 1530, serial number: 19063003C44ZH, 200/240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 400 mm x 350 mm x 600 mm.	300
390	M-Comp	S/s frame with computer display, dimensions: 1200 mm x 900 mm x 1900 mm.	100
391	Marel	Marel elevating belt, plastic mesh belt, belt width: 200 mm, working width: 145 mm, distance between divider: 155 mm, divider height: 75 mm, elevating height: 1600 mm, total dimensions: 1850 mm x 600 mm x 1750 mm.	250
392	EcoAir	EcoAir air compressor, type: D25-8, serial number: 901027241, year of construction: 1990, 18.5 kW, maximum operating pressure: 8 bar, capacity: 2.8 m ³ per minute, dimensions: 2000 mm x 800 mm x 1500 mm.	400
393	Berko	Berko air compressor, type: BDS10, serial number: 1030336, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 240 kg, dimensions: 1200 mm x 700 mm x 1000 mm.	400
394	Ingersoll Rand	Ingersoll Rand air screw compressor, model: IRN30K-TAS, serial number: UCV1000344, year of construction: 2013, 380/415 V, 3 Ph, 50 Hz, 66.6 A, 5300 rpm, weight: 859 kg,	1750
395	D.C. Norris	D.C. Norris lifter for meat bins, lifting height: 1700 mm, maximum capacity: 350 kg, total dimensions: 1100 mm x 900 mm x 2950 mm.	400
396	Tonnaer	Tonnaer mixer for mobile tubs, type: TMH 6000, number: 74IH60208, 220/380 V, 3 Ph, 50 Hz, 24/80 A, clearance: Ø 1150 mm, total dimensions: 1900 mm x 1400 mm x 2050 mm. Without mixing tubs.	1500
397	Leushuis	Leushuis insulated tank, number: A.32799.3001.C, year of construction: 09-97, capacity: 1500 liter, dimensions: Ø 1400 mm x 2550 mm.	750
398	Marel	Marel mobile lifter for 200 liter meat bins, model: L25, type: PM1114, 400 V, 3 Ph, 50 Hz, 1.9 A, lifting height: 2300 mm, total dimensions: 1450 mm x 1500 mm x 2980 mm.	950
399	Marel		4500



Nr	Title	Description	Start €
		Marel trim inspection and portioning system, model: 850-9000-0011, type: 0012-102-00013, serial number: A143817, year of construction: 2016, plastic infeed belt, belt width: 590 mm, plastic belt, belt width: (2x) 380 mm, plastic mesh belt, belt width: 260 mm and 200 mm, total dimensions: 5150 mm x 1550 mm x 2160 mm. Including outfeed belt, dimensions: 1840 mm x 900 mm x 1180 mm, and 2x trolley for parts, dimensions: 2000 mm x 1150 mm x 1550 mm and 1650 mm x 1450 mm x 980 mm.	
400	Oostwoud	Oostwoud 13 steel 12-doors lockers, inside dimensions: (12x) 465 mm x 295 mm x 275 mm, total dimensions: 600 mm x 480 mm x 2200 mm.	350
401	NN tank	S/s tank with agitator, tank dimensions: Ø 1500 mm x 2000 mm, total dimensions: Ø 1500 mm x 4800 mm.	1000
402	Orwak	Orwak baler, type: 5070, serial number: 77678, 230 V, 1 Ph, 50 Hz, 10 A, 1.1 kW, inside dimensions: 700 mm x 500 mm x 1000 mm, total dimensions: 1800 mm x 750 mm x 2150 mm.	250
403	CFS	CFS double shaft vacuum paddle-mixer grinder, model: Combi grind, type: UNIMIX 1500, machine number: 62601, year of construction: 2002, 400 V, 50 Hz, 71 A, 37 kW, diameter plate: 160 mm, total dimensions: 2400 mm x 1500 mm x 2400 mm. Incomplete.	5000
404	Awila	Awila mobile elevating screw, type: Rohförderschnecke, year of construction: 1997, 230/400 V, diameter screw: 390 mm, tier: 130 mm, elevating height: 2300 mm, infeed clearance: 600 mm x 400 mm, outfeed clearance: (2x) 370 mm x 250 mm, total dimensions: 4100 mm x 1650 mm x 3150 mm.	1500
405	Gea Grasso	Gea Grasso cooling compressor rack consisting of: 4 Grasso cooling compressors, type: (2x) RCA46, year of construction: 1995, refrigerant: NH3, capacity: 135 m ³ per hour, 1500 rpm, (2x) RC86L, year of construction: 2007, refrigerant: NH3, capacity: 270 m ³ per hour, 1500 rpm, dimensions: 4100 mm x 2100 mm x 1800 mm.	1500
406	DWM Copeland	DWM Copeland cooling compressor rack consisting of: 3 DWM Copeland cooling compressors, model: (3x) D4DA4-100XAWM/D, capacity: (3x) 56 m ³ per hour, 1450 rpm, dimensions: 3000 mm x 1300 mm x 1900 mm.	1250
407	DWM Copeland	DWM Copeland cooling compressor rack consisting of: 3 DWM Copeland cooling compressors, model: (3x) D4DA4-100XAWM/D, capacity: (3x) 56 m ³ per hour, 1450 rpm, dimensions: 3000 mm x 1300 mm x 1900 mm.	1250
408	Rivacold	Rivacold condensing unit, type: C3BM087Z1312, serial number: 102130001513, year of construction: 2021, 400 V, 3 Ph, 50 Hz, dimensions: 3350 mm x 1650 mm x 2100 mm.	1000
409	DWM Copeland		100



Nr	Title	Description	Start €
		DWM Copeland condenser, model: W99-6DH-350X-AWM, serial number: 1881796, year of construction: 2001, 4 fans, dimensions: 1700 mm x 800 mm x 1800 mm.	
410	AC&R	AC&R pressure vessel, model: S-9108, year of construction: 1997, 15 liter, 31 bar, dimensions: 1500 mm x 1450 mm x 500 mm.	25
411	HPC Compressed Air Systems	HPC Compressed Air Systems pressure vessel, capacity: 880 liter, dimension tank: Ø 750 mm x 2170 mm, total dimensions: Ø 750 mm x 2750 mm.	100
412	DWM Copeland	DWM Copeland cooling compressor, model: DJ1 6000 AWM, serial number: 13512, 380/420 V, 3 Ph, 50 Hz, dimensions: 1450 mm x 500 mm x 900 mm.	100
413	Hi-Line industries Ltd	Hi-Line industries Ltd 2 air dryers, model: (2x) Tundra 209, serial number: 18M-018442, 400 V, 1 Ph, 50 Hz, 0.84 kW, 16 bar, refrigerant: R407C, 0.70 kg, dimensions: 760 mm x 500 mm x 650 mm and 800 mm x 600 mm x 1400 mm.	100
414	Comptec	Comptec cooling compressor, model: D8 DJ 6000 AWM, 415 V, 3 Ph, 50 Hz, dimensions: 1450 mm x 600 mm x 900 mm.	100
415	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH pressure vessel, type: FS732, serial number: 1170500750, year of construction: 2016, volume: 73 liter, PS: 33 bar, TS: -10/+120°C, dimensions: 600 mm x 450 mm x 1500 mm.	75
416	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling/condensing unit, model: 4 EC 6.2 Y, serial number: 18624, 420 V, 3 Ph, 50 Hz, dimensions: 1000 mm x 750 mm x 800 mm.	100
417	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling/condensing unit, serial number: 66066286, capacity: 22.14/27.14 m ³ per hour, dimensions: 1000 mm x 750 mm x 800 mm.	100
418	DWM Copeland	DWM Copeland cooling compressor, model: D6DH4-350-AWM/D, serial number: 01F 28276, 380/420 V, 3 Ph, 50 Hz, 1450 rpm, dimensions: 1450 mm x 500 mm x 900 mm.	100
419	NN pressure vessel	Steel pressure vessel, dimensions tank: Ø 400 mm x 1300 mm, total dimensions: 1000 mm x 750 mm x 1700 mm.	100
420	NN pressure vessel	Steel pressure vessel, dimensions tank: Ø 400 mm x 1300 mm, total dimensions: 1000 mm x 750 mm x 1700 mm.	100
421	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling/condensing unit, type: 4DC-7.2 Y, serial number: 660808456, capacity: 28.04/32.4 m ³ /h, 1750 rpm, dimensions: 1150 mm x 950 mm x 750 mm.	100
422	Nalco Deutschland GmbH	Nalco Deutschland GmbH water filter system, type: UO 1500 ND, number: 381131, year of construction: 2007, 400 V, 50 Hz, 2.2 kW, 18 bar, dimensions: 700 mm x 650 mm x 1700 mm.	50
423	Gardner Denver	Gardner Denver air compressor, model: VS 40, serial number: BA21142002, year of construction: 2010, 400 V, 50 Hz, 70 A, 45 kW, capacity: 6.87 m ³ per hour, 5935 rpm,	200



Nr	Title	Description	Start €
		13 bar, weight: 940 kg, dimensions: 2000 mm x 900 mm x 2000 mm.	
424	Gardner Denver	Gardner Denver air compressor, model: VS 40, serial number: BA21143001, year of construction: 2010, 400 V, 50 Hz, 70 A, 45 kW, capacity: 6.87 m ³ per hour, 5935 rpm, 13 bar, weight: 940 kg, dimensions: 2000 mm x 900 mm x 2000 mm.	200
425	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling/condensing unit, type: 4H-25.2Y-40P, serial number: 16680313 , capacity: 73.7/88.9 m ³ /h, dimensions: 1750 mm x 1200 mm x 1500 mm.	100
426	Copeland	Copeland cooling/condensing unit, type: 4MAI-22x-AWM/ D-D, serial number: 19S 45608 M, 440/480 V, 3 Ph, 50 Hz, capacity: 61.70 m ³ per hour, dimensions: 2300 mm x 2000 mm x 1700 mm.	150
427	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling/condensing unit, model: 4J22 PW, 485 V, 3 Ph, 50 Hz, dimensions: 2600 mm x 1000 mm x 1200 mm.	100
428	Comptec	Comptec cooling compressor rack consisting of 2 comptec cooling compressors, model: (2x) 4J22, 415 V, 3 Ph, 50 Hz, dimensions: 2400 mm x 1100 mm x 1150 mm.	200
429	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling/condensing unit, type: 4G-30.2Y-40P, serial number: 1678915037, 440/480 V, 60 Hz, capacity: 84.6/102.1 m ³ per hour, dimensions: 1600 mm x 1100 mm x 1500 mm.	125
430	CFS Slagelse A/S	CFS s/s lifter for 200 liter meat bins, type: Columnloader 300S, serial number: 5000067250 POS. 711, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 2.0 A, 0.75 kW, capacity: 300 kg, lifting height: 2400 mm, total dimensions: 1130 mm x 660 mm x 3700 mm.	250
431	CFS Slagelse A/S	CFS s/s lifter for 200 liter meat bins, type: Columnloader 300S, serial number: 5000067256 POS. 705, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, capacity: 300 kg, lifting height: 2400 mm, total dimensions: 1130 mm x 660 mm x 3700 mm. Damaged.	250
432	KD	2 KD condensing units, model: 2PAL090M3, 380/420 V, 3 Ph, 50 Hz, weight: 262 kg, dimensions: (2x) 1400 mm x 600 mm x 1400 mm.	100
433	CFS Slagelse A/S	CFS double shaft vacuum paddle-mixer on s/s frame with weighing cells, type: UNIMIX I 2000, machine number: 5000067247 POS.714, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 34.5 A, 18.5 kW, volume: 2000 liter, dimensions: 4200 mm x 1900 mm x 2650 mm. Missing switch cabinet.	6000
434	NN pipes	4 s/s pipes, dimensions: (1x) Ø 400 mm x 3950 mm, (1x) Ø 400 mm x 1210 mm, (1x) Ø 400 mm x 1000 mm, (1x) Ø 400 mm x 650 mm.	25
435	Berki	4 mobile Berki powder extinguishers, volume: 50 kg, dimensions: 600 mm x 600 mm x 1100 mm.	200



Nr	Title	Description	Start €
436	Formech	Formech International Ltd vacuum forming machine, type: HD 686, serial number: 40061, year of construction: 2011, 380 V, 17 kW, weight: 600 Kg, dimensions tray: 660 mm x 630 mm, max seal width: 580 mm, total dimensions: 2200 mm x 1150 mm x 2100 mm.	1000
437	Mitsubishi	2 Mitsubishi air conditioners, model Mitsubishi air conditioner: (1x) PUHZ-P250YKA, serial number: 6C00804, year of construction: 03-2016, 400 V, 3 Ph, 50 Hz, 21 A, refrigerant: R110a, 7.7 kg, weight: 135 kg, (1x) PUHZ P200127, serial number: 6A00127, year of construction: 01-2016, 400 V, 3 Ph, 50 Hz, 19 A, refrigerant: R410a, 6.5 kg, weight: 127 kg, dimensions ventilator: 3850 mm x 1750 mm x 1780 mm, dimensions air conditioners: (2x) 1050 mm x 400 mm x 1350 mm.	100
438	Babock Wanson	Babock Wanson thermal oil boiler, model: S - EPC 1000 ES, year of construction: 2015, 400 V, 3 Ph, 50 Hz, working pressure: 10 bar, max working temperature: 350 °C, total volume: 310 liter, dimensions: 3000 mm x 2000 mm x 2500 mm.	4500
439	Hydramist	Hydramist water unit, type: 120PU/SD8+ORP/0, serial number: WM-12-14-2314, year of construction: 2010, dimensions: 1950 mm x 950 mm x 2700 mm.	100
440	Kelvion/Hoyer	Kelvion heat exchanger, type: NT50M CDS-10, serial number: 111/18660, year of construction: 2018, weight: 158 kg, dimensions: 1000 mm x 350 mm x 650 mm. Allweiler centrifugal pump, number: 2104997, capacity: 61 m ³ per hour, dimensions: 1200 mm x 350 mm x 530 mm.	500
441	NN pallet box	Plastic pallet box with various valves and blower, dimensions: 1200 mm x 1000 mm x 700 mm.	250
442	NN switch cabinets	Steel box with various switch cabinets, dimensions: 1200 mm x 800 mm x 1300 mm.	75
443	Roto	Roto pump, serial number: GH213749, year of construction: 2022, dimensions: 700 mm x 200 mm x 170 mm.	400
444	NN smoke generator	Smoke generator for wood chips, dimensions: 1400 mm x 750 mm x 1600 mm.	250
445	ABB Industry Oy	ABB Industry Oy converter unit, type: ACS504-260-3, serial number: 5200072, 400 V, 50/60 Hz, 354/435 A, dimensions: 850 mm x 750 mm x 2300 mm.	250
446	NN switch cabinet	Switch cabinet, dimensions: 850 mm x 450 mm x 2000 mm.	200
447	Sabroe	Sabroe screw cooling compressor, type: VMY 336, serial number: 268811-873463, year of construction: 1986, refrigerant: R717, minimum temperature: -40 °C, maximum temperature: 20 °C, with Sabroe refrigerant tank, type: OVUA 8017, serial number: 573238-4950, year of construction: 1986, volume: 1000 liter, dimensions	950



Nr	Title	Description	Start €
		compressor: 3000 mm x 1450 mm x 2100 mm, dimensions tank: 1150 mm x 1100 mm x 2500 mm.	
448	Stal	Stal Refrigeration high pressure compressor, type: RVA 59, year of construction: 1993, NH3 oil cooler, operation condition: -10°C/35°C, used at -10°C, capacity: 268 kW, dimensions: 1150 mm x 1100 mm x 2200 mm.	2500
449	Sabroe	Sabroe screw cooling compressor, type: VMY 336, serial number: 268811-873463, year of construction: 1986, refrigerant: R717, minimum temperature: -40 °C, maximum temperature: 20 °C, with Sabroe refrigerant tank, type: OVUA 8017, serial number: 573238-4950, year of construction: 1986, volume: 1000 liter, dimensions compressor: 3000 mm x 1450 mm x 2100 mm, dimensions tank: 1150 mm x 1100 mm x 2500 mm.	950
450	Sabroe	Sabroe high pressure reciprocating compressor, type: HP028, serial number: 138664, year of construction: 2007, volume: 233 m ³ per hour, fluid group: R744, maximum pressure: 26/49 bar, maximum temperature: -60/43 and -10/170° Celsius, Leroy Somer motor, type: PLS250MP-T, 90-103 kW, Johnson Controls Systems pressure vessel, type: OVUR 4113 D, year of construction: 2007, dimensions: 2000 mm x 1000 mm x 1600 mm.	2500
451	Sabroe	Sabroe high pressure reciprocating compressor, type: HP028, serial number: 138664, year of construction: 2007, volume: 233 m ³ per hour, fluid group: R744, maximum pressure: 26/49 bar, maximum temperature: -60/43 and -10/170° Celsius, Leroy Somer motor, type: PLS250MP-T, 90-103 kW, Johnson Controls Systems pressure vessel, type: OVUR 4113 D, year of construction: 2007, dimensions: 2000 mm x 1000 mm x 1600 mm.	2500
452	NN pallet	Pallet with various parts, dimensions: 1100 mm x 750 mm x 300 mm	250
453	Grundfos	Grundfos centrifugal pump, type: 65-340/2 A-F-A-QQE, model: A96087524P217370005, Q: 49.1 m ³ /h, dimensions: 750 mm x 250 mm x 950 mm, total dimensions: 1250 mm x 450 mm x 1100 mm.	100
454	Stal	Stal refrigeration cooling screw compressor, type: SVB75, compressor ID: GMS-F9, low pressure, cooling capacity: 771 kW, refrigerant: R717, 2950 rpm, -42°C, with Schorch motor, 250 kW, dimensions: 3100 mm x 1600 mm x 2000 mm.	1250
455	NN parts	4 pallets with various parts.	50
456	Sabroe	Sabroe reciprocating cooling compressor, type: OVUR 4107D, year of construction: 2004, volume: 70, PS: 29.0 bar, TS: 120 °C, with Schorch motor, KN7S15S-BB01B-401, year of construction: 2004,	1500
459	Sabroe	Sabroe screw cooling compressor, type: VMY-336, number: 70847, year of construction: 1978, capacity: 1809	4000



Nr	Title	Description	Start €
		m ³ per hour, dimensions: 3860 mm x 1770 mm x 2360 mm.	
460	NN parts	Pallet box with various parts, dimensions: 1200 mm x 1000 mm x 1500 mm.	50
461	NN rack for boots	6 racks for boots for 48 pairs of boots, dimensions: (6x) 1400 mm x 220 mm x 230 mm.	100
462	Mycom	Mycom reciprocating compressor, model: F62WB, serial number: 841586, leak: (Psig) HP 377 / LP 2113, hyd: (Psig) HP 569 / LP 327, dimensions: 1500 mm x 1400 mm x 1500 mm, motor dimensions: 1300 mm x 700 mm x 900 mm.	500
463	Sabroe/Schorch	Sabroe high-pressure reciprocating cooling compressor, type: HPC 106 S, number: 127180, year of construction: 2004, allowable pressure: 80/40 bar, design temperature: 339 m ³ /per hour, nominal speed: 1500 rpm, dimensions: 2820 mm x 1250 mm x 2180 mm.	2000
464	Sabroe/Schorch	Sabroe/Schorch high-pressure reciprocating cooling compressor, type: HPC 1045, identification number: 232266/796640, year of construction: 2004, Schorch motor, type: KN7250M-BBO 1B-401 1EC 250 M IMB3, York refrigeration vessel, type: OVUR 4113D, number: 724 3TI, year of construction: 2004, dimensions: 2200 mm x 1090 mm x 2290 mm.	2500
466	Ziegra Eismaschinen	Ziegra Eismaschinen ice machine, type: ZBE 7200 - 3 ISD, number: 028134, 400 V, 3 Ph, 50 Hz, 2 x 35 A, maximum: 25 bar, capacity: 7200 kg per 24 hours, refrigerant: R452A, dimensions ice machine: 2900 mm x 1800 mm x 3000 mm. Including s/s frame, dimensions: 2900 mm x 1800 mm x 800 mm.	5000
467	Stal	Stal Refrigeration low pressure compressor used as swing machine, type: SVAB 26, year of construction: 1993, capacity: 121 kW at -42°C/-10°C, 437 kW at -10°C/35°C, modified with electronic part load indicator, NH3 oil cooler, dimensions: 1600 mm x 1400 mm x 2200 mm. Overhauled in 2014.	2500
468	Stal	Stal Refrigeration glycol cooling compressor, type: SVA19C, serial number: U-P 330335, year of construction: 1998, weight: 1675 kg, NH3 oil cooler - pre-lubrication oil pump, temperature range: -10°C/35°C, capacity: 268 kW, dimensions: 1400 mm x 1100 mm x 1900 mm.	2500
470	NN parts	Pallet with various parts, dimensions: 1200 mm x 800 mm x 700 mm.	100
471	NN parts	Pallet with various parts, dimensions: 800 mm x 600 mm x 400 mm.	50
472	NN storage rack	2 pallet boxes and pallet with storage rack, dimensions uprights: 2000 mm x 580 mm, length beams: 1070 mm.	100
476	Gea Grasso	GEA Grasso reciprocating compressor installation consisting of: 2 GEA Grasso reciprocating compressors, type: RC412, 2 Grundfos circulation pumps, Alfa Laval	4000



Nr	Title	Description	Start €
		plate heat exchanger, type: M10-BWREF, Grencobel NV isolated storage vessel used for NH3, isolated storage vessel used for NH3, dimensions: 2800 mm x 1100 mm x 2200 mm.	
477	IV Product	IV Product ventilator, model : FLEXOMIX, type ELFD-300-050-EC-0280-0, year of construction: 05/2016, 400 V, 3 Ph, 4.3 A, 2.82 kW, maximum temperature: 50°C, 3850 mm x 1750 mm x 1780 mm.	500
478	VEA	20ft container with VEA boiler installation consisting of: VEA steam boiler, type: 10G H-13, manufacturing number: 900579, year of construction: 1990, 660 kW, 13 bar, 1000 kg/h, design temperature: 195°C, Wieshaupt burner, type: E01, 2 water softeners and s/s vessel.	750
479	ABAC	ABAC air compressors with hose reel, model: XPN, 230 V, 1 Ph, 50/60 Hz, 4 A, 1100 W, weight: 8.5 kg, dimensions: 400 mm x 250 mm x 300 mm.	150
480	ABAC	ABAC air compressors with hose reel, model: XPN, 230 V, 1 Ph, 50/60 Hz, 1100 W, weight: 8.5 kg, total dimensions: 400 mm x 250 mm x 300 mm.	150
481	NN evaporator	Evaporator, dimensions: 4700 mm x 1350 mm x 2350 mm.	4500
482	NN evaporator	Evaporator, dimensions: 4700 mm x 13450 mm x 2350 mm.	4500
485	Schiessl / Bitzer Kühlmaschinenbau GmbH	Schiessl compressor rack with 1 Bitzer Kühlmaschinenbau GmbH cooling compressor, type compressor: S6F-30.2Y-40P, serial number: 160234534, 400 V, 3 Ph, 50 Hz, 51.0 A, 14.5 kW, refrigerant: R449A, volume: 45.0 liter, dimensions: 2050 mm x 900 mm x 1450 mm. New.	1750
486	Bizerba	Bizerba traysealer, model: TPC 15, serial number: 12134575, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 5.8 A, 3.6 kW, weight: 550 kg, film width: 345 mm, dimensions dye: 250 mm x 180 mm, plastic rollers, roller width: 240 mm, Busch vacuum pump, type: RA 0063 F 453, capacity: 63 m ³ per hour, total dimensions 2900 mm x 800 mm x 1600 mm. Including pallet with 2 extra dyes.	1450
487	Flexlink	Flexlink 90° curve conveyor, type: 1233582, serial number: 2333901, year of construction: 01/18, plastic belt, belt width: (1x) 175 mm (2x) 45 mm, total dimensions: 1900 mm x 1300 mm x 1100 mm.	450
488	Bizerba	Bizerba weighing and labelling machine, type labeller: GLE, serial number: 11482937, steel rollers, roller width: 360 mm, plastic belt, belt width: (6x) 135 mm, type weigher: GLM-E, serial number: 11483500, T= 0.4 kg, dimensions: 2000 mm x 700 mm x 1450 mm.	850
489	ABB AB	ABB AB robot arm with contol unit, type robot: IRB 1600, serial number: 1600-110715, year of construction: 2021, type control unit: IRC5 M2004, serial number: 16-66935, year of construction: 2012, 400 V, 3 Ph, 50-60 Hz, 7 A, dimensions robot: 1400 mm x 560 mm x 1100 mm.	1000



Nr	Title	Description	Start €
490	ABB AB	ABB AB robot arm with control unit, type robot: IRB 1600, serial number: 1600-108234, year of construction: 2023, type control unit: IRC5 M2004, serial number: 16-66934, year of construction: 2012, 400 V, 3 Ph, 50-60 Hz, 7 A, dimensions robot: 1400 mm x 560 mm x 1100 mm.	1000
491	ABB AB	ABB AB robot arm with control unit, type robot: IRB 1600, serial number: 1600-110100, year of construction: 2021, type control unit: IRC5 M2004, serial number: 16-66933, year of construction: 2012, 400 V, 3 Ph, 50-60 Hz, 7 A, dimensions robot: 1400 mm x 560 mm x 1100 mm.	1000
492	Multivac	Multivac robot arm, type: SR477, serial number: AT_2022_10_00177, year of construction: 2022. New.	500
493	Multivac	Multivac robot arm, type: SR477, serial number: AT_2022_10_00176, year of construction: 2022. New.	500
494	Multivac	Multivac robot arm, type: SR477, serial number: AT_2022_10_00175, year of construction: 2022. New.	500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

