



**Industrial  
Auctions**

**2143: Online auction deboning lines and meat processing machinery due to closing Ahlener Schinken-Center in Ahlen (DE)**

**END DATE**  
20 May 2026 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)



## General terms and conditions of the online auction

End date	20 May 2026 from 14:00 hrs.
Viewing days	18 May 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	02 June 2026 from 09:00 till 16:00 hrs. 03 June 2026 from 09:00 till 16:00 hrs.
Pick up address	Kruppstrasse 18 59227 Ahlen Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1	NN overhead conveyor	Steel tube rail overhead conveyor with two elevating conveyors, diameter tube: 60 mm, total length hanging line: 2200 mm. Including 4 Vetter hoists.	250
2	Bizerba	Bizerba tube rail weighing scale with indicator, 100-240 V, 50/60 Hz, 0.6-0.25 A, maximum weight: 600 kg, minimum weight: 4 kg, e= 0.2 kg, dimensions scale: 1270 mm x 230 mm x 110 mm.	100
3	NN overhead conveyor	Steel tube rail overhead conveyor system for cold store with infeed- and outfeed lane, 16 pneumatic switches, diameter tube: 60 mm, 8 lanes, length each lane: 14000 mm.	750
4	Bizerba	Bizerba tube rail weighing scale with indicator, type: HBE 600, number: 10938922, year of construction: 2013, 100-240 V, 50/60 Hz, 0.6-0.25 A, maximum weight: 600 kg, minimum weight: 4 kg, e= 0.2 kg, dimensions: 1000 mm x 250 mm x 140 mm.	100
5	NN overhead conveyor	Steel tube rail overhead conveyor to the deboning area, various pneumatic switches, diameter pipe: 60 mm, total length: approximately 45 meters.	250
6	Itec / Attec	Itec / Attec deboning belt, type: DRAL, serial number: 2502, year of construction: 1994, plastic roller infeed conveyor for crates, roller width: 500 mm, plastic deboning belt, belt width: 600 mm, s/s outfeed rollers, roller width: 500 mm, total dimensions: 8800 mm x 2360 mm x 1000 mm.	1500
7	Nock	Nock mobile skinning machine, working width: 450 mm, total dimensions: 700 mm x 570 mm x 1800 mm.	400
8	Itec / Attec	Itec / Attec deboning belt, type: DRAL, serial number: 2502, year of construction: 1994, plastic roller infeed conveyor for crates, roller width: 500 mm, plastic deboning belt, belt width: 600 mm, s/s outfeed rollers, roller width: 500 mm, total dimensions: 8800 mm x 2360 mm x 1000 mm.	1500
9	Nock	Nock mobile skinning machine, working width: 460 mm, total dimensions: 780 mm x 700 mm x 170 mm.	400
10	Itec / Attec	Itec / Attec deboning belt, type: DRAL, serial number: 2502, year of construction: 1994, plastic roller infeed conveyor for crates, roller width: 500 mm, plastic deboning belt, belt width: 600 mm, s/s outfeed rollers, roller width: 500 mm, total dimensions: 8800 mm x 2360 mm x 1000 mm.	1500
11	Nock	Nock mobile skinning machine, working width: 460 mm, total dimensions: 780 mm x 700 mm x 170 mm.	400
12	Itec / Attec	Itec / Attec deboning belt, type: MDRL, serial number: 2402, year of construction: 1996, plastic roller infeed conveyor for crates, roller width: 500 mm, plastic deboning belt, belt width: 600 mm, s/s outfeed rollers, roller width: 500 mm, total dimensions: 7600 mm x 2400 mm x 1040 mm.	1500
13	NN steps	S/s steps, dimensions: 1900 mm x 650 mm x 1200 mm.	50
14	NN steps	S/s steps, dimensions: 1900 mm x 650 mm x 1200 mm.	50
15	Itec / Attec		400



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Itec / Attec two-lane roller conveyor, s/s rollers, rollers width: (2x) 500 mm, total dimensions: 17000 mm x 1700 mm x 400 mm.	
16	Itec / Attec	Itec / Attec elevating belt, type: RRTL, serial number: 350, year of construction: 1994, plastic belt, belt width: 500 mm, elevating height: 700 mm, total dimensions: 2700 mm x 630 mm x 220 mm. Including extra belt.	300
17	Itec / Attec	Itec / Attec roller conveyor, type: DRAL, serial number: 2501, year of construction: 1994, s/s rollers, roller width: 500 mm, total dimensions: 2800 mm x 630 mm x 740 mm.	200
18	Bizerba	Bizerba weighing scale with indicator, 100-240 V, 50/60 Hz, 0.6-0.25 A, maximum weight: 600 kg, minimum weight: 4 kg, e= 0.2 kg, plastic rollers, roller width: 480 mm, dimensions scale: 690 mm x 500 mm x 720 mm, dimensions cabinet: 750 mm x 660 mm x 600 mm.	150
20	Itec / Attec	Itec / Attec roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 850 mm x 600 mm x 270 mm.	50
21	Bizerba	Bizerba weighing scale with indicator, 100-240 V, 50/60 Hz, 0.6-0.25 A, maximum weight: 600 kg, minimum weight: 4 kg, e= 0.2 kg, plastic rollers, roller width: 480 mm, dimensions scale: 690 mm x 500 mm x 720 mm, dimensions cabinet: 750 mm x 660 mm x 600 mm.	150
22	Itec / Attec	Itec / Attec four-lane roller conveyor, s/s rollers, roller width: (4x) 620 mm, total dimensions: (1x) 12000 mm x 1360 mm x 710 mm, (1x) 12000 mm x 720 mm x 710 mm, (2x) 7000 mm x 720 mm x 710 mm.	600
23	Nock	Nock mobile skinning machine, working width: 430 mm, total dimensions: 860 mm x 760 mm x 1750 mm.	400
24	Nock	Nock mobile skinning machine, type: V4644, machine number: 0525390, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 1.1 kW, working width: 430 mm, total dimensions: 830 mm x 650 mm x 1750 mm.	400
25	Nock	Nock mobile skinning machine, type: V4644, 400 V, 3 Ph, 50 Hz, 1.1 kW, working width: 430 mm, total dimensions: 830 mm x 650 mm x 1750 mm.	400
26	Nock	Nock mobile skinning machine, working width: 430 mm, total dimensions: 830 mm x 650 mm x 1750 mm.	400
27	Nock	Nock mobile skinning machine, working width: 430 mm, total dimensions: 830 mm x 650 mm x 1750 mm.	400
28	Itec / Attec	Itec / Attec elevating belt, type: RRTL, serial number: 365, year of construction: 1996, plastic belt, belt width: 640 mm, elevating height: 600 mm, total dimensions: 4700 mm x 730 mm x 650 mm. Including extra belt.	400
29	Itec / Attec	Itec / Attec transport belt, type: MLTL, year of construction: 1994, plastic belt, belt width: 640 mm, total dimensions: 730 mm x 700 mm x 780 mm.	100
30	Itec / Attec	Itec / Attec elevating belt, type: RRTL, serial number: 365, year of construction: 1996, plastic belt with dividers, belt width: 620	1000



Nr	Title	Description	Start €
		mm, divider height: 30 mm, distance between dividers: 500 mm, elevating height: 2950 mm, total dimensions: 15000 mm x 800 mm x 3000 mm. Including extra belt.	
31	Itec / Attec	Itec / Attec transport belt, type: RPTL, serial number: 365, year of construction: 1996, plastic belt, belt width: 620 mm, total dimensions: 750 mm x 820 mm x 300 mm.	100
32	Itec / Attec	Itec / Attec roller conveyor, type: DRAL, serial number: 1502, year of construction: 1996, plastic rollers, roller width: 430 mm, total dimensions: 12000 mm x 880 mm x 500 mm.	400
33	Itec / Attec	Itec / Attec lifter for crates, plastic rollers, roller width: 430 mm, lifting height: 4200 mm, total dimensions: 1100 mm x 1100 mm x 4350 mm.	750
34	Itec / Attec	Itec / Attec two-lane roller conveyor, s/s rollers, roller width: 500 mm, plastic rollers, roller width: 440 mm, total dimensions: 24000 mm x 680 mm x 1750 mm.	400
35	Itec / Attec	Itec / Attec deboning belt, type: MIGL, serial number: 680, year of construction: 2002, plastic roller infeed conveyor for crates, roller width: 430 mm, plastic deboning belt, belt width: 790 mm, s/s outfeed rollers, roller width: 430 mm, total dimensions: 6400 mm x 2570 mm x 1050 mm.	1500
36	Townsend	Townsend mobile skinning machine, type: SK11-312, number: 10821, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 5 A, 1.5/3.1 kW, working width: 480 mm, total dimensions: 800 mm x 800 mm x 1750 mm.	500
37	NN platform	S/s platform with steps, dimensions: 1300 mm x 550 mm x 1550 mm.	50
38	Itec / Attec	Itec / Attec deboning belt, type: DRAL, serial number: 2652, year of construction: 1996, plastic roller infeed conveyor for crates, roller width: 430 mm, plastic deboning belt, belt width: 790 mm, s/s outfeed rollers, roller width: 670 mm, total dimensions: 7800 mm x 1800 mm x 1100 mm.	1500
39	NN steps	S/s steps, dimensions: 1900 mm x 650 mm x 1200 mm.	50
40	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose, type: ST30/10e, serial number: 146615, year of construction: 02/2018, dimensions: 460 mm x 250 mm x 400 mm.	100
41	NN hygiene equipment	Hygiene equipment consisting of: s/s sink, dimensions: 430 mm x 430 mm x 600 mm, paper dispenser, dimensions: 300 mm x 250 mm x 400 mm, s/s cabinet with boiler, dimensions: 340 mm x 340 mm x 560 mm, 2 s/s pegs, length: 1050 mm and 600 mm.	75
42	NN plastic curtain	Plastic curtain, dimensions: 2400 mm x 1900 mm.	20
43	NN plastic curtain	Plastic curtain, dimensions: 6000 mm x 2000 mm.	20
44	NN hygiene equipment	Hygiene equipment consisting of: s/s sink, dimensions: 430 mm x 430 mm x 600 mm, paper dispenser, dimensions: 300 mm x 250 mm x 400 mm, s/s cabinet with boiler, dimensions: 340 mm x 340 mm x 560 mm, s/s peg, length: 1050 mm.	75



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
45	NN parts	Plastic pallet box with parts for the deboning, dimensions: 1200 mm x 800 mm x 800 mm.	250
46	NN packing table	S/s packing table, plastic top, dimensions: 1000 mm x 620 mm x 1460 mm.	100
47	Marel	Marel weighing scale, type: C2, serial number: 724000008, 110-230 V, 0.16-0.1 A, dimensions: 620 mm x 520 mm x 580 mm.	75
48	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose, type: ST30/10e, serial number: 092760, year of construction: 06/2011, dimensions: 460 mm x 250 mm x 400 mm.	100
50	NN frame	S/s frame, dimensions: 4500 mm x 400 mm x 220 mm.	50
51	NN rubber mats	4 rubber floors mats, dimensions: (3x) 900 mm x 600 mm, (1x) 600 mm x 440 mm.	5
52	NN film reel holders	2 s/s film reel holders, dimensions: (2x) 1440 mm x 180 mm, diameter: (2x) 50 mm.	25
53	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose and pistol, type: ST30/10e, serial number: 092761, year of construction: 06/2011, dimensions: 460 mm x 250 mm x 400 mm.	100
54	NN table	S/s table with plastic top, dimensions: 1800 mm x 1000 mm x 920 mm.	100
55	NN overhead conveyor	Steel tube rail overhead conveyor to the deboning area, diameter pipe: 60 mm, total length: approximately 40 meters.	150
56	Westa	Westa deboning belt, type: W 040, number: 7109, year of construction: 1996, plastic roller infeed conveyor for crates, roller width: 460 mm, plastic deboning belt, belt width: 600 mm, plastic outfeed rollers, roller width: 460 mm, total dimensions: 7800 mm x 2400 mm x 1100 mm.	1500
57	NN table	S/s table with plastic top, dimensions: 1050 mm x 850 mm x 850 mm.	75
58	NN table	S/s table with plastic top, dimensions: 640 mm x 640 mm x 900 mm.	75
59	Nock	Nock mobile skinning machine, type: C460, machine number: 2420920, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, working width: 450 mm, total dimensions: 800 mm x 600 mm x 1700 mm.	400
60	Westa	Westa deboning belt, type: W 020, number: 7187, year of construction: 2001, plastic deboning belt, belt width: 610 mm, plastic outfeed rollers, roller width: 480 mm, total dimensions: 6300 mm x 1700 mm x 1150 mm.	1500
61	NN table	S/s table with plastic top, dimensions: 1100 mm x 1000 mm x 900 mm.	100
62	Nock	Nock mobile skinning machine, working width: 400 mm, total dimensions: 750 mm x 560 mm x 1900 mm.	400
63	NN hygiene equipment	Hygiene equipment consisting of: s/s sink, dimensions: 430 mm x 430 mm x 600 mm, paper dispenser, dimensions: 300 mm x 250 mm x 400 mm, s/s cabinet with boiler, dimensions: 340 mm x 340 mm x 560 mm, s/s peg, length: 1050 mm.	75



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
64	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose and pistol, type: ST30/10e, dimensions: 460 mm x 250 mm x 400 mm.	100
65	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose, type: ST30/10e, serial number: 092763, year of construction: 06/2011, dimensions: 460 mm x 250 mm x 400 mm.	100
66	NN plastic curtain	Plastic curtain, dimensions: 1100 mm x 2500 mm.	20
67	Itec / Attec	Itec / Attec roller conveyor, type: MDRL, serial number: 1402, year of construction: 1996, plastic rollers, roller width: 420 mm, total length: approximately 45 meters.	2500
68	Itec / Attec	Itec / Attec de-elevating belt, plastic belt with dividers, belt width: 660 mm, divider height: 30 mm, distance between dividers: 650 mm, total dimensions: 7300 mm x 750 mm x 320 mm. Including extra belt.	400
69	Itec / Attec	Itec / Attec line dividing belt, s/s rollers, roller width: 660 mm, total dimensions: 680 mm x 800 mm x 800 mm. Including s/s fence.	400
70	Itec / Attec	Itec / Attec roller conveyor, s/s rollers, roller width: 680 mm, total dimensions: 6800 mm x 800 mm x 800 mm.	300
71	Itec / Attec	Itec / Attec roller conveyor, type: MDRL, serial number: 1401, year of construction: 2002, s/s and plastic rollers, roller width: 430 mm, total dimensions: 2500 mm x 600 mm x 1270 mm.	200
72	Itec / Attec	Itec / Attec roller conveyor, type: MDRL, serial number: 1402, year of construction: 2002, s/s and plastic rollers, roller width: 430 mm, total dimensions: 6000 mm x 540 mm x 950 mm.	200
73	Itec / Attec	Itec / Attec roller conveyor, type: MDRL, serial number: 1402, year of construction: 2002, s/s and plastic rollers, roller width: 430 mm, total dimensions: 8400 mm x 1700 mm x 950 mm.	300
74	GEA / CFS	GEA / CFS thermoformer, model: Tiromet PP, type: 660, machine number: 665/0315, year of construction: 2000, 230/400 V, 50 Hz, 30/35 A, film width: 440 mm, dye: (6x) 230 mm x 200 mm, plastic outfeed belt, belt width: 360 mm, with vacuum pump, total dimensions thermoformer: 7000 mm x 1200 mm x 1980 mm, with mobile KJ Maskinenfabriken elevating belt, type: KA69-400B, year of construction: 1980, plastic belt with dividers, belt width: 400 mm, divider height: 20 mm, distance between dividers: 700 mm, elevating height: 1050 mm, total dimensions elevating belt: 2600 mm x 600 mm x 1200 mm, with film suction device, 3 pallets boxes with parts, box with dye set and trolley with loading frames.	2500
75	NN hygiene equipment	Hygiene equipment consisting of: s/s sink, dimensions: 430 mm x 430 mm x 600 mm, paper dispenser, dimensions: 300 mm x 250 mm x 400 mm, s/s cabinet with boiler, dimensions: 340 mm x 340 mm x 560 mm, s/s peg, length: 1050 mm.	75
76	NN packing table	S/s packing table, plastic top, dimensions: 1000 mm x 620 mm x 1460 mm.	100
77	NN trolley	S/s tool trolley, dimensions: 930 mm x 500 mm x 1370 mm.	75
78	NN table		50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Mobile s/s table, plastic top, dimensions: 520 mm x 420 mm x 930 mm.	
79	Itec / Attec	Itec / Attec mobile roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 1500 mm x 900 mm x 1450 mm.	100
80	NN table	S/s table with plastic top, dimensions: 1500 mm x 780 mm x 900 mm.	100
81	Busch	Busch vacuum pump, type: RA 0250 D 5ZI CUXX, number: C0006000427, dimensions: 1000 mm x 550 mm x 430 mm.	300
82	NN frame	S/s frame, dimensions: 2000 mm x 450 mm x 560 mm.	25
83	NN trolley with cutting plates	S/s trolley with various 8 cutting plates, dimensions plates: (4x) 650 mm x 650 mm x 40 mm, (2x) 730 mm x 400 mm x 40 mm, (2x) 820 mm x 340 mm x 40 mm, total dimensions trolley: 1500 mm x 700 mm x 1050 mm.	100
84	Itec / Attec	Itec / Attec mobile roller conveyor, plastic rollers, roller width: 600 mm, total dimensions: 1600 mm x 650 mm x 900 mm.	150
85	Itec / Attec	Itec / Attec mobile roller conveyor, plastic rollers, roller width: 600 mm, total dimensions: 1700 mm x 650 mm x 730 mm.	150
86	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose, type: ST30/10e, serial number: 091964, year of construction: 05/2011, dimensions: 460 mm x 250 mm x 400 mm.	100
87	Itec / Attec	Itec / Attec conveyor system for dirty crates, type: RRTL, serial number: 450, year of construction: 2002, plastic mesh belt, belt width: 350 mm, plastic belt with dividers, belt width: 450 mm, divider height: 20 mm, distance between dividers: 770 mm, elevating height: 2700 mm, total length: approximately 30 meters.	1500
88	Itec / Attec	Itec / Attec conveyor system for dirty crates, consisting of various transport belts and roller conveyors, belt width among others: 200 mm, 430 mm, roller width: 430 mm, tipping system for containers with pneumatic switches, total length: approximately 25 meters.	1000
89	Itec / Attec	Itec / Attec elevating belt, plastic belt with dividers, belt width: 550 mm, divider height: 50 mm, distance between dividers: 400 mm, elevating height: 2800 mm, total dimensions: 5000 mm x 730 mm x 2900 mm. Including extra belt.	400
90	Itec / Attec	Itec / Attec transport belt, plastic belt with dividers, belt width: 430 mm, divider height: 10 mm, distance between dividers: 650 mm, total dimensions: 1500 mm x 600 mm x 350 mm.	250
91	Itec / Attec	Itec / Attec transport belt, plastic mesh belt, belt width: 200 mm, total length: approximately 40 meters.	3000
92	Itec / Attec	Itec / Attec 90° curve conveyor, plastic rollers, roller width: 520 mm, total dimensions: 5000 mm x 1300 mm x 220 mm.	300
93	Itec / Attec	Itec / Attec transport belt, plastic mesh belt, belt width: 200 mm, total dimensions: 3400 mm x 700 mm x 900 mm.	300
94	Itec / Attec	Itec / Attec elevating belt, plastic belt with dividers, belt width: 400 mm, divider height: 40 mm, distance between dividers:	400



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		700 mm, elevating height: 2900 mm, total dimensions: 7000 mm x 600 mm x 3000 mm. Including extra belt.	
95	Itec / Attec	Itec / Attec transport system, year of construction: 2008, plastic mesh belt, belt width: 200 mm, plastic rollers, roller width: 260 mm and 430 mm, total dimensions: 9500 mm x 1000 mm x 300 mm.	500
96	Eliona	Eliona crate washing and drying machine with infeed and outfeed conveyor system, model: PWR550.60H/2xCD150.40, serial number: D00739, year of construction: 05-2008, 400 V, 3 Ph, 50 Hz, 89 kW, possible crate dimensions: 600 mm x 400 mm x 120 mm and 600 mm x 400 mm x 200 mm, total dimensions washing and drying machine: 11700 mm x 1700 mm x 2100 mm, dimensions infeed belt: 1300 mm x 600 mm x 1150 mm, dimensions outfeed elevating belt: 4500 mm x 800 mm x 4000 mm. Including two pallet boxes with parts.	5000
97	Itec / Attec	Itec / Attec transport system for washed crates, consisting of various transport belts and roller conveyors, year of construction: 2008 / 1994, plastic mesh belt, belt width: 200 mm, plastic rollers, roller width: 520 mm, total length transport belts: approximately 80 meters, total length roller conveyors: approximately 40 meters.	5000
98	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose and pistol, type: ST400/10/2e, serial number: 072773, year of construction: 05/2008, dimensions: 460 mm x 250 mm x 400 mm.	100
99	Wero	Wero eye shower, dimensions: 280 mm x 100 mm x 340 mm.	5
100	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose and pistol, type: SAST/3.5 14/10e, serial number: 200625, year of construction: 04/2023, dimensions: 460 mm x 250 mm x 400 mm.	100
101	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose and pistol, type: ST20/10e, serial number: 036038, year of construction: 07/2008, dimensions: 460 mm x 250 mm x 400 mm.	100
102	Itec / Attec	Itec / Attec sole cleaner, type: 23820, serial number: 0130, year of construction: 07/00, 400 V, 3 Ph, 50 Hz, 0.25 kW, brush dimensions: 240 mm x 200 mm, total dimensions: 660 mm x 260 mm x 1140 mm.	100
103	Net-Rack	Net-Rack steel pallet rack, type: PLR, year of construction: 2006, consisting of: 2 uprights, dimensions: (2x) 1100 mm x 100 mm x 2760 mm, 2 beams, length: 2750 mm.	100
104	NN racks	2 steel racks, dimensions: 1060 mm x 530 mm x 2500 mm and 2000 mm x 530 mm x 2500 mm.	50
105	Net-Rack	Net-Rack steel pallet rack, type: PLR, year of construction: 2006, consisting of: 2 uprights, dimensions: (2x) 1100 mm x 100 mm x 3400 mm, 2 beams, length: 1800 mm.	100
106	NN pallet boxes	53 plastic pallet boxes, dimensions: (53x) 1160 mm x 1000 mm x 730 mm.	1000
107	NN computer cabinets	3 s/s computer cabinets, dimensions: (2x) 700 mm x 700 mm x 1780 mm, (1x) 700 mm x 700 mm x 1800 mm.	100
108			50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	NN computer cabinet	S/s computer cabinet, dimensions: 700 mm x 700 mm x 1800 mm.	
109	NN computer cabinet	S/s computer cabinet, dimensions: 700 mm x 700 mm x 1800 mm.	50
110	NN computer cabinet	S/s computer cabinet, dimensions: 700 mm x 700 mm x 1800 mm.	50
111	NN pallet	Plastic pallet with s/s frame, dimensions: 1200 mm x 500 mm x 300 mm.	10
112	Nederman	Nederman hose reel with hose and pistol, dimensions: 700 mm x 300 mm x 500 mm, with s/s cabinet, dimensions: 500 mm x 210 mm x 500 mm.	100
113	Plum	Plum eye shower, dimensions: 230 mm x 100 mm x 300 mm, with s/s paper dispenser, dimensions: 300 mm x 260 mm x 400 mm.	10
114	NN trolley for hooks	S/s trolley for hooks, dimensions: 1350 mm x 740 mm x 1520 mm.	50
115	NN trolley for hooks	S/s trolley for hooks, dimensions: 1350 mm x 740 mm x 1520 mm.	50
116	NN trolleys for hooks	3 s/s trolley for hooks, dimensions: (5x) 1350 mm x 740 mm x 1520 mm.	150
117	NN fans	S/s trolley with 2 fans, dimensions: 1200 mm x 920 mm x 1900 mm.	50
118	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose and pistol, dimensions: 460 mm x 250 mm x 400 mm.	100
120	Ecolab	Ecolab s/s shoe rack, dimensions: 2100 mm x 3300 mm x 1850 mm.	75
122	NN frame	S/s frame, dimensions: 1100 mm x 830 mm x 800 mm.	50
123	NN protection frame	S/s protection frame, dimensions: 2000 mm x 80 mm x 930 mm.	50
124	NN frame	S/s frame, dimensions: 1700 mm x 1000 mm x 850 mm.	50
126	NN trolley for hooks	S/s trolley for hooks, dimensions: 1250 mm x 740 mm x 1950 mm.	100
127	NN trolley for hooks	S/s trolley for hooks, dimensions: 1250 mm x 740 mm x 1950 mm.	100
131	NN coat racks	2 s/s coat racks, length: (2x) 1000 mm.	25
132	Itec / Attec	Itec / Attec sole cleaner, type: 23821, serial number: 0126, year of construction: 02/04, 400 V, 3 Ph, 50 Hz, 0.25 kW, brush dimensions: 240 mm x 200 mm, total dimensions: 660 mm x 260 mm x 1140 mm.	100
133	NN steps	S/s steps, dimensions: 630 mm x 470 mm x 1100 mm.	50
134	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose and pistol, type: ST300/10e, serial number: 092762, year of construction: 06/2011, dimensions: 460 mm x 250 mm x 400 mm.	100
135	NN writing desk	S/s writing desk, dimensions: 600 mm x 400 mm x 180 mm.	25
136	NN packing table	S/s packing table, plastic top, dimensions: 1300 mm x 600 mm x 1400 mm.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
137	NN cabinet	S/s cabinet with plastic top, dimensions: 530 mm x 420 mm x 640 mm.	50
139	Klaeger	Klaeger metal saw, model: 4b/200, number: 126121, 400 V, 50 Hz, 0.7 A, length saw: 420 mm, total dimensions: 900 mm x 400 mm x 800 mm.	150
144	Scheppach	Scheppach table saw, type: HS115, serial number: 0159-01372, year of construction: 03/2021, 220-240 V, 50 Hz, 2000 W, saw length: 160 mm, total dimensions: 820 mm x 530 mm x 1000 mm.	100
145	Kohlhoff	Kohlhoff hand dryer, dimensions: 450 mm x 200 mm x 600 mm.	25
146	Kohlhoff	Kohlhoff hand dryer, dimensions: 450 mm x 200 mm x 600 mm.	25
147	Espera	4 boxes with Espera labels, dimensions: (4x) 520 mm x 350 mm x 260 mm.	10
150	NN writing desk	S/s writing desk, dimensions: 600 mm x 500 mm x 260 mm.	25
151	NN hygiene equipment	Hygiene equipment consisting of: s/s sink, dimensions: 430 mm x 430 mm x 600 mm, paper dispenser, dimensions: 300 mm x 250 mm x 400 mm, s/s cabinet with boiler, dimensions: 340 mm x 340 mm x 560 mm.	75
152	Espera	Espera weighing scale with indicator and label printer, type weighing scale: ESW 2214, serial number: 2380000496, maximum weight: 15/30/60 kg, minimum weight: 100 g, e=5/10/20 g, T=- 15 kg, plastic rollers, roller width: 430 mm, total dimensions: 1000 mm x 800 mm x 1350 mm.	150
153	Espera	Espera weighing scale with indicator and label printer, type weighing scale: ESW 2114, serial number: 2390100319, maximum weight: 3/6/15 kg, minimum weight: 20 g, e=1/2/5 g, T=- 3000 g, dimensions: 800 mm x 800 mm x 1470 mm.	150
156	NN table	S/s table with plastic top, dimensions: 900 mm x 600 mm x 900 mm.	75
157	Marel	Marel weighing scale, type: C2, serial number: A166354, 110-230 V, 0.16-0.1 A, maximum weight: 30/60 kg, minimum weight: 200/400 g, e=10/20 g, dimensions: 560 mm x 480 mm x 470 mm.	50
158	Marel	Marel weighing scale, type: C2, serial number: A139648, 110-230 V, 0.16-0.1 A, maximum weight: 3/6 kg, minimum weight: 20/40 g, e=10/20 g, dimensions: 340 mm x 300 mm x 480 mm.	50
160	Marel	Marel weighing scale, type: C2, serial number: 74000002, 110-230 V, 0.16-0.1 A, dimensions: 800 mm x 650 mm x 550 mm.	50
161	Marel	Marel weighing scale, dimensions: 400 mm x 400 mm x 670 mm. Including extra indicator and weighing cells.	50
162	Marel	Marel weighing scale, type: C2, serial number: A080599, 110-230 V, 0.16-0.1 A, maximum weight: 3/6 kg, minimum	50



Nr	Title	Description	Start €
		weight: 20/40 g, e=1/2 g, dimensions: 340 mm x 300 mm x 480 mm.	
163	Nock	Nock mobile skinning and derinding machine, type: CB 435, machine number: 4664330, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, plastic belt, belt width: (2x) 370 mm, working width: 420 mm, total dimensions: 1600 mm x 730 mm x 1200 mm.	750
164	Nock	Nock mobile skinning machine, working width: 420 mm, total dimensions: 700 mm x 750 mm x 1600 mm.	400
165	Mado	Mado bandsaw, model: Selekt 2, dimensions: 750 mm x 770 mm x 1600 mm. Including extra saw blades.	1250
166	Kolbe	Kolbe bandsaw on s/s table, type: K220, serial number: 95 4276, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, dimensions: 700 mm x 470 mm x 1500 mm. Including extra saw blades.	1500
167	Nock	Nock mobile skinning machine, working width: 420 mm, total dimensions: 700 mm x 750 mm x 1600 mm.	400
168	Nock	Nock mobile skinning and derinding machine, type: CB 430, machine number: 1141200, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, plastic belt, belt width: (2x) 370 mm, working width: 420 mm, total dimensions: 1600 mm x 730 mm x 1200 mm.	500
170	Townsend	Townsend mobile skinning machine, model: 7650, serial number: 473, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.8 A, working width: 500 mm, total dimensions: 850 mm x 600 mm x 1800 mm.	400
171	Cyklop	Cyklop mobile strapping machine, clearance: 620 mm x 620 mm, total dimensions: 1200 mm x 620 mm x 1620 mm.	200
172	Nock	Nock mobile skinning machine, working width: 420 mm, total dimensions: 700 mm x 750 mm x 1600 mm.	400
173	Kohlhoff	Kohlhoff chain glove cleaner, type: KHR-1, machine number: 331758.001, year of construction: 04/2024, 400 V, 3 Ph, 16 A, 4 kW, dimensions: 700 mm x 700 mm x 1600 mm.	500
174	Nock	Nock mobile skinning machine, type: V4637, machine number: 1013880, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 10 A, 1.1 kW, working width: 420 mm, total dimensions: 700 mm x 750 mm x 1600 mm.	400
175	Nock	Nock mobile skinning machine, working width: 420 mm, total dimensions: 700 mm x 750 mm x 1600 mm.	400
176	EuroScooter	EuroScooter electric scooter, dimensions: 1400 mm x 750 mm x 1000 mm.	100
177	Bizerba	S/s floor weighing scale with Bizerba indicator, serial number: 10840468, 100-240 V, 50/60 Hz, 0.6-0.25 A, maximum weight: 1500 kg, minimum weight: 10 kg, e= 0.5 kg. Dimensions: 1500 mm x 1520 mm x 260 mm.	250
178	Bizerba	S/s floor weighing scale with Bizerba indicator, serial number: BMC00348, 100-240 V, 50/60 Hz, 0.6-0.25 A, maximum weight:	250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		1500 kg, minimum weight: 10 kg, e= 0.5 kg. Dimensions: 1500 mm x 1250 mm x 260 mm.	
179	Bizerba	S/s floor weighing scale with Bizerba indicator, serial number: 94472809, 100-240 V, 50/60 Hz, 0.6-0.25 A, maximum weight: 1500 kg, minimum weight: 10 kg, e= 0.5 kg. Dimensions: 1500 mm x 1250 mm x 260 mm.	250
180	Bizerba	S/s floor weighing scale with Bizerba indicator, serial number: 99269225, 100-240 V, 50/60 Hz, 0.6-0.25 A, maximum weight: 1500 kg, minimum weight: 10 kg, e= 0.5 kg. Dimensions: 1500 mm x 1250 mm x 200 mm.	250
181	AC-Motoren GmbH	AC-Motoren GmbH motor, type: FCA 90 L-4/PHE, serial number: 2105309755, 230/265/400/460 V, 50/60 Hz, 5.73/5.97/3.30/3.44 A, 1.5/1.8 kW, dimensions: 330 mm x 150 mm x 250 mm.	50
182	AC-Motoren GmbH	AC-Motoren GmbH motor, type: FCA 90 L-4/PHE, serial number: 1707725384, 230/265/400/460 V, 50/60 Hz, 5.76/6/3.31/3.45 A, 1.5/1.8 kW, dimensions: 330 mm x 150 mm x 250 mm.	50
183	Itec	Itec s/s sink, dimensions: 1500 mm x 450 mm x 600 mm.	75
184	NN sink	S/s sink with 3 spray pistols, dimensions sink: 2600 mm x 400 mm x 850 mm.	75
185	NN sink	S/s sink with 2 spray pistols, dimensions sink: 2100 mm x 400 mm x 850 mm.	75
186	NN frame	S/s frame, dimensions: 1000 mm x 800 mm x 1000 mm.	50
187	Itec / Kohlhoff	hygiene equipment consisting of: Itec s/s sink, dimensions: 950 mm x 4510 mm x 600 mm, 2 Kohlhoff air dryers, dimensions: (2x) 400 mm x 200 mm x 650 mm.	100
188	Kohlhoff	Kohlhoff hand disinfection unit with tourniquet, dimensions: 700 mm x 800 mm x 600 mm.	75
189	Itec / Kohlhoff	Hygiene equipment consisting of: Itec s/s sink, type: 20550-W, year of construction: 2017, 230 V, 50-60 Hz, 0.1 kW, Kohlhoff air dryer, dimensions: 400 mm x 200 mm x 650 mm, Kohlhoff hand disinfection unit with tourniquet, dimensions: 700 mm x 800 mm x 600 mm.	175
190	NN white boards	2 white boards, dimensions: (2x) 1480 mm x 980 mm.	20
191	NN clock system	Clock system with s/s cabinet, dimensions: 200 mm x 200 mm x 60 mm and 400 mm x 200 mm x 450 mm.	50
192	Itec / Frontmatec	Itec / Frontmatec sole cleaner, type: 23821, serial number: 96421, year of construction: 05/2020, 400 V, 50-60 Hz, 0.25 kW, brush length: 230 mm, total dimensions: 600 mm x 350 mm x 1100 mm.	100
193	Boge	Boge screw compressor, type: S20-2, machine number: 502265, year of construction: 2004, 15 kW, 10 bar, motor speed: 3000 RPM, dimensions: 1200 mm x 850 mm x 1150 mm.	400
194	Boge	Boge screw compressor, type: SLF 40-3, serial number: 5107939, year of construction: 2017, 30+0.75 kW, motor	800



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		speed: 4080 RPM, 8 bar, dimensions: 1850 mm x 1000 mm x 1450 mm.	
195	Boge	Boge screw compressor, type: C 9, dimensions: 1100 mm x 490 mm x 1230 mm.	300
196	Flaco	Flaco steel pressure vessel, number: 294369, year of construction: 1980, volume: 1000 liter, dimensions: Ø 800 mm x 2250 mm.	150
197	W+Z Rohrsystem- Technik GmbH	W+Z Rohrsystem-Technik GmbH air dryer, type: KEA-MT 35, serial number: 164, year of construction: 2009, temperature range: -10/+50° C, volume: (2x) 57.4 liter, dimensions: 1100 mm x 500 mm x 1700 mm.	200
198	Mersch	Mersch high pressure system, dimensions: 1200 mm x 900 mm x 1000 mm, with switch cabinet, dimensions: 280 mm x 160 mm x 600 mm.	200
199	Boge	Boge steel pressure vessel, number: FB32106V, year of construction: 1994, volume: 2000 liter, maximum temperature: 50°C, maximum pressure: 11 bar, dimensions: Ø 1200 mm x 2400 mm.	150
200	Theodor Henrichs GmbH	Theodor Henrichs GmbH hose reel with hose, type: ST400/10/2e, year of construction: 04/99, dimensions: 460 mm x 250 mm x 400 mm.	100
201	NN table	S/s table with plastic top, dimensions: 1670 mm x 900 mm x 900 mm.	100
203	Mersch	Mersch high pressure system, dimensions: 1200 mm x 900 mm x 1000 mm, with switch cabinet, dimensions: 600 mm x 200 mm x 600 mm.	200
205	Bauer	Bauer working platform, type: SIKO/M, number: 5313957, year of construction: 2017, dimensions: 800 mm x 800 mm x 1900 mm.	100
206	NN sweeper attachment	Sweeper attachment, brush length: 1550 mm, total dimensions: 1750 mm x 1300 mm x 900 mm.	300
207	NN snow shovel attachment	Snow shovel attachment, dimensions: 1600 mm x 1850 mm x 650 mm.	200
210	Theodor Henrichs GmbH	S/s frame with 4 Theodor Henrichs GmbH hose reels with hose and pistol, type: ST40/10/2e / ST30/10e, total dimensions: 1400 mm x 550 mm x 2900 mm.	400
211	NN cutting plates	Plastic pallet with various plastic cutting plates, dimensions among others: 520 mm x 600 mm, 650 mm x 650 mm and 700 mm x 1150 mm.	100
214	MultiControl GmbH	MultiControl GmbH x-ray scanner with infeed belt, type: FA3/M, serial number: ET240914, year of construction: December 2019, 230 V, 1 Ph, 50 Hz, 9 A, clearance: 580 mm x 300 mm, dimensions a-ray scanner: 2300 mm x 1000 mm x 2100 mm, dimensions infeed belt: 2300 mm x 800 mm x 1500 mm.	2500
215	NN skinning machine	Mobile skinning machine, working width: 440 mm, total dimensions: 500 mm x 700 mm x 900 mm.	400



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
216	Nock	Nock mobile skinning machine, type: C 400, machine number: 3016950, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 0.75 kW, working width: 440 mm, total dimensions: 560 mm x 700 mm x 900 mm.	400
217	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 1400 mm x 600 mm x 1200 mm.	300
218	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 1400 mm x 600 mm x 1200 mm.	300
219	NN spreading hooks	S/s trolley with large amount of spreading hooks, dimensions each hook: 500 mm x 300 mm, total dimensions: 1500 mm x 650 mm x 1350 mm.	400
220	NN spreading hooks	S/s trolley with large amount of spreading hooks, dimensions each hook: 500 mm x 300 mm, total dimensions: 1500 mm x 650 mm x 1350 mm.	400
221	NN spreading hooks	S/s trolley with large amount of spreading hooks, dimensions each hook: 500 mm x 300 mm, total dimensions: 1500 mm x 650 mm x 1350 mm.	400
222	NN organ hooks	Plastic pallet box with large amount of organ hooks, length each hook: 1250 mm, total dimensions: 1300 mm x 1000 mm x 900 mm.	250
223	NN rollies	Plastic pallet box with approximately 20 s/s rollies, dimensions each rollie: 620 mm x 410 mm x 200 mm, total dimensions: 1200 mm x 1000 mm x 700 mm.	200
224	NN spreading hooks	3 plastic pallet boxes with large amount of spreading hooks, dimensions: (3x) 1200 mm x 1000 mm x 700 mm.	750
225	NN spreading hooks	8 plastic pallet boxes with large amount of spreading hooks, dimensions: (8x) 1200 mm x 1000 mm x 700 mm.	2000
226	NN spreading hooks	8 plastic pallet boxes with large amount of spreading hooks, dimensions: (8x) 1200 mm x 1000 mm x 700 mm.	2000
227	NN spreading hooks	3 plastic pallet boxes with large amount of spreading hooks, dimensions: (3x) 1200 mm x 1000 mm x 700 mm.	750
228	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 440 mm, total dimensions: 5000 mm x 450 mm x 720 mm.	500
229	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 440 mm, total dimensions: 8500 mm x 700 mm x 600 mm.	750
230	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 440 mm, total dimensions: 5000 mm x 700 mm x 600 mm.	500
231	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 440 mm, total dimensions: 6000 mm x 450 mm x 600 mm.	500
232	NN transport belt	Transport belt, plastic belt, belt width: 300 mm, total dimensions: 7000 mm x 700 mm x 800 mm.	500
233	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 500 mm, elevating height: 1400 mm, total dimensions: 3800 mm x 660 mm x 1500 mm.	750
234	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 4000 mm x 600 mm x 900 mm.	500
235			750



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 570 mm, divider height: 100 mm, distance between dividers: 820 mm, elevating height: 2000 mm, total dimensions: 5000 mm x 1300 mm x 2200 mm.	
236	NN transport belt	Transport belt, s/s frame, plastic belt with dividers, belt width: 640 mm, divider height: 120 mm, distance between dividers: 900 mm, total dimensions: 5000 mm x 800 mm x 1400 mm.	500
237	NN switch cabinet	Steel switch cabinet, dimensions: 1800 mm x 500 mm x 2050 mm.	400
250	Attec	Attec circular saw, type: RSLI, serial number: 511, year of construction: 1998, diameter saw blade: 740 mm, total dimensions: 2800 mm x 760 mm x 1590 mm.	750
251	Boge	Boge screw compressor, type: VLEX 45D-14, machine number: 16897, year of construction: 1993, 380/220 V, 3 Ph, 50 Hz, 125 A, capacity: 6.5 m <sup>3</sup> per hour, dimensions: 1900 mm x 1000 mm x 1430 mm.	450
252	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: TWISTER, machine number: 412008.183436.117471, year of construction: 2013, 380-480 V, 3 Ph, 50/60 Hz, 16 A, 4.5/6.12 kW, chamber dimensions: 550 mm x 125 mm x 120 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 2000 mm x 1150 mm x 1350 mm.	3000
253	Döinghaus	Döinghaus mobile portioning machine, type: USQ Micro, serial number: 604.06, year of construction: 02.2019, 230/400 V, 3 Ph, 50 Hz, 4 A, 3.2 kW, plastic belt, belt width: 200 mm, knife length: 160 mm, total dimensions: 2500 mm x 610 mm x 1650 mm.	2500
254	NN circular saw	Circular saw, diameter knife: 405 mm, total dimensions: 1200 mm x 1020 mm x 1400 mm.	650
255	Bizerba	Bizerba weighing scale with indicator and roller conveyor, serial number: 10835757, scale dimensions: 500 mm x 400 mm, roller width: 430 mm, total dimensions: 2150 mm x 500 mm x 1540 mm.	350
256	Bizerba	Bizerba weighing scale with indicator and roller conveyor, type: BT, serial number: 1979828, year of construction: 2001, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 0.02 kg, scale dimensions: 500 mm x 400 mm, roller width: 430 mm, total dimensions: 1940 mm x 500 mm x 1670 mm.	350
257	TWB	TWB mobile aspic cutter, type: ASP-1, number: 1100549, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3 A, 0.75 kW, 8 lanes, plastic belts with dividers, belt width: (8x) 90 mm, divider height: 14 mm, distance between dividers: 970 mm, total dimensions: 3750 mm x 1360 mm x 1560 mm.	850
258	NN spreading hooks	14 plastic pallet boxes with large amount of spreading hooks, dimensions each hook: 550 mm x 260 mm x 100 mm, total dimensions: (14x) 1200 mm x 1000 mm x 800 mm.	3500
259	NN organ hooks		2000



Nr	Title	Description	Start €
		8 plastic pallet boxes with large amount of organ hooks, dimensions each hook: 1600 mm x 265 mm x 150 mm, total dimensions: (8x) 1200 mm x 1000 mm x 730 mm.	
260	Kruse	Kruse curve conveyor with rejector, type: MF-K 200, machine number: 19-38018-179-1.1, year of construction: 12/2019, plastic mesh belt, belt width: 200 mm, total dimensions: 2550 mm x 800 mm x 1000 mm.	400
261	Kruse	Kruse curve conveyor with rejector, type: MF-K 200, machine number: 19-38018-179-1.2, year of construction: 12/2019, plastic mesh belt, belt width: 200 mm, total dimensions: 2550 mm x 800 mm x 1000 mm.	400
262	Kruse+Sohn	Kruse+Sohn transport belt, type: MF 800, machine number: 38018-017-C-04, year of construction: 08.2008, plastic mesh belt, belt width: 800 mm, total dimensions: 2800 mm x 1250 mm x 1420 mm.	500
263	Kruse+Sohn	Kruse+Sohn transport belt, type: MF 800, machine number: 38018-017-C-06, year of construction: 08.2008, plastic mesh belt, belt width: 800 mm, total dimensions: 3150 mm x 1200 mm x 1300 mm.	500
264	Kruse+Sohn	Kruse+Sohn transport belt, type: MF 800, machine number: 38018-017-C-05, year of construction: 08.2008, plastic mesh belt, belt width: 800 mm, total dimensions: 2700 mm x 1300 mm x 1380 mm.	500
265	Mosca	Mosca strapping machine, type: RO-TRP-5, number: 95540, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 2.5 A, 1.5 kW, clearance: 660 mm x 500 mm, total dimensions: 1000 mm x 1000 mm x 1800 mm. Damaged.	300
266	Mosca	Mosca strapping machine, clearance: 660 mm x 500 mm, total dimensions: 1000 mm x 620 mm x 1470 mm.	300
267	Mosca	Mosca strapping machine, type: RO-TRP-5, number: 94705, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 2.5 A, 1.5 kW, clearance: 660 mm x 500 mm, total dimensions: 1000 mm x 1000 mm x 1800 mm. Damaged.	300
268	Kruse	Kruse curve conveyor, type: MF-K 200, machine number: 19-38018-179-1.3, year of construction: 12/2019, plastic mesh belt, belt width: 200 mm, total dimensions: 4400 mm x 1300 mm x 930 mm.	500
269	Mettler Toledo Safeline	Mettler Toledo Safeline metal detector with double rejector, head type: R Series Profile, serial number: 72444, plastic belt, belt width: 330 mm, clearance: 350 mm x 130 mm, total dimensions: 1250 mm x 1150 mm x 1200 mm.	1250
270	Bizerba	Bizerba checkweigher, type: CWM 6000 XPRO, number: 10355611, 230 V, 50 Hz, 2.4 A, plastic belt, belt width: 300 mm, total dimensions: 970 mm x 1150 mm x 1500 mm.	500
271	NN cabinet	S/s cabinet, dimensions: 1000 mm x 400 mm x 1320 mm.	75
272	Camfil	Camfil air filter, type: AirCleaner 6000 Prosafe, serial number: 6017-1280, 200-277 V, 1 Ph, 50/60 Hz, 6.4-4.6 A, 1.25 kW, dimensions: 880 mm x 830 mm x 1700 mm. Never used.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
273	Camfil	2 Camfil air filters, type: (2x) AirCleaner 6000 Prosafe, 200-277 V, 1 Ph, 50/60 Hz, 6.4-4.6 A, 1.25 kW, dimensions: (2x) 880 mm x 830 mm x 1700 mm. Never used.	200
274	Camfil	3 Camfil air filters, type: AirCleaner 6000 Prosafe, serial number: 6017-1280, 200-277 V, 1 Ph, 50/60 Hz, 6.4-4.6 A, 1.25 kW, dimensions: (3x) 880 mm x 830 mm x 1700 mm. Never used.	300
275	Camfil	Camfil air filter, type: AirCleaner 2000, serial number: 2017-1092, 200-240 V, 1 Ph, 50/60 Hz, 2.6 A, 710 mm x 260 mm x 830 mm. Never used.	100
276	Camfil	Camfil air filter, type: AirCleaner 2000, serial number: 2017-103, year of construction: 2020, 200-240 V, 1 Ph, 50/60 Hz, 2.6 A, 710 mm x 260 mm x 830 mm. Never used.	100
277	Trotec	Trotec mobile air filter, type: TAC V+ GR/BK, 220-240 V, 50/60 Hz, 12.9 A, 2.95 kW, dimensions: 690 mm x 610 mm x 1300 mm. Never used.	100
278	Trotec	2 Trotec mobile air filters, type: TAC V+ GR/BK, 220-240 V, 50/60 Hz, 12.9 A, 2.95 kW, dimensions: (2x) 690 mm x 610 mm x 1300 mm. Never used.	200
279	Trotec	2 Trotec mobile air filters, type: TAC V+ GR/BK, 220-240 V, 50/60 Hz, 12.9 A, 2.95 kW, dimensions: (2x) 690 mm x 610 mm x 1300 mm. Never used.	200
280	Trotec	4 Trotec mobile air filters, type: TAC V+ GR/BK, 220-240 V, 50/60 Hz, 12.9 A, 2.95 kW, dimensions: (4x) 690 mm x 610 mm x 1300 mm. Never used.	400
281	Camfil	3 Camfil air filters, type: AirCleaner 2000, 200-240 V, 1 Ph, 50/60 Hz, 2.6 A, (3x) 710 mm x 260 mm x 830 mm. Never used.	300
282	Camfil	4 Camfil air filters, type: AirCleaner 6000 Prosafe, 200-277 V, 1 Ph, 50/60 Hz, 6.4-4.6 A, 1.25 kW, dimensions: 880 mm x 830 mm x 1700 mm. Never used.	400
283	Chemet S.A.	Chemet S.A. steel propan/butan tank, year of construction: 2022, volume: 6400 liter, 15.6/-0.08 bar, -20/40°C, dimensions: 1300 mm x 5500 mm x 1600 mm.	500
284	Chemet S.A.	Chemet S.A. steel propan/butan tank, year of construction: 2022, volume: 6400 liter, 15.6/-0.08 bar, -20/40°C, dimensions: 1300 mm x 5500 mm x 1600 mm.	500
285	Chemet S.A.	Chemet S.A. steel propan/butan tank, year of construction: 2022, volume: 6400 liter, 15.6/-0.08 bar, -20/40°C, dimensions: 1300 mm x 5500 mm x 1600 mm.	500
286	Chemet S.A.	3 Chemet S.A. steel propan/butan tanks, year of construction: 2022, volume: (3x) 6400 liter, 15.6/-0.08 bar, -20/40°C, dimensions: (3x) 1300 mm x 5500 mm x 1600 mm.	1500
287	NN transport belt	Mobile transport belt, plastic belt, belt width: 1060 mm, total dimensions: 3450 mm x 1310 mm x 970 mm.	500
288	NN transport belt	Transport belt, plastic belt, belt width: 405 mm, total dimensions: 2250 mm x 550 mm x 1070 mm.	400
289			400



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	NN transport belt	Transport belt, plastic belt, belt width: 500 mm, total dimensions: 3150 mm x 650 mm x 900 mm.	
290	FreezeTec	5000 FreezeTec freezer spacers, item number: 40.310.05, maximum load: 2000 kg, dimensions each spacer: 1200 mm x 800 mm x 50 mm.	15000

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

