



# Industrial Auctions

2145: Online auction machinery and inventory due to closing Eberswalder Wurst GmbH in Britz (DE)

**END DATE**  
21 May 2026 12:00



## General terms and conditions of the online auction

End date	21 May 2026 from 12:00 hrs.
Viewing days	12 May 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	03 June 2026 from 09:00 till 16:00 hrs. 04 June 2026 from 09:00 till 16:00 hrs.
Pick up address	Joachimsthaler Str. 100 16230 Britz Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1	EMS	EMS s/s refrigeration sliding door with rails, dimensions door: 2420 mm x 2500 mm, thickness: 100 mm, length rails: 4800 mm.	250
2	NN swing doors	Double plastic swing doors, dimensions: (2x) 1200 mm x 2400 mm.	25
3	Linde	Linde steel pallet rack, consisting of: 6 uprights, dimensions: (6x) 1100 mm x 3500 mm, 20 beams, length: (2x) 2700 mm.	200
4	NN waste containers	12 plastic waste containers, dimensions: (12x) 470 mm x 550 mm x 950 mm.	120
5	Blanco	Blanco s/s trolley for plates, 18 floors, dimensions each floor: 530 mm x 650 mm, total dimensions: 590 mm x 660 mm x 1640 mm.	10
6	SIFA Metallkomponenten GmbH	15 SIFA Metallkomponenten GmbH stools, dimensions: (15x) 520 mm x 400 mm x 850 mm.	150
7	NN waste bag holders	2 pallets with 10 s/s waste bag holders, dimensions: (10x) 500 mm x 500 mm x 1000 mm.	100
8	NN waste bag holders	24 s/s and steel waste bag holders, dimensions: 500 mm x 500 mm x 1000 mm.	240
9	NN containers trolleys	2 steel container trolleys, dimensions: (2x) 780 mm x 800 mm x 1780 mm.	10
10	Rotogal	2 Rotogal plastic meat bins, volume: 200 litre, dimensions: (2x) 680 mm x 830 mm x 710 mm.	50
11	Rotogal	6 Rotogal plastic meat bins, volume: 200 litre, dimensions: (6x) 680 mm x 830 mm x 710 mm.	150
12	NN meat bins	4 s/s meat bins, volume: 200 litre.	200
13	NN meat bins	4 s/s meat bins, volume: 200 litre.	200
14	NN meat bins	4 s/s meat bins, volume: 200 litre.	200
15	NN evaporators	3 evaporators, 2 fans, dimensions: (3x) 1800 mm x 800 mm x 600 mm. 1 fan is missing.	150
16	NN writing desk	S/s wall mounted writing desk, dimensions: 600 mm x 520 mm x 240 mm.	10
17	NN film reel holders	2 s/s wall mounted film reel holders, dimensions: (2x) 2000 mm x 200 mm.	10
18	NN protection poles	3 steel protection poles, dimensions: (3x) Ø 120 mm x 1200 mm.	30
19	NN protection railing	S/s protection railing, dimensions: 2800 mm x 550 mm.	50
20	Mettler Toledo / SysTec	Mettler Toledo s/s floor weighing scale, model: GD16, dimensions: 1250 mm x 1500 mm, SysTec indicator, type: IDNet-PSBox, dimensions: 220 mm x 150 mm x 170 mm.	300
21	NN protection railing	2 s/s protection railings, dimensions: (2x) 4850 mm x 660 mm, 2 s/s protection poles, dimensions: (2x) Ø 110 mm x 1100 mm.	75
22	Multivac	Multivac thermoformer, type: R 530, machine number: 1058, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 15	4000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		kW, 41 A, film width: 463 mm, dye: (2x) 210 mm x 175 (oval shaped), index: 255 mm, belt width outfeed conveyor: 415 mm, total dimensions: 6500 mm x 1100 mm x 2200 mm. Without main vacuum pump, vacuum was centrally regulated.	
28	NN protection railing	S/s protection railing, dimensions: 4800 mm x 840 mm.	25
29	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1250 mm. Without indicator.	50
30	NN protection railing	S/s protection railing, length: approximately 15000 mm, height: 680 mm.	100
31	NN writing desk	S/s writing desk, dimensions: 400 mm x 400 mm x 1150 mm.	5
34	NN evaporators	7 evaporators, 2 fans, dimensions: (7x) 1600 mm x 1500 mm x 800 mm.	350
35	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 2000 mm x 500 mm.	150
36	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 2000 mm x 500 mm.	150
37	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 2000 mm x 500 mm.	150
38	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 2000 mm x 500 mm.	150
39	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2500 mm.	25
40	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-12, fabrication number: 105.541.01.l, year of construction: 1991, dimensions door: 2300 mm x 2500 mm, thickness: 120 mm, length rails: 5000 mm.	250
41	NN sink	S/s sink with faucet, sensor control, dimensions: 510 mm x 450 mm x 610 mm. Including soap and paper dispensers.	25
43	NN air cooler	Air cooler, dimensions: 1800 mm x 1800 mm x 1000 mm.	100
44	NN plastic curtains	Plastic curtains, dimensions: 2100 mm x 2550 mm.	25
45	NN plastic curtains	Plastic curtains, dimensions: 2100 mm x 2550 mm.	25
46	NN plastic curtains	Plastic curtains, dimensions: 2100 mm x 2550 mm.	25
47	Multivac	Multivac thermoformer, type: R225, machine number: 183841, year of construction: 2014, 400/230 V, 3 Ph, 50 Hz, 12 kW, 35/50 A, film width: 420 mm, dye: unknown, index: 415 mm, belt width outfeed conveyor: 380 mm, total dimensions: 10000 mm x 1500 mm x 2250 mm, including Multivac suction device for rest film, type: ASE230, serial number: 20112666, year of construction: 2014, dimensions: 700 mm x 700 mm x 1650 mm, s/s rack with extra dye and parts, dimensions dye: (8x) 182 mm x 78 mm and 185 mm x 60 mm, total dimensions	10000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		rack: 1250 mm x 850 mm x 930 mm. Without main vacuum pump, vacuum was centrally regulated.	
48	Videojet Technologies Inc	Videojet Technologies Inc mobile inkjet printer, model: 1650, serial number: 1407650C30ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 850 mm x 800 mm x 1400 mm.	500
50	Cool it	Cool it s/s door, dimensions: 800 mm x 2000 mm, thickness: 40 mm.	150
51	Nieros	Nieros s/s rack, dimensions: 1900 mm x 550 mm x 1800 mm.	25
52	NN air coolers	2 air coolers, dimensions: (2x) 1800 mm x 1800 mm x 1000 mm.	200
53	Cool it	Cool it s/s door, dimensions: 800 mm x 2000 mm, thickness: 40 mm.	150
54	NN plastic curtains	Plastic curtains, dimensions: 2600 mm x 2500 mm.	25
55	NN plastic curtains	Plastic curtains, dimensions: 2100 mm x 2500 mm.	25
56	EMS	EMS s/s refrigeration sliding door with rails, dimensions door: 2260 mm x 2460 mm, thickness: 100 mm, length rails: 4400 mm.	250
57	ITEC	ITEC s/s sink with faucet, type: 2055 W, number: 22753, year of construction: 01/97, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
61	Cool it	Cool it s/s door, dimensions: 1010 mm x 2100 mm.	150
62	NN white board	White board, dimensions: 1500 mm x 1000 mm.	5
63	NN swing doors	Double plastic swing doors, dimensions: (2x) 1200 mm x 2500 mm.	25
64	NN protection railing	S/s protection railing, dimensions: 5700 mm x 600 mm.	50
65	Pentair	Pentair water softener, year of construction: 2018, dimensions cylinders: 900 mm x 600 mm x 1600 mm, dimensions plastic tub for salt tablets: Ø 550 mm x 1000 mm.	150
66	Lagertechnik Steger GmbH	Lagertechnik Steger GmbH steel pallet rack, consisting of: 4 uprights, dimensions: (6x) 1050 mm x 2020 mm, 12 beams, length: (8x) 2700 mm and (4x) 1800 mm.	150
68	Mohn GmbH	Mohn GmbH s/s sink with faucet, machine type: HWB-HL-1L, machine number: 19-61631/1, year of construction: 2019/03, 230 V, 50/60 Hz, 0.1 kW, sensor control, dimensions: 500 mm x 410 mm x 640 mm. Including soap and paper dispensers.	100
71	NN protection railing	S/s protection railing, length: approximately 7000 mm, height: 310 mm.	75
73	Multivac	Multivac thermoformer, type: R 530 MC, machine number: 029, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 24 kW, 50 A, film width: 420 mm, dye: (4x) 310 mm x 178 mm, index: 660 mm, belt width outfeed conveyor: 380 mm, total dimensions: 7300 mm x 1100	4000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		mm x 2000 mm, including suction device for rest film, dimensions: Ø 500 mm x 1100 mm and 5 crates with parts. Without main vacuum pump, vacuum was centrally regulated.	
75	NN cover	S/s cover, dimensions: 1100 mm x 760 mm.	5
76	NN smoke trolley	S/s Z-shaped smoke trolley, 8 floors, floor width: 1000 mm, total dimensions: 1010 mm x 1000 mm x 2000 mm. Including hoses.	75
80	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 07/2019, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
81	NN cover	S/s cover, dimensions: 1750 mm x 850 mm x 100 mm.	5
83	Rittal	Rittal s/s switch cabinet, dimensions: 800 mm x 430 mm x 2150 mm.	150
84	Rittal	Rittal s/s switch cabinet, dimensions: 380 mm x 210 mm x 650 mm.	25
86	NN tub	Mobile s/s tub, dimensions: Ø 500 mm x 670 mm.	10
87	PHT	PHT s/s soap dispenser, dimensions: 100 mm x 150 mm x 300 mm.	10
88	Heinrich GmbH	Heinrich GmbH mobile sausage cutter, model: Trenn-Fix, machine number: HM 941009, year of construction: 1994, dimensions: 2900 mm x 900 mm x 1900 mm. Including pallet with spare parts, dimensions pallet: 1200 mm x 800 mm x 350 mm.	1500
89	NN table	S/s table, dimensions: 1350 mm x 650 mm x 850 mm.	25
90	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 07/2019, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
91	Cool it	Cool it s/s door, dimensions: 1055 mm x 2110 mm.	125
94	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 8900 mm x 500 mm x 900 mm.	500
95	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 530 mm, total dimensions: 3200 mm x 650 mm x 950 mm.	500
96	Maschinenbau Helmes GmbH	Maschinenbau Helmes GmbH transport belt, s/s frame, plastic mesh belt, year of construction: 2021, belt width: 950 mm, total dimensions: 1400 mm x 1250 mm x 960 mm.	250
97	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 1210 mm, total dimensions: 27000 mm x 1400 mm x 950 mm.	2000
98	NN elevating belt	Elevating belt, s/s frame, plastic mesh belt, belt width: 530 mm, elevating height: from 750 mm till 1480 mm, total dimensions: 11000 mm x 700 mm x 1500 mm.	1000
99	NN elevating belt		1000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Elevating belt, s/s frame, plastic mesh belt, belt width: 530 mm, elevating height: from 750 mm till 1600 mm, total dimensions: 12000 mm x 700 mm x 1750 mm.	
100	NN curve conveyor	Double curve conveyor with 45° curve, s/s frame, plastic mesh belt, belt width: (2x) 270 mm, total dimensions: 2600 mm x 1700 mm x 1700 mm.	500
101	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 3500 mm x 700 mm x 1450 mm.	500
102	NN elevating belt	Elevating belt, s/s frame, plastic mesh belt, belt width: 300 mm, elevating height: from 700 mm till 1300 mm, total dimensions: 11000 mm x 600 mm x 1400 mm.	1000
103	Maschinen- und Apparatebau Ten Brink	Maschinen- und Apparatebau Ten Brink pasteurizer, s/s belt width: 2650 mm, total dimensions: approximately 37500 mm x 3500 mm x 3300 mm. Including in- and outfeed conveyors and switch cabinets.	20000
104	NN outfeed unit for pasteurizer	Outfeed unit for pasteurizer, consisting of: elevating belt, belt width: 380 mm, elevating height: from 400 mm till 1100 mm, total dimensions: 5600 mm x 700 mm x 1400 mm, s/s frame with pipes for dryer, dimensions: 2400 mm x 700 mm x 1650 mm, transport belt, belt width: 380 mm, total dimensions: 1600 mm x 600 mm x 1350 mm.	750
105	Mesutronic Gerätebau GmbH	Mesutronic Gerätebau GmbH metal detector on elevating belt, type: MN 2.2 C 400/125, serial number: 971026-C, 100-240 V, 50/60 Hz, 50-300mA, belt width: 350 mm, clearance: 900 mm x 95 mm, elevating height: from 900 mm x 1600 mm, total dimensions: 2900 mm x 900 mm x 1800 mm.	1000
106	Multivac	Multivac drying tunnel, type: TE130, serial number: 156381, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 13.7 kW, 32/35 A, belt width: 800 mm, clearance: 800 mm x 300 mm, total dimensions: 1500 mm x 1500 mm x 1900 mm.	1000
107	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 5700 mm x 600 mm x 1350 mm.	500
108	NN roller conveyor	Roller conveyor with 90° curve, s/s frame, plastic rollers, roller width: 530 mm, total dimensions: 2000 mm x 1000 mm x 1150 mm.	50
109	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 425 mm, total dimensions: 8500 mm x 700 mm x 970 mm.	750
110	Maschinen- und Apparatebau Ten Brink	Maschinen- und Apparatebau Ten Brink double lane pasteurizer, type: W P Ü, fabrication number: 41993, year of construction: 1993, s/s belt width: (2x) 1380 mm, total dimensions: approximately 37500 mm x 3500	20000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		mm x 3300 mm. Including in- and outfeed conveyors and switch cabinets.	
111	NN outfeed unit for pasteurizer	Outfeed unit for pasteurizer, consisting of: elevating belt, belt width: 830 mm, elevating height: from 400 mm till 1300 mm, total dimensions: 8000 mm x 1050 mm x 1350 mm and s/s frame with pipes for dryer, dimensions: 2400 mm x 1100 mm x 1660 mm.	750
112	NN platform	S/s platform, dimensions: 900 mm x 440 mm x 250 mm.	10
113	NN plastic curtains	Plastic curtains, dimensions: 900 mm x 2500 mm.	10
114	NN platform with stairs	S/s platform with stairs, working height: 1260 mm, total dimensions: 1300 mm x 1000 mm x 2310 mm.	100
115	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 425 mm, total dimensions: 5800 mm x 600 mm x 750 mm.	500
116	NN blowers	Wall mounted s/s frame with 3 blowers, dimensions: 2300 mm x 1400 mm x 3400 mm.	300
117	NN switch cabinet	S/s switch cabinet for outfeed conveyors for pasteurizers, dimensions: 1000 mm x 400 mm x 1900 mm.	150
118	NN trolley for crates	S/s trolley for crates, dimensions: 1200 mm x 430 mm x 700 mm, s/s cover, dimensions: 550 mm x 500 mm x 1000 mm, s/s waste bag holder, dimensions: 400 mm x 400 mm x 950 mm.	25
119	NN plastic curtains	3 plastic curtains, dimensions: (2x) 1400 mm x 2200 mm and (1x) 1600 mm x 700 mm.	10
120	Multivac	Multivac drying tunnel, type: TE130, serial number: 123758, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 13.5 kW, 20/32 A, belt width: 800 mm, clearance: 800 mm x 300 mm, total dimensions: 1500 mm x 1500 mm x 1900 mm.	1000
121	NN transport belt	Transport belt with pusher, s/s frame, plastic mesh belt, belt width: 830 mm, total dimensions: 5000 mm x 1700 mm x 1400 mm.	500
122	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 530 mm, total dimensions: 4300 mm x 550 mm x 800 mm.	150
123	NN frames	Pallet with 4 s/s frames, dimensions pallet: 1200 mm x 800 mm x 200 mm.	10
125	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 1000 mm x 600 mm x 720 mm.	50
129	ITEC	ITEC s/s sink with faucet, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	75
131	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-12, fabrication number: 427.152.01, year of construction: 1994, dimensions door: 2300 mm x 2500 mm, thickness: 110 mm, length rails: 5000 mm.	250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
132	Helmers Maschinenbau GmbH	Helmers Maschinenbau GmbH elevating belt, s/s frame, plastic mesh belt, year of construction: 2024, belt width: 190 mm and 400 mm, elevating height: from 900 mm till 2800 mm, total dimensions: 7500 mm x 750 mm x 2950 mm, including Helmers Maschinenbau GmbH transport belt, year of construction: 2024, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 2500 mm x 750 mm x 400 mm.	1500
133	Helmers Maschinenbau GmbH	Helmers Maschinenbau GmbH de-elevating belt, s/s frame, plastic mesh belt, year of construction: 2024, belt width: 190 mm and 420 mm, de-elevating height: from 900 mm till 2350 mm, total dimensions: 6000 mm x 700 mm x 2500 mm, including Helmers Maschinenbau GmbH transport belt, year of construction: 2024, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 900 mm x 700 mm x 300 mm.	1500
134	Hoegger	Hoegger pasteurizer, type: 05-323-146-457, serial number: 05-323, year of construction: 2000, 400 V, 3 Ph, 50 Hz, total full load current: 93 A, total full load power: 48 kW, weight: 25000 kg, infeed height: 2350 mm, outfeed height: 2850 mm, total dimensions: 11100 mm x 3060 mm x 4300 mm, including switch cabinet, dimensions: 1400 mm x 700 mm x 2100 mm.	15000
135	Hoegger / Alfa Laval / L&M Pumpen	Heating and cooling unit for Hoegger pasteurizer, consisting of: 2 Alfa Laval plate heat exchangers, 2 L&M Pumpen centrifugal pumps, various valves and pipework, total dimensions: 6500 mm x 3000 mm x 1800 mm.	3500
136	Moeller	Moeller wall mounted s/s cabinet, dimensions: 600 mm x 400 mm x 530 mm.	10
137	Rittal	Rittal s/s switch cabinet for Helmers Maschinenbau GmbH elevating and de-elevating belts for Hoegger pasteurizer, dimensions: 760 mm x 300 mm x 760 mm.	250
138	EMS	EMS s/s refrigeration sliding door with rails, dimensions door: 2260 mm x 2500 mm, thickness: 100 mm, length rails: 4800 mm.	250
139	NN swing doors	Double plastic swing doors, dimensions: (2x) 1200 mm x 2500 mm.	25
140	NN frame	Wall mounted s/s frame, dimensions: 1050 mm x 400 mm x 300 mm.	10
141	NN plastic curtains	Plastic curtains, dimensions: 1100 mm x 2400 mm.	25
143	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 930 mm, total dimensions: 3300 mm x 950 mm x 800 mm.	100
144	NN platform	Aluminium platform, dimensions: 550 mm x 250 mm x 200 mm.	10
145	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 400 mm x 1000 mm.	5



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
146	SIFA Metallkomponenten GmbH	SIFA Metallkomponenten GmbH stool, dimensions: 520 mm x 400 mm x 850 mm.	10
147	NN protection railings	8 s/s protection railings, dimensions: (4x) 1450 mm x 1000 mm, (2x) 1000 mm x 1000 mm, (1x) 3200 mm x 1000 mm, including s/s gate, dimensions: 1050 mm x 1120 mm.	150
148	NN protection poles	7 s/s protection poles, dimensions: (7x) Ø 110 mm x 1100 mm.	70
149	Cool it	Cool it s/s door, dimensions: 1245 mm x 2110 mm.	150
150	NN protection railings	S/s protection railings, dimensions: 1100 mm x 150 mm x 460 mm and 2000 mm x 150 mm x 460 mm.	25
152	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 428.722.0, year of construction: 1994, dimensions door: 2300 mm x 2500 mm, thickness: 80 mm, length rails: 4600 mm.	350
153	NN protection railing	S/s protection railing, dimensions: 2300 mm x 200 mm x 400 mm.	25
155	Cool it	Cool it s/s refrigeration sliding door with rails, type: SE-12, fabrication number: 1099/008, year of construction: 1991, dimensions door: 2300 mm x 2500 mm, thickness: 120 mm, length rails: 4600 mm.	350
156	NN protection railing	S/s protection railing, dimensions: 2300 mm x 200 mm x 400 mm.	25
158	Cool it	Cool it s/s refrigeration sliding door with rails, type: CB-8, fabrication number: 428.722.01.I, year of construction: 1994, dimensions door: 2300 mm x 2500 mm, thickness: 80 mm, length rails: 4600 mm.	350
159	NN protection railing	S/s protection railing, dimensions: 2300 mm x 200 mm x 400 mm.	25
161	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2520 mm x 2600 mm, thickness: 80 mm, length rails: 5000 mm.	250
162	NN protection railing	S/s protection railing, dimensions: 2300 mm x 200 mm x 400 mm.	25
165	NN protection railing	S/s protection railing, total length: approximately 40000 mm.	100
166	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1250 mm. Without indicator.	75
167	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 11/2014, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
169	ITEC	ITEC s/s soap dispenser, dimensions: 100 mm x 150 mm x 300 mm.	10
170	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2500 mm.	25



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
171	NN first aid cabinet	First aid cabinet, dimensions: 320 mm x 130 mm x 250 mm.	10
172	Grothaus Pendeltüren	Grothaus Pendeltüren plastic swing door, dimensions: 800 mm x 2100 mm.	25
175	ITEC	ITEC s/s soap dispenser, dimensions: 100 mm x 150 mm x 300 mm.	10
176	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2500 mm.	25
177	NN trolley with knife baskets	S/s trolley with various knife baskets, dimensions: 1100 mm x 510 mm x 1450 mm.	50
178	NN platform	S/s platform, dimensions: 590 mm x 400 mm x 150 mm.	10
179	Witt-Gasetechnik	S/s table with Witt-Gasetechnik gas mixer, type: KM 100-3 MEM, serial number: 70183, year of construction: 2006, 230 V, 50 Hz, dimensions: 450 mm x 580 mm x 800 mm.	50
180	ITEC	ITEC s/s soap dispenser, dimensions: 100 mm x 150 mm x 300 mm.	10
181	ITEC	ITEC s/s soap dispenser, dimensions: 100 mm x 150 mm x 300 mm.	10
184	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1250 mm. Without indicator.	75
185	NN protection poles	2 s/s protection poles, dimensions: (2x) Ø 110 mm x 800 mm.	20
186	Cool it	Cool it double s/s refrigeration door, dimensions door: (2x) 1140 mm x 2510 mm, thickness: 80 mm.	150
187	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2500 mm.	25
188	Grothaus Pendeltüren	Grothaus Pendeltüren plastic swing door, dimensions: 1240 mm x 2480 mm.	25
189	NN protection railing	S/s protection railing, total length: approximately 20000 mm.	150
194	NN protection fence	Plastic protection fence, dimensions: 1500 mm x 450 mm x 980 mm.	10
195	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2500 mm.	25
196	EMS	EMS s/s refrigeration sliding door with rails, dimensions door: 2260 mm x 2500 mm, thickness: 100 mm, length rails: 4600 mm.	250
197	NN swing doors	Double plastic swing doors, dimensions: (2x) 1050 mm x 2400 mm.	25
198	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-12, fabrication number: 312.918.01, year of construction: 1994, dimensions door: 2100 mm x 2400 mm, thickness: 120 mm, length rails: 4400 mm.	350
199	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1350 mm x 2430 mm.	50
200			50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1250 mm. Without indicator.	
201	NN writing desk	S/s writing desk, dimensions: 540 mm x 510 mm x 1160 mm.	25
202	EMS	EMS s/s refrigeration sliding door with rails, dimensions door: 2260 mm x 2480 mm, thickness: 100 mm, length rails: 4400 mm.	250
203	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2450 mm.	25
204	NN protection railing	S/s protection railing, total length: approximately 12000 mm.	100
206	NN protection railing	S/s protection railing, total length: approximately 12000 mm.	100
209	Cool it	Cool it double s/s refrigeration door, dimensions door: 1140 mm x 2500 mm and 1100 mm x 2450 mm, thickness: 80 mm.	250
213	NN protection railing	S/s protection railing, total length: approximately 61000 mm.	200
214	NN sink	S/s sink with faucet, sensor control, dimensions: 510 mm x 450 mm x 610 mm. Including soap and paper dispensers.	50
215	NN hose reel	S/s hose reel with hose, dimensions: 420 mm x 190 mm x 140 mm.	10
216	NN protection poles	2 s/s protection poles, dimensions: (2x) Ø 110 mm x 1000 mm.	20
217	NN frame	S/s frame, dimensions: 310 mm x 310 mm x 1230 mm.	10
219	Stahl und Metallbau Röhrling GmbH	Stahl und Metallbau Röhrling GmbH continuous cooker/blancher, machine type: 81-10-134/97, machine number: 0263/83, belt width s/s mesh belt: 1840 mm, total dimensions: 14500 mm x 3050 mm x 3100 mm.	10000
220	Beyer	Beyer transport belt, s/s frame, plastic mesh belt, type: Multi Trans F (4000), serial number: 08-401-016, year of construction: 2008, 400 V, 0.55 kW, belt width: 700 mm, total dimensions: 2850 mm x 1000 mm x 1500 mm.	500
221	Beyer	Beyer transport belt, s/s frame, plastic mesh belt, type: Multi Trans F (4000), serial number: 08-401-017, year of construction: 2008, 400 V, 0.55 kW, belt width: 700 mm, total dimensions: 4100 mm x 1000 mm x 1450 mm.	500
222	Air Liquide GmbH	Air Liquide GmbH freezing tunnel, type: CFL 6-80L, serial number: 95, year of construction: 1993, 3x400/230 V, 50 Hz, 10 kW, 28 A, refrigerant: CO <sup>2</sup> , freezing capacity: 260-620 kg/h, s/s belt width: 700 mm, clearance: 700 mm x 130 mm, total dimensions: 9500 mm x 1500 mm x 2500 mm.	3000
223	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 06/2021, 230 V, 50-60 Hz, 0.1 kW, sensor	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	
224	NN spatula	S/s spatula, length: 2100 mm x 600 mm.	10
225	NN platform	Aluminium platform, dimensions: 550 mm x 250 mm x 200 mm.	10
226	NN protection poles	33 steel protection poles, dimensions: (33x) Ø 110 mm x 1000 mm and 1200 mm.	330
227	Nieros	Nieros plastic swing door, dimensions: 930 mm x 1960 mm.	25
229	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2450 mm.	25
230	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2440 mm x 2480 mm, thickness: 60 mm, length rails: 5000 mm.	150
231	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2260 mm x 2560 mm, thickness: 60 mm, length rails: 5000 mm.	150
232	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2480 mm.	25
234	NN swing doors	Double plastic swing doors, dimensions: (2x) 1100 mm x 2440 mm.	25
235	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2350 mm x 2560 mm, thickness: 60 mm, length rails: 4750 mm.	150
236	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2380 mm x 2560 mm, thickness: 60 mm, length rails: 4800 mm.	150
237	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2450 mm.	25
238	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2260 mm x 2510 mm, thickness: 100 mm, length rails: 4650 mm.	150
239	NN refrigeration door	S/s refrigeration door, dimensions: 1460 mm x 2250 mm, thickness: 70 mm.	100
240	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 21 080774 006 01, year of construction: 2021, dimensions door: 2350 mm x 2560 mm, thickness: 80 mm, length rails: 5000 mm.	500
241	Cool it	Cool it electrical s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 18 091263 003 01, year of construction: 2019, dimensions door: 2850 mm x 2560 mm, thickness: 80 mm, length rails: 6000 mm.	750
242	NN protection railing	S/s protection railing, dimensions: 3100 mm x 770 mm, including s/s protection pole, dimensions: Ø 110 mm x 750 mm.	100
243	NN protection railing	Wall mounted s/s protection railing, dimensions: 1200 mm x 240 mm.	10



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
245	Cool it	Cool it electrical s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 18 091263 002 01, year of construction: 2019, dimensions door: 2310 mm x 2520 mm, thickness: 80 mm, length rails: 5000 mm.	750
246	NN protection railing	S/s protection railing, dimensions: 2470 mm x 770 mm, including s/s protection pole, dimensions: Ø 110 mm x 770 mm.	100
247	Cool it	Cool it s/s refrigeration sliding door with rails, type: SI-8B, fabrication number: 930.666.02, year of construction: 1999, dimensions door: 2260 mm x 2560 mm, thickness: 80 mm, length rails: 4700 mm.	350
248	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 21 080774 007 01, year of construction: 2021, dimensions door: 2370 mm x 2560 mm, thickness: 80 mm, length rails: 5000 mm.	500
249	NN protection railing	Wall mounted s/s protection railing, dimensions: 2020 mm x 210 mm.	10
250	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2290 mm x 2590 mm, thickness: 60 mm, length rails: 4650 mm.	150
251	EFAFLEX	EFAFLEX electrical roller door, type: mcps, serial number: 648850101, year of construction: 1998, 230 VAC, 24 VDC, 50 Hz, 6/16 A, 1.5 kW, door opening: 2700 mm x 2500 mm, total dimensions: 3200 mm x 700 mm x 3250 mm.	250
252	Cool it	Cool it s/s refrigeration sliding door with rails, dimensions door: 2050 mm x 2400 mm, thickness: 80 mm, length rails: 4400 mm.	350
253	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-12, year of construction: 1991, dimensions door: 2300 mm x 2600 mm, thickness: 120 mm, length rails: 5000 mm.	350
254	NN refrigeration door	Double refrigeration door, dimensions doors: (2x) 1120 mm x 2480 mm, thickness: 100 mm.	100
256	NN rack	Aluminium rack, dimensions: 3060 mm x 640 mm x 2000 mm.	25
257	NN rack	Aluminium rack, dimensions: 2070 mm x 640 mm x 2000 mm.	25
258	NN office tables	2 office tables, dimensions: (2x) 1200 mm x 800 mm x 720 mm, including chair.	10
259	NN door	Double s/s door, dimensions: 1090 mm x 2510 mm and 1140 mm x 2510 mm.	100
261	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2480 mm.	25
262	Cool it	Cool it electrical s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 18 091263 025 01, year of construction: 2019, dimensions door: 2500 mm x 2520 mm, thickness: 80 mm, length rails: 5300 mm.	750



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
263	NN protection railing	S/s protection railing, dimensions: 2670 mm x 770 mm, including 2 s/s protection poles, dimensions: (2x) Ø 110 mm x 770 mm.	100
264	NN door	Double s/s door, dimensions: 1090 mm x 2540 mm and 1140 mm x 2540 mm.	25
267	NN protection railings	2 s/s protection railing, dimensions: 2090 mm x 770 mm and 2830 mm x 770 mm, including 3 s/s protection poles, dimensions: (3x) Ø 110 mm x 770 mm.	175
272	NN protection railing	Steel protection railing, total length: 4500 mm, height: 480 mm.	25
273	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 03/2016, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
275	Meiko Maschinenbau GmbH & Co. KG	Meiko Maschinenbau GmbH & Co. KG washing machine for knife baskets, type: DV 270.2, serial number: 10350795, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 19.9 kW, 34.1 A, dimensions: 1560 mm x 1080 mm x 2400 mm, including s/s table with cabinet, dimensions: 1700 mm x 970 mm x 900 mm, s/s table with sink and faucet, dimensions: 1720 mm x 970 mm x 2000 mm, s/s hood, dimensions: 1870 mm x 1260 mm,	1000
276	NN rack	Aluminium rack, dimensions: 2840 mm x 550 mm x 2030 mm.	25
278	NN hood	S/s hood, dimensions: 10000 mm x 1700 mm x 560 mm.	300
279	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 03/2016, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
280	NN platform	S/s platform with stairs, working height: 900 mm, total dimensions: 1640 mm x 630 mm x 1840 mm.	75
281	NN platform	S/s platform with stairs, working height: 670 mm, total dimensions: 1200 mm x 640 mm x 1600 mm.	75
282	NN hose reels	2 s/s hose reels, dimensions: 380 mm x 210 mm x 210 mm and 480 mm x 310 mm x 280 mm.	10
283	Cool it	Cool it s/s door, dimensions: 1050 mm x 2030 mm, thickness: 80 mm.	150
284	Hugentobler	Hugentobler blast chiller, model: AB40H, serial number: 1715.0160, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, inside dimensions: 900 mm x 1020 mm x 1880 mm, total dimensions: 1550 mm x 1330 mm x 2180 mm. Cooling compressor is not included.	2500
285	Hugentobler	Hugentobler blast chiller, model: AB40H, serial number: 1715.0161, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, inside dimensions: 900 mm x 1020 mm x 1880 mm, total dimensions: 1550 mm x 1330 mm x 2180 mm. Cooling compressor is not included.	2500
286	NN hood	S/s hood, dimensions: 10000 mm x 1700 mm x 560 mm.	300



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
287	NN refrigeration door	Refrigeration door, dimensions: 2130 mm x 2480 mm, thickness: 100 mm.	100
290	NN curve conveyor	Mobile curve conveyor with 45° curve, s/s frame, plastic mesh belt, belt with: 160 mm, total dimensions: 2100 mm x 1100 mm x 1100 mm.	300
291	NN rack	S/s rack, dimensions: 1400 mm x 400 mm x 1810 mm.	25
292	NN platform	Aluminium platform, dimensions: 550 mm x 250 mm x 200 mm.	10
294	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 03/2016, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
295	Handtmann	S/s trolley with various parts and tools for Handtmann vacuum filling machine, dimensions: 1200 mm x 800 mm x 1000 mm.	250
296	Rhewa / SysTec	Rhewa s/s floor weighing scale, dimensions scale: 850 mm x 1250 mm, with SysTec indicator, type: IT3-AC, dimensions indicator: 280 mm x 160 mm x 170 mm.	300
297	Handtmann	Handtmann mobile portioning machine for minced meat, model: GMD99-2, serial number: 1199, year of construction: 1/06, belt width: 250 mm, knife width: 170 mm, clearance: 250 mm x 100 mm, total dimensions: 1400 mm x 700 mm x 1200 mm.	2500
298	NN table	Mobile s/s table with plastic worktop, dimensions: 1150 mm x 1050 mm x 950 mm.	75
303	NN protection railing	S/s protection railing, dimensions: 930 mm x 500 mm.	25
304	Multivac	Multivac traysealer, type: T 400, machine number: 188, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 4 kW, 22 A, dye: (4x) 129 mm x 173 mm, total dimensions: 5750 mm x 1400 mm x 2200 mm, including 2 trolleys with 1x extra dye, dimensions dye: (4x) 145 mm x 190 mm, total dimensions trolleys: 1200 mm x 900 mm x 1115 mm and Witt-Gasetechnik gas mixing station, dimensions: 320 mm x 360 mm x 200 mm.	4000
308	Hugentobler	Hugentobler blast chiller, model: AB40H, serial number: 1715.0159, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, inside dimensions: 900 mm x 1020 mm x 1880 mm, total dimensions: 1550 mm x 1330 mm x 2180 mm. Cooling compressor is not included.	2500
309	NN table with cabinet	S/s table with cabinet, dimensions: 2000 mm x 600 mm x 910 mm.	150
310	Cool it	Cool it s/s refrigeration sliding door with rails, type: DI-8K, fabrication number: 17 020715 001 01, year of construction: 2017, dimensions door: 1290 mm x 2250 mm, thickness: 80 mm, length rails: 2700 mm.	350
311	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-12, fabrication number: 109.950.02, year of	350



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		construction: 1991, dimensions door: 2300 mm x 2500 mm, thickness: 120 mm, length rails: 5000 mm.	
312	NN roller conveyor	Roller conveyor, steel frame, steel rollers, roller width: 450 mm, total dimensions: 1850 mm x 400 mm x 980 mm.	25
313	CSB-System	CSB-System s/s computer cabinet, dimensions: 600 mm x 680 mm x 1640 mm.	25
314	NN rack	Steel rack, dimensions: 2640 mm x 540 mm x 2010 mm.	25
316	BITO	BITO steel pallet rack with doors, dimensions: 2900 mm x 1310 mm x 3050 mm.	150
317	NN rack	Steel rack, dimensions: 2640 mm x 540 mm x 2010 mm.	25
319	NN racks	2 aluminium racks, dimensions: (2x) 2000 mm x 600 mm x 1930 mm.	25
320	Thermofin	Thermofin s/s evaporator, 1 fan, dimensions: 1900 mm x 850 mm x 1000 mm.	500
321	NN hose reel	Steel hose reel with hose, dimensions: 670 mm x 270 mm x 500 mm.	10
322	Dörfel	Dörfel s/s refrigeration sliding door with rails, dimensions door: 2300 mm x 2580 mm, thickness: 110 mm, length rails: 5000 mm.	150
323	Busch / Pfeiffer / Rietschle	Steel frame with Busch vacuum pump, type: RC 0400 B 4Z1 XXCJ, number: NK00650101, year of construction: 1996, capacity: 400 m <sup>3</sup> /h, Pfeiffer vacuum pump, type: WKP 1000, number: PP W01 024/B 063, capacity: 1070 m <sup>3</sup> /h, Rietschle vacuum pump, type: WKP 500, fabrication number: 957765, year of construction: 1986, capacity: 490 m <sup>3</sup> /h, total dimensions: 1320 mm x 1400 mm x 1600 mm, including switch cabinet, dimensions: 600 mm x 300 mm x 600 mm.	750
324	AZO GmbH / Busch	AZO GmbH / Busch vacuum pump, type: RA 0255 D 522 DIZZ, number: C0335000061, year of construction: 2003, capacity: 250 m <sup>3</sup> /h, dimensions: 1070 mm x 500 mm x 650 mm.	250
326	Busch	Busch vacuum pump, type: RA 0250 D 5S1 CUZZ, number: C0720000286, year of construction: 2007, capacity: 250 m <sup>3</sup> /h, dimensions: 1070 mm x 500 mm x 650 mm, including switch cabinet, dimensions: 410 mm x 300 mm x 170 mm.	250
327	Schefer Mietstapler GmbH	Schefer Mietstapler GmbH mobile crane, type: 2051510WKP10/F1000PKS, serial number: 2019/28279, year of construction: 2019, capacity: 1.0 ton, lifting height: 2150 mm, weight: 115 kg, total dimensions: 900 mm x 700 mm x 1700 mm.	150
329	Grundfos	Grundfos pump set with 2 multistage centrifugal pumps, type: (2x) CRNE10-09 JV-P-GI-E-HQQE, dimensions: 1150 mm x 900 mm x 1280 mm.	250
330	Rittal	Rittal switch cabinet with Siemens Logo! TDE display, dimensions: 380 mm x 600 mm x 260 mm.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
331	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W and Promag 400, DN100, dimensions: 230 mm x 240 mm x 340 mm.	100
332	Grünbeck	Grünbeck backwash filter, DN100, 98 m <sup>3</sup> /h, dimensions: 240 mm x 230 mm x 560 mm.	100
333	Danfoss	Danfoss valve, model: VL3, year of construction: 2015, DN100, dimensions: 360 mm x 240 mm x 650 mm.	100
334	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 370 mm x 220 mm.	100
335	Hydac	Hydac accumulator, type: SB330, serial number: 24K12182, year of construction: 2024, dimensions: Ø 240 mm x 500 mm.	75
336	Endress + Hauser	Endress + Hauser flowmeter, model: Promag 10, dimensions: 230 mm x 240 mm x 340 mm.	100
337	Endress + Hauser	Endress + Hauser flowmeter, model: Promag 10 and Promag E, DN15, dimensions: 200 mm x 200 mm x 340 mm.	100
338	Endress + Hauser	Endress + Hauser flowmeter, model: Promag 10 and Promag E, DN15, dimensions: 200 mm x 200 mm x 340 mm.	100
339	Endress + Hauser	Endress + Hauser flowmeter, model: Promag 10 and Promag E, DN15, dimensions: 200 mm x 200 mm x 340 mm.	100
340	Grundfos	Grundfos dosing pump, dimensions: 240 mm x 180 mm x 200 mm.	75
341	Cool it	Cool it s/s door, dimensions: 940 mm x 2030 mm, thickness: 80 mm.	100
342	NN protection railing	S/s protection railing, dimensions: 2000 mm x 770 mm, including 6 s/s protection poles, dimensions: (6x) Ø 110 mm x 770 mm.	175
343	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 18 091263 026 01, year of construction: 2019, dimensions door: 1840 mm x 2560 mm, thickness: 80 mm, length rails: 4000 mm.	350
344	NN protection railing	S/s protection railing, dimensions: 900 mm x 770 mm, including 5 s/s protection poles, dimensions: (5x) Ø 110 mm x 770 mm.	150
345	Cool it	Cool it s/s door, dimensions: 1040 mm x 2020 mm, thickness: 80 mm.	150
346	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 18 091263 027 01, year of construction: 2019, dimensions door: 1230 mm x 2060 mm, thickness: 80 mm, length rails: 2700 mm.	350
348	NN protection poles	6 s/s protection poles, dimensions: (6x) 110 mm x 770 mm.	60
349	Cool it		250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Cool it s/s refrigeration door with ELSR-R-2-BOT heating element, dimensions: 1040 mm x 2040 mm, thickness: 120 mm.	
350	Cool it	Cool it s/s refrigeration door with ELSR-R-2-BOT heating element, dimensions: 1040 mm x 2040 mm, thickness: 120 mm.	250
352	NN frame	S/s frame, dimensions: 1140 mm x 800 mm x 2760 mm.	25
355	NN protection railing	S/s protection railing, dimensions: 2800 mm x 770 mm, including 3 s/s protection poles, dimensions: (3x) Ø 110 mm x 770 mm.	100
358	NN protection poles	5 s/s protection poles, dimensions: (5x) Ø 110 mm x 770 mm.	50
359	Cool it	Cool it s/s door, type: B8 1000 x 2000 mm, serial number: 10155362, year of construction: 05.04.2019, dimensions: 1040 mm x 2030 mm, thickness: 80 mm.	150
360	Cool it	Cool it s/s refrigeration door with ELSR-R-2-BOT heating element, dimensions: 1140 mm x 2040 mm, thickness: 120 mm.	250
362	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 01/2034, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
363	Cool it	Cool it s/s door, type: B8 1000 x 2000 mm, serial number: 10160546, year of construction: 04.04.2019, dimensions: 1040 mm x 2030 mm, thickness: 80 mm.	150
364	NN protection poles	2 s/s protection poles, dimensions: (2x) Ø 110 mm x 770 mm.	20
366	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 18 091263 016 01, year of construction: 2019, dimensions door: 2600 mm x 2560 mm, thickness: 80 mm, length rails: 5400 mm.	500
367	NN protection railing	S/s protection railing, dimensions: 2800 mm x 770 mm, including 2 s/s protection poles, dimensions: (2x) Ø 110 mm x 770 mm.	125
371	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 18 091263 012 01, year of construction: 2019, dimensions door: 2600 mm x 2560 mm, thickness: 80 mm, length rails: 5400 mm.	500
372	NN protection railing	2 s/s protection railings, dimensions: 2800 mm x 770 mm and 2200 mm x 770 mm, including 6 s/s protection poles, dimensions: (6x) Ø 110 mm x 770 mm.	175
373	Cool it	Cool it s/s refrigeration door, type: D8 1000 x 2250 mm, serial number: 10155345, year of construction: 05.04.2019, dimensions: 1040 mm x 2280 mm, thickness: 80 mm.	150
376	Cool it	Cool it s/s refrigeration sliding door with rails, type: BS-8, fabrication number: 102.536.03.III, year of	350



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		construction: 1991, dimensions door: 2050 mm x 2420 mm, thickness: 80 mm, length rails: 4200 mm.	
383	Cool it	Cool it double s/s door, dimensions: (2x) 1040 mm x 2930 mm, thickness: 80 mm.	350
384	NN emergency shower	S/s emergency shower.	50
385	Cool it	Cool it double s/s door, type: ZB8 2000 x 2250 mm, serial number: 10155361, year of construction: 05.04.2019, dimensions: 1000 mm x 2260 mm and 1040 mm x 2260 mm, thickness: 80 mm.	350
386	NN protection poles	5 s/s protection poles, dimensions: (5x) Ø 110 mm x 770 mm.	50
388	Cool it	Cool it s/s door, type: B8 1000 x 2000 mm, serial number: 10155348, year of construction: 05.04.2019, dimensions: 1040 mm x 2030 mm, thickness: 80 mm.	150
389	NN protection poles	4 s/s protection poles, dimensions: (4x) Ø 110 mm x 770 mm.	40
391	NN protection poles	6 s/s protection poles, dimensions: (6x) Ø 110 mm x 770 mm.	60
394	NN protection poles	6 s/s protection poles, dimensions: (6x) Ø 110 mm x 770 mm.	60
398	PHT	PHT s/s sink with faucet, type: 33110, serial number: 33110-179, year of construction: 11/2024, 230 V, 50-60 Hz, 0.02 kW, weight: 20 kg, sensor control, dimensions: 460 mm x 500 mm x 700 mm. Including soap and paper dispensers.	100
399	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 18 091263 007 01, year of construction: 2019, dimensions door: 2600 mm x 2560 mm, thickness: 80 mm, length rails: 5400 mm.	500
400	NN protection railing	S/s protection railing, dimensions: 2800 mm x 770 mm, including s/s protection pole, dimensions: Ø 110 mm x 770 mm.	100
401	NN writing desk	Wall mounted s/s writing desk, dimensions: 540 mm x 470 mm x 150 mm.	25
402	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2370 mm x 2520 mm, thickness: 90 mm, length rails: 5000 mm.	150
403	Alpas	Alpas ripening chamber, consisting of: Alpas ripening/ climate unit, dimensions: 8000 mm x 3000 mm x 3550 mm, round climate air ducts, length: approximately 30000 mm and 20000 mm, square climate air ducts, length: (2x) approximately 30000 mm, dimensions total room: 30000 mm x 14000 mm x 5000 mm.	1500
404	NN swing doors	Double plastic swing doors, dimensions: (2x) 1200 mm x 2200 mm.	25
405	Alpas	Alpas ripening chamber, consisting of: Alpas ripening/ climate unit, dimensions: 8000 mm x 3000 mm x 3550	1500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		mm, climate air ducts, length: approximately (4x) 28000 mm, (2x) 8000 mm, (1x) 15000 mm and (1x) 5000 mm, dimensions total room: 30000 mm x 25000 mm x 5000 mm.	
406	NN smoke trolleys	53 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 270 mm, total dimensions: (53x) 1015 mm x 995 mm x 1980 mm.	3975
407	NN smoke trolleys	25 s/s Z-Shaped smoke trolleys, 7 floors each, floor width: 1010 mm, distance between floors: 230 mm, total dimensions: (25x) 1015 mm x 1000 mm x 2000 mm.	1875
408	NN smoke trolleys	20 s/s H-Shaped smoke trolleys, 7 floors each, floor width: 1010 mm, distance between floors: 230 mm, total dimensions: (20x) 1010 mm x 1000 mm x 1980 mm.	1500
409	NN cooking trolleys	2 s/s cooking trolleys, 6 floors each, distance between floors: 280 mm, total dimensions: (2x) 1050 mm x 1040 mm x 1770 mm.	150
410	NN smoke trolley	S/s H-Shaped smoke trolley, 8 floors, floor width: 1010 mm, distance between floors: 200 mm, total dimensions: (20x) 1010 mm x 1000 mm x 1980 mm. Including 16 s/s cooking grids, dimensions: (16x) 990 mm x 420 mm.	75
411	NN smoke sticks	6 s/s trolleys with large amount of O-shaped s/s smoke sticks, length smoke sticks: 1000 mm, total dimensions trolleys: (6x) 670 mm x 600 mm x 1250 mm.	500
412	NN trolleys for smoke sticks	3 s/s trolleys for smoke sticks, dimensions: (3x) 500 mm x 500 mm x 1300 mm.	75
413	NN trolleys for smoke sticks	6 s/s trolleys for smoke sticks, dimensions: (6x) 700 mm x 600 mm x 1250 mm.	150
414	NN smoke trolleys	58 s/s H-Shaped smoke trolleys, 7 floors each, floor width: 1010 mm, distance between floors: 230 mm, total dimensions: (58x) 1015 mm x 1000 mm x 1980 mm.	4350
415	NN cooking trolleys	10 s/s cooking trolleys, 8 floors each, floor width: 1010 mm, distance between floors: 200 mm, total dimensions: (10x) 1200 mm x 815 mm x 1920 mm.	750
416	NN cooking trolleys	7 s/s cooking trolleys, 9 floors each, distance between floors: 150 mm, total dimensions: (7x) 1300 mm x 1000 mm x 1920 mm.	525
417	NN cooking trolleys	8 s/s cooking trolleys, 9 floors each, distance between floors: 150 mm, total dimensions: (8x) 1300 mm x 1000 mm x 1920 mm.	600
418	NN cooking trolleys	8 s/s cooking trolleys, 9 floors each, distance between floors: 150 mm, total dimensions: (8x) 1300 mm x 1000 mm x 1920 mm.	600
419	NN cooking trolleys		1200



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		16 s/s cooking trolleys, 9 floors each, distance between floors: 150 mm, total dimensions: (16x) 1300 mm x 1000 mm x 1920 mm.	
420	NN cooking trolleys	10 s/s cooking trolleys, 9 floors each, distance between floors: 150 mm, total dimensions: (10x) 1300 mm x 1000 mm x 1920 mm.	750
421	NN tubs with cooking grids	7 s/s tubs with large amount of s/s cooking grids, dimensions each grid: 995 mm x 430 mm, dimensions tubs: (7x) 1250 mm x 1000 mm x 900 mm.	525
422	NN cooking trolleys	6 s/s cooking trolleys, 8 floors each, distance between floors: 220 mm, total dimensions: (6x) 1005 mm x 1000 mm x 1780 mm.	450
423	NN cooking trolleys	2 s/s cooking trolleys, 10 floors each, distance between floors: 170 mm, total dimensions: (2x) 1010 mm x 1000 mm x 1870 mm.	150
424	NN cooking trolleys	2 s/s cooking trolleys, 10 floors each, distance between floors: 170 mm, total dimensions: (2x) 980 mm x 950 mm x 1810 mm.	150
425	NN cooking trolley	S/s cooking trolleys, 9 floors each, distance between floors: 180 mm, total dimensions: 1000 mm x 975 mm x 1960 mm.	75
426	NN tubs with cooking grids	3 s/s tubs with large amount of s/s cooking grids, dimensions each grid: 995 mm x 430 mm, dimensions tubs: (3x) 1250 mm x 1000 mm x 900 mm.	225
427	NN table with computer screen	Mobile s/s table with computer screen, keyboard and Minebea Intec YDP05 label printer, dimensions: 1100 mm x 800 mm x 1300 mm.	150
429	NN cooking grids	2 pallets with 32 s/s cooking grids, dimensions each grid: 940 mm x 980 mm, dimensions pallets: (2x) 1200 mm x 1000 mm x 900 mm.	100
430	NN meat bins	4 s/s meat bins, volume: 200 litre.	200
431	NN smoke trolley	S/s H-Shaped smoke trolley, 6 floors, floor width: 1010 mm, distance between floors: 250 mm, total dimensions: 1020 mm x 1010 mm x 1980 mm. Including 10 s/s cooking grids.	75
432	NN smoke trolley	S/s H-Shaped smoke trolley, 8 floors, floor width: 1010 mm, distance between floors: 170 mm, total dimensions: 1010 mm x 1000 mm x 1960 mm. Including 16 s/s cooking grids.	75
433	NN smoke trolleys	5 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 230 mm, total dimensions: (5x) 1025 mm x 1005 mm x 1970 mm.	375
434	NN smoke trolleys	4 s/s H-Shaped smoke trolleys, 7 floors each, floor width: 1010 mm, distance between floors: 260 mm, total dimensions: (4x) 1000 mm x 1005 mm x 1980 mm.	300
435	NN smoke trolleys	6 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 250 mm, total dimensions: (6x) 1020 mm x 1005 mm x 1960 mm.	450



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
436	NN smoke trolleys	6 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 250 mm, total dimensions: (6x) 1020 mm x 1005 mm x 1960 mm.	450
437	NN smoke trolleys	S/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 250 mm, total dimensions: 1010 mm x 1000 mm x 1980 mm.	75
438	NN smoke trolley	S/s H-Shaped smoke trolley, 7 floors each, floor width: 1010 mm, distance between floors: 220 mm, total dimensions: 1005 mm x 1005 mm x 1980 mm.	75
439	NN smoke trolley	S/s H-Shaped smoke trolley, 8 floors each, floor width: 1010 mm, distance between floors: 200 mm, total dimensions: 1050 mm x 1000 mm x 1980 mm. Damaged.	25
440	NN smoke trolley	S/s H-Shaped smoke trolley, 6 floors each, floor width: 1020 mm, distance between floors: 270 mm, total dimensions: 1010 mm x 1050 mm x 1970 mm.	75
441	NN smoke trolleys	7 s/s H-Shaped smoke trolleys, 8 floors each, floor width: 1000 mm, distance between floors: 200 mm, total dimensions: (7x) 1000 mm x 1000 mm x 1970 mm.	525
442	NN smoke trolleys	2 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 260 mm, total dimensions: (2x) 1010 mm x 1000 mm x 1980 mm.	150
443	NN smoke trolleys	6 s/s H-Shaped smoke trolleys, 7 floors each, floor width: 1000 mm, distance between floors: 220 mm, total dimensions: (6x) 1020 mm x 1000 mm x 1980 mm.	450
444	NN smoke trolleys	6 s/s Z-Shaped smoke trolleys, 8 floors each, floor width: 1000 mm, distance between floors: 190 mm, total dimensions: (6x) 1020 mm x 1000 mm x 2020 mm.	450
445	NN carton boxes	Pallet with various carton boxes, dimensions cartons: 350 mm x 280 mm x 180 mm.	5
446	NN trolley for smoke sticks	S/s trolleys for smoke sticks, dimensions: 600 mm x 700 mm x 1270 mm.	50
448	NN ham moulds	3 plastic pallet boxes with various s/s ham moulds, dimensions ham moulds: 780 mm x 100 mm x 100 mm, 1000 mm x 110 mm x 95 mm and 600 mm x 100 mm x 110 mm.	300
450	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2500 mm.	25
451	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2400 mm x 2580 mm, thickness: 100 mm, length rails: 4900 mm.	150
452	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2370 mm x 2580 mm, thickness: 100 mm, length rails: 4900 mm.	150
454	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2390 mm x 2510 mm, thickness: 70 mm, length rails: 4850 mm.	150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
455	NN protection poles	14 steel protection poles, dimensions: (12x) Ø 120 mm x 1200 mm.	140
456	NN protection poles	5 s/s protection poles, dimensions: (5x) Ø 110 mm x 1080 mm.	50
457	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2390 mm x 2510 mm, thickness: 70 mm, length rails: 4800 mm.	150
458	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2390 mm x 2560 mm, thickness: 70 mm, length rails: 4800 mm.	150
459	Vemag	Vemag smoke chamber for (2x) 5 trolleys, type: HR, serial number: 5202023, year of construction: 1990, steam heating: 6–10 bar, max 800 kg/h, steam humidity: 0.1–1.2 bar, max 400 kg/h, compressed air: 3–8 bar, max 2.5 Nm <sup>3</sup> /h, inside dimensions: 1230 mm x 5250 mm x 2100 mm, total dimensions: 3300 mm x 5750 mm x 4500 mm, including switch cabinet, dimensions: 800 mm x 340 mm x 1000 mm. Smoke generator is not included.	3000
460	Vemag	Vemag smoke chamber for (2x) 5 trolleys, type: HR 2x5=10 Normwagen, serial number: 520.2359, year of construction: 1993, steam heating: 6–10 bar, max 800 kg/h, steam humidity: 0.1–1.2 bar, max 270 kg/h, compressed air: 3–8 bar, max 2.5 Nm <sup>3</sup> /h, inside dimensions: 1230 mm x 5250 mm x 2100 mm, total dimensions: 3300 mm x 5750 mm x 4500 mm, including switch cabinet, dimensions: 800 mm x 340 mm x 1000 mm. Smoke generator is not included.	3000
461	Vemag	Vemag smoke chamber for (2x) 5 trolleys, type: HR 2x5=10 Normwagen, serial number: 520.2389, year of construction: 1993, steam heating: 6–10 bar, max 800 kg/h, steam humidity: 0.1–1.2 bar, max 270 kg/h, compressed air: 3–8 bar, max 2.5 Nm <sup>3</sup> /h, inside dimensions: 1230 mm x 5250 mm x 2100 mm, total dimensions: 3300 mm x 5750 mm x 4500 mm, including switch cabinet, dimensions: 800 mm x 340 mm x 1000 mm. Smoke generator is not included.	3000
464	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG ARCTICjet cooking, intensive chilling and shower cooling chamber for 6 trolleys, type: IK-6, fabrication number: 036-0214, year of construction: 10/14, inside dimensions: 1140 mm x 6500 mm x 2050 mm, total dimensions: 1750 mm x 7300 mm x 4350 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1550 mm and control panel, dimensions: 470 mm x 200 mm x 780 mm.	5000
465	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG ARCTICjet cooking, chilling and shower cooling chamber for 6 trolleys, type: IK-6, fabrication number: 036-0214, year	5000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		of construction: 10/14, inside dimensions: 1140 mm x 6500 mm x 2050 mm, total dimensions: 1750 mm x 7300 mm x 4350 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1550 mm and control panel, dimensions: 470 mm x 200 mm x 780 mm.	
466	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG ARCTICjet cooking, intensive chilling and shower cooling chamber for 6 trolleys, type: IK-6, fabrication number: 036-0214, year of construction: 10/14, inside dimensions: 1140 mm x 6500 mm x 2050 mm, total dimensions: 1750 mm x 7300 mm x 4350 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1550 mm and control panel, dimensions: 470 mm x 200 mm x 780 mm.	5000
467	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG ARCTICjet cooking, intensive chilling and shower cooling chamber for 6 trolleys, type: IK-6, fabrication number: 036-0214, year of construction: 10/14, inside dimensions: 1140 mm x 6500 mm x 2050 mm, total dimensions: 1750 mm x 7300 mm x 4350 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1550 mm and control panel, dimensions: 470 mm x 200 mm x 780 mm.	5000
468	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG THERMICjet smoking, cooking and drying chamber for 2 trolleys, type: HRBA-2, fabrication number: 036-0214, year of construction: 10/14, inside dimensions: 1140 mm x 2200 mm x 2050 mm, total dimensions: 1750 mm x 2700 mm x 4500 mm, including switch cabinet, dimensions: 1000 mm x 350 mm x 1250 mm, control panel, dimensions: 470 mm x 200 mm x 780 mm and Schröter Technologie GmbH & Co. KG SMOKet smoke generator on wood chips, type: RH09, fabrication number: 036-0214, year of construction: 09/14, dimensions: 900 mm x 1400 mm x 1900 mm.	4000
469	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG THERMICjet smoking, cooking and drying chamber for 4 trolleys, type: HRBA-2, fabrication number: 036-0214, year of construction: 10/14, inside dimensions: 1140 mm x 2200 mm x 2050 mm, total dimensions: 1750 mm x 2700 mm x 4500 mm, including switch cabinet, dimensions: 1000 mm x 350 mm x 1250 mm, control panel, dimensions: 470 mm x 200 mm x 780 mm and Schröter Technologie GmbH & Co. KG SMOKet smoke generator on wood chips, type: RH09, fabrication number: 036-0214, year of construction: 09/14, dimensions: 900 mm x 1400 mm x 1900 mm.	6000
470	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG cleaning unit for smoke and cooking chambers, type: RG 450, fabrication number: 036-0214, year of construction: 06/14,	1000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		dimensions cleaning unit: 1750 mm x 920 mm x 1650 mm, dimensions switch cabinet: 600 mm x 340 mm x 700 mm.	
471	NN drip tray	Plastic drip tray, dimensions: 1230 mm x 830 mm x 450 mm.	25
472	NN platform	Aluminium platform, dimensions: 550 mm x 460 mm x 400 mm.	10
473	NN eye shower cabinet	S/s eye shower cabinet, dimensions: 270 mm x 100 mm x 420 mm.	10
474	NN hose reel	S/s hose reel with hose, dimensions: 300 mm x 300 mm x 300 mm.	10
475	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG THERMICjet smoking, cooking and drying chamber for 6 trolleys, type: HR-6, fabrication number: 036-0214, year of construction: 06/14, inside dimensions: 1140 mm x 6300 mm x 2050 mm, total dimensions: 1650 mm x 7370 mm x 5000 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1500 mm, control panel, dimensions: 470 mm x 200 mm x 780 mm and Schröter Technologie GmbH & Co. KG SMOKet smoke generator on wood chips, type: RH09, fabrication number: 036-0214, year of construction: 07/14, dimensions: 900 mm x 1400 mm x 1900 mm.	7500
476	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG THERMICjet smoking, cooking and drying chamber for 6 trolleys, type: HR-6, fabrication number: 036-0214, year of construction: 06/14, inside dimensions: 1140 mm x 6300 mm x 2050 mm, total dimensions: 1650 mm x 7370 mm x 5000 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1500 mm, control panel, dimensions: 470 mm x 200 mm x 780 mm and Schröter Technologie GmbH & Co. KG SMOKet smoke generator on wood chips, type: RH09, fabrication number: 036-0214, year of construction: 09/14, dimensions: 900 mm x 1400 mm x 1900 mm.	7500
477	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG THERMICjet smoking, cooking and drying chamber for 6 trolleys, type: HR-6, fabrication number: 036-0214, year of construction: 06/14, inside dimensions: 1140 mm x 6300 mm x 2050 mm, total dimensions: 1650 mm x 7370 mm x 5000 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1500 mm, control panel, dimensions: 470 mm x 200 mm x 780 mm and Schröter Technologie GmbH & Co. KG SMOKet smoke generator on wood chips, type: RH09, fabrication number: 036-0214, year of construction: 07/14, dimensions: 900 mm x 1400 mm x 1900 mm.	7500
478			7500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG THERMICjet smoking, cooking and drying chamber for 6 trolleys, type: HR-6, fabrication number: 036-0214, year of construction: 06/14, inside dimensions: 1140 mm x 6300 mm x 2050 mm, total dimensions: 1650 mm x 7370 mm x 5000 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1500 mm, control panel, dimensions: 470 mm x 200 mm x 780 mm and Schröter Technologie GmbH & Co. KG SMOKet smoke generator on wood chips, type: RH09, fabrication number: 036-0214, year of construction: 07/14, dimensions: 900 mm x 1400 mm x 1900 mm.	
479	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG THERMICjet smoking, cooking and drying chamber for 6 trolleys, type: HR-6, fabrication number: 036-0214, year of construction: 06/14, inside dimensions: 1140 mm x 6300 mm x 2050 mm, total dimensions: 1650 mm x 7370 mm x 5000 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1500 mm, control panel, dimensions: 470 mm x 200 mm x 780 mm and Schröter Technologie GmbH & Co. KG SMOKet smoke generator on wood chips, type: RH09, fabrication number: 036-0214, year of construction: 07/14, dimensions: 900 mm x 1400 mm x 1900 mm.	7500
480	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG THERMICjet smoking, cooking and drying chamber for 4 trolleys, type: HR-4, fabrication number: 036-0214, year of construction: 06/14, inside dimensions: 1140 mm x 4100 mm x 2050 mm, total dimensions: 1650 mm x 5200 mm x 5000 mm, including switch cabinet, dimensions: 900 mm x 400 mm x 1500 mm, control panel, dimensions: 470 mm x 200 mm x 780 mm and Schröter Technologie GmbH & Co. KG SMOKet smoke generator on wood chips, type: RH09, fabrication number: 036-0214, year of construction: 07/14, dimensions: 900 mm x 1400 mm x 1900 mm.	6000
482	NN table	S/s table, dimensions: 800 mm x 500 mm x 850 mm.	50
483	NN platform	Aluminium platform, dimensions: 550 mm x 460 mm x 400 mm.	10
484	NN smoke chamber	Smoke chamber, consisting of: s/s door, dimensions: 1249 mm x 2090 mm, s/s smoke ducts, Jumo Imago 500 control panel, blowers and cooling unit, suitable chamber dimensions: 2700 mm x 10700 mm x 2500 mm.	500
485	NN smoke chamber	Smoke chamber, consisting of: s/s door, dimensions: 1249 mm x 2090 mm, s/s smoke ducts, Jumo Imago 500 control panel, blowers and cooling unit, suitable	500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		chamber dimensions: 2700 mm x 10700 mm x 2500 mm.	
486	NN smoke chamber	Smoke chamber, consisting of: s/s door, dimensions: 1249 mm x 2090 mm, s/s smoke ducts, Jumo Imago 500 control panel, blowers and cooling unit, suitable chamber dimensions: 2700 mm x 10700 mm x 2500 mm.	500
487	NN smoke chamber	Smoke chamber, consisting of: s/s door, dimensions: 1249 mm x 2090 mm, s/s smoke ducts, Jumo Imago 500 control panel, blowers and cooling unit, suitable chamber dimensions: 2700 mm x 10700 mm x 2500 mm.	500
488	Alpas	Alpas double climate smoke chamber, consisting of: 2 s/s doors, dimensions: (2x) 1300 mm x 2340 mm, s/s smoke ducts, blowers and air ducts, switch cabinet, dimensions: 600 mm x 500 mm x 530 mm, suitable chamber dimensions: 5650 mm x 10700 mm x 2520 mm.	1500
489	Alpas	Alpas climate smoke chamber, consisting of: s/s door, dimensions: 1300 mm x 2340 mm, s/s smoke ducts, blowers and air ducts, switch cabinet, dimensions: 600 mm x 500 mm x 530 mm, suitable chamber dimensions: 2700 mm x 10700 mm x 2520 mm.	1000
490	Alpas	Alpas double climate smoke chamber, consisting of: 2 s/s doors, dimensions: (2x) 1300 mm x 2340 mm, s/s smoke ducts, blowers and air ducts, switch cabinet, dimensions: 600 mm x 500 mm x 530 mm, suitable chamber dimensions: 5650 mm x 10700 mm x 2520 mm.	1500
491	Alpas	Alpas double climate smoke chamber, consisting of: 2 s/s doors, dimensions: (2x) 1300 mm x 2340 mm, s/s smoke ducts, blowers and air ducts, switch cabinet, dimensions: 600 mm x 500 mm x 530 mm, suitable chamber dimensions: 5650 mm x 10700 mm x 2520 mm.	1500
492	Alpas	Alpas double climate smoke chamber, consisting of: 2 s/s doors, dimensions: (2x) 1300 mm x 2340 mm, s/s smoke ducts, blowers and air ducts, switch cabinet, dimensions: 600 mm x 500 mm x 530 mm, suitable chamber dimensions: 5650 mm x 10700 mm x 2520 mm.	1500
493	Alpas	Alpas double climate smoke chamber, consisting of: 2 s/s doors, dimensions: (2x) 1300 mm x 2340 mm, s/s smoke ducts, blowers and air ducts, switch cabinet, dimensions: 600 mm x 500 mm x 530 mm, suitable chamber dimensions: 5650 mm x 10700 mm x 2520 mm.	1500
494	Alpas		1000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Alpas climate smoke chamber, consisting of: s/s door, dimensions: 1300 mm x 2340 mm, s/s smoke ducts, blowers and air ducts, switch cabinet, dimensions: 600 mm x 500 mm x 530 mm, suitable chamber dimensions: 2700 mm x 10700 mm x 2520 mm.	
495	Alpas	Alpas double climate smoke chamber, consisting of: 2 s/s doors, dimensions: (2x) 1300 mm x 2340 mm, s/s smoke ducts, blowers and air ducts, switch cabinet, dimensions: 600 mm x 500 mm x 530 mm, suitable chamber dimensions: 5650 mm x 10700 mm x 2520 mm.	1500
496	Alpas	Alpas climate smoke chamber, consisting of: s/s door, dimensions: 1300 mm x 2340 mm, s/s smoke ducts, blowers and air ducts, switch cabinet, dimensions: 600 mm x 500 mm x 530 mm, suitable chamber dimensions: 2700 mm x 10700 mm x 2520 mm.	1000
497	NN protection poles	3 s/s protection poles, dimensions: (3x) 110 mm x 1100 mm.	30
498	NN writing desk	S/s writing desk, dimensions: 540 mm x 510 mm x 1170 mm.	25
500	NN hose reel	S/s hose reel with hose, dimensions: 400 mm x 230 mm x 350 mm.	10
502	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 200 mm x 290 mm.	10
503	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 09/2015, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
504	NN protection railing	S/s protection railing, total length: approximately: 12500 mm, height: 500 mm.	150
505	NN protection railing	S/s protection railing, total length: approximately: 17500 mm, height: 500 mm.	175
506	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 300 mm x 300 mm.	10
507	NN protection railing	S/s protection railing, total length: approximately: 14000 mm, height: 500 mm.	150
508	Endress + Hauser	Endress + Hauser indicator for flowmeter, dimensions: 220 mm x 240 mm x 130 mm.	50
509	NN protection pole	S/s protection pole, dimensions: 110 mm x 1100 mm.	10
510	NN wall panels	S/s wall panels with 5 doors, dimensions: 7000 mm x 2500 mm x 2170 mm.	150
511	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG s/s sink with faucet, machine type: HWB 47.41.24-S, machine number: 816799, year of construction: 06/2016, 230 V, 50-60 Hz, 0.2 kW, sensor control, dimensions: 470 mm x 420 mm x 550 mm. Including soap and paper dispensers.	50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
512	NN protection poles	5 steel protection poles, dimensions: (5x) 120 mm x 1080 mm.	50
513	Cool it	Cool it s/s door, type: B8 1000 x 2000 mm, serial number: 10160546, year of construction: 15.12.2014, dimensions: 1040 mm x 2020 mm, thickness: 80 mm.	150
514	NN hose reel	Steel hose reel with hose, dimensions: 500 mm x 230 mm x 500 mm.	10
516	KMA Umwelttechnik GmbH	KMA Umwelttechnik GmbH electrostatic filter unit for smoke chambers, consisting of: 8 electro filter units, dimensions: (8x) 1700 mm x 1300 mm x 2300 mm, 2 s/s water tanks with pumps, dimensions: 2400 mm x 2200 mm x 2300 mm, 4 switch cabinets, dimensions: (2x) 800 mm x 500 mm x 2300 mm and (2x) 1000 mm x 400 mm x 2040 mm.	4000
517	Steam and condensation unit	Condensate unit, consisting of: Ludmann Tank steel steam vessel, type: PSW 3000, fabrication number: 5599, year of construction: 2014, TS max/min: 0/170 °C, PS min/max: 0/3.5 bar, dimensions: Ø 1600 mm x 3100 mm, Spirax Sarco condensation vessel, fabrication number: 144839, year of construction: 2014, capacity: 2000 litres, min/max operating temperature: 0/110 °C, min/max operating pressure: 0/0.5 bar, dimensions: Ø 1500 mm x 2800 mm, switch cabinet, dimensions: 800 mm x 500 mm x 2010 mm, various pumps, valves and pipework.	3000
518	NN fence with gate	Steel fence with 2 gates, total length: approximately 35000 mm, height: 1900 mm.	200
519	NN protection railing	Plastic protection railing, dimensions: 1250 mm x 1050 mm x 640 mm.	10
520	Denios	2 Denios plastic drip trays, type: PolyPro 1200x1000, volume: 360 litres, dimensions: (2x) 1250 mm x 1050 mm x 640 mm.	25
521	NN hose reel	S/s hose reel with hose, dimensions: 400 mm x 200 mm x 200 mm.	10
523	NN dispenser	Wall mounted s/s dispenser, dimensions: 310 mm x 310 mm x 230 mm.	10
524	Nilfisk A/S	Nilfisk A/S industrial vacuum cleaner, model: ATTIX 961-01, serial number: 302002900, 220-240 V, 50/60 Hz, 2400 W, weight: 31 kg, dimensions: 650 mm x 650 mm x 1300 mm.	25
527	NN frame	Mobile s/s frame, dimensions: 2000 mm x 800 mm x 2060 mm.	10
528	NN cleaning unit for smoke trolleys	Cleaning unit for smoke trolleys, dimensions: 1300 mm x 2900 mm x 2530 mm.	50
529	Dörfel	Dörfel double s/s door, dimensions: 1100 mm x 2480 mm and 1140 mm x 2480 mm, thickness: 70 mm.	100
530	Dörfel	Dörfel double s/s door, dimensions: 1100 mm x 2480 mm and 1140 mm x 2480 mm, thickness: 70 mm.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
532	NN floor weighing scale	S/s floor weighing scale, dimensions: 1250 mm x 1500 mm, without indicator.	100
533	NN protection railing	Wall mounted s/s protection railing, dimensions: 1900 mm x 1250 mm.	25
534	NN writing desk	Wall mounted s/s writing desk, dimensions: 540 mm x 510 mm x 150 mm.	10
535	NN swing doors	Double plastic swing doors, dimensions: (2x) 1000 mm x 2400 mm.	25
536	Cool it	Cool it s/s refrigeration sliding door with rails, type: BS-8, fabrication number: 102.536.03.II, year of construction: 1991, dimensions door: 2035 mm x 2380 mm, thickness: 80 mm, length rails: 4000 mm.	350
537	NN writing desk	Wall mounted s/s writing desk, dimensions: 540 mm x 510 mm x 150 mm.	10
538	NN protection railing	S/s protection railing, dimensions: 3800 mm x 1000 mm.	50
539	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1070 mm x 2400 mm.	25
540	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1070 mm x 2400 mm.	25
541	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1070 mm x 2450 mm.	25
542	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1000 mm x 2200 mm.	25
544	NN protection railing	S/s protection railing, dimensions: 2800 mm x 1000 mm.	50
545	NN floor weighing scale	S/s floor weighing scale, dimensions: 1250 mm x 1500 mm, without indicator.	125
546	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 250 mm x 300 mm.	10
547	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 09/2015, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
548	NN air cooler	Air cooler, dimensions: 1800 mm x 1800 mm x 1000 mm.	100
549	NN air cooler	Air cooler, dimensions: 1800 mm x 1800 mm x 1000 mm.	100
550	NN air cooler	Air cooler, dimensions: 1800 mm x 1800 mm x 1000 mm.	100
551	NN protection railing	3 s/s protection railings, dimensions: 4500 mm x 400 mm x 900 mm, 7500 mm x 500 mm and 900 mm x 300 mm x 400 mm, s/s protection pole, dimensions: Ø 110 mm x 1100 mm.	100
552	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1000 mm x 2400 mm.	25
553	SysTec		350



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		S/s floor weighing scale, model: GD16, dimensions: 1250 mm x 1500 mm, SysTec indicator, type: IT3-AC, dimensions: 220 mm x 150 mm x 170 mm, including 2 protection railings, dimensions: (2x) 1500 mm x 250 mm x 750 mm.	
554	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1100 mm x 2450 mm.	25
555	NN hoses with pistol	4 hoses with pistol.	20
556	INAS	INAS s/s sink with faucet, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	50
557	EFAFLEX	EFAFLEX electrical high speed shutter door, type: EFA-SRT EC, serial number: 8000084474, year of construction: 2014, dimensions door opening: 2500 mm x 2500 mm, total dimensions: 2900 mm x 300 mm x 3100 mm.	500
559	Dorit	Dorit vacuum tumbler, type: VV-5-1000, serial number: 060, 380 V, 3 Ph, 50 Hz, 8.0 A, 3.4 kW, volume: 1000 litre, dimensions: 2300 mm x 2000 mm x 2000 mm, including tilting device for meat bins, dimensions: 1300 mm x 1400 mm x 1200 mm.	1000
560	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning and derinding machine, type: ASB 560, number: ASB05601-10828, year of construction: 2002-10, 400 V, 3 Ph, 50 Hz, 1.1 kW, weight: 400 kg, working width: 560 mm, belt width: 490 mm, total dimensions: 2000 mm x 1000 mm x 1300 mm.	2500
561	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile slicer, type: ESB 4434 SH, serial number: C-01245, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 3.55 A, 1.5 kW, 48 knives, distance between knives: 6 mm, working width: 285 mm, belt width: 385 mm, total dimensions: 2000 mm x 1000 mm x 1300 mm.	1750
562	NN binding machine	Mobile binding machine, dimensions: 1600 mm x 1000 mm x 1200 mm. Incomplete.	200
563	Helmerts Maschinenbau GmbH	Helmerts Maschinenbau GmbH mobile elevating belt, s/s frame, plastic mesh belt, type: Transportband, machine number: #2000835-1.10, year of construction: 2023, belt width: 355 mm, elevating height: from 1000 mm till 1300 mm, total dimensions: 2600 mm x 750 mm x 1400 mm.	750
564	Mesutronic Gerätebau GmbH	Mesutronic Gerätebau GmbH metal detector, type: MN 5.1 CI 400/150, serial number: 2001-1035-CI, year of construction: 2011, 100-240 V, 50/60 Hz, 50-300mA, belt width: 350 mm, clearance: 400 mm x 120 mm, total dimensions: 2900 mm x 900 mm x 1800 mm.	1000
565	NN transport belt		250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Mobile outfeed belt for slicer, s/s frame, plastic belt, belt width: 240 mm, total dimensions: 4200 mm x 900 mm x 1350 mm.	
566	Zicon	Zicon mobile transport belt, s/s frame, plastic belt, year of construction: 1994, belt width: 360 mm, total dimensions: 3100 mm x 550 mm x 1000 mm.	350
569	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 480 mm, total dimensions: 1700 mm x 1000 mm x 1400 mm.	350
570	Maschinenbau Helters GmbH	Maschinenbau Helters GmbH mobile elevating belt, s/s frame, plastic belt, belt width: 240 mm, elevating height: from 800 mm till 1050 mm, total dimensions: 2800 mm x 850 mm x 1150 mm.	500
571	Stephan	Stephan mobile tiltable vacuum mixer, machine type: VM 100, machine number: 710.092.01, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, dimensions: 1200 mm x 900 mm x 1300 mm. Vacuum pump is missing.	500
572	Wiegand Maschinenbau	Wiegand Maschinenbau mobile netting machine, model: NetMan, number: 3101, year of construction: 2018, dimensions chamber: Ø 100 mm x 630 mm, total dimensions: 2400 mm x 470 mm x 1150 mm.	250
573	Seffelaar & Looyen GmbH	Seffelaar & Looyen GmbH mobile marinade machine, s/s belt width: 400 mm, total dimensions: 1700 mm x 800 mm x 1700 mm.	300
574	NN table	S/s table, dimensions: 2400 mm x 1250 mm x 900 mm.	150
575	NN crate with parts for vacuum filler	Plastic crate with parts for vacuum filler.	25
576	NN table	S/s table, dimensions: 2500 mm x 1000 mm x 900 mm.	150
577	EFA	EFA cutting saw, type: EFA86, year of construction: 2018, serial number: 1874, dimensions: 600 mm x 250 mm x 200 mm. Saw blade is missing.	250
578	Tipper Tie technopack GmbH	Tipper Tie technopack GmbH netting machine, model: Kombi Boy mini, number: 5090.031.416, year of construction: 1996, dimensions chamber: Ø 70 mm x 150 mm, total dimensions: 1000 mm x 300 mm x 170 mm.	150
579	Ecoma Maschinen GmbH	Ecoma Maschinen GmbH mobile transport belt with UVC lights, machine number: 202059, year of construction: 2019, 400 V, 50 Hz, 4 A, 0.25 kW, s/s belt width: 300 mm, clearance: 100 mm x 130 mm, total dimensions: 4000 mm x 1000 mm x 1800 mm.	1000
580	ITEC	ITEC sole cleaner, type: 2381, series: 024, year of construction: 11/95, brush length: 300 mm, total dimensions: 750 mm x 800 mm x 1050 mm.	200
583	ITEC	ITEC aprons washer, type: 23260, series: 23260-399, year of construction: 10/2017, 400 V, 3 Ph, 50-60 Hz,	400



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		0.5 kW, brush width: 1150 mm, total dimensions: 1600 mm x 450 mm x 900 mm.	
584	NN elevating belt	Mobile elevating belt, s/s and plastic frame, plastic belt with dividers, belt width: 405 mm, distance between dividers: 250 mm, divider height: 100 mm, elevating height: from 350 mm till 1450 mm, total dimensions: 2000 mm x 700 mm x 1600 mm.	750
585	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH mobile elevating belt, s/s frame, plastic belt, machine number: #2012613, year of construction: 2015, belt width: 405 mm, elevating height: from 850 mm till 1250 mm, total dimensions: 3100 mm x 650 mm x 1500 mm.	750
586	NN table	S/s table, dimensions: 2300 mm x 1250 mm x 830 mm.	150
587	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG table model clipper, type: PCD 7026, number: 1276/15, year of construction: 2015, 6-8 bar, weight: 35 kg, dimensions: 1200 mm x 500 mm x 1000 mm.	150
589	NN hygiene station	Hygiene station with sole cleaner, hand disinfection unit and double tourniquet, brush length: (2x) 1700 mm, total dimensions: 2900 mm x 1000 mm x 1550 mm.	1250
590	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH mobile elevating belt, s/s frame, plastic belt, machine number: #2012613, year of construction: 2015, belt width: 405 mm, elevating height: from 850 mm till 1250 mm, total dimensions: 3100 mm x 650 mm x 1500 mm.	350
591	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH mobile elevating belt, s/s frame, plastic belt, machine number: #2011196, year of construction: 2013, belt width: 405 mm, elevating height: from 850 mm till 1250 mm, total dimensions: 3100 mm x 650 mm x 1500 mm.	750
592	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, distance between dividers: 400 mm, divider height: 20 mm, elevating height: from 900 mm till 1300 mm, total dimensions: 3700 mm x 1500 mm x 1450 mm.	750
593	Variovac	Variovac mobile vacuum machine, machine type: DK 10/10, machine number: 1791, year of construction: 2004, dimensions chamber: 520 mm x 600 mm x 100, with Busch vacuum pump, total dimensions: 1600 mm x 850 mm x 1200 mm.	1250
594	Grothaus Pendeltüren	Grothaus Pendeltüren plastic swing door, dimensions: 1080 mm x 2480 mm.	25
595	NN transport belts	Pallet with plastic transport belts, belt width: 200 mm, 280 mm and 290 mm.	25
596	Multivac	Multivac trolley for film reels, type: HW500, serial number: 320701, year of construction: 2021, max capacity: 500 kg, weight: 213 kg, total dimensions: 1200 mm x 800 mm x 2000 mm.	150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
597	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH mobile elevating belt, s/s frame, plastic belt, machine number: #1017189, year of construction: 2019, belt width: 305 mm, elevating height: from 500 mm till 1450 mm, total dimensions: 2900 mm x 600 mm x 1550 mm.	750
598	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3100 mm x 1200 mm x 1300 mm.	350
599	Denios/Asecos	2 Asecos plastic drip trays, type: Auffangwanne W.29040, volume: 2200 litres, dimensions: (2x) 1250 mm x 850 mm x 350 mm, Denios plastic drip tray, type: base-line 2 FK, volume: 220 litres, dimensions: 1250 mm x 850 mm x 350 mm.	75
600	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH mobile elevating belt, s/s frame, plastic belt, belt width: 400 mm, elevating height: from 900 mm till 1350 mm, total dimensions: 4900 mm x 700 mm x 1600 mm.	1000
601	NN Positioning conveyor	Positioning conveyor, dimensions: 5800 mm x 1100 mm x 2000 mm.	500
602	NN Positioning conveyor	Positioning conveyor, dimensions: 5800 mm x 1100 mm x 2000 mm. Control panel is damaged.	500
603	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH slicer, machine number: 030608, infeed belt width: 250 mm, clearance: 140 mm x 90 mm, total dimensions slicer: 2700 mm x 1000 mm x 1650 mm, including outfeed belt, belt width: 290 mm, total dimensions outfeed belt: 2000 mm x 600 mm x 1100 mm.	1500
604	Soco System	Soco System box closing machine, dimensions: 1300 mm x 800 mm x 1650 mm. Missing tapers.	100
605	Gaerner	Gaerner steel pallet lifter, fork length: 1140 mm, total dimensions: 1700 mm x 900 mm x 1850 mm.	150
606	SysTec	S/s floor weighing scale, model: GD16, dimensions: 1250 mm x 1500 mm, SysTec indicator, type: IT3-AC, dimensions: 220 mm x 150 mm x 170 mm.	300
608	Weber GmbH & Co. KG	Weber GmbH & Co. KG mobile skinning machine, type: ASE 553, number: 1329, 400 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 850 mm x 650 mm x 1000 mm.	400
609	Townsend	Townsend mobile skinning machine, model: 7600, working width: 500 mm, total dimensions: 900 mm x 650 mm x 1000 mm.	750
610	Vakona	Vakona mobile tiltable mixer, type: 200 L.B, serial number: 454, year of construction: 1989, 220/380 V, 50 Hz, 0.35 kW, dimensions: 1300 mm x 800 mm x 1500 mm.	400
611	NN mixer	Mobile tiltable mixer, dimensions: 1400 mm x 1000 mm x 1400 mm.	400
612	NN mesh belt		250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Mobile s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 650 mm x 900 mm.	
613	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 280 mm, total dimensions: 1050 mm x 600 mm x 900 mm.	150
614	Apullma Maschinenfabrik	Apullma Maschinenfabrik mobile transport belt, s/s frame, plastic belt, type: RFB300VA, fabrication number: 0509814-V, year of construction: 02-2006, belt width: 280 mm, total dimensions: 1050 mm x 600 mm x 1050 mm.	250
615	ITEC	ITEC s/s sink with faucet, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	75
616	NN swing door	Plastic swing door, dimensions: 1350 mm x 2000 mm.	25
617	Nieros	Nieros double plastic swing doors, dimensions: (2x) 1150 mm x 2450 mm.	25
618	NN hose reel	S/s hose reel with hose, dimensions: 400 mm x 180 mm x 250 mm.	10
619	ITEC	ITEC s/s sink with faucet, type: 20550-W, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
620	NN protection railing	S/s protection railing, dimensions: 3700 mm x 700 mm x 750 mm.	25
621	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1230 mm x 2700 mm.	25
622	NN swing doors	Double plastic swing doors, dimensions: (2x) 1150 mm x 2430 mm.	25
623	NN cable gutter	S/s cable gutter with various power supply, air supply and water units, dimensions: approximately 22000 mm x 600 mm x 500 mm.	300
624	NN elevating screw	S/s elevating screw, diameter screw: 400 mm, tier: 300 mm, elevating height: 3200 mm, total dimensions: 5000 mm x 700 mm x 4200 mm.	1000
625	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 2000 mm x 800 mm x 2900 mm.	500
626	Wolfking	Wolfking double shaft paddle/ribbon mixer, machine number: 285/229, year of construction: 1976, volume: 3700 litres, dimensions mixer: 2300 mm x 3100 mm x 2550 mm, including lifter for meat bins, elevating height: 2750 mm, total dimensions lifter: 1000 mm x 900 mm x 3530 mm.	3500
627	Scansteel	Scansteel double shaft paddle mixer, machine number: 923127, year of construction: 1992, volume: 2700 litres, dimensions mixer: 2000 mm x 3200 mm x 2600 mm, including lifter for meat bins, elevating height: 2750 mm, total dimensions lifter: 1000 mm x 900 mm x 3530 mm.	5000
628			250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	NN platform with stairs	S/s platform with stairs, working height: 1650 mm, dimensions: 2400 mm x 750 mm x 3050 mm.	
629	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 11/2020, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
630	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 150 mm x 300 mm.	10
631	NN protection railing	S/s protection railing, total length: approximately 29000 mm, height: 400 mm.	175
632	NN swing doors	Double plastic swing doors, dimensions: (2x) 1200 mm x 2500 mm.	25
633	NN hose reel	S/s hose reel with hose, dimensions: 450 mm x 250 mm x 200 mm.	10
635	NN protection railing	S/s protection railing, total length: approximately 53000 mm, including s/s protection pole, dimensions: Ø 110 mm x 1000 mm.	200
636	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 150 mm x 300 mm, including hose with pistol.	15
637	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 06/2021, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
638	NN floor weighing scale	S/s floor weighing scale, dimensions: 1250 mm x 1500 mm, without indicator.	100
639	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 150 mm x 300 mm, s/s wall mounted dispenser, dimensions: 270 mm x 130 mm x 350 mm.	15
640	NN writing desk	Wall mounted s/s writing desk, dimensions: 340 mm x 500 mm x 350 mm.	10
641	Endress + Hauser	Endress + Hauser flowmeter, model: Promag 300, dimensions: 260 mm x 200 mm x 250 mm.	150
642	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 03/2019, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers and s/s hose reel with hose, dimensions: 600 mm x 250 mm x 600 mm.	100
643	NN protection poles	5 s/s protection poles, dimensions: (5x) Ø 110 mm x 1100 mm.	50
644	NN protection railing	Wall mounted s/s protection railing, dimensions: 1250 mm x 240 mm.	10
645	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2330 mm x 2500 mm, thickness: 60 mm, length rails: 4650 mm.	150
646	NN plastic curtains	Plastic curtains, dimensions: 2200 mm x 3100 mm.	25
647	NN protection poles	4 steel protection poles, dimensions: (4x) 110 mm x 1070 mm.	40



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
649	ITEC	ITEC s/s sink with faucet, sensor control, dimensions: 425 mm x 440 mm x 610 mm.	50
650	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 200 mm x 400 mm.	10
651	NN writing desk	Wall mounted s/s writing desk, dimensions: 540 mm x 520 mm x 150 mm, including s/s wall mounted peg.	25
652	NN floor weighing scale	S/s floor weighing scale, dimensions: 1250 mm x 1500 mm, without indicator, including s/s protection railing, dimensions: 1650 mm x 900 mm.	125
653	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1080 mm x 2440 mm.	25
654	PHT	PHT s/s sink with faucet, type: 33110, serial number: 33110-190, year of construction: 11/2024, 230 V, 50-60 Hz, 0.02 kW, weight: 20 kg, sensor control, dimensions: 460 mm x 500 mm x 700 mm. Including soap and paper dispensers and 2 hoses with pistol.	120
655	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing doors, dimensions: (2x) 1080 mm x 2440 mm.	25
656	Tetra Laval Food Krämer + Grebe	Tetra Laval Food Krämer + Grebe duo-cutter with lifter for meat bins and rejector, type: SM-DUO, serial number: 278/118, year of construction: 1994, control voltage: 220/24 V, operating voltage: 400 V, 50 Hz, total nominal current: 378 A, main supply fuse: 400 A, dimensions: 3550 mm x 4500 mm x 1500 mm, including trolley with extra knives, dimensions trolley: 1100 mm x 900 mm x 860 mm and s/s switch cabinet, dimensions: 2400 mm x 550 mm x 2100 mm.	15000
657	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 200 mm x 300 mm.	10
659	NN swing doors	Double plastic swing doors, dimensions: (2x) 1500 mm x 2850 mm.	25
661	NN table	Wall mounted s/s table, dimensions: 600 mm x 460 mm x 400 mm.	25
662	EFAFLEX	EFAFLEX electrical roller door, year of construction: 2001, dimensions door opening: 2400 mm x 2500 mm, total dimensions: 3000 mm x 600 mm x 3250 mm.	250
663	NN protection poles	2 steel protection poles, dimensions: (2x) 110 mm x 1070 mm.	20
664	NN protection poles	9 s/s protection poles, dimensions: (9x) Ø 110 mm x 1100 mm.	90
665	EFAFLEX	EFAFLEX electrical roller door, serial number: 8000048905, dimensions door opening: 2500 mm x 2500 mm, total dimensions: 3100 mm x 600 mm x 3300 mm.	250
666	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2420 mm x 2500 mm, thickness: 60 mm, length rails: 5000 mm.	150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
667	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2260 mm x 2470 mm, thickness: 100 mm, length rails: 5000 mm.	150
668	NN swing doors	Double plastic swing doors, dimensions: (2x) 1200 mm x 2400 mm.	25
669	Cool it	Cool it s/s refrigeration sliding door with rails, type: B-8, fabrication number: 312.717.02, year of construction: 1994, dimensions door: 2390 mm x 2500 mm, thickness: 80 mm, length rails: 5000 mm.	350
670	NN protection poles	15 steel protection poles, dimensions: (15x) 110 mm x 1070 mm.	150
671	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2380 mm x 2520 mm, thickness: 60 mm, length rails: 5000 mm.	150
672	NN swing doors	Double plastic swing doors, dimensions: (2x) 1200 mm x 2450 mm.	25
673	Cool it	Cool it s/s door, dimensions: 1440 mm x 2160 mm, thickness: 80 mm.	150
674	NN protection poles	5 s/s protection poles, dimensions: (5x) $\varnothing$ 110 mm x 1100 mm.	50
675	NN sink	S/s sink with faucet, sensor control, dimensions: 500 mm x 400 mm x 1250 mm.	25
676	NN door	Double s/s door, dimensions: (2x) 1100 mm x 2470 mm, thickness: 60 mm.	100
677	NN peg	Wall mounted s/s peg, length: 1000 mm.	5
678	NN coat rack	S/s coat rack, dimensions: 2000 mm x 800 mm x 2000 mm, including s/s protection railing, dimensions: 1300 mm x 1000 mm.	50
679	NN fence	S/s fence with gate, dimensions fence: 10000 mm x 1700 mm, dimensions gate: 2900 mm x 1700 mm.	150
680	NN door	Double s/s door, dimensions: (2x) 1100 mm x 2470 mm, thickness: 60 mm.	100
681	NN coat rack	4 wall mounted s/s coat racks, dimensions: (3x) 2000 mm x 400 mm x 350 mm, (1x) 1300 mm x 400 mm x 350 mm, s/s coat rack, dimensions: 2000 mm x 800 mm x 2000 mm	100
682	NN sink	S/s sink with 3 faucets, sensor control, dimensions: 1590 mm x 480 mm x 660 mm. Including soap and paper dispensers and s/s hose reel with hose, dimensions: 600 mm x 250 mm x 600 mm.	150
683	Storm	Storm hygiene station with hand disinfection unit and double tourniquet, serial number: 11 348 14, year of construction: 2014, 230 V, 50 Hz, 0.1 kW, dimensions: 2100 mm x 1550 mm x 1600 mm.	1000
684	NN refrigeration sliding door	S/s refrigeration sliding door with rails, dimensions door: 2460 mm x 2640 mm, thickness: 80 mm, length rails: 5000 mm.	150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
685	NN door	S/s door, dimensions: 1000 mm x 2000 mm.	50
686	NN doors	Double s/s door, dimensions: 1245 mm x 2470 mm and 1760 mm x 2470 mm, thickness: 60 mm.	150
687	NN table with dispensers	S/s table with dispensers, dimensions: 3200 mm x 530 mm x 1100 mm.	100
688	NN protection poles	2 steel protection poles, dimensions: (2x) 110 mm x 1070 mm.	20
689	NN protection railings	2 plastic protection railings, dimensions: (2x) 1500 mm x 500 mm x 1000 mm.	20
690	Cool it	Cool it s/s refrigeration door with ELSR-R-2-BOT heating element, dimensions: 975 mm x 2120 mm, thickness: 120 mm.	250
691	Rite-Hite Doors	Rite-Hite Doors refrigeration sliding door with rails, model: 8512BP, serial number: 11767, year of construction: 9/99, 400 V, 3 Ph, 50 Hz, dimensions door: 3000 mm x 2950 mm, thickness: 80 mm, length rails: 6000 mm.	350
692	NN evaporator	Evaporator, 2 fans, dimensions: 3000 mm x 1500 mm x 1000 mm.	150
693	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 21 080774 009 01, year of construction: 2021, dimensions door: 2300 mm x 2500 mm, thickness: 80 mm, length rails: 5000 mm.	500
694	Cool it	Cool it s/s refrigeration sliding door with rails, type: SI-12H, fabrication number: 13 120592 001 01, year of construction: 17.12.2023, dimensions door: 2590 mm x 2480 mm, thickness: 120 mm, length rails: 5200 mm.	500
695	NN evaporator	Evaporator, 2 fans, dimensions: 3000 mm x 1500 mm x 1000 mm.	150
696	NN protection railing	S/s protection railing, dimensions: 3100 mm x 500 mm.	50
697	NN protection railing	Steel protection railing, dimensions: 2600 mm x 500 mm.	10
698	NN protection railing	Steel protection railing, dimensions: 1300 mm x 1300 mm x 650 mm, including 4 steel protection poles, dimensions: (4x) 110 mm x 1070 mm.	75
699	NN curtains	Plastic curtains, dimensions: 2350 mm x 3000 mm.	25
700	NN evaporators	3 evaporators, 5 fans each, dimensions: (3x) 4200 mm x 2400 mm x 1300 mm.	450
701	NN hose reel	S/s hose reel with hose, dimensions: 550 mm x 200 mm x 400 mm.	10
702	NN evaporators	3 evaporators, 3 fans each, dimensions: (3x) 2500 mm x 1000 mm x 800 mm.	450
703	Cool it	Cool it double s/s refrigeration door, type: ZD8 2200 x 2300 mm, serial number: 10325688, year of construction: 15.09.2022, dimensions: 1140 mm x 2300 mm and 1090 mm x 2300 mm, thickness: 80 mm.	350
704			100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	NN refrigeration door	Double refrigeration door, dimensions: (2x) 1120 mm x 2300 mm, thickness: 80 mm.	
705	NN crates	2 pallets with 69 plastic crates, dimensions each crate: 600 mm x 400 mm x 120 mm.	50
706	NN aluminium pallets	Approximately 64 aluminium pallets with side frames, dimensions: (64x) 1200 mm x 800 mm x 400 mm.	320
707	NN aluminium pallets	Approximately 40 aluminium pallets with side frames, dimensions: (40x) 1200 mm x 800 mm x 400 mm.	200
708	NN evaporators	3 evaporators, 3 fans each, dimensions: (3x) 2500 mm x 1000 mm x 800 mm.	450
709	Cool it	Cool it s/s refrigeration sliding door with rails, type: CE-8, fabrication number: 16 080497 001 01, year of construction: 2016, dimensions door: 2300 mm x 2500 mm, thickness: 80 mm, length rails: 5000 mm.	500
710	Nieros	Nieros s/s refrigeration sliding door with rails, serial number: 1400572, dimensions door: 2310 mm x 2500 mm, thickness: 120 mm, length rails: 5000 mm.	350
711	Nieros	Nieros double plastic swing doors, dimensions: (2x) 1100 mm x 2450 mm.	25
712	NN protection railing	S/s protection railing, dimensions: (2x) 2400 mm x 400 mm.	25
713	Cool it	Cool it s/s refrigeration sliding door with rails, year of construction: 1994, dimensions door: 2300 mm x 2500 mm, thickness: 120 mm, length rails: 5000 mm.	350
714	NN swing doors	Double plastic swing doors, dimensions: (2x) 1200 mm x 2400 mm.	25
715	Cool it	Cool it s/s refrigeration sliding door with rails, dimensions door: 2300 mm x 2500 mm, thickness: 160 mm, length rails: 5000 mm.	350
716	NN protection poles	3 steel protection poles, dimensions: (3x) 110 mm x 1070 mm.	30
717	NN protection railing	S/s protection railing, dimensions: 2200 mm x 550 mm.	50
718	Handtmann	Handtmann vacuum filling machine with lifter for meat bins and grinding head for minced meat, type: VF620, number: 15320, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 18 kW, 26 A, type grinding head for minced meat: 93-3, serial number: 1127, diameter plate: 130 mm, total dimensions: 2000 mm x 1400 mm x 2000 mm. Including 3 crates with various plates. Nut from grinding head is missing.	12500
719	Handtmann	Handtmann mobile portioning machine for minced meat, type: 99-2, number: 29148, year of construction: 2011, belt width: 250 mm, knife width: 250 mm, clearance: 260 mm x 130 mm, total dimensions: 1400 mm x 700 mm x 1330 mm.	2500
720	SEALPAC GmbH	SEALPAC GmbH traysealer, type: SEALPAC 800+, serial number: TVG 01-2689-01, year of construction: 2014, 3x400/230 V, 50-60 Hz, max 15 kW, weight: 2000 kg,	7500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		dye: (6x) 147 mm x 211 mm, total dimensions traysealer: 8000 mm x 800 mm x 2150 mm, including SEALPAC GmbH linear denester with tray loader for minced meat, type: EL1200-R, serial number: ZEL-0779, year of construction: 2014, 400/230 V, 3 Ph, 50-60 Hz, max 4.5 kW, weight: 1000 kg, belt width: 250 mm, total dimensions denester: 3800 mm x 1600 mm x 1700 mm, Witt-Gasetechnik gas mixer, type: KM100-3MEM, serial number: 917970, year of construction: 2012, dimensions gas mixer: 330 mm x 340 mm x 220 mm, pallet with guiders and crate with documentation.	
721	Mesutronic Gerätebau GmbH	Mesutronic Gerätebau GmbH metal detector with rejector, type: MN 7.0 CI 300/150, serial number: 2017-1225-CI, 100-240 V, 50/60 Hz, 1.25 A, belt width: 250 mm, clearance: 300 mm x 120 mm, total dimensions: 2500 mm x 1000 mm x 1200 mm.	1000
722	Verbufa	Verbufa mobile hamburger forming machine, model: MBF-1, type: 51764-A-0004, serial number: 228668, year of construction: 2016, 230 V, 50 Hz, 4 kW, 10 A, weight: 300 kg, bely width: 150 mm, diameter burger form: 100 mm, total dimensions: 1400 mm x 700 mm x 1600 mm.	5000
723	NN table	S/s table, dimensions: 1000 mm x 750 mm x 850 mm.	50
724	Handtmann	Handtmann linking attachment, type: 216-01, serial number: 854, dimensions: 500 mm x 150 mm x 500 mm.	150
725	NN table	S/s table, dimensions: 1400 mm x 640 mm x 900 mm.	50
726	NN trolley with various filling pipes	S/s trolley with various filling pipes, dimensions: 800 mm x 700 mm x 900 mm.	100
727	NN table with parts for sausage linker	S/s table with parts for sausage linker, dimensions: 1450 mm x 600 mm x 850 mm.	75
728	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 490 mm, total dimensions: 2000 mm x 500 mm x 1000 mm.	50
729	NN trolley for vacuum machine parts and tools	S/s trolley for vacuum machine parts and tools, dimensions: 1200 mm x 1000 mm x 1100 mm.	50
730	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 490 mm, total dimensions: 3500 mm x 650 mm x 970 mm.	100
731	NN wall frame	S/s wall mounted frame with plates for grinder, diameter plates: 300 mm, dimensions wall frame: 1200 mm x 200 mm x 600 mm.	25
732	NN shovels	2 plastic shovels.	5
733	NN wall frame	Wall mounted s/s frame, dimensions: 270 mm x 480 mm x 500 mm.	10
735	Odenberg Tomra		1000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Odenberg Tomra mobile fat analyser, model: Qvision 500, 240 V, 50/60 Hz, 500 W, belt width: 600 mm, total dimensions: 1800 mm x 1000 mm x 1650 mm.	
736	ITEC	ITEC s/s sink with faucet, type: 20550-W, year of construction: 12/2014, 230 V, 50-60 Hz, 0.1 kW, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	100
737	NN evaporator	Evaporator, 2 fans, dimensions: 3000 mm x 1300 mm x 600 mm.	150
738	NN frame for pallets	S/s frame for pallets, dimensions: 1220 mm x 850 mm x 500 mm.	25
739	SysTec	S/s floor weighing scale for meat bins, dimensions: 1050 mm x 1000 mm, SysTec indicator, type: IT3-AC, dimensions: 220 mm x 150 mm x 170 mm.	350
740	Hope Industrial Systems	Hope Industrial Systems s/s computer screen, dimensions: 500 mm x 200 mm x 400 mm.	50
741	NN protection railing	S/s protection railing, total length: approximately 10000 mm, height: 430 mm.	75
742	Portylen	Portylen double plastic swing doors, dimensions: (2x) 950 mm x 2180 mm.	25
743	NN protection railing	S/s protection railing, total length: approximately 20000 mm, height: 430 mm.	125
744	SysTec	S/s floor weighing scale for meat bins, dimensions: 1250 mm x 1500 mm, SysTec indicator, type: IT3-AC, dimensions: 220 mm x 150 mm x 170 mm, including 2 s/s protection railings, dimensions: (2x) 3000 mm x 150 mm.	350
745	Nieros	Nieros s/s refrigeration sliding door with rails, serial number: 1400572, dimensions door: 2310 mm x 2500 mm, thickness: 120 mm, length rails: 5000 mm.	350
746	Nieros	Nieros double plastic swing doors, dimensions: (2x) 1100 mm x 2450 mm.	25
747	Stricker Torsysteme	Stricker Torsysteme double plastic swing doors, dimensions: (2x) 1000 mm x 2070 mm.	25
748	Frigoscandia	Frigoscandia ADVANTEC™ Impingement Freezer, model: 1M-1250-2, manufacturing number: 1080208, order number: 1200324, manufacturing year: 2009, belt width: (2x) 625 mm, clearance: 1250 mm x 140 mm, infeed height: 950 mm, outfeed height: 950 mm, total dimensions: 3860 mm x 6410 mm x 3100 mm. Please notice: freezer cannot be taken out in one piece, it needs to be dismantled in order to take it out of the factory.	25000
749	NN protection railing	S/s protection railing, total length: approximately 7000 mm, height: 320 mm.	50
750	NN protection railings	4 s/s protection railings, dimensions: (2x) 2300 mm x 350 mm, (1x) 1300 mm x 800 mm x 600 mm and (1x) 1000 mm x 350 mm.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
751	NN protection railing	Plastic protection railing, dimensions: 1500 mm x 950 mm.	25
752	ITEC	ITEC s/s lifter for meat bins, type: HVK2700, series: 045, year of construction: 11-95, lifting height: 1400 mm, total dimensions: 900 mm x 1000 mm x 3000 mm.	1000
753	ITEC	ITEC s/s sink with faucet, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	50
754	NN swing doors	Double plastic swing doors, dimensions: (2x) 1100 mm x 2450 mm.	25
755	NN protection railing	S/s protection railing, total length: approximately: 13000 mm, height: 230 mm.	100
756	ITEC	ITEC s/s sink with faucet, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	50
757	Stricker Torsysteme	Stricker Torsysteme plastic swing doors, dimensions: 1000 mm x 1980 mm.	25
758	NN swing doors	Double plastic swing doors, dimensions: (2x) 1100 mm x 2480 mm.	25
759	ITEC	ITEC s/s sink with faucet, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	50
760	Nieros	Nieros s/s refrigeration sliding door with rails, serial number: 1400572, dimensions door: 2310 mm x 2500 mm, thickness: 120 mm, length rails: 5000 mm.	350
761	Nieros	Nieros double plastic swing doors, dimensions: (2x) 1100 mm x 2450 mm.	25
762	NN table	Wall mounted s/s table, dimensions: 3100 mm x 700 mm x 900 mm.	50
763	NN rack	Wall mounted s/s rack, dimensions: (2x) 1600 mm x 600 mm x 350 mm.	25
764	Cool it	Cool it s/s door, dimensions: 945 mm x 2010 mm, thickness: 80 mm.	100
765	Cool it	Cool it s/s door, dimensions: 1245 mm x 2010 mm, thickness: 80 mm.	100
766	Blanco	Blanco s/s serving trolley, dimensions: 1000 mm x 600 mm x 1000 mm.	25
767	Rhewa/SysTec	Rhewa weighing scale weighing scale with rollers, roller width: 400 mm, max: 30 kg, min: 0.20 kg, e= 0.01 kg, total dimensions scale: 500 mm x 450 mm x 950 mm, SysTec indicator, type: IT3-AC, dimensions indicator: 220 mm x 150 mm x 170 mm	125
768	NN wall frame	Wall mounted s/s frame, dimensions: 500 mm x 500 mm x 500 mm.	10
769	NN vacuum unit	Vacuum unit, dimensions: 600 mm x 400 mm x 700 mm.	10
770	NN protection railing	S/s protection railing, total length: approximately 15000 mm, height: 380 mm.	125



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
771	NN protection railing	S/s protection railing, total length: approximately 17000 mm, height: 410 mm.	125
772	NN rollie	S/s rollie for E-2 crates.	10
773	NN evaporator	Evaporator, 3 fans, dimensions: 3000 mm x 1300 mm x 1000 mm.	150
774	NN steel cabinet	Steel cabinet, dimensions: 1000 mm x 400 mm x 920 mm.	10
775	NN workbenches	2 steel workbenches with bench vice, dimensions: (2x) 2500 mm x 700 mm x 800 mm.	150
776	NN steel cabinet	Steel cabinet with content, dimensions: 950 mm x 500 mm x 1950 mm.	25
778	Royal Catering	Royal Catering s/s serving trolley, dimensions: 1000 mm x 600 mm x 1000 mm.	25
784	NN workbench	Steel workbench with bench vice, dimensions: 1700 mm x 750 mm x 800 mm.	50
785	NN rack	Steel rack, dimensions: 2300 mm x 650 mm x 2300 mm. Without content.	25
787	Bosch	Pallet with various tools, among others: Bosch drilling machine, dimensions pallet: 1200 mm x 800 mm x 500 mm.	25
788	NN workbench	Steel workbench, dimensions: 1400 mm x 800 mm x 850 mm. Without content.	10
790	NN workbenches	2 steel workbenches with bench vice, dimensions: 3100 mm x 710 mm x 970 mm and 4000 mm x 710 mm x 970 mm. Including s/s wall rack. Without content.	150
791	NN white board	Mobile white board, dimensions: 1250 mm x 600 mm x 1100 mm.	10
792	NN office inventory	3 office tables, dimensions: (3x) 1500 mm x 750 mm x 720 mm, 7 chairs. Without electronics.	10
793	NN workbench	Steel workbench with bench vice, dimensions: 1970 mm x 800 mm x 800 mm.	50
794	Mado GmbH	Mado GmbH wet belt sharpener, type: MNS 630, number: 1336519, 230/400 V, 50 Hz, 1.7/1.0 A, 0.500 kW, dimensions: 450 mm x 400 mm x 1300 mm.	125
795	NN welding machine	Mobile welding machine, dimensions: 1000 mm x 400 mm x 400 mm.	50
796	NN press	Steel press, dimensions: 350 mm x 500 mm x 1500 mm.	25
797	NN table	S/s table, dimensions: 680 mm x 680 mm x 800 mm.	10
798	NN cabinet	Steel cabinet with wooden drawers, dimensions: 750 mm x 300 mm x 1850 mm.	10
799	Optimum Maschinen Germany GmbH	Optimum Maschinen Germany GmbH bench drilling machine, model: B24H, serial number: 40182008, year of construction: 20-08, 400 V, 50 Hz, 850 W, weight: 92 kg, dimensions: 550 mm x 700 mm x 1800 mm.	250
800	UTP	UTP mobile welding machine, dimensions: 1100 mm x 600 mm x 1100 mm.	150
801	Heller		10



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Heller electrical heater, dimensions: 650 mm x 120 mm x 430 mm.	
802	NN racks	4 steel racks, dimensions: (4x) 1450 mm x 850 mm x 2000 mm.	40
803	Bito	3 Bito steel racks, dimensions: (2x) 1060 mm x 430 mm x 1850 mm and (1x) 2060 mm x 430 mm x 1850 mm.	30
804	NN rack	Steel rack, dimensions: 6700 mm x 380 mm x 2350 mm.	50
805	NN rack	Steel rack, dimensions: 1900 mm x 380 mm x 2350 mm.	25
806	NN rack	Steel rack, dimensions: 2950 mm x 600 mm x 1980 mm.	25
807	NN racks	2 steel racks, dimensions: (2x) 1450 mm x 420 mm x 2000 mm.	20
808	NN rack	Steel rack, dimensions: 5800 mm x 750 mm x 2300 mm.	50
809	NN table	S/s table, dimensions: 710 mm x 710 mm x 720 mm.	10
811	NN racks	Steel rack, dimensions: 1450 mm x 420 mm x 2000 mm.	10
812	NN racks	2 steel racks, dimensions: (2x) 950 mm x 350 mm x 2250 mm.	20
813	NN rack	Steel rack, dimensions: 5700 mm x 350 mm x 2300 mm.	50
814	NN protection railing	S/s protection railing, total length: approximately 12000 mm, height: 520 mm.	125
815	NN protection poles	4 s/s protection poles, dimensions: (4x) Ø 110 mm x 1100 mm.	40
816	SysTec	S/s floor weighing scale, max: 1500 kg, min: 10.0 kg, e= 0.5 kg, dimensions: 1250 mm x 1500 mm, SysTec indicator, type: IT3-AC, dimensions indicator: 220 mm x 150 mm x 170 mm.	350
817	Dörfel	Dörfel plastic swing door, dimensions: 890 mm x 1910 mm.	25
818	EFAFLEX	EFAFLEX electrical high speed shutter door, serial number: 80000005538, year of construction: 2002, dimensions door opening: 2500 mm x 2200 mm, total dimensions: 2900 mm x 250 mm x 2750 mm.	500
819	NN protection poles	10 s/s protection poles, dimensions: (10x) Ø 110 mm x 1100 mm.	100
820	Nieros	Nieros s/s refrigeration sliding door with rails, serial number: 1400572, dimensions door: 2310 mm x 2500 mm, thickness: 120 mm, length rails: 5000 mm.	350
821	NN plastic curtains	Plastic curtains, dimensions: 2200 mm x 3000 mm.	25
822	NN table	Wall mounted s/s table, dimensions: 2000 mm x 560 mm x 700 mm.	25
823	Nieros	Nieros s/s refrigeration sliding door with rails, serial number: 1400572, dimensions door: 2310 mm x 2500 mm, thickness: 120 mm, length rails: 5000 mm.	350
824	EMS	EMS s/s refrigeration sliding door with rails, dimensions door: 2260 mm x 2480 mm, thickness: 100 mm, length rails: 4800 mm.	250
825	NN plastic curtains	Plastic curtains, dimensions: 2500 mm x 3000 mm.	25
826	NN protection poles		20



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		2 steel protection poles, dimensions: (2x) 110 mm x 1200 mm.	
827	NN refrigeration door	Refrigeration door, dimensions: 990 mm x 2110 mm, thickness: 100 mm.	50
828	NN writing desk	Wall mounted s/s writing desk, dimensions: 870 mm x 420 mm x 250 mm.	10
830	Espera	Espera weighing and labelling machine, model: ES 7000, year of construction: 2015, consisting of: labeller, weighing unit, rejector belt, label printer and control panel, belt width: (2x) 140 mm, (3x) 90 mm and (1x) 300 mm, total dimensions: 3500 mm x 900 mm x 1800 mm.	4000
831	Espera	Espera weighing and labelling machine, model: ES 7000, year of construction: 2013, consisting of: labeller, weighing unit, label printer and control panel, belt width: (2x) 140 mm and (3x) 90 mm, total dimensions: 2700 mm x 900 mm x 1950 mm.	3000
832	Espera	Espera weighing and labelling machine, model: ES 7000, consisting of: double labeller, weighing unit, label printer and control panel, belt width: (2x) 140 mm and (3x) 90 mm, total dimensions: 3400 mm x 900 mm x 1950 mm.	3500
833	Espera	Espera weighing and labelling machine, model: ES 7000, consisting of: double labeller, weighing unit, label printer and control panel, belt width: (2x) 140 mm and (3x) 90 mm, total dimensions: 3400 mm x 900 mm x 1950 mm.	3500
834	Moeller	Moeller s/s table, dimensions: 2000 mm x 1050 mm x 1700 mm.	150
835	Gram Medical	Gram Medical first aid cabinet, dimensions: 420 mm x 160 mm x 300 mm.	25
836	Espera	2 s/s frames for Espera label printer, dimensions: (2x) 700 mm x 500 mm x 1100 mm.	50
837	NN keyboards	2 plastic crates with various keyboards.	10
838	NN plastic curtains	5 plastic curtains, dimensions: (2x) 6000 mm x 2500 mm, (2x) 2300 mm x 2500 mm and (1x) 2500 mm x 2500 mm.	50
839	Espera	S/s frame for Espera label printer, dimensions: 700 mm x 500 mm x 1250 mm.	25
840	Moeller	Moeller s/s table, dimensions: 2000 mm x 1050 mm x 1700 mm.	150
842	Espera	Espera weighing and labelling machine, model: ES 7000, year of construction: 2010, consisting of: labeller, weighing unit, label printer and control panel, belt width: (2x) 140 mm and (3x) 90 mm, total dimensions: 2700 mm x 900 mm x 1950 mm.	3000
844	NN sink		50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		S/s sink with faucet, sensor control, dimensions: 425 mm x 440 mm x 610 mm. Including soap and paper dispensers.	
845	NN protection railing	Wall mounted s/s protection railing, total length: approximately 95000 mm.	250
846	EFAFLEX	EFAFLEX electrical high speed shutter door, serial number: 8000042959, year of construction: 2009, dimensions door opening: 2920 mm x 2150 mm, total dimensions: 3320 mm x 350 mm x 2700 mm.	500
847	NN protection railing	2 steel protection railings, dimensions: (2x) 1500 mm x 250 mm x 1070 mm, including steel protection pole, dimensions: Ø 110 mm x 1070 mm.	30
848	NN office desk	Office desk, dimensions: 2000 mm x 1000 mm x 700 mm.	10
849	NN trays	Plastic crate with 7 s/s trays, dimensions each tray: 175 mm x 250 mm x 150 mm.	10
850	NN table	S/s table, dimensions: 700 mm x 560 mm x 600 mm.	25
851	NN trolley	S/s trolley for film reels, dimensions: 1100 mm x 370 mm x 600 mm.	25
852	NN parts for box closing machines	Pallet with various tapers for box closing machine, dimensions pallet: 1200 mm x 800 mm x 1000 mm.	50
853	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 1620 mm x 600 mm x 1000 mm.	50
854	NN table	S/s table, dimensions: 620 mm x 420 mm x 700 mm.	25
855	Wedo	6 Wedo plastic waste bins, dimensions: (6x) Ø 400 mm x 450 mm.	30
856	NN stool	Stool, dimensions: Ø 400 mm x 450 mm.	10
857	NN table with cover	S/s table with 6 s/s covers, dimensions covers: 750 mm x 1100 mm, dimensions table: 800 mm x 500 mm x 700 mm.	50
858	ITEC	ITEC washing machine for knife baskets, type: 22560 EL, series: 0155, year of construction: 05/2013, 400 V, 3 Ph, 50 Hz, 18.5 kW, belt width: 80 mm, clearance: 90 mm x 610 mm, total dimensions: 5700 mm x 700 mm x 1900 mm.	750
859	NN office inventory	Approximately 90 office cabinets and 20 office desks, various dimensions.	650
860	NN office chairs	Approximately 70 office chairs.	350
861	NN office desks	Approximately 35 office desks and tables.	350
862	NN table	S/s table with 4 dispensers, dimensions: 1160 mm x 800 mm x 1250 mm.	50
863	Tork	Tork mobile paper holders, dimensions: 530 mm x 590 mm x 1000 mm.	10
864	NN protection railing	2 steel protection railings, dimensions: (2x) 4200 mm x 250 mm x 1200 mm, including 2 steel protection poles, dimensions: Ø 110 mm x 1200 mm.	40



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
865	NN tables	5 s/s tables, dimensions: (2x) 960 mm x 700 mm x 830 mm, 1000 mm x 1000 mm x 830 mm, 820 mm x 620 mm x 830 mm and 1540 mm x 1040 mm x 850 mm.	250
866	NN tables	2 s/s tables with plastic worktop, dimensions: (2x) 1150 mm x 1050 mm x 1400 mm.	200
867	Cliptechnik Deutschland	Cliptechnik Deutschland table model clipper, dimensions: 250 mm x 350 mm x 850 mm.	150
868	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG table model clipper, type: SCD 700, number: 1084/24, year of construction: 2024, 5-7 bar, weight: 12 kg, dimensions: 250 mm x 350 mm x 900 mm.	200
869	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG table model clipper, dimensions: 200 mm x 350 mm x 950 mm.	150
870	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG table model clipper, type: EZ 600, number: 368/21 year of construction: 2021, 5-7 bar, weight: 16 kg, dimensions: 300 mm x 400 mm x 750 mm.	300
871	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG table model clipper, type: EZ 600, number: 448/24 year of construction: 2024, 5-7 bar, weight: 16 kg, dimensions: 300 mm x 400 mm x 750 mm.	300
872	NN frames for pallets	2 s/s frames for pallets, dimensions: (2x) 1250 mm x 850 mm x 400 mm. Including plastic worktop.	50
873	NN frames for pallets	5 s/s frames for pallets, dimensions: (5x) 1250 mm x 850 mm x 400 mm.	125
874	NN tub	Mobile s/s tub, dimensions: 1140 mm x 640 mm x 850 mm.	50
875	NN tub	Mobile s/s tub, dimensions: 1900 mm x 600 mm x 970 mm.	50
876	NN thermo containers	3 thermo containers, dimensions: (3x) 740 mm x 950 mm x 1750 mm.	75
877	NN table	S/s table, dimensions: 3900 mm x 1200 mm x 900 mm.	150
878	NN trolley	S/s trolley, dimensions: 1200 mm x 800 mm x 930 mm.	25
879	NN waste bag holder	S/s waste bag holder, dimensions: 430 mm x 480 mm x 900 mm.	10
880	NN waste bag holders	6 s/s waste bag holders, dimensions: (6x) 430 mm x 480 mm x 900 mm.	60
881	NN waste bag holders	8 s/s waste bag holders, dimensions: (8x) 430 mm x 480 mm x 900 mm.	80
882	NN waste bag holders	5 s/s waste bag holders, dimensions: (5x) 430 mm x 480 mm x 900 mm.	50
883	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 500 mm x 900 mm.	10
884	NN waste bag holders	4 s/s waste bag holders, dimensions: (4x) 430 mm x 480 mm x 900 mm.	40
885	NN trolley	S/s trolley, dimensions: 850 mm x 500 mm x 900 mm.	25
886	NN waste bag holder		10



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		S/s waste bag holder, dimensions: 500 mm x 500 mm x 900 mm.	
887	NN office table	Mobile office table, dimensions: 800 mm x 500 mm x 720 mm.	5
888	NN met bin with shovels	S/s 200 litre meat bins with various plastic shovels, dimensions: 700 mm x 690 mm x 680 mm.	50
889	NN table	S/s table with 4 dispensers, dimensions: 1150 mm x 780 mm x 1200 mm.	50
890	NN trolley	S/s trolley, dimensions: 1000 mm x 550 mm x 1000 mm.	10
891	NN infeed hopper for transport belt	S/s infeed hopper for transport belt, dimensions: 800 mm x 400 mm x 350 mm.	10
893	NN platforms	6 aluminium platforms, dimensions: (4x) 550 mm x 200 mm x 250 mm, (1x) 500 mm x 500 mm x 400 mm and (1x) 630 mm x 430 mm x 150 mm.	60
894	NN frame for crates	S/s frame for crates, dimensions: 1010 mm x 400 mm x 100 mm.	10
895	NN covers	Pallet with various s/s covers, dimensions: 1550 mm x 800 mm x 900 mm.	25
896	Tork	3 Tork mobile paper holders, perforation blade, blade width: 440 mm, dimensions: (3x) 530 mm x 590 mm x 1000 mm.	30
897	NN trolley	S/s trolley, dimensions: 650 mm x 590 mm x 1020 mm.	25
898	NN trolley	S/s trolley with knife baskets, dimensions: 1040 mm x 620 mm x 1380 mm.	50
899	NN rollie	S/s rollie, dimensions: 1150 mm x 430 mm x 810 mm.	10
900	NN table	S/s table, dimensions: 830 mm x 630 mm x 880 mm.	25
901	NN trolley	S/s trolley, 4 floors, dimensions: 990 mm x 500 mm x 1040 mm.	25
902	NN table	S/s table, dimensions: 720 mm x 720 mm x 560 mm.	10
903	NN tables	2 s/s tables, dimensions: (1x) 650 mm x 400 mm x 770 mm and (1x) 640 mm x 400 mm x 710 mm.	25
904	NN platforms	2 s/s platforms, dimensions: (2x) 800 mm x 600 mm x 210 mm.	20
905	NN gutter	S/s gutter, dimensions: 1180 mm x 630 mm x 1050 mm.	10
906	Dots	Dots bulletin board, dimensions: 900 mm x 600 mm.	5
907	NN fans	Pallet with 2 fans and s/s parts, total dimensions: 1200 mm x 800 mm x 1350 mm.	10
908	NN office cabinets	5 office cabinets, dimensions: (1x) 1200 mm x 450 mm x 1170 mm, (2x) 800 mm x 450 mm x 1170 mm, (2x) 1200 mm x 400 mm x 1120 mm.	25
909	NN table	S/s table, dimensions: 650 mm x 400 mm x 700 mm.	10
910	NN table	S/s table, dimensions: 2500 mm x 1000 mm x 900 mm.	100
911	NN tables	16 s/s tables, various dimensions.	250
912	NN smoke trolley	S/s smoke trolley with cable reel, reel width: 560 mm, total dimensions: 1010 mm x 1000 mm x 1630 mm.	50
913	PHT	8 s/s soap dispensers, various dimensions.	80
914	NN platform	S/s platform, dimensions: 660 mm x 450 mm x 250 mm.	10



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
915	NN table	S/s table with 2 baskets and first aid kit, dimensions: 730 mm x 730 mm x 1050 mm.	25
916	NN table	S/s table, dimensions: 810 mm x 630 mm x 810 mm.	25
917	NN frames	10 s/s frames, various dimensions.	100
918	NN writing desks	8 s/s writing desks, various dimensions.	80
919	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 400 mm x 790 mm.	10
920	NN frames	Pallet with various s/s frames, dimensions: 1200 mm x 800 mm x 800 mm.	25
921	NN writing desk	S/s writing desk, dimensions: 550 mm x 610 mm x 1680 mm.	25
922	NN writing desks	3 s/s writing desks, dimensions: (3x) 600 mm x 530 mm x 1200 mm.	75
923	NN writing desk	S/s writing desk, dimensions: 610 mm x 450 mm x 1240 mm.	25
924	NN Gastronorm bins and cooking plates	3 pallets with large amount of cooking plates and gastronorm bins, total dimensions: (3x) 1200 mm x 800 mm x 800 mm.	75
925	NN writing desks	2 s/s writing desks, dimensions: (2x) 650 mm x 530 mm x 1220 mm.	50
926	NN trolley	S/s trolley, dimensions: 950 mm x 550 mm x 780 mm.	25
927	NN tables	2 s/s tables, dimensions: (2x) 615 mm x 415 mm x 705 mm.	20
928	NN writing desks	8 s/s writing desks, various dimensions.	200
929	NN frames	2 s/s frames, dimensions: (2x) 560 mm x 660 mm x 1140 mm.	20
930	NN cabinet	S/s cabinet, dimensions: 1600 mm x 700 mm x 700 mm.	50
931	NN serving trolley	S/s serving trolley, 2 floors, dimensions: 1440 mm x 700 mm x 890 mm.	50
932	NN trolleys	2 s/s trolleys, dimensions: 1150 mm x 650 mm x 880 mm and 880 mm x 510 mm x 940 mm.	50
933	NN table	Mobile s/s table, dimensions: 950 mm x 500 mm x 940 mm.	25
934	NN trolleys	2 s/s trolleys, dimensions: 1050 mm x 500 mm x 960 mm and 1000 mm x 710 mm x 730 mm.	50
935	NN trolley	S/s trolley, 3 floors, dimensions: 970 mm x 660 mm x 1055 mm.	25
936	Schulte lagertechnik	Schulte lagertechnik aluminium rack, type: Stecksystem, number: 9317806, year of construction: 2020, 5 floors, dimensions: 1550 mm x 440 mm x 2000 mm.	25
937	Moeller	Moeller mobile s/s table, dimensions: 800 mm x 600 mm x 800 mm.	25
938	NN writing desk	2 s/s writing desks, dimensions: 535 mm x 610 mm x 1230 mm and 520 mm x 600 mm x 1190 mm.	50
939	Moeller	Moeller mobile s/s table, dimensions: 800 mm x 600 mm x 800 mm.	25
940	Blanco		150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		6 Blanco s/s trolleys for plates, (6x) 18 floors, dimensions: (6x) 660 mm x 590 mm x 1645 mm.	
942	NN cabinets	3 Steel cabinets, dimensions: (3x) 920 mm x 420 mm x 1950 mm.	75
944	NN cabinet	Steel cabinet, dimensions: 930 mm x 420 mm x 1950 mm.	25
945	NN tables	2 s/s tables with plastic worktop, dimensions: (1x) 2000 mm x 1010 mm x 920 mm and (1x) 1060 mm x 640 mm x 815 mm.	125
946	NN table	S/s table with plastic worktop, dimensions: 1040 mm x 1160 mm x 880 mm.	50
947	NN tables	2 s/s tables with plastic worktop, dimensions: (2x) 1140 mm x 1040 mm x 890 mm.	100
948	NN tables	5 s/s tables with plastic worktop, dimensions: (1x) 2010 mm x 1010 mm x 800 mm, (1x) 1150 mm x 1040 mm x 940 mm, (1x) 1160 mm x 1060 mm x 810 mm, (1x) 1150 mm x 1040 mm x 920 mm and (1x) 1160 mm x 1060 mm x 920 mm. (1x) Missing plastic worktop.	250
949	NN tables	4 s/s tables with plastic worktops, dimension: (3x) 1170 mm x 1060 mm x 880 mm and (1x) 640 mm x 920 mm x 810 mm.	200
950	NN tables	5 s/s tables with plastic worktop, dimensions: (4x) 1150 mm x 1040 mm x 830 mm and (1x) 1150 mm x 850 mm x 830 mm.	250
951	NN tables	2 s/s tables, dimensions: (1x) 800 mm x 500 mm x 960 mm and (1x) 820 mm x 610 mm x 780 mm.	50
952	NN table	S/s table, dimensions: 925 mm x 640 mm x 820 mm. Without plastic worktop.	10
953	NN table	Mobile s/s table, dimensions: 510 mm x 510 mm x 850 mm.	10
954	NN protection frames	2 s/s protection frames, frame dimensions: (2x) 1320 mm x 200 mm x 680 mm.	25
955	NN lockers	2 steel lockers with 5 doors, dimensions: (2x) 500 mm x 400 mm x 1980 mm.	25
956	NN racks	2 aluminium racks, 4 floors, dimensions: 1400 mm x 550 mm x 1800 mm and 1000 mm x 550 mm x 1800 mm.	50
957	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 500 mm x 1000 mm.	10
958	NN table	S/s table with plastic worktop, dimensions: 2010 mm x 1010 mm x 900 mm.	50
959	NN table	S/s table with plastic worktop, dimensions: 1220 mm x 810 mm x 960 mm.	50
960	NN table	S/s table with plastic worktop, dimensions: 1150 mm x 1050 mm x 870 mm.	50
961	NN table	S/s mobile table, 7 floors, dimensions: 810 mm x 800 mm x 1360 mm.	25
962	NN tables		50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		2 s/s tables, dimensions: 490 mm x 490 mm x 410 mm and 830 mm x 630 mm x 850 mm.	
963	NN frame	S/s frame, dimensions: 770 mm x 560 mm x 140 mm.	5
964	NN tables with dispensers	2 s/s tables with dispensers, dimensions: (2x) 1160 mm x 790 mm x 1200 mm.	100
965	NN table	S/s table, dimensions: 1160 mm x 1060 mm x 810 mm.	50
966	NN table	S/s table with plastic worktop, dimensions: 2000 mm x 850 mm x 1260 mm.	50
967	NN table	S/s table with plastic worktop, dimensions: 1180 mm x 1050 mm x 1070 mm.	50
968	NN cabinet	S/s cabinet, dimensions: 1650 mm x 630 mm x 1480 mm.	50
969	NN table	Mobile s/s table, dimensions: 1100 mm x 750 mm x 850 mm.	25
972	NN tables	3 s/s tables with plastic worktop, dimensions: 1220 mm x 880 mm x 1160 mm, 810 mm x 610 mm x 850 mm and 1550 mm x 700 mm x 900 mm.	150
973	NN trolley	S/s trolley, dimensions: 1300 mm x 800 mm x 920 mm.	25
974	NN table	S/s table, dimensions: 1240 mm x 600 mm x 1030 mm. Including plastic worktop.	25
975	NN table	S/s table, dimensions: 1700 mm x 1000 mm x 850 mm.	50
977	NN tables	2 s/s tables, dimensions: (2x) 1160 mm x 1050 mm x 830 mm.	100
978	NN table	S/s table with plastic worktop, dimensions: 1060 mm x 1150 mm x 930 mm.	50
979	NN tables	2 s/s tables, dimensions: 1510 mm x 610 mm x 740 mm and 750 mm x 510 mm x 900 mm.	100
980	NN cabinet	S/s cabinet with plastic worktop, dimensions: 2000 mm x 800 mm x 1000 mm.	75
981	NN table	S/s table, dimensions: 1000 mm x 900 mm x 640 mm.	25
982	NN table	S/s table with plastic worktop, dimensions: 1160 mm x 1050 mm x 900 mm.	50
983	NN tables	4 s/s tables, dimensions: (1x) 1500 mm x 700 mm x 740 mm, (1x) 1140 mm x 1000 mm x 870 mm, (1x) 1000 mm x 1000 mm x 1060 mm and (1x) 1160 mm x 1060 mm x 810 mm.	200
984	NN rack	S/s rack, 4 floors, dimensions: 910 mm x 340 mm x 1720 mm.	25
985	NN table	S/s table with plastic worktops, dimensions: 2340 mm x 1610 mm x 890 mm. Including 3 s/s parts for netting machines.	150
986	NN tables	7 s/s tables, dimensions: (2x) 2500 mm x 1000 mm x 810 mm, (1x) 2300 mm x 1250 mm x 760 mm, (1x) 2000 mm x 1000 mm x 800 mm, (1x) 200 mm x 450 mm x 800 mm, (1x) 1800 mm x 1300 mm x 800 mm and (1x) 1250 mm x 1000 mm x 820 mm.	300
987	NN tables		100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		2 s/s tables, dimensions: (2x) 2500 mm x 800 mm x 900 mm.	
988	NN tables	4 s/s tables, dimensions: 2500 mm x 1000 mm x 810 mm, 920 mm x 620 mm x 850 mm, 1540 mm x 1040 mm x 820 mm and 1450 mm x 560 mm x 1000 mm.	200
989	NN pegs	2 s/s pegs, dimensions: 1825 mm x 115 mm x 300 mm and 1300 mm x 130 mm x 180 mm.	10
990	NN office desk	Office desk, dimensions: 1600 mm x 800 mm x 720 mm.	10
991	NN frame	S/s frame for plastic worktops, dimensions: 1490 mm x 1000 mm x 750 mm.	25
992	NN table	S/s table, dimensions: 910 mm x 700 mm x 850 mm.	25
994	NN tables	3 s/s tables, (2x) plastic worktop, dimensions: (1x) 1210 mm x 1190 mm x 900 mm, (1x) 1150 mm x 1050 mm x 870 mm, (1x) 650 mm x 500 mm x 770 mm.	100
995	NN frame	S/s frame for plastic worktops, total dimensions: 1490 mm x 1000 mm x 750 mm.	25
996	NN table	S/s table, dimensions: 1000 mm x 1000 mm x 670 mm, 2 aluminium platform dimensions: 520 mm x 520 mm x 410 mm and 560 mm x 250 mm x 190 mm.	50
997	NN tables	2 s/s tables, dimensions: 2500 mm x 1000 mm x 770 mm and 2400 mm x 860 mm x 870 mm.	100
998	NN office desk	Office desk, dimensions: 1200 mm x 800 mm x 730 mm.	10
999	NN table	S/s table with plastic worktop, dimensions: 1160 mm x 1000 mm x 800 mm.	50
1001	NN plastic crates	27 pallets with plastic crates, approximately 68 crates each pallet, dimensions each crate: 600 mm x 400 mm x 130 mm.	900
1002	NN plastic crates	33 pallets with plastic crates, approximately 152 crates each pallet, dimensions each crate: 400 mm x 300 mm x 120 mm.	1500
1003	NN pallets	Approximately 196 plastic pallets, dimensions: (196x) 1200 mm x 800 mm x 150 mm.	400
1004	NN pallets	9 plastic pallets, dimensions: (9x) 1200 mm x 800 mm x 150 mm.	45
1005	NN pallets	Approximately 105 plastic pallets, dimensions: (105x) 1200 mm x 800 mm x 150 mm.	200
1006	NN pallets	Approximately 48 plastic pallets, dimensions: (48x) 1200 mm x 800 mm x 140 mm.	100
1007	Sercon b.v. Dronten	Sercon b.v. Dronten tray denester, type: HY 1000 GG, machine number: 2006.1120, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.32 kW, machine weight: 400 kg, clearance: (3x) 190 mm x 310 mm, belt width: 250 mm and (2x) 50 mm, total dimensions: 2580 mm x 1450 mm x 2060 mm.	750
1008	NN meat bins	4 s/s meat bins, volume: 200 litre. Including shovel.	200
1009	NN rollies	3 s/s rollies, dimensions: (2x) 660 mm x 420 mm x 170 mm and (1x) 820 mm x 620 mm x 190 mm.	15



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1010	Mesutronic	Mesutronic metal detector with rejector belt, type: MN 7.0 CI 500/200, serial number: 1862-CI, year of construction: 2021, 100/240 V, 50/60 Hz, 1.25 A, 66 Ip, plastic mesh belt, belt width: 450 mm, clearance: 500 mm x 160 mm, total dimensions: 2200 mm x 1050 mm x 1230 mm.	1500
1011	Handtmann	Handtmann mobile portioning machine for minced meat, type: 99-2, number: 33486, year of construction: 2013, belt width: 220 mm, knife width: 220 mm, clearance: 250 mm x 100 mm, total dimensions: 1390 mm x 700 mm x 1230 mm. Belt is missing.	1250
1012	NN trolley	S/s trolley with parts, among others: cutter knives, slicer knives and s/s cover, dimensions trolley: 1200 mm x 800 mm x 900 mm.	75
1013	NN plastic crates	5 pallets with large amount of various plastic crates.	50
1014	NN plastic crates	5 pallets with large amount of E3 crates and 2 pallets with large amount of E2 crates.	100
1015	SEALPAC GmbH	SEALPAC GmbH traysealer, type: SEALPAC 800+, serial number: TVG 01 1415 01, year of construction: 2006, 230/400 V, 3 Ph, 10 kW, belt width: 130 mm, wire belt width: 220 mm, clearance: 460 mm x 110 mm, total dimensions: 6900 mm x 900 mm x 2100 mm. Including trolley with guiders, dimensions trolley: 1010 mm x 1020 mm x 1820 mm, pallet with dye, dimensions: 1150 mm x 420 mm x 320 mm.	3000
1016	Multivac	Multivac traysealer, type: T600, serial number: 242768, year of construction: 2017, 230/400 V, 3 Ph, 50 Hz, 23/50 A, 5 kW, infeed chain belt with dividers, belt width: 160 mm, dividers height: 20 mm, distance between dividers: 190 mm, plastic mesh belt, belt width: 250 mm, clearance: 500 mm x 110 mm, total dimensions: 7250 mm x 1150 mm x 2080 mm. Including tool trolley, type: WW600, serial number: 244385, year of construction: 2017, maximum load weight: 275 kg, trolley weight: 130 kg, dimensions trolley: 1250 mm x 1000 mm x 1250 mm. Rack with dye, type: RS600, serial number: 244386, year of construction: 2017, maximum load weight: 150 kg, rack weight: 95 kg, dye: (3x) 190 mm x 140 mm, (6x) 125 mm x 85 mm, rack dimensions: 2900 mm x 670 mm x 1270 mm.	15000
1017	NN tables	5 s/s tables with plastic worktops, dimensions: (3x) 1160 mm x 1060 mm x 980 mm and (2x) 1160 mm x 1010 mm x 830 mm. Various plastic worktops are missing.	250
1018	NN table	S/s table with plastic worktop, dimensions: 1150 mm x 1000 mm x 840 mm.	50
1019	NN table	S/s table with plastic worktop, dimensions: 1160 mm x 1060 mm x 840 mm.	25



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1020	Munk	Munk mobile working platform, 6 steps, working height: 1455 mm, total dimensions: 1760 mm x 950 mm x 2450 mm.	100
1021	NN locker	Steel locker, dimensions: 550 mm x 500 mm x 1850 mm.	10
1022	NN table	mobile s/s table, dimensions: 2310 mm x 1350 mm x 1080 mm.	100
1023	NN tubs	2 mobile s/s tubs, dimensions: 1760 mm x 750 mm x 810 mm and 1750 mm x 750 mm x 1000 mm.	100
1024	NN plastic belts	Pallet with plastic belts, belt width: (1x) 200 mm, (2x) 220 mm, (1x) 245 mm, (1x) 280 mm and (1x) 340 mm.	10
1025	NN tub	S/s tub with parts, dimensions: 1250 mm x 1020 mm x 890 mm.	50
1026	NN trolley	Steel trolley, 3 floors, dimensions: 1150 mm x 600 mm x 960 mm.	5
1027	NN cabinet	S/s cabinet, 4 floors, dimensions: 1200 mm x 550 mm x 1830 mm.	25
1028	Zarges	Zarges aluminium working platform, 3 steps, working height: 570 mm, total dimensions: 1000 mm x 670 mm x 1570 mm.	50
1029	NN racks	Various aluminium and s/s racks.	50
1030	NN protection poles	4 s/s protection poles, dimensions: (4x) Ø 110 mm x 1040 mm.	40
1031	NN tables	2 s/s table frames, dimensions: 2320 mm x 1060 mm x 970 mm and 1060 mm x 1160 mm x 970 mm.	50
1032	NN curtains	6 plastic curtains, dimensions: (6x) 1470 mm x 2480 mm.	60
1033	NN trolley	S/s trolley with plastic floor, dimensions: 1430 mm x 650 mm x 950 mm.	25
1034	NN tools and machine parts	4 pallets with large amount of different parts, among others: tools, grease gun and drills.	200
1035	NN frame	S/s frame, dimensions: 1550 mm x 880 mm x 1100 mm.	25
1036	NN electrical parts	Pallet with large amount of electrical parts.	50
1037	NN trolley	S/s trolley with parts, among others: protection caps.	25
1038	Nieros	Nieros s/s refrigeration sliding door, number: 140057, door dimensions: 2310 mm x 2620 mm, thickness: 150 mm, rails length: 4850 mm.	350
1039	NN parts	3 pallets with large amount of parts, among others: nails, screws, wall plugs, and fittings.	150
1040	NN parts	4 pallets with large amount of different parts, among others: screws, wheels and plastic rollers, roller width: 400 mm.	200
1041	NN parts	Pallet with large amount of different parts, among others: tools, safety equipment, hoses.	50
1042	NN parts	Pallet with large amount of different parts, among others: fittings.	50
1043	Nieros		350



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Nieros s/s refrigeration sliding door, number: 1400572, door dimensions: 2320 mm x 2600 mm, thickness: 150 mm, rails length: 4850 mm.	
1044	NN glue clamps	2 pallets with large amount of different sizes glue clamps.	100
1045	NN parts	2 pallets with large amount of different parts, among others: fittings, switch cabinet and electro parts.	100
1046	NN parts	2 pallets with large amount of different parts, among others: wheels, screws.	100
1047	NN sliding door	S/s refrigeration sliding door, door dimensions: 2310 mm x 2600 mm, thickness: 150 mm, rails length: 4850 mm.	150
1048	Nieros	Nieros double plastic swing doors, number: 1400572, dimensions: (2x) 1160 mm x 2490 mm.	25
1049	NN protection frames	2 s/s protection frames, dimensions: 1080 mm x 2180 mm x 460 mm and 2200 mm x 950 mm x 460 mm, including s/s protection pole, dimensions: Ø110 mm x 1080 mm.	100
1050	ITEC	ITEC s/s sink with faucet, sensor control, dimensions: 460 mm x 420 mm x 630 mm. Including soap and paper dispensers.	50
1051	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1250 mm x 120 mm. Without indicator.	150
1052	Rietschle	Rietschle vacuum pump, type: VWR 1000 (05), number: 1770401, year of construction: 96, capacity: 1073/1286 m <sup>3</sup> /per hour, dimensions: 940 mm x 420 mm x 850 mm.	300
1053	Busch	Busch vacuum pump, type: 250-132, number: 43556, capacity: 132 m <sup>3</sup> /per hour, dimensions: 960 mm x 500 mm x 650 mm.	300
1054	Busch	Busch vacuum pump, dimensions: 1000 mm x 330 mm x 690 mm.	300
1055	Busch	Busch vacuum pump, type: 250-132, number: 48704, capacity: 132 m <sup>3</sup> /per hour, dimensions: 900 mm x 510 mm x 500 mm.	300
1056	Busch	Busch vacuum pump, type: WV 1000 B 001 KDZZ, number: C0043000579, capacity: 1000 m <sup>3</sup> /per hour, dimensions: 1060 mm x 400 mm x 840 mm.	300
1057	Busch	Busch vacuum pump, type: 250-138, number: 49016, capacity: 138 m <sup>3</sup> /per hour, dimensions: 1000 mm x 480 mm x 450 mm.	300
1058	Busch	Busch vacuum pump, type: PUMA WP 500 B 40, number: 5546, type: PANDA WV 500-B006, number: 1896, capacity: 500 m <sup>3</sup> /per hour, dimensions: 950 mm x 340 mm x 700 mm.	300
1059	Busch	Busch vacuum pump, type: RC 0250 B 4Z2, number: OH01240204 DFZZ, capacity: 250 m <sup>3</sup> /per hour, dimensions: 1000 mm x 480 mm x 450 mm.	300



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1060	Busch	Busch vacuum pump, type: WV 1000 B, number: 2667, capacity: 1000 m <sup>3</sup> /per hour, dimensions: 1060 mm x 400 mm x 840 mm.	300
1061	Busch	Busch vacuum pump, type: RC 0250 D 561 CUXX, number: C0707000431, capacity: 250 m <sup>3</sup> /per hour, dimensions: 1000 mm x 480 mm x 450 mm.	300
1062	Busch	Busch vacuum pump, type: RA 0250 D 5S1 CUZZ, number: C0705000687, capacity: 250 m <sup>3</sup> /per hour, dimensions: 1250 mm x 580 mm x 840 mm.	300
1063	Lauvatec	Lauvatec steel switch cabinet for vacuum pumps, type: Vakummanlage, number: 150329.001, year of construction: 05/2015, 400 V, 50 Hz, 125 A, dimensions: 1000 mm x 450 mm x 2080 mm.	350
1064	SEALPAC GmbH	S/s frame for SEALPAC GmbH traysealer transport belt, belt width: 440 mm, total dimensions: 2200 mm x 700 mm x 940 mm.	25
1065	NN chain hoist	Chain hoist, dimensions: 1150 mm x 650 mm x 340 mm.	25
1066	ABB / Siemens	2 ABB / Siemens motors, dimensions: (1x) 680 mm x 330 mm x 290 mm and (1x) 500 mm x 250 mm x 300 mm.	25
1067	NN tools and machine parts	Pallet with tools and machine parts, dimensions: 1200 mm x 800 mm x 400 mm.	25
1068	NN dyes for traysealer	Pallet with dyes for traysealer, dye: (6x) 280 mm x 95 mm.	25
1069	NN dyes for thermoformer	Pallet with dyes for thermoformer, dye: (5x) 370 mm x 110 mm.	25
1070	NN trolley	S/s trolley, dimensions: 790 mm x 450 mm x 790 mm.	25
1071	NN protection railing	2 plastic protection railing, dimensions: (2x) 1480 mm x 480 mm x 980 mm.	20
1072	NN hygiene equipment	Plastic broom with hose reel frame.	10
1073	ITEC	ITEC s/s cleaning station for safety gloves, type: 2305, clearance: 145 mm x 90 mm, total dimensions: 450 mm x 380 mm x 650 mm.	50
1074	ITEC	ITEC s/s cleaning station for safety gloves, type: 2306, number: 102701, year of construction: 05/2022, 230 V, 50/60 Hz, 0.1 kW, clearance: 145 mm x 90 mm, total dimensions: 450 mm x 450 mm x 650 mm.	100
1075	NN washing station	S/s washing station for aprons and boots, dimensions: 3050 mm x 550 mm x 1360 mm.	50
1076	ITEC	2 ITEC s/s sinks with faucet, sensor control, dimensions: (2x) 450 mm x 430 mm x 620 mm. Including soap and paper dispensers.	100
1077	NN frame	S/s wall mounted frame, dimensions: 1380 mm x 650 mm x 950 mm.	25
1078	NN fence	S/s fence with gate, dimensions: 3200 mm x 2920 mm x 2660 mm.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1079	NN paper dispenser	S/s paper dispenser, dimensions: 270 mm x 330 mm x 130 mm.	10
1080	Mado GmbH	Mado GmbH wet belt sharpener, type: MNS 630, number: 30096815, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 1.32 A, 0.55 kW, dimensions: 500 mm x 360 mm x 1100 mm.	125
1081	NN eye protection cabinets	3 plastic eye protection cabinets, dimensions: (3x) 230 mm x 120 mm x 120 mm.	5
1082	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1250 mm x 120 mm. Without indicator.	150
1083	NN evaporator	Evaporator, 2 fans, dimensions: 1350 mm x 850 mm x 600 mm.	100
1084	NN evaporator	Evaporator, 2 fans, dimensions: 1350 mm x 850 mm x 600 mm.	100
1085	NN evaporator	Evaporator, 2 fans, dimensions: 1350 mm x 850 mm x 600 mm.	100
1086	NN protection poles	2 s/s protection poles, dimensions: (2x) Ø110 mm x 800 mm.	20
1087	NN paper dispenser	S/s paper dispenser, dimensions: 270 mm x 130 mm x 330 mm.	10
1088	Stohrer	Stohrer steel tube rail elevator, maximum weight: 400 kg, dimensions: 2150 mm x 750 mm x 1500 mm.	300
1089	Stohrer	Stohrer steel tube rail elevator, maximum weight: 400 kg, dimensions: 3000 mm x 1000 mm x 650 mm.	300
1090	Stohrer	Stohrer steel tube rail elevator, maximum weight: 400 kg, dimensions: 2150 mm x 750 mm x 1500 mm.	300
1091	Vemos	Vemos steel tube rail, length: approximately 186000 mm, maximum load weight: 500 kg/lfm.	1500
1092	NN protection poles	6 steel protection poles, dimensions: (6x) Ø115 mm x 1060 mm.	60
1093	NN sink	S/s sink with faucet, sensor control, dimensions: 540 mm x 440 mm x 750 mm. Including soap and paper dispenser.	25
1094	NN protection railing	4 s/s protection railings, dimensions: 1460 mm x 100 mm x 640 mm, 960 mm x 180 mm x 640 mm, 1720 mm x 170 mm x 860 mm and 2750 mm x 180 mm x 370 mm.	50
1095	NN gate	S/s gate, dimensions: 2780 mm x 220 mm x 120 mm.	25
1096	Thermofin	Thermofin evaporator, 2 fans, dimensions: 2330 mm x 700 mm x 600 mm.	300
1097	Thermofin	Thermofin evaporator, 2 fans, dimensions: 2330 mm x 700 mm x 600 mm.	300
1098	Thermofin	Thermofin evaporator, 2 fans, dimensions: 2330 mm x 700 mm x 600 mm.	300
1099	NN sliding door	S/s refrigeration sliding door, door dimensions: 2320 mm x 2750 mm, thickness: 120 mm, rails length: 4700 mm.	150
1100	NN protection frame		25



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		S/s wall mounted protection frame, dimensions: 1330 mm x 200 mm x 1400 mm.	
1101	NN sliding door	S/s refrigeration sliding door, door dimensions: 2390 mm x 2730 mm, thickness: 120 mm, rails length: 4930 mm.	150
1102	NN sliding door	S/s refrigeration sliding door, door dimensions: 2720 mm x 3920 mm, thickness: 120 mm, rails length: 5470 mm.	250
1103	NN writing desk	S/s wall mounted writing desk, dimensions: 2000 mm x 590 mm x 700 mm.	25
1104	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 530 mm, total dimensions: 2050 mm x 620 mm x 890 mm.	50
1106	Helmerts Maschinenbau GmbH	Helmerts Maschinenbau GmbH S-shaped transport belt, type: Kurvenbahn, machine number: #2000816- 1.80, year of construction: 2023, plastic mesh belt, belt width: 170 mm, total dimensions: 4330 mm x 1150 mm x 460 mm.	500
1107	NN trolley	S/s trolley, dimensions: 700 mm x 540 mm x 660 mm.	10
1109	Helmerts Maschinenbau GmbH	Helmerts Maschinenbau GmbH transport belt, type: Transportbahn, machine number: #2000816- 1.90, year of construction: 2023, plastic mesh belt, belt width: 200 mm, total dimensions: 2560 mm x 600 mm x 320 mm.	250
1110	NN transport belt	Transport belt, s/s frame, belt width: 410 mm, total dimensions: 5240 mm x 580 mm x 350 mm. Belt is missing.	150
1111	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 600 mm, total dimensions: 2080 mm x 660 mm x 890 mm.	50
1112	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 440 mm, total dimensions: 1170 mm x 580 mm x 910 mm.	50
1113	NN table	S/s table with plastic worktop, dimensions: 1140 mm x 1040 mm x 870 mm.	50
1114	Espera	Espera weighing and labelling machine, model: ES 7000, consisting of: labeller, weighing unit, label printer and control panel, belt width: (2x) 145 mm and (3x) 90 mm, total dimensions: 2370 mm x 1150 mm x 1820 mm.	2500
1115	Espera	Espera weighing and labelling machine, model: ES 7000, consisting of: labeller, weighing unit, label printer and control panel, belt width: (2x) 145 mm and (3x) 90 mm, total dimensions: 2370 mm x 1150 mm x 1820 mm.	2500
1116	Espera	Espera weighing and labelling machine, model: ES 7000, consisting of: labeller, weighing unit, label printer and control panel, belt width: (2x) 145 mm and (3x) 90 mm, total dimensions: 2370 mm x 1150 mm x 1820 mm.	2500
1117	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF612, number: 18174, year of construction:	9500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		2004, 400 V, 3 Ph, 50 Hz, 4.5 kW, PVR vacuum pump, model: EM20/B, serial number: IT2124N144, capacity: 18 m <sup>3</sup> /per hour, filling, portioning and linking, total dimensions: 2200 mm x 1350 mm x 2000 mm.	
1118	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF200B, number: 3165, 400 V, 50 Hz, 12.6 A, 4.5 kW, PVR vacuum pump, model: EM20/B, serial number: IT2121N027, capacity: 18 m <sup>3</sup> /per hour, filling, portioning and linking, dimensions: 1840 mm x 1300 mm x 2250 mm. Missing vanes.	3500
1119	Handtmann	Handtmann mobile AL linking machine, type: PLH 216, dimensions: 1440 mm x 720 mm x 1250 mm. Incomplete.	750
1120	Handtmann	Handtmann case holding device, type: 34-5, dimensions: 750 mm x 400 mm x 150 mm.	250
1122	NN frames	6 s/s frames, dimensions: (6x) 1050 mm x 850 mm x 940 mm.	150
1123	NN frames	7 s/s frames, dimensions: (7x) 1050 mm x 850 mm x 940 mm.	175
1124	NN writing desk	S/s writing desk, dimensions: 800 mm x 460 mm x 1180 mm.	25
1125	SysTec	S/s floor weighing scale, max: 1000 kg, min: 0.4 kg, e= 0.2 kg, dimensions: 1500 mm x 1250 mm, SysTec indicator type: IT3-AC, serial number: 2114431, 110/240 V, 50/60 Hz, 0.25/0.1 A, dimensions: 220 mm x 150 mm x 170 mm. Including s/s protection railing.	350
1126	Handtmann	Handtmann vacuum filling machine with lifter for meat bins and grinding head, type: VF622, number: 15908, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 26 A, type grinding head: 93-34, number: 801, year of construction: 2005, 0.2 A, plate diameter: 120 mm, filling, portioning and linking, total dimensions: 2120 mm x 1350 mm x 2270 mm. Including s/s table with parts, dimensions table: 1100 mm x 750 mm x 950 mm.	12500
1127	NN sink	S/s sink with faucet, sensor control, dimensions: 450 mm x 420 mm x 620 mm. Including soap and paper dispenser.	50
1128	NN sliding door	S/s refrigeration sliding door, door dimensions: 1760 mm x 2900 mm, thickness: 90 mm, rails length: 4030 mm.	150
1129	NN curtains	Plastic curtains, dimensions: 2330 mm x 3160 mm.	25
1130	NN evaporators	2 evaporators, 2 fans, dimensions: (2x) 2650 mm x 1000 mm x 800 mm.	200
1131	NN evaporators	8 evaporators, 2 fans, dimensions: (8x) 2650 mm x 1000 mm x 800 mm.	800
1132	NN protection railing	3 plastic protection railing, dimensions: (3x) 1480 mm x 480 mm x 980 mm.	30
1133	NN evaporators		400



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		4 evaporators, 2 fans, dimensions: (4x) 2650 mm x 1000 mm x 800 mm.	
1134	EMS	EMS double refrigeration door, type: KTM-2-FLG, number: 10203969/1, year of construction: 2022, door dimensions: (2x) 860 mm x 2330 mm, thickness: 80 mm.	350
1135	Jungheinrich	Jungheinrich pallet rack, type: MPB, number: 1124107002, year of construction: 2016, consisting of: 4 uprights, dimensions uprights: (4x) 1100 mm x 3030 mm, 6 beams, beam length: (6x) 2770 mm.	125
1136	NN sliding door	S/s refrigeration sliding door, door dimensions: 1760 mm x 2900 mm, thickness: 90 mm, rails length: 4030 mm.	150
1137	NN film holder	S/s wall mounted film holder, dimensions: 1850 mm x 270 mm x 260 mm.	10
1138	NN rack	2 steel racks, (2x) 4 floors, dimensions: (2x) 990 mm x 600 mm x 2000 mm.	20
1140	NN table	S/s table, dimensions: 2200 mm x 1800 mm x 910 mm.	150
1141	NN table	Steel table with plastic worktop, dimensions: 1540 mm x 1150 mm x 880 mm.	25
1142	NN table	S/s table with plastic worktop, dimensions: 1150 mm x 500 mm x 850 mm.	25
1143	NN table	S/s table with plastic worktop, dimensions: 1480 mm x 1140 mm x 1000 mm.	50
1144	NN platform	S/s platform plastic top, dimensions: 690 mm x 580 mm x 300 mm.	10
1145	NN trolleys	2 s/s trolleys, dimensions: (2x) 880 mm x 660 mm x 950 mm.	50
1146	NN table	S/s table, dimensions: 1010 mm x 920 mm x 860 mm.	25
1147	NN frames	5 s/s frames, dimensions: (5x) 1240 mm x 850 mm x 400 mm.	50
1148	NN table	S/s table, dimensions: 5100 mm x 1000 mm x 920 mm.	50
1149	NN table	S/s table with plastic worktops, dimensions: 3300 mm x 1200 mm x 870 mm. Missing (1x) plastic worktop.	75
1150	NN table	Mobile s/s table, dimensions: 1730 mm x 620 mm x 880 mm.	25
1151	NN trolley	S/s trolley for plastic worktops, dimensions: 1360 mm x 820 mm x 1000 mm.	25
1152	NN table	S/s table with plastic worktop, dimensions: 1500 mm x 1080 mm x 1000 mm.	50
1153	NN table	S/s table with plastic worktop, dimensions: 1150 mm x 1040 mm x 830 mm.	50
1154	Höcker	Höcker s/s mobile boot rack for 72 boots, total dimensions: 840 mm x 720 mm x 1600 mm.	50
1155	NN trolley	S/s trolley, 2 floors, dimensions: 1200 mm x 800 mm x 1040 mm.	50
1156	NN platform		25



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		S/s platform with stairs, 3 steps, working height: 900 mm, total dimensions: 1050 mm x 780 mm x 900 mm.	
1157	NN frame	S/s frame, dimensions: 1660 mm x 500 mm x 1120 mm.	10
1159	NN cabinet	S/s cabinet, dimensions: 1000 mm x 600 mm x 830 mm.	75
1160	NN table	S/s table with plastic crate, table dimensions: 670 mm x 660 mm x 740 mm.	50
1161	NN table	S/s table with plastic worktop, dimensions: 1170 mm x 1060 mm x 880 mm.	25
1162	NN trolley	S/s trolley, 3 floors, dimensions: 1320 mm x 800 mm x 910 mm.	25
1163	NN evaporators	4 steel evaporators, (4x) 2 fans, dimensions: (4x) 2650 mm x 1000 mm x 800 mm. 1 fan is missing.	400
1164	NN evaporators	8 steel evaporators, (8x) 2 fans, dimensions: (8x) 2650 mm x 1000 mm x 800 mm. 3 fans are missing.	800
1165	NN evaporators	4 steel evaporators, (4x) 2 fans, dimensions: (4x) 2650 mm x 1000 mm x 800 mm. 2 fans are missing.	400
1166	NN sliding door	S/s refrigeration sliding door, door dimensions: 1770 mm x 3430 mm, thickness: 90 mm, rails length: 4050 mm.	150
1167	EMS	EMS s/s refrigeration sliding door, door dimensions: 2260 mm x 3260 mm, thickness: 120 mm, rails length: (1x) 1000 mm and (1x) 3300 mm.	250
1168	EMS	EMS s/s refrigeration sliding door, door dimensions: 2260 mm x 3260 mm, thickness: 120 mm, rails length: (1x) 1000 mm and (1x) 3300 mm.	250
1169	EMS	EMS s/s refrigeration sliding door, door dimensions: 2260 mm x 2720 mm, thickness: 100 mm, rails length: (1x) 1000 mm and (1x) 3250 mm.	250
1170	NN protection poles	4 s/s protection poles, dimensions: (4x) $\varnothing$ 110 mm x 1040 mm.	40
1171	NN protection poles	2 steel protection poles, dimensions: (2x) $\varnothing$ 110 mm x 1200 mm.	20
1172	EMS	EMS s/s refrigeration sliding door, door dimensions: 2260 mm x 2700 mm, thickness: 120 mm, rails length: (1x) 1000 mm and (1x) 3260 mm.	250
1173	NN evaporator	Evaporator, 2 fans, dimensions: 1200 mm x 1000 mm x 500 mm.	100
1174	EMS	EMS s/s refrigeration sliding door, door dimensions: 2260 mm x 2700 mm, thickness: 120 mm, rails length: (1x) 1000 mm and (1x) 3340 mm.	250
1176	NN protection frame	S/s wall mounted protection frame, dimensions: 1530 mm x 280 mm x 50 mm.	10
1177	NN protection railing	2 s/s protection railings, dimensions: (2x) 1400 mm x 400 mm x 1360 mm.	20
1178	NN hose reel	Hose reel, dimensions: 500 mm x 220 mm x 400 mm.	10
1179	Reuter	Reuter electrochemical cleaning device with hose reel, model: Cleanox 1.0, serial number: 3637/03.21-001,	150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		230 V, 50 Hz, 21 lp, 6 A, dimensions: (1x) 300 mm x 190 mm x 270 mm, (1x) 250 mm x 250 mm x 720 mm, (1x) 200 mm x 150 mm x 180 mm.	
1180	Kittner	Kittner s/s pallet lifter, year of construction: 2002, maximum load capacity: 2500 kg, fork length: 1140 mm, total dimensions: 1550 mm x 550 mm x 1140 mm.	250
1181	ITEC	ITEC s/s sink with faucet, sensor control, dimensions: 450 mm x 430 mm x 630 mm. Including soap and paper dispenser.	50
1182	Mato	Mato mobile grease pump, serial number: 1050-20882, dimensions: 550 mm x 520 mm x 1570 mm.	10
1183	NN table	S/s mobile table, dimensions: 1290 mm x 700 mm x 900 mm.	10
1184	Otto	2 Otto plastic waste containers, dimensions: (2x) 550 mm x 480 mm x 930 mm.	10
1185	Stier	Steel trolley, dimensions: 900 mm x 600 mm x 950 mm.	10
1186	Metec	Metec steel tool trolley, 6 drawers, dimensions: 920 mm x 420 mm x 430 mm.	10
1187	NN tool trolley	S/s tool trolley, 7 drawers, dimensions: 730 mm x 740 mm x 930 mm.	25
1188	NN tool trolley	S/s tool trolley, 7 drawers, dimensions: 750 mm x 500 mm x 1150 mm.	25
1189	Maul	Maul whiteboard, dimensions: 1280 mm x 1880 mm x 50 mm.	10
1190	Jungheinrich	Jungheinrich parts for electric pallet lifter, consisting of: 3 battery's, type: (1x) 3 FZS 375, (2x) PB, serial numbers: (1x) 5183928001, (1x) IBB810095, (1x) 621961, year of construction: (1x) 05.05.2008, (1x) 10/2024, (1x) 2021, 24 V, 465 Ah, 10.6 kWh, C5 375 Ah, dimensions: (2x) 790 mm x 210 mm x 780 mm, (1x) 620 mm x 280 mm x 630 mm. Including covers, dimensions: 800 mm x 600 mm x 360 mm.	250
1191	Fetra	Fetra pallet lifter, type: 211, serial number: 0118091901696, year of construction: 2010, machine weight: 75 kg, maximum load capacity: 2500 kg, fork length: 1140 mm, total dimensions: 1560 mm x 540 mm x 1250 mm.	25
1192	Jungheinrich	Jungheinrich s/s pallet lifter, type: HPT, serial number: 1812986, year of construction: SEP 2020, machine weight: 72 kg, maximum load capacity: 2500 kg, fork length: 1140 mm, total dimensions: 1500 mm x 520 mm x 1230 mm.	250
1193	Jungheinrich	Jungheinrich s/s pallet lifter, type: HPT, serial number: 1813152, year of construction: SEP 2020, machine weight: 72 kg, maximum load capacity: 2500 kg, fork length: 1140 mm, total dimensions: 1500 mm x 520 mm x 1230 mm.	250
1194	TVH		350



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		TVH electric s/s pallet lifter, type: HHPT, serial number: 631, year of construction: NOV 2010, machine weight: 156 kg, maximum load capacity: 1000 kg, fork length: 1200 mm, total dimensions: 1650 mm x 560 mm x 1230 mm.	
1195	Fetra	Fetra pallet lifter, type: 2119, serial number: 0118091901697, year of construction: 2019, machine weight: 75 kg, maximum load capacity: 2500 kg, fork length: 1140 mm, total dimensions: 1560 mm x 540 mm x 1250 mm.	75
1197	Fetra	Fetra pallet lifter, type: 2119, serial number: 0114070315940, year of construction: 2014, maximum load capacity: 2500 kg, machine weight: 75 kg, fork length: 1150 mm, total dimensions: 1550 mm x 510 mm x 1350 mm.	75
1198	Linde AG	Linde AG pallet lifter, type: M20, serial number: L20/42802, machine weight: 72 kg, maximum load capacity: 2000 kg, fork length: 1140 mm, total dimensions: 1560 mm x 540 mm x 1250 mm.	75
1199	NN cans	Pallet with 7 cans, dimensions: 1200 mm x 800 mm x 1100 mm.	5
1200	Gtrojaren	Gtrojaren press, press: 500 mm x 450 mm, total dimensions: 2000 mm x 2000 mm x 2110 mm.	150
1201	NN rack	S/s rack, 5 floors, dimensions: 660 mm x 600 mm x 1430 mm.	25
1202	NN stainless steel	Large amount of steel and s/s pipes and beams, length: 7000 mm.	250
1203	Fetra	Fetra pallet lifter, type: 2119, serial number: 0118091901698, year of construction: 2019, machine weight: 75 kg, maximum load capacity: 2500 kg, fork length: 1140 mm, total dimensions: 1560 mm x 540 mm x 1250 mm.	75
1204	STANKOIMPORT	STANKOIMPORT sheet metal working machine, model: HA3318D, number: 7889, year of construction: 1987, 380 V, 50 Hz, 25 A, machine weight: 4320 kg, working width: 1990 mm, total dimensions: 3070 mm x 1530 mm x 1600 mm.	950
1205	NN welding table	Steel welding table, dimensions: 3000 mm x 2000 mm x 1080 mm.	250
1206	NN welding curtains	Mobile plastic welding curtains, dimensions: 2000 mm x 700 mm x 2060 mm.	25
1207	EWM Hightec Welding GmbH	EWM Hightec Welding GmbH mobile welding machine, type: (1x) TRITON220AC/DC TGD POWER SINUS and (1x) COOL 25U3I, serial number: (1x) 232960, (1x) 232624, 400/460 V, 1 Ph, 50/60 Hz, 0.95 A, 23 Ip, dimensions: 700 mm x 640 mm x 1200 mm.	250
1208	NN table	S/s table, dimensions: 2000 mm x 800 mm x 1240 mm. Including chair.	25



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1211	NN work table	Steel work table, dimensions: 1500 mm x 1000 mm x 1130 mm.	25
1212	Metabo	Metabo sharpener, type: DS 200, serial number: 192000009077333484, 230 V, 50/60 Hz, 2980/2980 rpm, 2.3/2.6 A, 600 W, working width: (2x) 25 mm, total dimensions: 430 mm x 280 mm x 300 mm.	50
1213	ELMAG	ELMAG drilling machine, model: GBM 3/25 TNE, serial number: 137723086, year of construction: 2021-04, 400 V, 50 Hz, 0.90/0.65 kW, machine weight: 130 kg, dimensions: 590 mm x 560 mm x 2000 mm.	200
1214	NN trolley	S/s trolley, 2 floors, dimensions: 1000 mm x 700 mm x 910 mm.	25
1216	Jungheinrich	Jungheinrich battery charger, type: E230 G 24 / 100 B - SLH300, serial number: 93838592, year of construction: 2018, 230 V, 50/60 Hz, 13.0 A, 21 Ip, battery capacity: 500 AH-867 AH / 6.5 H - 11 H, dimensions: 350 mm x 325 mm x 320 mm.	50
1217	NN cabinet	Steel cabinet, dimensions: 1100 mm x 620 mm x 1950 mm.	25
1218	NN cabinets	2 steel cabinets, dimensions: (2x) 1000 mm x 550 mm x 1910 mm.	50
1219	NN trolley	S/s trolley, dimensions: 1200 mm x 800 mm x 910 mm.	25
1220	NN trolley	S/s trolley, dimensions: 1200 mm x 900 mm x 690 mm.	10
1221	NN serving trolley	S/s serving trolley, 2 floors, dimensions: 950 mm x 660 mm x 840 mm.	25
1222	E-Coll	3 bags with oil binding agent, each bag: 30 litre.	10
1223	Strojarenska Vyroba	Strojarenska Vyroba plate roller, type: XZ1000L2, number: 41, year of construction: 1987 working width: 1030 mm, dimensions: 1730 mm x 570 mm x 1170 mm.	75
1224	NN table top	S/s table top, dimensions: 1510 mm x 820 mm x 180 mm.	10
1225	NN work table	Steel work table with s/s top, 1 drawers, dimensions: 1510 mm x 920 mm x 930 mm.	25
1226	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, type: ID1s, serial number: 1922835, 100/120/200/240 V, 50/60 Hz, 65/130 A, 13 W, scale dimensions: 350 mm x 280 mm, total dimensions: 400 mm x 350 mm x 660 mm.	25
1227	NN cutting torch	cutting torch hoses with pistol.	50
1228	NN cutting torch	cutting torch hoses with pistol.	50
1229	NN work table	Steel work table with wooden top, 2 drawers, dimensions: 1250 mm x 780 mm x 1070 mm.	50
1230	Tricom	Tricom battery charger, type: E 230 G 24/70 B25-FP, serial number: 660 803013 0118, 230 V, 50/60 Hz, 10.1/70 A, 350-437 Ah, dimensions: 430 mm x 280 mm x 110 mm.	50
1232	Tricom	Tricom battery charger, type: E 230 G 24/30 B50-FP, serial number: 630 1037362 1020, 230 V, 50/60 Hz,	50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		4.2/30 A, 200 Ah, dimensions: 260 mm x 170 mm x 100 mm.	
1233	NN gas cylinder trolley	Steel gas cylinder trolley, 2 places for gas cylinder, dimensions: 1500 mm x 800 mm x 1000 mm.	10
1234	NN gas cylinder trolley	Steel gas cylinder trolley, 2 places for gas cylinder, dimensions: 1700 mm x 730 mm x 1300 mm.	10
1235	NN racks	2 s/s racks, 5 floors, dimensions: (2x) 1410 mm x 635 mm x 2000 mm.	50
1236	VEB Nossener Maschinenbau	VEB Nossener Maschinenbau metal cutting device, type: ScDH 10, number: 932 60 075, working width: 180 mm, total dimensions: 1100 mm x 500 mm x 1880 mm.	50
1237	NN rack	S/s rack, 10 floors, maximum floor load capacity: 250 kg, dimensions: 2050 mm x 420 mm x 1850 mm.	25
1238	NN waste container	Plastic waste container, dimensions: 520 mm x 440 mm x 940 mm.	5
1239	NN gas cylinder trolley	Steel gas cylinder trolley, 2 places for gas cylinder, dimensions: 1700 mm x 730 mm x 1300 mm. Including gas burner hoses with pistol.	10
1240	Genie	Genie scissor lift, model: GS-1932m, working height: approximately 7550 mm, total dimensions: 1380 mm x 800 mm x 1970 mm.	1000
1241	Hikoki Power Tools GmbH	Hikoki Power Tools GmbH mobile industrial vacuum cleaner, type: RP 250YDL, serial number: 782651, year of construction: 2018-07, 220/240 V, 50/60 Hz, 4.3 A, 1000/3600 W, dimensions: 450 mm x 450 mm x 600 mm, including s/s meat bin, volume: 200 litre.	75
1242	NN rollie	2 s/s rollies, dimensions: (2x) 670 mm x 420 mm x 170 mm.	10
1243	NN protection pole	S/s protection pole, dimensions: $\varnothing$ 110 mm x 1080 mm.	10
1244	NN protection poles	2 steel protection poles, dimensions: (2x) $\varnothing$ 110 mm x 1200 mm.	20
1245	NN protection railing	S/s protection railing, dimensions: 2350 mm x 1700 mm x 650 mm.	25
1246	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1250 mm. Without indicator.	150
1247	NN protection poles	3 steel protection poles, dimensions: (3x) $\varnothing$ 110 mm x 1200 mm.	30
1248	NN protection railing	3 s/s protection railing, dimensions: (1x) 2060 mm x 220 mm x 630 mm, (2x) 1100 mm x 220 mm x 670 mm, including s/s protection pole, dimensions: $\varnothing$ 110 mm x 1080 mm.	75
1249	Grothaus Pendeltüren	Grothaus Pendeltüren plastic swing door, dimensions: (2x) 1100 mm x 2500 mm.	25
1250	Kitzinger	Kitzinger crate washer with drying tunnel, type: C1200, number: 172, year of construction: 2003, clearance: 430 mm x 120 mm, plastic chain belt with dividers, belt width: 420 mm, dividers height: 20 mm, distance	2500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		between dividers: 590 mm, s/s rollers, roller width: 600 mm, 2 dryers, total dimensions: 221000 mm x 1900 mm x 2670 mm.	
1251	NN protection poles	4 steel protection poles, dimensions: (4x) ø110 mm x 1200 mm.	40
1252	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 640 mm x 430 mm x 930 mm.	10
1253	NN protection railing	S/s protection railing, dimensions: 1100 mm x 220 mm x 1100 mm, including s/s protection pole, dimensions: ø 110 mm x 1080 mm.	75
1254	NN fence	2 s/s fences, dimensions: (2x) 2710 mm x 150 mm x 1000 mm.	50
1255	ITEC	ITEC s/s sink with faucet, sensor control, dimensions: 460 mm x 430 mm x 640 mm. Including soap and paper dispensers.	75
1256	NN meat bins	2 s/s perforated meat bins, volume: 200 litre.	100
1257	NN Insect killer	S/s Insect killer, dimensions: 600 mm x 400 mm x 200 mm.	10
1258	NN protection poles	2 s/s protection poles, dimensions: (2x) ø110 mm x 1080 mm.	10
1259	NN Insect killer	S/s Insect killer, dimensions: 600 mm x 400 mm x 200 mm.	10
1260	Denios AG	9 Denios AG plastic drip trays, type: PolyPro, year of construction: 2016, volume: 360 litre, dimensions: (9x) 1260 mm x 1060 mm x 640 mm.	180
1261	Jungheinrich	Jungheinrich s/s pallet lifter, type: HPT, serial number: 1812985, year of construction: SEP 2020, machine weight: 72 kg, maximum load capacity: 2500 kg, fork length: 1140 mm, total dimensions: 1500 mm x 520 mm x 1230 mm.	250
1262	Fetra	Fetra pallet lifter, type: 2119, serial number: 0615051503320, year of construction: 2015, machine weight: 75 kg, maximum load capacity: 2500 kg, fork length: 1140 mm, total dimensions: 1560 mm x 540 mm x 1250 mm.	75
1263	NN Insect killer	S/s Insect killer, dimensions: 600 mm x 400 mm x 200 mm.	10
1264	NN Insect killer	S/s Insect killer, dimensions: 600 mm x 400 mm x 200 mm.	10
1265	Fetra	Fetra pallet lifter, type: 2119, serial number: 0118042704221, year of construction: 2018, machine weight: 75 kg, maximum load capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1560 mm x 540 mm x 1250 mm.	75
1266	NN protection railing	S/s protection railing, dimensions: 2500 mm x 220 mm x 580 mm.	50
1267	NN protection railing		75



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		2 s/s protection railings, dimensions: 2650 mm x 220 mm x 710 mm and 650 mm x 400 mm x 700 mm, including s/s protection pole, dimensions: ø110 mm x 1080 mm.	
1269	Grothaus Pendeltüren	Grothaus Pendeltüren double plastic swing door, dimensions: (2x) 1060 mm x 2470 mm.	25
1270	NN tub	S/s mobile tub, dimensions: 1280 mm x 500 mm x 1180 mm.	25
1271	Variovac	Variovac thermoformer, type: Multipower, serial number: 466.152.05, machine number: 152, year of construction: 2005, 230/400 V, 63/28 A, 18 kW, dimensions dye: (6x) 230 mm x 60 mm, plastic belt, belt width: 430 mm, total dimensions: 3800 mm x 1100 mm x 1700 mm, 1700 mm x 1200 mm x 1900 mm and 3900 mm x 1100 mm x 1000 mm. Incomplete, technical condition unknown.	500
1272	Linde AG	Linde AG forklift truck, model: E12, serial number: 324F11109912, year of construction: 1995, capacity: 1200 kg, dimensions: 1500 mm x 1000 mm x 2050 mm. Incomplete, technical condition unknown.	400
1273	Jungheinrich	Jungheinrich forklift truck, type: EFG D 12.5 6 115-290 ZT, serial number: 7.5751.81.01, year of construction: 1994, capacity: 1250 kg, dimensions: 1750 mm x 1000 mm x 1950 mm. Incomplete, technical condition unknown.	400
1274	Jungheinrich	Jungheinrich reach truck, dimensions: 1800 mm x 1050 mm x 2000 mm. Incomplete, technical condition unknown.	400
1275	NN cabinet	Steel cabinet, dimensions: 1000 mm x 450 mm x 1900 mm.	10
1276	NN cabinet	Steel cabinet, dimensions: 1000 mm x 500 mm x 1900 mm.	10
1277	NN rotary lobe pump	Rotary lobe pump, dimensions: 900 mm x 500 mm x 500 mm. Incomplete. Technical condition unknown.	25
1278	Cryovac	Cryovac roller conveyor, plastic rollers, roller width: 630 mm, total dimensions: 1500 mm x 700 mm x 1450 mm.	10
1279	Multivac	Multivac traysealer, model: T 400, dimensions dye: (2x) 215 mm x 165 mm, total dimensions: 2700 mm x 1300 mm x 1900 mm. Incomplete, technical condition unknown.	1000
1280	Multivac	Multivac traysealer, type: T 400, machine number: 228, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 5 kW, 22.5 A, total dimensions: 2700 mm x 1300 mm x 1900 mm. Incomplete, technical condition unknown.	1000
1281	Multivac	Chain infeed conveyor with dividers for Multivac T 400 traysealer, distance between dividers: 300 mm, total dimensions: 6100 mm x 400 mm x 1100 mm.	250
1282	Nagema		50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Nagama weighing scale, year of construction: 1982, minimum weight: 10 kg, maximum weight: 300 kg, T= 100 kg, e=d= 0.2 kg, dimensions: 1200 mm x 770 mm x 2100 mm. Technical condition unknown.	
1283	ITEC/Meiko	ITEC/Meiko universal washing machine, type: FV 130.2, serial number: 10291607, year of construction: 2015, 27 A, 15.1 kW, dimensions: 1020 mm x 900 mm x 1800 mm.	250
1284	Dörfel	Dörfel transport belt, type: Produktband, machine number: 2011439, year of construction: 2014, plastic belt, belt width: 600 mm, total dimensions: 1100 mm x 850 mm x 660 mm.	50
1285	NN parts for transport belt	Pallet with frames for transport belt, dimensions: 1200 mm x 800 mm x 1300 mm.	25
1286	NN transport belts	Pallet with 2 transport belts, plastic belt, belt width: 370 mm, total dimensions: 1200 mm x 800 mm x 500 mm. One belt missing.	25
1287	ESU	ESU s/s turning table, type: RT, machine number: 101, 380 V, 50 Hz, 0.74 A, 0.12 kW, dimensions: Ø 1400 mm x 930 mm.	50
1288	Weber GmbH & Co. KG	Weber GmbH & Co. KG outfeed belt for slicer, type: CCE, number: 1016, dimensions: 2500 mm x 850 mm x 2300 mm. Missing belt.	150
1289	NN transport belt	Mobile transport belt, plastic belt with dividers, belt width: 500 mm, divider height: 5 mm, distance between dividers: 250 mm, total dimensions: 3000 mm x 800 mm x 1400 mm.	150
1290	Jungheinrich	Jungheinrich forklift truck, dimensions: 1900 mm x 1000 mm x 1950 mm. Incomplete, technical condition unknown.	400
1291	Linde AG	Linde AG forklift truck, model: E15, fabrication number: 324803010015, year of construction: 1988, capacity: 1500 kg, dimensions: 1800 mm x 900 mm x 1900 mm. Incomplete, technical condition unknown.	400
1292	NN forklift attachment	Forklift attachment, dimensions: 2000 mm x 600 mm x 400 mm.	75
1293	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF628, number: 25833, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 26 A, 18 kW, dimensions: 1700 mm x 1300 mm x 2050 mm. Incomplete, technical condition unknown.	250
1294	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 0720, machine number: 072008.74121.0610-1, year of construction: 1990, 380/220 V, 3 Ph, 50 Hz, 11/20 A, chamber dimensions: 110 mm x 110 mm, total dimensions: 1700 mm x 850 mm x 1500 mm. Incomplete, technical condition unknown.	150
1295	Townsend		150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Townsend mobile linking machine, model: NI-17, serial number: 309A, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 16 A, dimensions: 2200 mm x 550 mm x 1800 mm. Incomplete, technical condition unknown.	
1296	Weber GmbH & Co. KG	Weber GmbH & Co. KG slicer, dimensions: 2400 mm x 1100 mm x 2000 mm. Incomplete, technical condition unknown.	350
1297	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 0720, machine number: 072008.7.121.0612-1, year of construction: 1990, 380/220 V, 3 Ph, 50 Hz, 11/20 A, chamber dimensions: 110 mm x 110 mm, total dimensions: 1700 mm x 850 mm x 1500 mm. Incomplete, technical condition unknown.	150
1298	NN frames	3 s/s frames, dimensions: (3x) 1200 mm x 800 mm x 660 mm.	30
1299	NN wall panels	4 wall panels, dimensions: (4x) 2100 mm x 1200 mm x 200 mm.	10
1300	NN washing machine for smoke sticks	Washing machine for smoke sticks, dimensions: 1900 mm x 600 mm x 1600 mm.	250
1301	NN cabinet	Steel cabinet, dimensions: 1000 mm x 500 mm x 1900 mm.	10
1302	NN lifter	Lifter for meat bins, dimensions: 2800 mm x 950 mm x 1200 mm. Technical condition unknown.	250
1303	Laska	Laska double shaft Z-arm mixer, volume: 500 litre, dimensions: 1900 mm x 1200 mm x 1600 mm. Technical condition unknown.	750
1304	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 600 mm, divider height: 10 mm, distance between dividers: 830 mm, elevating height: 1100 mm, total dimensions: 2950 mm x 900 mm x 1300 mm.	250
1305	NN protection railings	3 s/s protection railings, dimensions: 3100 mm x 1700 mm, 4100 mm x 1700 mm and 1000 mm x 1700 mm.	150
1306	NN table	S/s table, dimensions: 3000 mm x 1200 mm x 900 mm.	150
1307	NN marinade machine	Mobile marinade machine, s/s mesh belt, belt width: 370 mm, total dimensions: 1700 mm x 850 mm x 1650 mm.	250
1308	NN trolley	S/s trolley, dimensions: 1350 mm x 700 mm x 900 mm.	25
1309	NN waste bag holders	16 waste bag holders, various dimensions.	160
1310	Detectronic	Detectronic metal detector, type: 606-250-1508-2, plastic mesh belt, belt width: 530 mm, clearance: 550 mm x 100 mm, total dimensions: 1600 mm x 1100 mm x 1050 mm.	500
1311	Mesutronic	Mesutronic mobile pipeline metal detector, dimensions: 600 mm x 600 mm x 1350 mm. Technical condition unknown.	50
1312	NN table	S/s table, dimensions: 1270 mm x 600 mm x 1050 mm.	25



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1313	Soco System	Soco System box closing machine, top and bottom labeller, plastic rollers, roller width: 670 mm, total dimensions: 900 mm x 750 mm x 1700 mm.	100
1314	Soco System	Soco System mobile box closing machine, top and bottom labeller, plastic rollers, roller width: 670 mm, total dimensions: 1000 mm x 800 mm x 1650 mm.	100
1315	Soco System	Soco System box closing machine, plastic rollers, roller width: 670 mm, total dimensions: 900 mm x 750 mm x 1700 mm. Incomplete.	50
1316	Soco System	Soco System box closing machine, plastic rollers, roller width: 670 mm, total dimensions: 900 mm x 750 mm x 1700 mm. Incomplete.	50
1317	NN trolleys	2 s/s trolleys, dimensions: (2x) 650 mm x 410 mm x 1250 mm.	25
1318	Multivac	Chain infeed conveyor with dividers for Multivac T 400 traysealer, distance between dividers: 200 mm, total dimensions: 3500 mm x 550 mm x 1150 mm.	250
1319	Antti Lindfors Oy	Antti Lindfors Oy mobile marinade machine, s/s mesh belt, belt width: 370 mm, total dimensions: 1900 mm x 850 mm x 1700 mm.	250
1320	Kolbe	Kolbe bandsaw, type: K 420, machine number: 48062, year of construction: 1988, 220/380 V, 50 Hz, 5.1 A, 2.2 kW, dimensions: 950 mm x 900 mm x 1800 mm.	750
1321	ESU	ESU s/s turning table, type: RT, machine number: 03, 380 V, 50 Hz, 0.74 A, 0.12 kW, dimensions: Ø 1400 mm x 860 mm.	250
1322	NN slide	S/s slide, dimensions: 1450 mm x 850 mm x 1800 mm.	25
1323	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 1000 mm x 600 mm x 830 mm.	25
1324	NN trolley	S/s trolley, dimensions: 1000 mm x 550 mm x 1000 mm.	10
1325	NN platform	S/s platform, dimensions: 1250 mm x 600 mm x 250 mm.	10
1326	NN table	S/s table, dimensions: 2500 mm x 1000 mm x 850 mm.	100
1327	NN frames	Pallet with steel frames, dimensions: 2050 mm x 800 mm x 400 mm.	10
1328	Beyer	Beyer transport belt, type: Multi Trans F (2000), serial number: 06-401-015, year of construction: 2008, 400 V, 0.55 kW, plastic mesh belt, belt width: 700 mm, total dimensions: 2000 mm x 900 mm x 1330 mm.	150
1329	NN table	Steel table, with plastic rollers for roller conveyor, dimensions: 850 mm x 1000 mm x 750 mm.	10
1330	Multivac	S/s trolley with dye set and parts for Multivac T400 and T600 traysealer, dimensions dye: (3x) 210 mm x 160 mm, total dimensions: 1300 mm x 900 mm x 1150 mm.	50
1331	NN computer cabinet	S/s computer cabinet, dimensions: 650 mm x 570 mm x 1650 mm.	25
1332	NN chair	Chair, dimensions: 550 mm x 400 mm x 850 mm.	5



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1333	NN roller conveyor	Roller conveyor, steel rollers, roller width: 380 mm, total dimensions: 1100 mm x 500 mm x 800 mm.	10
1334	Zarges	Zarges mobile working platform with stairs, working height: 1900 mm, total dimensions: 2200 mm x 1100 mm x 2800 mm.	75
1335	Kolbe	Kolbe bandsaw, 380 V, 50 Hz, 6.2 A, 2.2 kW, dimensions: 850 mm x 820 mm x 1800 mm.	500
1336	Zicon	Zicon mobile elevating belt, plastic belt with dividers, belt width: 300 mm, divider height: 25 mm, distance between dividers: 400 mm, elevating height: 1550 mm, total dimensions: 3000 mm x 500 mm x 1650 mm.	250
1337	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 300 mm, divider height: 50 mm, distance between dividers: 300 mm, elevating height: 1750 mm, total dimensions: 2600 mm x 450 mm x 1900 mm.	250
1338	Dörfel	Dörfel sole cleaner, dimensions: 800 mm x 750 mm x 1100 mm. Incomplete.	50
1339	Carnitech a/s	Carnitech a/s mobile transport belt, type: TRADBAND, year of construction: 1998, 0.37 kW, 1.6 A, s/s mesh belt, belt width: 400 mm, total dimensions: 3500 mm x 700 mm x 1400 mm.	350
1340	NN frame	S/s frame, dimensions: 1450 mm x 420 mm x 2000 mm.	25
1341	NN computer cabinet	S/s computer cabinet, dimensions: 550 mm x 650 mm x 1500 mm.	25
1342	NN trolley for plates	S/s trolley for plates, 6 floors, dimensions: 660 mm x 600 mm x 1500 mm.	25
1343	Rudolf Schad	Rudolf Schad binding machine, dimensions: 700 mm x 700 mm x 1150 mm.	250
1344	Laska	Laska lifter for meat bins, type: BA 24, number: 10026, year of construction: 2000, dimensions: 2700 mm x 1200 mm x 1000 mm.	250
1345	NN transport belt	Transport belt, plastic belt, belt width: 480 mm, total dimensions: 1200 mm x 800 mm x 900 mm.	50
1346	NN knife baskets	5 s/s knife baskets.	50
1347	NN cabinet	Pallet with steel cabinet, dimensions: 1300 mm x 500 mm x 200 mm.	10
1348	NN metal detector	Pallet with pipeline metal detector, dimensions: 1300 mm x 800 mm x 500 mm. Incomplete, technical condition unknown.	50
1349	Günther	Günther mobile roller steaker, type: GT600S, machine number: 32520, year of construction: 2010, 400 V, 16 A, 2.5 kW, 100 l/min, working width: 600 mm, total dimensions: 1800 mm x 1400 mm x 1750 mm. Incomplete, technical condition unknown.	250
1350	Poly-clip System	Poly-clip System mobile automatic double clipper, type: PDC-A, serial number: 101/12, year of construction: 2012, dimensions: 1000 mm x 700 mm x 1900 mm.	2500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1351	Motion Clinic	Motion Clinic mobile testing device, dimensions: 650 mm x 800 mm x 1600 mm.	25
1352	NN computer cabinet	2 s/s computer cabinets, dimensions: 800 mm x 650 mm x 750 mm and 650 mm x 550 mm x 1600 mm.	25
1353	Mesutronic	Mesutronic mobile pipeline metal detector, diameter clearance: 80 mm, total dimensions: 650 mm x 550 mm x 1250 mm. Technical condition unknown.	50
1354	NN racks	2 aluminium racks, dimensions: (2x) 1450 mm x 550 mm x 1800 mm.	20
1355	Weber GmbH & Co. KG	Weber GmbH & Co. KG checkweigher with rejector, plastic string belt, belt width: 350 mm, total dimensions: 1050 mm x 900 mm x 1670 mm. Technical condition unknown.	75
1356	NN transport belt	Mobile transport belt, s/s mesh belt, belt width: 400 mm, total dimensions: 3200 mm x 700 mm x 1500 mm.	250
1357	NN transport belt	Mobile transport belt, plastic belt, belt width: 300 mm, total dimensions: 4700 mm x 700 mm x 1000 mm.	300
1359	NN table	S/s table, dimensions: 2400 mm x 850 mm x 900 mm.	75
1360	NN ham moulds	6 s/s ham moulds, dimensions: (6x) 1000 mm x 600 mm x 120 mm.	60
1361	NN frame	S/s frames, dimensions: 850 mm x 850 mm x 1200 mm.	10
1362	NN frame	S/s frames, dimensions: 1500 mm x 850 mm x 1200 mm.	10
1363	Munters	Munters desiccant dehumidifier, type: MLI1350 E, fabrication number: 137 190505 729345, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 13.5/15.15 kW, dimensions: 700 mm x 600 mm x 1500 mm.	50
1364	Detectronic	Detectronic metal detector, type: 606-250-1506-2, plastic mesh belt, belt width: 530 mm, clearance: 550 mm x 100 mm, total dimensions: 1900 mm x 1100 mm x 1100 mm.	1000
1365	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: D19040753, capacity: 100 m <sup>3</sup> per hour, dimensions: 700 mm x 400 mm x 300 mm.	200
1366	NN roller conveyor	Roller conveyor and frame for transport belt, plastic rollers, roller width: 400 mm, total dimensions: 4000 mm x 500 mm x 1050 mm.	25
1367	Jungheinrich	8 Jungheinrich electric pallet lifters with 4 chargers. Incomplete, technical condition unknown. For parts.	400
1373	NN swing doors	2 plastic swing doors, dimensions: (2x) 1950 mm x 1000 mm.	10
1378	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile slicer and portion cutter, model: Zebra CE, machine number: 450007.60194.105035, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 8.8/16 A, 4.4 kW, working width: 600 mm, distance between knives: 10 mm, total	1000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		dimensions: 1000 mm x 1300 mm x 1600 mm. Technical condition unknown.	
1379	Heinrich GmbH	Heinrich GmbH mobile sausage cutter, machine number: 770-12903, year of construction: 2003, 230 V, 50 Hz, dimensions: 2600 mm x 830 mm x 1800 mm. Including pallet with parts. Technical condition unknown.	1000
1380	NN cabinets	2 steel cabinets, dimensions: 900 mm x 450 mm x 1950 mm and 1000 mm x 500 mm x 1900 mm.	10
1381	NN parts	Plastic pallet box with various parts, among others s/s frames and pipes, dimensions: 1200 mm x 1000 mm x 800 mm.	10
1382	NN sink	S/s sink, dimensions: 600 mm x 600 mm x 920 mm.	10
1384	NN panels	Pallet with 12 plastic panels, each panel thickness: (12x) 30 mm, total dimensions: 2010 mm x 1510 mm x 600 mm.	25
1385	NN Insect killer	S/s Insect killer, dimensions: 600 mm x 400 mm x 200 mm.	10
1386	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG browning unit, type: BT Bräunungssegment, fabrik number: 212-0907, 1241023, year of construction: 12/07, 230/400 V, 42 kW, maximum temperature: 700°C, working width: 1600 mm, total dimensions: 2350 mm x 1950 mm x 2050 mm.	250
1387	NN ham forms	2 s/s ham forms, inside dimensions: (2x) 940 mm x 230 mm x 100 mm, total dimensions: (2x) 970 mm x 270 mm x 200 mm.	10
1388	NN injector parts	Pallet box with injector parts, among others: s/s walking beam, beam width: 380 mm, length: 1800 mm, total dimensions: 990 mm x 1800 mm x 1000 mm.	50
1389	NN floor weighing scale	S/s floor weighing scale, scale: 1500 mm x 1250 mm, total dimensions: 1500 mm x 1550 mm x 200 mm. Without indicator.	50
1390	NN floor weighing scale	S/s floor weighing scale, scale: 1250 mm x 1100 mm, total dimensions: 1430 mm x 1500 mm x 200 mm. Without indicator.	50
1391	Mesutronic	Mesutronic metal detector with rejector, type: MN 5.1 CI 150/100, serial number: 1085-CI, year of construction: 2010, 100/240 V, 50/60 Hz, 50-300 A, 66 lp, plastic belt, belt width: 220 mm, clearance: 250 mm x 60 mm, total dimensions: 1550 mm x 900 mm x 1100 mm. Technical condition unknown.	500
1392	Detectronic	Detectronic metal detector with rejector, type/nr: 1990-8 and 606-250-1955-2, plastic mesh belt, belt width: 530 mm, clearance: 600 mm x 90 mm, total dimensions: 1920 mm x 1030 mm x 1080 mm. Technical condition unknown.	500
1393	Detectronic		500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Detectronic metal detector with rejector, type/nr: 1995-8 and 606-250-1954-2, plastic mesh belt, belt width: 530 mm, clearance: 600 mm x 90 mm, total dimensions: 1920 mm x 1030 mm x 1080 mm. Technical condition unknown.	
1394	Detectronic	Detectronic metal detector with rejector, type/nr: 1979-8 and 606-250-1495-2, plastic mesh belt, belt width: 530 mm, clearance: 600 mm x 90 mm, total dimensions: 1920 mm x 1030 mm x 1080 mm. Technical condition unknown.	500
1395	Detectronic	Detectronic metal detector with rejector, type/nr: 606-250-1499-2, plastic mesh belt, belt width: 530 mm, clearance: 600 mm x 90 mm, total dimensions: 1920 mm x 1030 mm x 1080 mm. Technical condition unknown.	500
1396	Detectronic	Detectronic metal detector with rejector, type/nr: 1983-8 and 606-250-1492-2, plastic mesh belt, belt width: 530 mm, clearance: 600 mm x 90 mm, total dimensions: 1920 mm x 1030 mm x 1080 mm. Technical condition unknown.	500
1397	NN rollers	S/s trolley with derinding and tenderizing rollers, 2 derinding rollers, working width: (2x) 560 mm, 2 tenderizing rollers, working width: (2x) 510 mm, total dimensions: 1000 mm x 850 mm x 1000 mm.	150
1398	NN writing desk	S/s writing desk, dimensions: 400 mm x 400 mm x 1170 mm.	5
1399	Ecolab	Pallet box with Ecolab 4 s/s switch cabinets, type: (1x) Airspex AF / U3 / V1.0, serial number: 141110-011, year of construction: 2014, 220/240 V, 10 A, total dimensions: 1200 mm x 1000 mm x 800 mm.	200
1400	NN table	S/s table, dimensions: 2400 mm x 860 mm x 820 mm.	100
1401	Soco System	Soco System mobile box closing machine, plastic roller, roller width: 690 mm, total dimensions: 1000 mm x 800 mm x 1670 mm. Missing taper/Technical condition unknown.	50
1402	NN platform	S/s platform with plastic top, dimensions: 900 mm x 600 mm x 250 mm.	10
1403	NN table	S/s table, dimensions: 1300 mm x 930 mm x 1280 mm.	25
1404	Innotec / Franz	Innotec / Franz slicer, type: MST 91/600, machine number: 9807.0005, year of construction: 1998, 400 V, 50 Hz, 1.9 kW, clearance: 570 mm x 220 mm, 53 knives, distance between knives: 10 mm, working width: 520 mm, total dimensions: 1410 mm x 620 mm x 1300 mm.	300
1405	NN transport belts	2 transport belts, s/s frame, plastic mesh belt, belt width: (2x) 380 mm, total dimensions: (2x) 2000 mm x 400 mm x 130 mm.	50
1406	NN writing desk	S/s writing desk, dimensions: 610 mm x 310 mm x 1130 mm.	5



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1407	Carnitech a/s	Carnitech a/s mobile elevating belt, type: PVC BAND, serial number: QN 756300, year of construction: 1998, 1.6 A, 0.37 kW, plastic belt with dividers, belt width: 400 mm, dividers height: 20 mm, distance between dividers: 240 mm, elevating height: 1020 mm, total dimensions: 3400 mm x 850 mm x 1120 mm.	350
1408	Cryovac	Cryovac bag blower, type: BF14, dimensions: 700 mm x 800 mm x 1180 mm.	50
1409	Wiegand	Wiegand Hängfix mobile binding machine, dimensions: 700 mm x 800 mm x 1180 mm.	250
1410	NN table	S/s table, dimensions: 2660 mm x 1000 mm x 830 mm.	100
1411	Mettler Toledo / Safeline	Mettler Toledo / Safeline mobile pipe line metal detector, serial number: 131717, year of construction: February 2007, 240 V, 1 Ph, 50/60 Hz, 4 A, 69 Ip, machine weight: 90 kg, pipe diameter: 100 mm, total dimensions: 860 mm x 420 mm x 1260 mm.	150
1412	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH mobile elevating belt, s/s frame, plastic belt, belt width: 410 mm, elevating height: 1410 mm, total dimensions: 3780 mm x 1480 mm x 1550 mm. Belt is missing.	250
1413	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH roller conveyor, machine number: 01017189, number: 02048, year of construction: 2020, s/s frame, plastic rollers, roller width: 420 mm, total dimensions: 2000 mm x 580 mm x 600 mm.	100
1414	NN rack	S/s rack, 4 floors, total dimensions: 930 mm x 510 mm x 1920 mm.	10
1415	NN rack	Steel rack, 4 plastic floors, total dimensions: 930 mm x 510 mm x 1920 mm.	10
1416	NN rack	Aluminium rack, 4 floors, total dimensions: 2000 mm x 600 mm x 1910 mm.	10
1417	NN table	S/s table, dimensions: 1200 mm x 1180 mm x 890 mm. Without plastic worktop.	10
1418	NN pegs	2 s/s wall mounted pegs, (2x) 40 pegs, dimensions: (2x) 2010 mm x 430 mm x 350 mm.	10
1419	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 480 mm, total dimensions: 800 mm x 750 mm x 990 mm.	50
1420	NN platform	S/s platform with plastic top, dimensions: 2000 mm x 700 mm x 185 mm.	10
1421	NN rack	Steel rack, 4 floors, dimensions: 500 mm x 500 mm x 1200 mm.	5
1422	NN hand disinfection unit	Hand disinfection unit, dimensions: 490 mm x 320 mm x 1260 mm.	25
1423	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 1000 mm x 590 mm x 880 mm.	10
1424	NN table	S/s table, dimensions: 750 mm x 760 mm x 1000 mm.	10



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1425	Witt Gasetechnik	Witt Gasetechnik gas mixing station, type: KM 200 GMEM, serial number: 17716, year of construction: 1993, 5 bar, dimensions: 320 mm x 300 mm x 220 mm.	10
1426	Witt Gasetechnik	Witt Gasetechnik gas mixing station, dimensions: 450 mm x 360 mm x 350 mm.	10
1427	NN platform	S/s platform, dimensions: 2000 mm x 600 mm x 315 mm.	10
1428	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 420 mm, total dimensions: 2000 mm x 580 mm x 600 mm.	50
1429	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 200 mm, elevating height: 980 mm, total dimensions: 1460 mm x 400 mm x 1000 mm.	150
1430	NN turning platform	Steel turning platform for pallet wrapper, dimensions: Ø 1650 mm.	10
1431	NN trolley	S/s trolley, dimensions: 920 mm x 530 mm x 820 mm.	10
1432	NN trolley	S/s trolley, dimensions: 790 mm x 660 mm x 650 mm.	25
1433	NN fence	S/s fence, dimension fence: (2x) 1120 mm x 1050 mm, s/s pole, dimensions poles: (4x) Ø 80 mm x 1300 mm.	50
1434	NN writing desk	S/s writing desk, dimensions: 530 mm x 350 mm x 870 mm.	10
1435	NN table	S/s table, dimensions: 1500 mm x 800 mm x 780 mm.	50
1436	NN table	S/s table, dimensions: 1510 mm x 440 mm x 750 mm.	25
1437	NN table	S/s table, dimensions: 700 mm x 700 mm x 840 mm.	25
1438	NN writing desk	S/s writing desk, dimensions: 610 mm x 530 mm x 1230 mm.	25
1439	NN table	S/s table, dimensions: 700 mm x 300 mm x 670 mm.	25
1440	NN switch cabinets	2 s/s switch cabinets, dimensions: (2x) 1000 mm x 390 mm x 250 mm.	25
1441	Bartscher	Bartscher soap dispenser on s/s pole, dimensions: 360 mm x 400 mm x 1290 mm.	10
1442	Lagertechnik Steger GmbH	Lagertechnik Steger GmbH steel pallet rack, consisting of: 8 uprights, uprights dimensions: (8x) 900 mm x 3300 mm, 6 beams, beam length: (6x) 1350 mm.	100
1443	Lagertechnik Steger GmbH	Lagertechnik Steger GmbH steel pallet rack, consisting of: 46 uprights, dimensions uprights: (46x) 900 mm x 3300 mm, 84 beams, beam length: (84x) 1350 mm.	350
1444	Cool it	Cool it s/s refrigeration sliding door with rails, type: BS-8, fabrication number: 102.536.02.I, year of construction: 1991, dimensions door: 2050 mm x 2450 mm, thickness: 900 mm, rails length: 4200 mm.	350
1445	Lagertechnik Steger GmbH	Lagertechnik Steger GmbH steel pallet rack, consisting of: 11 uprights, dimensions uprights: (11x) 900 mm x 3300 mm, 26 beams, beam length: (26x) 1350 mm.	125
1446	NN sink	S/s sink, dimensions: 1200 mm x 600 mm x 900 mm.	50
1447	Lagertechnik Steger GmbH		250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Lagertechnik Steger GmbH steel pallet rack, consisting of: 20 uprights, dimensions uprights: (20x) 900 mm x 3300 mm, 39 beams, beam length: (39x) 1350 mm.	
1448	Lagertechnik Steger GmbH	Lagertechnik Steger GmbH steel pallet rack, consisting of: 75 uprights, dimensions uprights: (75x) 900 mm x 3300 mm, 131 beams, beam length: (131x) 1350 mm.	500
1449	NN sliding door	Steel sliding door with rails, dimensions door: 1200 mm x 2420 mm, thickness: 40 mm, rails length: 3000 mm.	25
1450	NN racks	2 s/s racks and 1 steel rack, s/s rack dimensions: (1x) 4030 mm x 640 mm x 2000 mm and (1x) 5030 mm x 640 mm x 2000 mm, steel rack dimensions: (1x) 3700 mm x 750 mm x 2000 mm.	50
1451	Schulte lagertechnik	2 Schulte lagertechnik racks, type: Stecksystem, number: 9609809, year of construction: 2022, dimensions: (1x) 1350 mm x 650 mm x 2000 mm, (1x) 3650 mm x 650 mm x 2000 mm.	50
1452	Siemens	Siemens refrigerator/freezer, dimensions: 600 mm x 600 mm x 1700 mm.	25
1453	Rohs	Rohs s/s Insect killer, type: G13 TB BL F20W, model number: INTRA 40, 230 V, 50 Hz, 40 W, dimensions: 600 mm x 400 mm x 200 mm.	10
1454	Cool it	Cool it s/s refrigeration sliding door with rails, type: BS-8, fabrication number: 102.536.01, year of construction: 1991, dimensions door: 2050 mm x 2450 mm, thickness: 900 mm, rails length: 4200 mm.	350
1455	NN lockers	2 steel lockers, dimensions: (1x) 500 mm x 320 mm x 2040 mm, (1x) 500 mm x 420 mm x 2040 mm.	10
1456	NN protection poles	4 steel protection poles, dimensions: (4x) $\varnothing$ 120 mm x 1060 mm.	40
1457	NN rack	Steel rack, 5 floors, dimensions: 1450 mm x 420 mm x 2010 mm.	10
1458	NN rack	S/s rack, 5 floors, dimensions: 1360 mm x 650 mm x 2010 mm.	10
1459	Cool it	Cool it s/s refrigeration sliding door with rails, type: BS-8, fabrication number: 102.536.03.I, year of construction: 1991, dimensions door: 2050 mm x 2450 mm, thickness: 900 mm, rails length: 4200 mm.	350
1460	Reflex Winkelmann GmbH	Reflex Winkelmann GmbH air storage installation, consisting of: (2x) diaphragm expansion vessel, type: Reflexomat (1x) RG and (1x) RS, serial number / year of construction: (1x) 13 N 0610 50011 and (1x) 14 O 0204 50000, allowable working pressure: 6 bar, test pressure: 9.5 bar, allowable flow temperature: 120°C, maximum working temperature: -10/70°C, volume: 4000 litre, dimensions: (2x) 1550 mm x 1550 mm x 3100 mm. (1x) Reflex buffer vessel, type: Reflex V, serial number / year of construction: 14 O 0912 50010, allowable working pressure: 6 bar, test pressure: 9.5 bar, allowable flow	1000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		temperature: -10/+120°C, volume: 500 litre, dimensions: 750 mm x 750 mm x 1700 mm. Reflex control panel.	
1461	NN dosing tub	Plastic tub with Grundfos dosing pump, number: 525-402-10068, year of construction: 28/2021, backpressure: 3.00 bar, dimensions: 550 mm x 500 mm x 1060 mm.	25
1462	Regal Steger	Regal Steger steel pallet rack, consisting of: 3 uprights, dimensions: (3x) 1100 mm x 3360 mm, 8 beams, beam length: (8x) 2770 mm.	100
1463	Regal Steger	Regal Steger steel pallet rack, consisting of: 4 uprights, dimensions: (4x) 1100 mm x 3360 mm, 12 beams, beam length: (4x) 2770 mm and (8x) 1860 mm.	125
1464	NN trolley	S/s trolley, dimensions: 1450 mm x 720 mm x 900 mm.	25
1465	Lagertechnik Steger GmbH	Lagertechnik Steger GmbH steel pallet rack, consisting of: 6 uprights, uprights dimensions: (6x) 900 mm x 3300 mm, 8 beams, beam length: (8x) 1350 mm.	50
1466	NN protection poles	2 s/s protection poles, dimensions: (2x) ø110 mm x 1040 mm.	20
1467	NN hygiene equipment	Hygiene equipment, consisting of: plastic broom and plastic hand broom and dustpan.	5
1468	NN waste bag holders	2 s/s waste bag holders, dimensions: (1x) 750 mm x 600 mm x 1100 mm and (1x) 360 mm x 410 mm x 130 mm.	20
1469	NN cabinets	2 s/s wall mounted cabinets, dimensions: (1x) 530 mm x 600 mm x 450 mm and (1x) 360 mm x 410 mm x 130 mm.	25
1470	CSB-System	CSB-System s/s computer system, dimensions: 730 mm x 650 mm x 1790 mm.	150
1471	NN writing desk	S/s wall mounted writing desk, dimensions: 1000 mm x 450 mm x 250 mm.	25
1472	Jungheinrich	Jungheinrich s/s pallet lifter, type: HPT, serial number: 18129901, truck weight: 72 kg, rated load capacity: 2500 kg, fork length: (2x) 1130 mm, total dimensions: 1450 mm x 520 mm x 1220 mm.	250
1473	Jungheinrich	Jungheinrich s/s pallet lifter, type: HPT, serial number: 1813823, truck weight: 73 kg, rated load capacity: 2500 kg, fork length: (2x) 1130 mm, total dimensions: 1450 mm x 520 mm x 1220 mm.	250
1475	NN rack	Aluminium rack with plastic trays, 14 floors with plastic bins, dimensions trays: (203x) 295 mm x 115 mm x 90 mm, dimensions rack: 2060 mm x 330 mm x 1860 mm.	25
1476	NN cabinet	Steel cabinet, dimensions: 920 mm x 430 mm x 1955 mm.	10
1478	NN racks	22 aluminium racks, dimensions: (10x) 1060 mm x 650 mm x 2000 mm and (12x) 1350 mm x 440 mm x 2000 mm.	250
1479	NN door		5



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Wooden door, door dimensions: 890 mm x 1980 mm, thickness: 40 mm.	
1480	NN rack	S/s rack, 4 floors, dimensions: 810 mm x 440 mm x 2000 mm.	10
1481	NN office inventory	Office inventory, consisting of: office desk, dimensions: 1800 mm x 1000 mm x 730 mm. DeLonghi airco, model: PAC EL98 ECOREAL FEEL, serial number: 015 28, 220/240 V, 50 Hz, 930 W, 2.7 kW, refrigerant: R290, indoor temperature: 21+35°C, airco dimensions: 410 mm x 340 mm x 740 mm, steel wall mounted cabinet, dimensions: 670 mm x 400 mm x 690 mm, whiteboard, dimensions: 900 mm x 1200 mm and chair.	50
1482	NN trolley	S/s trolley, 3 floors, dimensions: 1030 mm x 620 mm x 1030 mm.	25
1483	Bravilor Bonamat	Bravilor Bonamat hot water unit, model: HWA060001, serial number: 020002425128, 220/240 V, 50/60 Hz, 2830 W, dimensions: 430 mm x 240 mm x 440 mm. Including s/s table, dimensions: 610 mm x 610 mm x 700 mm.	25
1484	Actiomedic	Actiomedic first aid kit, dimensions: 430 mm x 150 mm x 320 mm.	10
1485	NN tables	15 steel tables with wooden top, dimensions: (15x) 1600 mm x 1600 mm x 740 mm.	150
1486	Exquisit	2 Exquisit microwaves, model: (2x) MW 900-030 silber, number: O 06 PO:2023-9002248 and O 04 PO:2023-9002152, 230 V, 50 Hz, 700/1050 W, dimensions: (2x) 440 mm x 340 mm x 260 mm.	20
1487	NN waste bag holders	3 plastic waste bag holders, dimensions: (3x) 520 mm x 520 mm x 880 mm.	15
1488	Tork	2 Tork mobile paper holders, perforation blade, blade width: 440 mm, dimensions: (2x) 530 mm x 590 mm x 1000 mm.	20
1489	NN sink	S/s double sink with faucet, dimensions: (1x) 2450 mm x 810 mm x 1800 mm, (1x) 1200 mm x 700 mm x 880 mm.	150
1490	NN table	S/s table, dimensions: 2000 mm x 1150 mm x 1190 mm.	100
1491	NN sink	S/s sink, dimensions: 1500 mm x 700 mm x 880 mm. Including kitchen equipment.	100
1492	NN table	Steel table with s/s top, dimensions: 1000 mm x 800 mm x 880 mm. Including kitchen equipment.	75
1493	JohnsonDiversey	JohnsonDiversey hose reel with pistol, dimensions: 600 mm x 140 mm x 1400 mm.	25
1495	NN sink	S/s sink with faucet, sensor control, dimensions: 410 mm x 470 mm x 450 mm. Including soap, paper dispenser and waste bag holder, waste bag holder dimensions: 400 mm x 530 mm x 930 mm.	50
1496			250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	NN kitchen equipment	Large amount of kitchen equipment, among others: mugs, plates and cutlery.	
1498	Bartscher / Zams	2 Bartscher / Zams heated coffee cans, dimensions: (1x) 280 mm x 280 mm x 520 mm, (1x) 350 mm x 340 mm x 470 mm.	20
1499	Kälte-Pfeffer	Kälte-Pfeffer refrigerated showcase, inside dimensions: 1600 mm x 680 mm x 150 mm, total dimensions: 2150 mm x 880 mm x 1790 mm.	250
1500	Zanussi	Zanussi kitchen, consisting of: fryer, 4 stove, roasting pan, inside dimensions roasting pan: 630 mm x 510 mm x 110 mm, total dimensions: 2410 mm x 730 mm x 920 mm.	500
1501	NN extraction hood	S/s extraction hood, dimensions: 3600 mm x 1000 mm x 400 mm.	250
1502	Bartscher GmbH	Bartscher GmbH sausage warmer, model: 2KA20, serial number: 24043687, 220/240 V, 50/60 Hz, 2 kW, inside dimensions: (2x) 300 mm x 235 mm x 150 mm, total dimensions: 370 mm x 530 mm x 250 mm.	25
1503	NN table	S/s table, dimensions: 1200 mm x 1000 mm x 800 mm.	50
1504	Carrier	Carrier refrigerated showcase, inside dimensions: 800 mm x 570 mm x 340 mm, total dimensions: 970 mm x 800 mm x 920 mm.	25
1505	NN trolley	S/s trolley, 2 floors, dimensions: 690 mm x 500 mm x 830 mm.	25
1506	Liebherr	Liebherr refrigerator, model: UKS 5000 Index 20A/001, serial number: 9993037-01, 220/230 V, 50 Hz, 180 W, refrigerant: R600a, volume: 491 litre, dimensions: 720 mm x 750 mm x 1520 mm.	25
1507	NN lockers	Steel lockers with bench, 4 doors, dimensions: 850 mm x 1200 mm x 2150 mm.	25
1508	NN lockers	Steel lockers, 5 doors, dimensions: 850 mm x 1200 mm x 2150 mm.	25
1509	NN racks	2 s/s racks, dimensions: (1x) 2690 mm x 540 mm x 2000 mm and (1x) 2070 mm x 440 mm x 2000 mm.	25
1510	NN office inventory	Office inventory, consisting of: Office table, dimensions: 800 mm x 800 mm x 730 mm. Office cabinet, dimensions: 1040 mm x 700 mm x 1920 mm.	75
1511	NN office inventory	Office inventory, consisting of: (14x) office desks. (8x) Office cabinets. (6x) small office cabinets. Various dimensions.	400
1512	DeLonghi	DeLonghi mobile air conditioning unit, model: PAC EL98 ECOREAL FEEL, type: PAC EL98, serial number: 015 28 900053 P 0 1 6 4 2 1, 220/240 V, 50 Hz, 2.7 kW, refrigerant charge: R290 0.300 kg, indoor temperature: 21+35°C, dimensions: 420 mm x 360 mm x 740 mm.	100
1513	DeLonghi	DeLonghi mobile air conditioning unit, model: PAC EL98 ECOREAL FEEL, type: PAC EL98, serial number: 015 28 900053 P 0 1 9 1 5 5, 220/240 V, 50 Hz, 2.7 kW,	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		refrigerant charge: R290 0.300 kg, indoor temperature: 21+35°C, dimensions: 420 mm x 360 mm x 740 mm.	
1514	DeLonghi	DeLonghi mobile air conditioning unit, model: PAC EL98 ECOREAL FEEL, type: PAC EL98, serial number: 015 28 900053 P 0 1 6 4 1 7, 220/240 V, 50 Hz, 2.7 kW, refrigerant charge: R290 0.300 kg, indoor temperature: 21+35°C, dimensions: 420 mm x 360 mm x 740 mm.	100
1515	NN archive room inventory	Archive room inventory, consisting of: (10x) cabinets, (3x) s/s racks, dimensions: (1x) 2720 mm x 300 mm x 2000 mm, (1x) 3950 mm x 300 mm x 2000 mm and (1x) 1000 mm x 300 mm x 2000 mm.	150
1516	Amica International GmbH	Amica International GmbH refrigerator, model: KS 15201, serial number: 10800870144314, 230 V, 50 Hz, 0.8 A, netto volume: 101/17 dm <sup>3</sup> , dimensions: 600 mm x 550 mm x 850 mm.	25
1517	AEG	AEG refrigerator with freezer, dimensions: 680 mm x 600 mm x 850 mm.	25
1519	NN office inventory	Office inventory, consisting of: 4 office desks, 6 office cabinets, 3 chairs.	150
1520	NN office inventory	Office inventory, consisting of: 2 office desks, 6 cabinets, 2 chairs.	100
1521	NN office inventory	Office inventory, consisting of: 2 office desks, 5 cabinets.	100
1522	NN office inventory	Office inventory, consisting of: 1 office desks, 3 cabinets.	100
1523	NN office inventory	Office inventory, consisting of: 6 office desks, 10 cabinets, 13 chairs.	200
1524	NN office inventory	Office inventory, consisting of: 3 office desks, 6 cabinets, 6 chairs.	100
1525	NN lockers	3 steel lockers with bench, 4 doors, dimensions: 850 mm x 1200 mm x 2150 mm.	75
1526	NN locker frames	12 steel locker frames with benches, dimensions: (12x) 840 mm x 1200 mm x 380 mm.	25
1527	NN shopping cart	2 s/s shopping carts, dimensions: (1x) 980 mm x 600 mm x 1120 mm, (1x) 1040 mm x 590 mm x 940 mm.	20
1528	NN dressing room inventory	Dressing room inventory, consisting of: 2 racks, 1 bench, 2 cabinets, 1 table.	50
1529	NN lockers	4 steel lockers (1x) with bench, 4 doors, dimensions: (1x) 850 mm x 1200 mm x 2150 mm, (3x) 1200 mm x 550 mm x 1950 mm.	100
1530	NN boots rack	2 s/s boots racks, dimensions: (2x) 3070 mm x 610 mm x 1540 mm.	100
1531	NN lockers	2 steel lockers, (2x) 20 doors, dimensions: (2x) 1200 mm x 530 mm x 1940 mm. Without keys.	50
1532	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 520 mm x 1010 mm.	10
1533	NN lockers	3 steel lockers, (3x) 15 doors, total dimensions: (3x) 1200 mm x 560 mm x 2060 mm. Without keys.	75
1534	NN boots rack		650



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		13 s/s boots racks, dimensions: (13x) 3070 mm x 610 mm x 1540 mm.	
1535	NN lockers	2 steel lockers, (2x) 15 doors, total dimensions: (2x) 1200 mm x 560 mm x 2060 mm. Without keys.	50
1536	NN boots rack	8 s/s boots racks, dimensions: (8x) 3070 mm x 610 mm x 1540 mm.	400
1537	NN boots rack	7 s/s boots racks, total dimensions: 3100 mm x 580 mm x 1800 mm.	350
1538	NN lockers	11 steel lockers, (11x) 20 doors, dimensions: (11x) 1200 mm x 530 mm x 1940 mm. Without keys.	275
1539	NN waste bag holders	2 s/s waste bag holder, foot control, dimensions: (2x) 500 mm x 520 mm x 1010 mm.	20
1540	NN trolley	Steel trolley, 2 floors, dimensions: 1200 mm x 600 mm x 800 mm.	10
1541	NN lockers	Steel lockers, 15 doors, total dimensions: 1200 mm x 560 mm x 2060 mm. Without keys.	25
1542	NN lockers	5 steel lockers with bench, 4 doors, dimensions: (5x) 850 mm x 1200 mm x 2150 mm.	125
1543	NN lockers	9 steel lockers with bench, 4 doors, dimensions: (9x) 850 mm x 1200 mm x 2150 mm.	225
1544	NN office inventory	Office inventory, consisting of: 3 office desks, 3 cabinets, 5 chairs.	150
1546	NN lockers	6 steel lockers, (6x) 20 doors, dimensions: (6x) 1200 mm x 530 mm x 1940 mm. Without keys.	150
1547	NN boots rack	6 s/s boots rack, dimensions: (6x) 1060 mm x 700 mm x 2070 mm.	300
1548	NN lockers	6 steel lockers, (6x) 20 doors, dimensions: (6x) 1200 mm x 530 mm x 1940 mm. Without keys.	150
1549	NN boots rack	12 s/s boots rack, dimensions: (12x) 1060 mm x 700 mm x 2070 mm.	600
1551	NN office inventory	Office inventory, consisting of: 2 office desks, 6 cabinets.	100
1552	Saro	Saro refrigerator, model: HK 600, serial number: 20015223, 220/240 V, 50/60 Hz, 0.9 A, refrigerant: R600a/0.100, temperature: -2 +8:C, machine weight: 90 kg, dimensions: 770 mm x 700 mm x 1900 mm.	50
1553	NN sink	S/s double sink with faucet, dimensions: 1860 mm x 640 mm x 930 mm.	125
1554	NN racks with parts for sterilizers	S/s rack with parts for sterilizers, volume boxes: 30 litre and 5 litre, total dimensions: 1660 mm x 660 mm x 1280 mm.	125
1555	NN laboratory inventory	Laboratory inventory, consisting of: 3 tables, table dimensions: (3x) 1250 mm x 620 mm x 800 mm, s/s rack with plastic floors, 5 floors, dimensions: 930 mm x 500 mm x 1930 mm.	150
1556	Kirsch	Kirsch refrigerator, model: Labex-462, serial number: 4600200501, 220 V, 50/60 Hz, 150 W, refrigerant: R12	50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		0.25 kg, net volume: 440 litre, dimensions: 650 mm x 730 mm x 1680 mm.	
1557	VEB MLW Labortechnik	VEB MLW Labortechnik laboratory oven, type: BS 3, number: 75177, 220 V, 50 Hz, 880 W, 3 floors, floor dimensions: (3x) 350 mm x 400 mm, total dimensions: 650 mm x 760 mm x 620 mm.	25
1558	NN laboratory inventory	Laboratory inventory, consisting of: 2 tables, dimensions: (1x) 1600 mm x 800 mm x 750 mm, (1x) 1600 mm x 600 mm x 820 mm, 1 work table with sink and faucet, dimensions: 4320 mm x 640 mm x 950 mm, cabinet, dimensions: 1000 mm x 450 mm x 1920 mm.	150
1559	Wolf	Wolf autoclave, model: HA-300MII, serial number: 88481, year of construction: 11.99, 220 V, 50/60 Hz, inside dimensions: ø300 mm x 650 mm, total dimensions: 520 mm x 440 mm x 1070 mm. Including 4 baskets, basket dimensions: (2x) ø280 mm x 280 mm and (2x) ø280 mm x 210 mm.	250
1560	ENVAIR Deutschland GmbH	ENVAIR Deutschland GmbH horizontal laminar flow work table with uv lamp, model: Air H, serial number: OSN-3 182, year of construction: 03/2020, 230 V, 50 Hz, 6 A, 1.24 kW, inside dimensions: 570 mm x 890 mm x 700 mm, total dimensions: 950 mm x 930 mm x 2030 mm.	250
1561	NN laboratory equipment	3 racks with large amount of laboratory equipment, rack dimensions: (1x) 4700 mm x 1360 mm x 2020 mm, (1x) 5400 mm x 1000 mm x 1960 mm and (1x) 6000 mm x 600 mm x 2020 mm.	250
1562	NN laboratory inventory	Laboratory inventory, consisting of: 2 tables, 2 laboratory desks, 1 cabinet, 1 work table with sink and faucet.	150
1563	VWR International bvba	VWR International bvba water bath, model: VWB 6, serial number: 1104114, 230 V, 4 A, inside dimensions: 300 mm x 150 mm x 150 mm, total dimensions: 350 mm x 220 mm x 300 mm.	50
1564	Wolf	Wolf autoclave, model: HA-300MII, serial number: 82664, year of construction: 11.1997, 220 v, 50/60 Hz, maximum pressure: 1.9 kg/cm <sup>2</sup> , inside dimensions: ø300 mm x 650 mm, total dimensions: 520 mm x 440 mm x 1070 mm.	250
1565	Biomerieux SA	Biomerieux SA high performance food pathogen detector, model: MINI VIDAS, serial number: IVD5216337, 100/240 V, 50/60 Hz, 1.5/0.8 A, label width: 150 and 140 mm, total dimensions: 560 mm x 570 mm x 450 mm.	250
1566	Biomerieux SA	Biomerieux SA high performance food pathogen detector, model: MINI VIDAS, serial number: IVD1209100, 100/240 V, 50/60 Hz, 1.5/0.8 A, label	150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		width: 150 and 140 mm, total dimensions: 560 mm x 570 mm x 450 mm.	
1567	NN lockers	Steel lockers with bench, 4 doors, dimensions: 1200 mm x 870 mm x 2280 mm.	25
1568	Liebherr	Liebherr refrigerator, model: UKS 1800 Index 20B / 001, serial number: 2 3094 4, 220/240 V, 50 Hz, 150 W, refrigerant: R 600 a: 35 g, volume: 174 litre, dimensions: 600 mm x 600 mm x 890 mm.	25
1569	Berger	Berger insect killer, type: III BF, number: 9005/47, 220 V, 50 Hz, dimensions: 650 mm x 240 mm x 330 mm.	10
1570	NN laboratory equipment	Large amount of different laboratory equipment.	50
1571	NN archive room inventory	Archive room inventory, consisting of: racks, cabinets, lockers and tables.	500
1572	Jungheinrich	Jungheinrich electric pallet lifter, type: EME12, serial number: ME02021469, year of construction: 2002, 24 V, 0.3 kW, maximum load capacity: 1200 kg, fork length: 1170 mm, total dimensions: 1560 mm x 670 mm x 1280 mm.	500
1573	Jungheinrich	Jungheinrich electric pallet stacker, type: ESD 120 119 166 ZT, serial number: 91565386, year of construction: 2012, 24 V, 2.0 kW, maximum load capacity: 2000 kg, machine weight without battery: 950 kg, fork length: 1180 mm, total dimensions: 2350 mm x 760 mm x 1450 mm. Including battery and charger with battery changing unit, type battery: 24 V 4 PzS 500, serial number: 187134, year of construction: 24/2019, 24 V, 500 Ah, weight: 372 kg, volume: 59 litre, charger type: D400V G 24/60 B-SLT 100, serial number: S40X 93727939, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 3.7 A, charger dimensions: 480 mm x 500 mm x 730 mm, changing unit dimensions: 1100 mm x 950 mm x 750 mm.	1500
1574	Jungheinrich	Jungheinrich electric pallet stacker, weight: 222 kg, fork length: 1190 mm, total dimensions: 2550 mm x 770 mm x 1820 mm. Including charger and battery, type battery: PB, serial number: 033340261, year of construction: 9/2019, 24 V, 250 Ah, 4.6 kWh, battery weight: 222 kg, charger type: E230V G 24/50 B-SLT 100, serial number: 93777852, year of construction: 2015, 230 V, 50/60 Hz, 8.6 A, dimensions: 800 mm x 750 mm x 1850 mm.	1500
1575	Tebetron	Tebetron battery charger, type: E230 G24/60 B-FTPNI, serial number: 3264873, year of construction: 2003, 230 V, 50/60 Hz, 10.5 A, dimensions: 500 mm x 300 mm x 270 mm.	50
1576	Jungheinrich	Jungheinrich forklift truck, type: EFG 218k GE115-300DZ, serial number: FN416401, year of construction: 2011, 48 V, 9.0 kW, maximum load	3000



Nr	Title	Description	Start €
		capacity: 1800 kg, machine weight without battery: 2540 kg, fork length: 1150 mm, total dimensions: 3060 mm x 1100 mm x 2050 mm. Including charger, dimensions: 430 mm x 300 mm x 400 mm.	
1577	Jungheinrich	Jungheinrich battery charger, type: D400 G 24/70 B-ET PLUS, serial number: 93027067, 400 V, 3 Ph, 50/60 Hz, 4.4 A, dimensions: 500 mm x 500 mm x 740 mm.	100
1578	Tricom	Tricom battery charger, type: E 230 G 24/25-FML, serial number: T0060 1019119 0720, 230/24 V, 50/60 Hz, 3.3/25 A, 150 Ah, dimensions: 300 mm x 200 mm x 230 mm.	50
1579	Tricom	Tricom battery charger, type: E 230 G 24/30 B50-FP, serial number: 630 1051772, 230 V, 50/60 Hz, 4.2/30 A, 200 Ah, dimensions: 260 mm x 170 mm x 100 mm.	50
1580	Jungheinrich	Jungheinrich electric order picker, type: ECE 220 HP, serial number: 91558903, year of construction: 2011, 24 V, 2.8 kW, maximum load capacity: 2000 kg, machine weight without battery: 775 kg, battery weight: 351/388 kg, fork length: 1140 mm, total dimensions: 2540 mm x 830 mm x 1460 mm. Including charger, type: E230V G 24/50 B-SLH300, serial number: 94041058, year of construction: 2025/03, 230 V, 50/60 Hz, 7.8 A, dimensions: 360 mm x 330 mm x 320 mm.	1000
1581	Jungheinrich	Jungheinrich electric pallet stacker, fork length: 1190 mm, total dimensions: 2060 mm x 730 mm x 1340 mm. Including Exide charger, type: RP24S030L, serial number: ATT-UB01173497, 230 V, 1 Ph, 50/60 Hz, 7.7 A, dimensions: 500 mm x 430 mm x 660 mm.	1250
1582	Jungheinrich	Jungheinrich battery charger, type: D400V G 24/90 B-SLT 100, serial number: S40X 93663399, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 4.9 A, dimensions: 500 mm x 490 mm x 730 mm.	100
1583	NN forklift safety cage	Steel forklift safety cage, type: MB-D, serial number: 24551, year of construction: 2002, maximum load capacity: 300 kg, weight: 120 kg, dimensions: 1200 mm x 1000 mm x 1860 mm.	150
1584	Exide Europe	Exide Europe battery charger, type: AE 24/080YJ, serial number: T5010124, 230/400 V, 50 Hz, 7.2/4.2/80 A, dimensions: 550 mm x 390 mm x 510 mm.	50
1585	Jungheinrich	Jungheinrich battery charger, type: E230G24/65B-SLH200, serial number: A3437461, year of construction: 2008, 230 V, 50/60 Hz, 8 A, dimensions: 400 mm x 340 mm x 480 mm.	50
1587	Jungheinrich	Jungheinrich battery charger, type: D400V G 24/70 B-ETIS, serial number: 93161711, year of construction: 2004, 400 V, 3 Ph, 50/60 Hz, 4.3 A, dimensions: 500 mm x 500 mm x 740 mm.	100
1588	Jungheinrich		1250



Nr	Title	Description	Start €
		Jungheinrich electric pallet stacker, type: ERD 220, serial number: 91547947, year of construction: 2010, 24 V, 2.0 kW, maximum load capacity: 2000 kg, machine weight without battery: 915 kg, battery weight: 274/302 kg, fork length: 1190 mm, total dimensions: 2580 mm x 760 mm x 1430 mm.	
1589	Jungheinrich	Jungheinrich electric pallet stacker, type: ERD 220, serial number: 91549151, year of construction: 2010, 24 V, 2.0 kW, maximum load capacity: 2000 kg, machine weight without battery: 915 kg, battery weight: 274/302 kg, fork length: 1190 mm, total dimensions: 2580 mm x 760 mm x 1430 mm. Including Hawker charger, serial number: HGF315001, 230 V, 1 Ph, 50 Hz, 7.5 A, dimensions: 150 mm x 280 mm x 430 mm.	1250
1590	Jungheinrich	Jungheinrich electric order picker, type: ECE 220, serial number: 90245134, year of construction: 2007, 24 V, 2.5 kW, maximum load capacity: 2000 kg, machine weight without battery: 700 kg, battery weight: 351/389 kg, fork length: 1140 mm, total dimensions: 2540 mm x 830 mm x 1460 mm. Including charger, type: D400V G 24/90 B-SLT 100, serial number: 93266732, year of construction: 2005, 400 v, 3 Ph, 50/60 Hz, 4.9 A, dimensions: 500 mm x 500 mm x 740 mm.	1250
1591	Jungheinrich	Jungheinrich electric pallet stacker, fork length: 1190 mm, total dimensions: 2000 mm x 690 mm x 1460 mm. Including charger, type: E230 G 24/25 B-ET, serial number: 218368, 230 V, 50/60 Hz, 4.3 A, 150 Ah, dimensions: 400 mm x 270 mm x 350 mm.	1250
1592	Jungheinrich	Jungheinrich electric pallet stacker, type: ERD 220, serial number: 91548470, year of construction: 2010, 24 V, 2.0 kW, maximum load capacity: 2000 kg, machine weight without battery: 950 kg, battery weight: 274/302 kg, fork length: 1190 mm, total dimensions: 2570 mm x 770 mm x 1530 mm. Tricom charger, type: E 230 G 24/50 B50-FP, serial number: 630 753875 0717, 230 V, 50/60 Hz, 6.1/50 A, dimensions: 260 mm x 120 mm x 165 mm.	1250
1593	Jungheinrich	Jungheinrich electric order picker, type: ECE 225, serial number: 90506326, year of construction: 2016, 24 V, 3.2 kW, maximum load capacity: 2500 kg, machine weight without battery: 556 kg, battery weight: 350/535 kg, fork length: 1150 mm, total dimensions: 2520 mm x 820 mm x 1520 mm. Including charger, type: E230V G 24/40 B-SLT 100, serial number: S40X 93638489, year of construction: 2010, 230 V, 50/60 Hz, 6.9 A, dimensions: 400 mm x 260 mm x 310 mm.	1250
1594	Jungheinrich	Jungheinrich electric pallet stacker, type: ERD 220, fork length: 1190 mm, total dimensions: 2600 mm x 740 mm	1250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		x 1475 mm. Including LifeTech charger, model: TC1 LT, serial number: QBA044154, 200/260 V, 50/60 Hz, 72 A, dimensions: 190 mm x 250 mm x 350 mm.	
1595	Jungheinrich	Jungheinrich electric pallet stacker, type: ERD 220, battery type: PB, serial number: 033416193, year of construction: 16/2021, 24 V, 8.6 kWh, 375 Ah, battery weight: 288 kg, fork length: 1190 mm, total dimensions: 2650 mm x 730 mm x 1510 mm. Including charger, dimensions: 260 mm x 165 mm x 110 mm.	1250
1596	Jungheinrich	Jungheinrich battery charger, model: SLT 100, dimensions: 400 mm x 260 mm x 345 mm.	50
1597	Tebetron	Tebetron battery charger, type: E230/240 G24/80 B-FTNI, serial number: 3080108, dimensions: 510 mm x 320 mm x 380 mm.	50
1598	Jungheinrich	Jungheinrich electric pallet stacker, type: ERD 220 KLPF, serial number: 90391438, year of construction: 2011, 24 V, 2.8 kW, maximum load capacity: 2000 kg, machine weight without battery: 845 kg, battery weight: 273/310 kg, fork length: 1190 mm, total dimensions: 2670 mm x 780 mm x 1380 mm. Including charger, type: E230 G 24/60 B-SLH 090, serial number: B5425008, year of construction: 2011, 230 V, 1 Ph, 50/60 Hz, 8.7 A, dimensions: 600 mm x 260 mm x 130 mm.	1250
1599	PDT GmbH	PDT GmbH s/s sink with faucet, sensor control, type: 33110, serial number: 33110-353, year of construction: 07/2025, 230 V, 50/60 Hz, 0.02 kW, weight: 20 kg, dimensions: 500 mm x 455 mm x 690 mm.	100
1600	Jungheinrich	Jungheinrich electric pallet stacker, type: EJD 220, fork length: 1200 mm, total dimensions: 2100 mm x 700 mm x 1350 mm. Including charger, dimensions: 400 mm x 280 mm x 350 mm.	1000
1601	IBB Accumulators	IBB Accumulators battery, type: Pb, serial number: 622524, year of construction: 25/2022, 24 V, 10.6 kWh, 465 Ah, battery weight: 401 kg, dimensions: 790 mm x 210 mm x 780 mm, 2 battery changing units, dimensions: 920 mm x 730 mm x 750 mm.	150
1602	Tricom	Tricom battery charger, 24 V, 100 A, dimensions: 520 mm x 400 mm x 500 mm.	50
1603	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1150 mm, total dimensions: 1700 mm x 700 mm x 1400 mm. Including charger, model: SLH 090, 24 V, 100 A, dimensions: 420 mm x 150 mm x 260 mm.	500
1604	Jungheinrich	Jungheinrich electric order picker, type: ECE 225 HP, serial number: 90570468, year of construction: 2018, 24 V, 2.8 kW, maximum load capacity: 2500 kg, machine weight without battery: 747 kg, battery weight: 350/535 kg, fork length: 1600 mm, total dimensions:	1500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		3100 mm x 850 mm x 1550 mm. Including charger, 24 V, 60 A, dimensions: 500 mm x 350 mm x 300 mm.	
1605	Jungheinrich	Jungheinrich battery charger, 24 V, 70 A, dimensions: 490 mm x 450 mm x 800 mm.	50
1606	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1150 mm, total dimensions: 1700 mm x 700 mm x 1400 mm.	500
1607	Jungheinrich	Jungheinrich s/s pallet lifter, type: HPT, serial number: 1812990, maximum load capacity: 2500 kg, machine weight: 72 kg, fork length: 1130 mm, total dimensions: 1450 mm x 520 mm x 1220 mm.	250
1608	NN pallet lifter	Steel pallet lifter, fork length: 1140 mm, total dimensions: 1450 mm x 530 mm x 1220 mm.	75
1610	Jungheinrich	Jungheinrich forklift truck, fork length: 1200 mm, total dimensions: 3100 mm x 1000 mm x 2000 mm. Including charger, type: D400G 48/65 B-ET-DE, serial number: 79494, 400 V, 50/60 Hz, 7.0 A, dimensions: 450 mm x 490 mm x 500 mm.	3000
1611	Jungheinrich	Jungheinrich electric order picker, type: ECE 220, serial number: 90113201, year of construction: 2004, 24 V, 2.5 kW, maximum load capacity: 2000 kg, machine weight without battery: 700 kg, battery weight: 351/389 kg, fork length: 1140 mm, total dimensions: 2350 mm x 850 mm x 1400 mm. Including charger.	1250
1612	Jungheinrich	Jungheinrich electric pallet stacker, fork length: 1180 mm, total dimensions: 2100 mm x 750 mm x 1320 mm. Including charger, type: D400 G 24/90 B-ETP-Z, serial number: 93359, 400 V, 50/60 Hz, 9.0 A, 360 Ah, dimensions: 500 mm x 520 mm x 740 mm.	1250
1613	Jungheinrich	Jungheinrich reach truck, can be used in a cold storage room, fork length: 1150 mm, total dimensions: 2700 mm x 1050 mm x 2150 mm. Including charger, type: D400V G 48/90 B-SLT 100, serial number: S40X 93641145, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 9.8 A, dimensions: 500 mm x 500 mm x 720 mm.	2000
1614	Still	Still battery charger, model: WSA, serial number: 627000057515, year of construction: 2018, 230 V, 50 Hz, 7.77 A, weight: 23 kg, dimensions: 410 mm x 260 mm x 260 mm.	50
1615	NN protection poles	2 s/s protection poles, dimensions: (2x) ø110 mm x 800 mm.	20
1616	NN forklift safety cage	Steel forklift safety cage, type: MB-D, serial number: 24552, year of construction: 2002, maximum load capacity: 300 kg, weight: 120 kg, dimensions: 1200 mm x 1000 mm x 1860 mm.	150
1617	Fetra	Fetra steel pallet lifter, type: 2119, serial number: 0118042704222, year of construction: 2018, capacity:	75



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		2500 kg, fork length: 1150 mm, total dimensions: 1500 mm x 540 mm x 1200 mm.	
1618	Jungheinrich	Jungheinrich s/s pallet lifter, type: HPT, serial number: 1814988, year of construction: JAN 2021, maximum load capacity: 2500 kg, machine weight: 73 kg, fork length: 1130 mm, total dimensions: 1450 mm x 520 mm x 1220 mm.	250
1619	Jungheinrich	Jungheinrich s/s pallet lifter, type: HPT, serial number: 1811465, year of construction: MAR 2020, maximum load capacity: 2500 kg, machine weight: 73 kg, fork length: 1130 mm, total dimensions: 1450 mm x 520 mm x 1220 mm.	250
1621	Kolelag	56 pallets with plastic crates and 39 pallets with refrigeration lids, dimensions each crate: 400 mm x 300 mm x 120 mm, dimensions each lid: 410 mm x 300 mm.	1000
1622	NN ham moulds	2 aluminium cages with large amount of ham moulds, inside dimensions: (1x) 400 mm x 200 mm x 150 mm, (1x) 790 mm x 100 mm x 95 mm, total dimensions ham moulds: (1x) 435 mm x 240 mm x 150 mm, (1x) 825 mm x 130 mm x 100 mm, total dimensions cages: (2x) 1200 mm x 800 mm x 880 mm.	100
1623	Palux	Palux dishwasher, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 720 mm x 1400 mm.	50
1624	NN apron washer	S/s double apron washer, dimensions: 2450 mm x 650 mm x 2100 mm.	100
1625	NN kitchen inventoty	NN kitchen inventory, consisting of: 2 s/s sinks with faucet, dimensions sink: (2x) 1200 mm x 750 mm x 1800 mm, 2 s/s tables, dimensions: (2x) 850 mm x 550 mm x 900 mm, parts for sink, dimensions: 2100 mm x 850 mm x 1000 mm, s/s hood.	100
1626	VOSS	VOSS tiltable roasting pan, inside dimensions: 820 mm x 620 mm x 150 mm, total dimensions: 1500 mm x 900 mm x 900 mm.	100
1627	NN lockers	14 lockers with 10 doors, dimensions: (14x) 600 mm x 500 mm x 1950 mm, 8 lockers with 5 doors, dimensions: (8x) 400 mm x 500 mm x 1950 mm. Various keys are missing.	350
1628	NN cooling tunnel	S/s cooling tunnel, s/s belt, belt width: 1030 mm, total dimensions: (1x) 5000 mm x 1550 mm x 2150 mm, (1x) 7250 mm x 1400 mm x 1350 mm. Including 4 pallets. Incomplete/Technical condition.	1000
1629	NN extraction hood	S/s extraction hood, dimensions: 1410 mm x 1100 mm x 450 mm.	150
1630	NN table	S/s table, dimensions: 1300 mm x 800 mm x 850 mm.	50
1631	NN frames	S/s frame, dimensions: 1350 mm x 600 mm x 500 mm.	50
1632	NN lockers	Steel lockers, (2x) 20 doors, (1x) 12 doors, total dimensions: (2x) 1200 mm x 520 mm x 1850 mm, (1x) 600 mm x 500 mm x 1900 mm.	75



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1633	NN extraction hood	S/s extraction hood, dimensions: 2600 mm x 1100 mm x 450 mm.	250
1634	NN salad bar	Salad bar, consisting of: work table, dimensions: 1800 mm x 900 mm x 850. Small table, dimensions: 650 mm x 1190 mm x 870 mm. Sink, dimensions: 1100 mm x 720 mm x 1100 mm. Cooled salad bar, dimensions: 1500 mm x 1100 mm x 1350 mm.	250
1635	NN cooled cabinet	S/s refrigerated cabinet, 6 doors, dimensions: 3100 mm x 700 mm x 950 mm.	300
1636	Ascobloc	Ascobloc refrigerated cabinet, 3 doors, dimensions: 1550 mm x 1700 mm x 1950 mm.	150
1637	AHT	AHT freezer, type: B824, serial number: 250558 99012693, 220/240 V, 50 Hz, 2.8 A, 480 W, 8.3 kW, volume: 625 dm <sup>3</sup> , dimensions: 1850 mm x 900 mm x 1100 mm.	100
1638	AHT	AHT freezer, type: B825, serial number: 03463536, year of construction: 2002, 220/240 V, 50 Hz, 2.60 A, 7.90 kW, 480 W, volume: 724 dm <sup>3</sup> , dimensions: 2100 mm x 900 mm x 900 mm.	100
1639	AHT	AHT freezer, type: B821N, serial number: 267112 00000095, year of construction: 2006/1, 220/240 V, 50 Hz, 1.7 A, 7.0 kW, 370 W, refrigerant: R290, volume: 724 dm <sup>3</sup> , dimensions: 2100 mm x 900 mm x 900 mm.	100
1640	Güntner	4 Güntner evaporators, type: (1x) GASC RX 031.1/1-70.E-1846307P, (2x) GDF 020.1C/27-EN150.E, (1x), serial number: (1x) 501085886/23.01402, (1x) 401035333/18.00786, (1x) 401036955/19.00465, year of construction: (1x) 2018, (2x) 2014, volume: (1x) 1.5 litre, (2x) 3.90 litre, (3x) 2 fans, (1x) 1 fan, total dimensions: (2x) 1100 mm x 700 mm x 400 mm, (1x) 1150 mm x 720 mm x 350 mm, (1x) 970 mm x 650 mm x 350 mm.	200
1641	NN cabinets	2 cabinets, dimensions: (2x) 1470 mm x 400 mm x 1500 mm.	20
1642	NN lockers	2 steel lockers, (2x) 4 doors, dimensions: (2x) 1200 mm x 500 mm x 1800 mm.	50
1643	Cool it / Kramer	2 Cool it s/s refrigeration doors, door dimensions: (2x) 980 mm x 2120 mm, thickness: (2x) 45 mm, 2 Kramer s/s refrigeration doors, door dimensions: (2x) 1045 mm x 2120 mm, thickness: (2x) 80 mm.	250
1644	AHT	AHT refrigerated showcase, model: CMVD 120.0 S, number: 059625, year of construction: 09.2009, 220/230 V, 50 Hz, 4.5/4.7 A, refrigerant: R134a, volume: 800 litre, dimensions: 1250 mm x 680 mm x 2100 mm.	50
1645	AHT	AHT freezer, type: B825N, serial number: 409509 00000551, year of construction: 06-2012, 220/240 V, 50 Hz, 1.80 A, 4.10 kW, 370 W, refrigerant: R290/0,	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		volume: 484 dm <sup>3</sup> , dimensions: 2100 mm x 900 mm x 900 mm.	
1646	Ascobloc	Ascobloc s/s refrigerated cabinet, 3 doors, dimensions: 1550 mm x 1700 mm x 1950 mm.	150
1647	Saro	Saro double fryer, dimensions: 800 mm x 700 mm x 950 mm.	150
1648	Salvis	Salvis heated holding cabinet, inside dimensions: 300 mm x 460 mm x 120 mm, total dimensions: 700 mm x 450 mm x 1300 mm.	25
1649	Ubert	Ubert chicken grill, 7 baskets, each basket: 650 mm x 150 mm x 80 mm, total dimensions: 900 mm x 1000 mm x 1050 mm.	150
1650	NN locker	Steel locker, 4 doors, dimensions: 1200 mm x 550 mm x 1950 mm.	25
1651	Saro	Saro grill, grill dimensions: 800 mm x 530 mm, total dimensions: 820 mm x 700 mm x 950 mm.	150
1652	Stiebel Eltron	Stiebel Eltron boiler, model: SHZ 100 LCD, serial number: 231254-9332-000301, 230/400 V, 3 Ph, 50/60 Hz, volume: 100 litre, dimensions: 500 mm x 500 mm x 1150 mm.	25
1653	Cool Compact	Cool Compact s/s refrigerated cabinet with plastic work top, 2 doors, dimensions: 1400 mm x 800 mm x 900 mm.	150
1654	Celsior GmbH'	Celsior GmbH refrigerated show case, dimensions: 3850 mm x 1150 mm x 2250 mm.	200
1655	CF Systems	CF Systems steel cooling compressor rack, consisting of: 3 Bock cooling compressors, type: (3x) HGX22e/160-4, serial number: (1x) AX04582A045, (1x) AX04581A045, (1x) AX04580A045, 220/240/380/420 V, 3 Ph, 50 Hz, 69/40 A, capacity: (3x) 13.7 m <sup>3</sup> /per hour, total dimensions: 1300 mm x 800 mm x 1700 mm.	500
1656	NN cooled storage room	Various wall panels for cooling cell, consisting of: 2 Cool it refrigeration door, door dimensions: (2x) 1045 mm x 2010 mm, thickness: (2x) 80 mm. Preuffer refrigeration door, door dimensions: 1065 mm x 2005 mm, thickness: 80 mm. 40 different sizes panels, thickness: 100 mm.	250
1657	NN locker	4 Steel locker, 4 doors, dimensions: (4x) 1200 mm x 550 mm x 1950 mm.	100
1658	NN Acrylic plates	17 Acrylic plates, dimensions: (14x) 2000 mm x 2050 mm x 6 mm, (3x) 3000 mm x 2000 mm x 6 mm.	100
1659	Sabroe	Sabroe cooling compressor, type: SMC 116L, number: 88256, year of construction: 1989, capacity: 559/744 m <sup>3</sup> /per hour, dimensions: 3100 mm x 1150 mm x 1400 mm.	1500
1660	Schorch	Schorch drive motor, type: KS 5029B-AN02, number: 44325501/1, 380 V, 50 Hz, 890 A, 500 kW, capacity: 2954 /min, total dimensions: 1350 mm x 1000 mm x 1350 mm.	250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1661	NN ducts	Air ducts, clearance: (1x) ø400 mm, (1x) ø650 mm, total dimensions: 1850 mm x 800 mm x 2300 mm.	25
1662	NN mixing tub	Plastic mixing tub, 300 litre, dimensions: 650 mm x 650 mm x 1300 mm.	10
1663	NN diesel tank	Steel diesel tank, volume: 100.000 litre, dimensions: 16000 mm x 3200 mm x 3900 mm.	2500
1664	NN diesel tank	Steel diesel tank, volume: 100.000 litre, dimensions: 16000 mm x 3200 mm x 3900 mm.	2500
1665	NN diesel tank	Steel diesel tank, volume: 100.000 litre, dimensions: 16000 mm x 3200 mm x 3900 mm.	2500
1666	NN excavator	Mobile excavator with clamshell bucket, type: T 174-2, number: 14880, year of construction: 1994, dimensions: 6100 mm x 2800 mm x 4800 mm.	1000
1667	Jungheinrich	Jungheinrich pallet rack, type: MPB, serial number: 1124104891, year of construction: 2016, consisting of: 9 uprights, dimensions: (9x) 1100 mm x 5000 mm, approximately 22 beams, beam length: (4x) 3600 mm, (12x) 2700 mm, (6x) 1800 mm.	100
1668	NN containers	12 containers, dimensions: (12x) 680 mm x 800 mm x 1550 mm.	120
1669	Fort	Fort two wheel tractor with attachments, tractor model: 280-150, year of construction: 1997, weight: 115 maximum kg, Brush, model: SPAZZOLONE, year of construction: 1997, weight: 26-70 kg, working width: 1020 mm, push blade, model: RUSPA, year of construction: 1997, weight: 26-58 kg, working width: 850 mm, cutting blade, working width: 1050 mm, suction device, working width: 750 mm, total dimensions: 1400 mm x 550 mm x 1200 mm.	250
1670	NN cargo holding stands	Large amount of cargo holding stands, length: 2550 mm.	25
1671	Iseki	Iseki tractor, type: 3020 A, number: 002373, dimensions: 2600 mm x 1200 mm x 2150 mm, Including Iseki collection hopper, dimensions: 1400 mm x 1000 mm x 1500 mm, Steel mobile tank, volume: 1600 litre, dimensions: 2100 mm x 1550 mm x 1700 mm. Wheel is broken, technical condition unknown.	300
1672	NN oil tank	Steel oil tank, volume: 100.000 litre, dimensions: 16000 mm x 3200 mm x 3900 mm.	2500
1673	Metabo	Metabo sharpening machine, model: DS 175, serial number: 19175000, dimensions: 400 mm x 300 mm x 1100 mm.	75
1674	Würth	Würth metal saw, model: PBS 120, serial number: 900563141500001948, 230V, 50/60 Hz, 5.0 A, length saw blade: 1440 mm, total dimensions: 800 mm x 400 mm x 1200 mm.	200
1675	VEB	VEB metal cutter, dimensions: 650 mm x 400 mm x 1600 mm.	50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1676	NN workbench	Steel workbench, dimensions: 3700 mm x 720 mm x 900 mm, including steel cabinet and wall mounted tool racks.	150
1677	NN workbench	Steel workbench with bench vice, dimensions: 3700 mm x 720 mm x 900 mm, including steel cabinet and wall mounted tool racks.	150
1678	Huvema	Huvema drilling machine, year of construction: 2017, 220-230/380 V, 50/60 Hz, 3-3.2 A, 0.75 kW, dimensions: 1100 mm x 700 mm x 1900 mm.	250
1679	VEB	VEB mobile welding machine, type: Rga 250.3.1, number: 991369, year of construction: 1983, dimensions: 800 mm x 550 mm x 1000 mm.	50
1680	NN cabinets with parts	4 steel cabinets with various tools and car parts, dimensions: (3x) 1000 mm x 450 mm x 1900 mm and (1x) 500 mm x 450 mm x 1800 mm.	100
1681	Würth	Würth tool trolley, dimensions: 900 mm x 510 mm x 900 mm, including wall rack with various tools.	25
1682	NN trestles	2 steel trestles, dimensions: (2x) 1000 mm x 500 mm x 750 mm.	10
1683	Hitachi	Box with Hitachi disc grinder, model: G 23ST, diameter disc: 230 mm, total dimensions: 700 mm x 180 mm x 300 mm.	25
1684	Kärcher	Kärcher industrial vacuum cleaner, type: NT 35/1, dimensions: 400 mm x 350 mm x 600 mm.	25
1685	MAXXIS	MAXXIS Vansmart Snow WL2 tier, size: 215/75R 16 C - 113/111R 8PR.	10
1686	Tork	Tork mobile paper holders, perforation blade, blade width: 440 mm, dimensions: 530 mm x 590 mm x 1000 mm.	10
1687	NN frame	Mobile steel frame, dimensions: 600 mm x 600 mm x 1250 mm.	10
1688	NN office chair	Office chair.	5
1689	NN jack	Mobile steel jack, dimensions: 700 mm x 350 mm x 1200 mm.	25
1690	BGS	BGS mobile heavy duty transmission jack, model: ZX0101D-ESB-500, maximum lifting height: 1770, maximum capacity: 500 kg, dimensions: 1000 mm x 1000 mm x 800 mm.	50
1691	KS Tools	KS Tools mobile heavy duty transmission jack, dimensions: 800 mm x 800 mm x 1300 mm.	25
1692	Carl Stahl	Carl Stahl lifting device, fabrication number: 40755, year of construction: 02/2006, maximum capacity: 80 kg, dimensions: 1000 mm x 500 mm x 1500 mm.	25
1693	NN trolley	Steel trolley, dimensions: 420 mm x 500 mm x 1050 mm.	10
1694	NN drip tray	Steel drip tray with rack, dimensions: 2400 mm x 800 mm x 1800 mm.	25



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1695	VEB	VEB sharpening machine, type: ES 200/2, dimensions: 550 mm x 250 mm x 250 mm.	50
1696	Denios	Denios plastic drip tray, dimensions: 1250 mm x 850 mm x 300 mm.	25
1697	Rapid	Rapid de-greasing unit, type: RKR 200/E, year of construction: 2009, dimensions: 800 mm x 570 mm x 1400 mm.	25
1698	NN rack with car parts	2 steel racks with various car parts, dimensions: (2x) 1450 mm x 420 mm x 2000 mm.	150
1699	NN screws and bolts	Wooden cabinet with various screws and bolts, dimensions: 750 mm x 350 mm x 1850 mm.	50
1700	NN locker	Steel locker, dimensions: 500 mm x 500 mm x 1800 mm.	10
1701	IFA	IFA W50 truck with snowplow and dump bed, width snowplow: 3050 mm, total dimensions: truck: 5800 mm x 2400 mm x 2750 mm.	2000
1702	Twin Busch GmbH	Twin Busch GmbH 2-post car lift, serial number: 201904FL701, year of construction: 04-15-2019, 400 V, 3 Ph, 50 Hz, 2.2 kW, weight: 625 kg, dimensions: 3500 mm x 2200 mm x 2850 mm.	500
1703	Delphi/Textar	Pallet with various Delphi and Textar discs brakes, dimensions pallet: 1200 mm x 800 mm x 350 mm.	25
1704	Fetra	Fetra steel pallet lifter, type: 2119, serial number: 0118091901695, year of construction: 2019, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1500 mm x 540 mm x 1200 mm.	75
1705	Jungheinrich	Jungheinrich steel pallet lifter, type: Ameise 2000, year of construction: 1997, capacity: 2000 kg, fork length: 650 mm, total dimensions: 1000 mm x 540 mm x 1200 mm.	75
1706	NN table	Mobile s/s table, dimensions: 910 mm x 750 mm x 800 mm.	25
1707	Baer Cargolift	Baer Cargolift truck loading ramp, serial number: 20047023720, year of construction: 2020, dimensions: 2000 mm x 1200 mm x 550 mm.	250
1708	NN truck stands	7 truck cargo holding stands, various lengths.	35
1709	NN table	S/s and steel table, dimensions: 820 mm x 600 mm x 1000 mm.	10
1710	Euro Part	3 Euro Part brake cylinders, type: 16/24, dimensions: (3x) 200 mm x 200 mm x 400 mm.	75
1711	NN tools	2 racks and wall rack with various tools.	100
1712	Metabo	Metabo trestles, model: MAB 82.	25
1713	NN press	Steel press, dimensions: 700 mm x 400 mm x 1300 mm.	25
1714	NN workbench	Steel workbench, dimensions: 1200 mm x 600 mm x 800 mm.	25
1715	NN tools	2 steel cabinets with various tools and car parts, dimensions: (2x) 1000 mm x 550 mm x 1910 mm.	50
1716	NN workbench		50



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Steel workbench with bench vice, dimensions: 2000 mm x 900 mm x 1150 mm, including wall panel with various tools.	
1717	NN tools	3 steel cabinets with various tools and parts, dimensions: (3x) 1000 mm x 550 mm x 1910 mm.	75
1718	NN trolley	Steel and wooden trolley, dimensions: 1000 mm x 550 mm x 610 mm.	25
1719	NN chairs	3 chairs.	5
1720	NN racks with content	3 steel racks with content, dimensions: (2x) 940 mm x 400 mm x 2100 mm and (1x) 750 mm x 300 mm x 1800 mm.	15
1722	Esda	Esda plastic trash chute, dimensions: (7x) Ø 600 mm x 1100 mm.	25
1723	NN safety poles	12 safety poles, height: 1000 mm.	60
1724	NN gardening tools	Various gardening tools.	25
1725	NN trolley	Steel and wooden trolley, dimensions: 1000 mm x 700 mm x 950 mm.	25
1726	NN cabinet	Steel cabinet with content, dimensions: 1000 mm x 450 mm x 1920 mm, steel rack with content, dimensions: 1450 mm x 420 mm x 2000 mm.	25
1727	NN lockers	Steel lockers, 4 doors, dimensions: 1200 mm x 550 mm x 1950 mm.	25
1728	NN cabinet	Steel cabinet, dimensions: 500 mm x 400 mm x 950 mm, steel rack, dimensions: 750 mm x 310 mm x 1500 mm.	10
1732	Stiga	Stiga gasoline leaf blower, dimensions: 1000 mm x 250 mm x 300 mm.	25
1733	NN trolley	Steel and wooden trolley, dimensions: 1000 mm x 700 mm x 950 mm.	25
1734	Husqvarna	Husqvarna gasoline gras trimmer, dimensions: 1700 mm x 250 mm x 700 mm.	50
1735	Stihl	Stihl gasoline gras trimmer, model: FS 240 C, year of construction: 06.2019, dimensions: 1700 mm x 250 mm x 700 mm.	50
1736	Makita	Makita gras trimmer, model: DUR369L, dimensions: 1700 mm x 250 mm x 250 mm.	50
1737	Husqvarna	Husqvarna gasoline gras trimmer, dimensions: 1700 mm x 250 mm x 700 mm.	50
1738	NN trolley	Steel trolley, dimensions: 550 mm x 500 mm x 1150 mm.	10
1739	Stihl	Stihl gasoline pole pruner, model: HT 131, year of construction: 12.2014, dimensions: 2900 mm x 250 mm x 250 mm.	75
1740	5 racks with truck and car parts	5 steel racks with large amount of truck and car parts.	375
1741		Michelin XZ E2 truck tire, size: 295/80R 22.5, Continental HSL 2+ truck tire, size: 315/70 R 22.5,	40



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	Michelin/ Continental/Berlin- Tire	Continental Long Distance truck tire, size: 315/70 R 22.5, Berlin-Tire truck tire, size: 16-20.	
1742	MAXXIS	4 MAXXIS Vansmart Snow WL2 tiers, size: 215/75R 16 C - 113/111R 8PR.	40
1743	NN trolley	Steel and wooden trolley, dimensions: 1050 mm x 700 mm x 950 mm.	10
1744	Schmitz Cargobull/ Allsafe	19 Schmitz Cargobull and Allsafe truck cargo holding stands, various heights.	190
1745	IFA	IFA gritting truck with snowplow and dump bed, type: M25, vehicle number: 1209388, width snowplow: 2000 mm, dimensions: truck: 5600 mm x 2000 mm x 2200 mm.	950
1746	Ecolab	Ecolab plastic foam mixing trolley, dimensions: 500 mm x 500 mm x 1200 mm.	25
1747	IFA	IFA truck, model: M25, vehicle number: 1592289, dimensions: 3500 mm x 1550 mm x 2200 mm. Incomplete, technical condition unknown.	150
1748	IFA	IFA truck, model: M25, dimensions: 3500 mm x 1550 mm x 2200 mm. Incomplete, technical condition unknown.	150
1749	NN hoist	Steel hoist, dimensions: 2000 mm x 900 mm x 1800 mm.	100
1750	Makita/Black & Decker/Metabo	Metabo drilling machine, model: UHE 2850 Multi, Black & Decker drilling machine, model: BD 308 RE, Makita battery charger, model: DC18RD, Makita circular saw, model: DHS680Z, Makita screwing/drilling machine, model: DHP484, Duro Pro sanding machine, model: DBS 600, Makita disc grinder, model: DGA511, Makita recipro saw, dimensions: DJR187.	250
1751	NN office inventory	Various office inventory, consisting of: 6 office desks and 11 office cabinets.	150
1752	Canon/HP	15 Canon and HP office printers, including various cartridges.	375
1753	NN cables	8 boxes with large amount of data and power cables.	100
1754	NN phones	3 boxes with large amount of phones.	100
1755	LogiTECH	2 boxes with various LogiTECH computer keyboards and mice.	25
1756	Acer/Fujitsu/ Samsung	Approximately 35 Acer and Fujitsu computer screens.	350
1757	NN trolley	S/s trolley, dimensions: 1100 mm x 440 mm x 700 mm.	25
1758	NN trolley	Steel trolley, dimensions: 700 mm x 550 mm x 650 mm.	10
1759	Moeller	Moeller s/s trolley, dimensions: 900 mm x 500 mm x 900 mm.	50
1760	NN trolley	Steel trolley, dimensions: 720 mm x 460 mm x 880 mm.	10
1761	NN lockers		250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		(16x) 20-doors steel lockers, dimensions: (13x) 1180 mm x 500 mm x 1950 mm and (3x) 900 mm x 550 mm x 2060 mm. Keys are missing.	
1762	NN smoke trolleys	10 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 260 mm, total dimensions: (10x) 1010 mm x 1000 mm x 1940 mm.	750
1763	NN smoke trolleys	9 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 260 mm, total dimensions: (9x) 1010 mm x 1000 mm x 1940 mm.	675
1764	NN smoke trolleys	15 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 260 mm, total dimensions: (15x) 1010 mm x 1000 mm x 1940 mm.	1125
1765	NN smoke trolleys	5 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 260 mm, total dimensions: (5x) 1010 mm x 1000 mm x 1940 mm.	375
1766	NN smoke trolleys	16 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 260 mm, total dimensions: (16x) 1010 mm x 1000 mm x 1940 mm.	1200
1767	NN smoke trolleys	54 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 260 mm, total dimensions: (54x) 1010 mm x 1000 mm x 1940 mm.	4050
1768	NN smoke trolleys	10 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 250 mm, total dimensions: (10x) 1010 mm x 1000 mm x 1980 mm.	750
1769	NN smoke trolleys	83 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1010 mm, distance between floors: 250 mm, total dimensions: (83x) 1010 mm x 1000 mm x 1980 mm.	6225
1770	NN tools	2 pallets with various tools.	250
1771	NN fans	Pallet with various fans.	50
1772	NN V-belts	Large amount of V-belts, various dimensions.	100
1773	NN plastic trays	Pallet with various plastic trays.	10
1774	NN racks with content	Steel rack with content, among others: electrical parts, bolts, screws, etc, dimensions rack: 4500 mm x 510 mm x 1500 mm.	250
1775	Mitsubishi	2 Mitsubishi indoor airco units, model: SRK25ZS-W, Toshiba indoor airco unit, model: RAV-RM801KRTP-E, dimensions: (3x) 1050 mm x 250 mm x 320 mm.	150
1776	NN parts	Pallet with laptop and conductivity meters.	25
1777	NN parts	Pallet with various brushes, filter cartridges and toilet seats.	50
1778			250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	Handtmann/ Mesutronic/ Multivac/Vemag	Steel rack with various Handtmann, Mesutronic, Vemag and Multivac parts, dimensions: 2800 mm x 1100 mm x 2000 mm.	
1779	Weber	Pallet with various transport belts for Weber slicers, belt width: 100 mm, 400 mm and 500 mm.	50
1780	NN transport belts	Various pallets with large amount of plastic and s/s belts, belts width: 270 mm, 410 mm, 530 mm, 1200 mm and 1300 mm.	350
1781	NN drive chains	Steel rack with various drive chains, dimensions rack: 1450 mm x 420 mm x 2000 mm.	50
1782	Handtmann	Pallet with parts for Handtmann VF628 vacuum filling machines.	250
1783	NN blower	Pallet with blower.	25
1784	SEALPAC GmbH	Pallet with various parts for SEALPAC GmbH 800+ traysealer and EL1200-R denester with trayloader for minced meat.	200
1785	SEALPAC GmbH	Pallet with various parts for SEALPAC GmbH 800+ traysealer and EL1200-R denester with trayloader for minced meat.	200
1786	SEALPAC GmbH	Pallet with various parts SEALPAC GmbH traysealer.	50
1787	Franz	Pallet with various Franz MST 91/600 slicer knives.	100
1790	Weber	Pallet with various spare parts for Weber slicers.	150
1791	Vemag	Pallet with various parts for Vemag vacuum filling machines.	150
1792	Handtmann	Pallet with various parts for Handtmann vacuum filling machines.	200
1793	Handtmann	Pallet with 3 Handtmann case spooling devices, type: 78-6.	200
1794	NN parts for pasteurizer	Pallet with various parts for pasteurizer.	250
1795	Witt-Gasetechnik GmbH & Co. KG	Pallet with 2 Witt-Gasetechnik GmbH & Co. KG and 1 Dansensor gas mixers, including gripper for Treif Falcon slicer.	250
1797	NN pneumatic part	Pallet with various pneumatic parts.	100
1798	Multivac	Pallet with various Multivac parts.	100
1799	Multivac	Pallet with various parts for Multivac R530 thermoformer.	100
1800	Multivac	Pallet with transport chain for Multivac thermoformer.	400
1801	Multivac	Pallet with part for Multivac R530 thermoformer.	50
1802	Multivac	Pallet with forming plates for Multivac thermoformer.	150
1803	Multivac	Pallet with various parts for Multivac thermoformer.	150
1804	NN parts	Pallet with various spare parts.	50
1805	Multivac	Pallet with parts for Multivac vacuum valves.	75
1806	Multivac	Pallet with various parts for Multivac T600 traysealer.	150
1807	Multivac	Pallet with parts for Multivac TE130 drying tunnel.	100
1808	Multivac	Pallet with s/s mesh belt for Multivac TE130 drying tunnel, belt width: 800 mm,	150



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1809	Multivac	Pallet with various Multivac spare parts.	150
1810	Multivac	Pallet with transport chain for Multivac thermoformer.	250
1811	Multivac	Pallet with various parts for Multivac thermoformer.	100
1812	Multivac	Pallet with various parts for Multivac thermoformer.	100
1813	Multivac	2 pallets with various parts for Multivac T400 traysealer.	200
1814	NN hydraulic parts	Steel box with various hydraulic cables and couplings, dimensions box: 1200 mm x 850 mm x 600 mm.	100
1815	Kramer+Grebe/ Wolfking	Pallet with various spare parts for Kramer+Grebe duo-cutter and Wolfking 3700 litre mixer.	150
1816	Scansteel	Pallet with various spare parts for Scansteel 2700 litre mixer.	150
1817	Kitzinger	Pallet with plastic chain conveyor for Kitzinger C1200 crate washer.	100
1818	NN drive motor	Pallet with drive motor.	25
1819	Sick	Pallet with Sick safety light curtains, type: C2C-EB18030A10000.	100
1820	Seydelmann/ Kramer+Grebe	Pallet with various parts for Seydelmann and Kramer+Grebe cutter.	150
1821	Schröter Technologie GmbH & Co. KG	Pallet with circulating fan for Schröter Technologie GmbH & Co. KG smoking, cooling and cooking chambers.	200
1822	Presto	Pallet with parts for Presto machines.	50
1823	NN brushes for sole cleaners	Pallet with various brushes for sole cleaners.	50
1824	Treif	Pallet with various spare parts for Treif slicer.	100
1825	NN fan	Pallet with s/s fan.	25
1826	NN plastic plates	Pallet with various plastic plates.	25
1827	Weber	Pallet with various Weber control panels.	150
1828	Hoegger	Pallet with forming unit for Hoegger meat press, type: FS4R 130x70L291-R20.	150
1829	Multivac	Pallet with various parts for Multivac R530 thermoformer.	250
1830	Witt-Gasetechnik GmbH & Co. KG	Pallet with 5 Witt-Gasetechnik GmbH & Co. KG gas mixers.	375
1831	Emerson	Pallet with Emerson pneumatic cylinder.	100
1832	Maja- Maschinenfabrik	Pallet with knife set for Maja-Maschinenfabrik ESB 4434 SH slicer.	150
1833	NN cable gutters	Pallet with various plastic cable gutters.	25
1834	NN fluorescent lamps	Pallet with various fluorescent lamps.	25
1835	Foss	Pallet with s/s cover for Foss meat analyser.	25
1836	NN lightning fixtures	Pallet with various lightning fixtures	10
1837	Multivac	Pallet with parts for Multivac T600 traysealers.	75
1838	NN switch cabinets	Pallet with various plastic switch cabinets.	50
1840	NN switch cabinets	Pallet with various plastic switch cabinets.	50
1841	NN lightning fixtures	Pallet with various lightning fixtures.	10
1842	NN parts	Pallet with various spare parts.	25



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1843	NN label unwinders	Pallet with various label unwinders.	25
1844	NN s/s parts	Pallet with various s/s parts.	50
1845	Bramidan	Pallet with 5 Bramidan s/s waste bag holders.	50
1846	NN sink	Pallet with s/s sink and knife sterilizer.	25
1847	Enlite	Pallet with various Enlite LED lighting panels, dimensions: 625 mm x 625 mm.	10
1848	Unifiller	Unifiller mobile depositor, dimensions: 800 mm x 700 mm x 1400 mm. Incomplete, technical condition unknown.	50
1849	NN brackets	Pallet with various s/s brackets.	25
1851	Townsend	Pallet with various spare parts for Townsend 7600 skinning machine.	100
1852	NN parts	Pallet with various spare parts.	25
1853	NN heating elements	Pallet with 3 heating elements.	75
1854	Rosenberg Ventilatoren GmbH	Rosenberg Ventilatoren GmbH fan, type: UNO-ME 80-630-G. 8FF.	150
1855	ABB	Pallet with 2 ABB circuit breakers, model: SACE E3S 25.	400
1856	NN drive chains	Pallet with various drive chains.	50
1857	NN drive chains	Pallet with various drive chains.	50
1858	NN drive chains	Steel box with various drive chains, dimensions box: 1250 mm x 850 mm x 550 mm.	50
1859	NN drive chains	Steel box with various drive chains, dimensions box: 1250 mm x 850 mm x 550 mm.	50
1860	Ecolab	Pallet with 4 Ecolab valves.	50
1861	ABB/Danfoss	Pallet with ABB circuit breaker, model: SACE E2S 20 and 2 Danfoss frequency converters, model: VLT HVAC Drive.	400
1862	Soco System	Pallet with various spare parts for Soco System box closing machines.	50
1863	NN parts for pasteurizer	Pallet with various parts for pasteurizer.	150
1864	NN parts	Pallet with various spare parts.	50
1865	Babcock-BSH	Babcock-BSH fan, type: DRVF 710/30-6/120, factory number: 599305.77-01, V: 30500/15300 m <sup>3</sup> /h, dimensions: 1300 mm x 1300 mm x 1700 mm.	100
1866	NN valves	8 pallets with various valves, various brands and types.	250
1867	Deufra	Pallet with various Deufra actuators, type: OA3.	50
1868	Mitsubishi/Toshiba	2 Mitsubishi outside unit for air conditioner, model: SRC25ZS-W, dimensions: (2x) 800 mm x 300 mm x 680 mm, Toshiba outside unit for air conditioner, model: RAV-GP801AT-E, dimensions: 1000 mm x 400 mm x 1200 mm.	150
1869	NN waste bag holder	S/s waste bag holder, dimensions: 450 mm x 450 mm x 1000 mm.	10
1870	Multivac	Carton box with various spare parts for Multivac T400 traysealers.	25
1871	NN lamps	Pallet with various lamps.	25
1872	NN electrical parts	Pallet with various electrical parts and filters.	75



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1873	NN parts	Pallet with various spare parts, among other: EFA saw, Danfoss frequency converter, electrical parts.	100
1874	NN crates	Pallet with various plastic crates and trays.	10
1875	Espera	Espera weighing unit, model: ESW 2104, max: 3/6/15 kg, min: 20 gram, e= 1/2/5 gram, (2x) Espera label printer, model: ESD 104.	250
1876	Rhewa/SysTec	Pallet with various Rhewa and SysTec weighing scales and indicators.	100
1877	Espera	Espera weighing unit, model: ESW 2104, max: 3/6/15 kg, min: 20 gram, e= 1/2/5 gram, (2x) Espera label printer, model: ESD 104.	250
1878	Logilink	Pallet with Logilink computer screen.	50
1879	Mettler Toledo	Mettler Toledo weighing unit, dimensions: 500 mm x 600 mm x 1400 mm.	50
1880	ELS	ELS mobile transport belt for labeller, model: ELS-310, belt width: 190 mm, total dimensions: 1300 mm x 700 mm x 1400 mm.	75
1881	ELS	ELS mobile labeller, model: ELS-220, machine number: 5223/2004, year of construction: 2004, 230 V, 50/60 Hz, dimensions: 600 mm x 500 mm x 1600 mm.	250
1882	ELS	ELS mobile labeller, model: AK2-SMBS302HP, machine number: 9188/2012, year of construction: 2012, 230 V, 50/60 Hz, belt width: (2x) 80 mm, dimensions: 1200 mm x 600 mm x 1700 mm.	400
1883	MHS Schneidetechnik	MHS Schneidetechnik knife for ICC 25 slicers.	25
1884	NN table	S/s table, dimensions: 2050 mm x 1200 mm x 1300 mm.	100
1885	CAB	CAB mobile labeller, model: PX6R/300, serial number: 0001751 A29, year of construction: 2016, 100-240 V, 50-60 Hz, 2 A, dimensions: 1150 mm x 500 mm x 1450 mm.	250
1886	ELS/MR-Selbstklebe-Technik	Pallet with parts for ELS and MR-Selbstklebe-Technik labellers.	25
1887	NN parts for labellers	2 steel racks with large amount of spare parts for labelling machines.	250
1888	Videojet	Videojet mobile inkjet printer, model: 1880, serial number: 23331004C61ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, dimensions: 800 mm x 850 mm x 1650 mm.	350
1889	ELS	Mobile switch cabinet for ELS labeller, model: SMQ03-0, dimensions: 450 mm x 500 mm x 1200 mm.	25
1890	Rhewa	Rhewa weighing unit, dimensions scale: 350 mm x 280 mm, total dimensions: 850 mm x 750 mm x 1400 mm.	150
1891	NN transformers	2 steel racks with various transformers, dimensions racks: (2x) 1450 mm x 410 mm x 2000 mm.	50
1892	Bertram & Graf GmbH	Pallet with large amount of Bertram & Graf GmbH saw blades.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1893	Multivac	Pallet with various parts for Multivac R530 thermoformers.	100
1894	Marel/Treif	Pallet with various parts and knives for Marel/Treif slicers.	50
1895	Multivac	Pallet with various parts for Multivac thermoformers.	25
1896	Multivac	Pallet with parts for Multivac TE130 drying tunnels.	100
1897	Multivac	Pallet with various parts for Multivac thermoformer.	25
1898	Multivac	Pallet with parts for Multivac T400 and T600 traysealers.	100
1899	SEALPAC GmbH	Pallet with various spare parts for SEALPAC GmbH A8 traysealers.	50
1900	Weber	Pallet with various spare parts for Weber slicers.	150
1901	NN parts	Pallet with various spare parts.	50
1902	NN heating element	Pallet with heating element.	50
1903	Ten Brink	Pallet with various spare parts for Ten Brink pasteurizers.	50
1904	NN tool boxes	Pallet and trolley with various tool boxes.	50
1905	NN parts	Pallet with various spare parts.	50
1906	Bürkert	Pallet with various Bürkert valves.	50
1907	NN lamps	Pallet with various lamps and plastic grids.	25
1908	NN safety equipment	Pallet with various safety equipment.	25
1909	Handtmann	Pallet with large amount of plates and knives for Handtmann VF620 and VF628 grinding head.	250
1910	Multivac	Pallet with part for Multivac T600 traysealers.	50
1911	NN rollers	Pallet with various s/s rollers, roller width: 500 mm and 900 mm.	25
1912	NN s/s and steel parts	Rack with large amount of s/s, steel and plastic pipes, beams and plates, various lengths.	300
1913	Weber/Townsend	Various knives for Weber and Townsend skinning machines.	50
1914	Testo	4 Testo thermometers, model: testo 104-IR.	100
1915	Glory	Pallet with various Glory ATM's, model: RCW-100 and RBW-100.	300
1916	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH slicer line, consisting of: Weber Maschinenbau GmbH slicer, type: CCS 405 A 200, number: CCS 405-1125, year of construction: 01/2015, 400 V, 50 Hz, 7 kW, weight: 2000 kg; Weber Maschinenbau GmbH checkweigher, type: CCW-100, number: CCW 405-1125, year of construction: 2015; Weber Maschinenbau GmbH rejector belt, type: CCR-100, number: CCR 405-1125, year of construction: 01/2015; Weber Maschinenbau GmbH belt loader for thermoformer, type: CPL, number: CPL 405-1125, year of construction: 01/2015, 400 V, 50 Hz, 7 kW.	25000
1917	Nowicki	Nowicki injector, type: MH-75 SAS, serial number: 03721040, year of construction: 2021, 2x400 V, 50 Hz, plastic mesb belt width: 350 mm, clearance: 370 mm x	6500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		210 mm, total dimensions: 2180 mm x 1250 mm x 2380 mm, including filter unit, dimensions: 1560 mm x 700 mm x 700 mm and trolley for tools, dimensions: 1730 mm x 1000 mm x 1310 mm.	
1918	NN smoke trolleys	9 s/s H-Shaped smoke trolleys, 9 floors each, floor width: 1000 mm, distance between floors: 160 mm, total dimensions: (9x) 1010 mm x 1000 mm x 1960 mm.	675
1919	NN smoke trolleys	34 s/s Z-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 260 mm, total dimensions: (34x) 1010 mm x 1000 mm x 1950 mm.	2550
1920	NN smoke trolleys	108 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 280 mm, total dimensions: (108x) 1020 mm x 1000 mm x 1950 mm.	8100
1921	NN smoke trolleys	58 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (58x) 1020 mm x 1000 mm x 2000 mm.	4350
1922	NN smoke trolleys	23 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (23x) 1020 mm x 1000 mm x 2000 mm.	1725
1923	NN smoke trolleys	26 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (26x) 1020 mm x 1000 mm x 2000 mm.	1950
1924	NN smoke trolleys	14 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (14x) 1020 mm x 1000 mm x 2000 mm.	1050
1925	NN smoke trolleys	14 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (14x) 1020 mm x 1000 mm x 2000 mm.	1050
1926	NN smoke trolleys	18 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (18x) 1020 mm x 1000 mm x 2000 mm.	1350
1927	NN smoke trolleys	12 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (12x) 1020 mm x 1000 mm x 2000 mm.	900
1928	NN smoke trolleys	21 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (21x) 1020 mm x 1000 mm x 2000 mm.	1575
1929	NN smoke chambers		1575



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		21 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (21x) 1020 mm x 1000 mm x 2000 mm.	
1930	NN smoke trolleys	26 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (26x) 1020 mm x 1000 mm x 2000 mm.	1950
1931	NN smoke trolleys	47 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (24x) 1020 mm x 1000 mm x 2000 mm.	3525
1932	NN smoke trolleys	12 s/s H-Shaped smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (12x) 1020 mm x 1000 mm x 2000 mm.	900
1933	NN smoke trolleys	8 s/s Z-shaped smoke trolleys, 8 floors each, floor width: 1000 mm, distance between floors: 200 mm, total dimensions: (8x) 1000 mm x 1010 mm x 2010 mm.	600
1934	NN smoke trolleys	80 s/s H-shaped smoke trolleys with different floors, consisting of: 61 s/s smoke trolleys, 7 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (61x) 1000 mm x 1020 mm x 2010 mm. 12 s/s smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 280 mm, total dimensions: (12x) 990 mm x 1020 mm x 1950 mm. 7 s/s smoke trolleys, 5 floors each, floor width: 1000 mm, distance between floors: 280 mm, total dimensions: (7x) 990 mm x 1010 mm x 1990 mm.	6000
1935	NN smoke trolleys	16 s/s H-shaped smoke trolleys with different floors, consisting of: 10 s/s smoke trolleys, 7 floors each, floor width: 1000 mm, distance between floors: 250 mm, total dimensions: (10x) 1000 mm x 1020 mm x 2010 mm. 6 s/s smoke trolleys, 6 floors each, floor width: 1000 mm, distance between floors: 295 mm, total dimensions: (6x) 1010 mm x 1020 mm x 2010 mm.	1200
1936	NN smoke sticks	26 plastic pallet boxes with large amount of s/s smoke sticks, length each smoke stick: 990 mm, dimensions pallet boxes: (26x) 1200 mm x 1000 mm x 720 mm.	2600
1937	NN office inventory	Office inventory, consisting of: various office desks, cabinets, drawers and chairs.	150

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.


16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.





# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

