

Continuous Pancake Production Line available for immediate sale from Orbital Foods Ltd

Manufacturer : SDTN

Model : CC523



Complete pancake production line featuring two rotating hot plates and a wire belt system that automatically flips pancakes to cook both sides evenly. Built for reliable high-volume production.

Technical Specifications:

Dimensions: 5m x 2.1m (Area of 2 x Hot plates)

Power Requirements: 8kW, 3-phase Electricity

Gas Supply: 50 mbars

Air Supply: 6 bars

Material: Stainless Steel Construction

Control System: Integrated

Component Parts:

2 x Hot plates

1 x Batter Depositor

1 x Crepe Depositor

1 x Gas Booster Pump

2 x Wire Transfer Belts

1 x Batter Pump

1 x Manual

1 x Parts Manual

1 x Associated Spare Parts

Application: Factory, industrial production

Process flow

Product weight and diameters can be adjusted from 30mm to 240mm, from 8g to 100g respectively.

1. Batter Depositing

□□Batter depositor holds prepared batter and deposits onto the hot plates.

□□Crepe depositor interchangeable for different products

2. Cooking

□□Rotating hot plates cook batter, speed and temperature can be adjusted to preferences.

□□Wire transfer belt between hot plates flips the pancakes to cook the alternate side.

□□Second wire transfer belt to move pancakes off the second hot plate after it has been cooked on both sides.

